



Annual Report of the Registrar-General for Scotland

1959

No. 105

EDINBURGH

HER MAJESTY'S STATIONERY OFFICE

1960

TABLE OF CONTENTS

Page

8

INTRODUCTORY LETTER	8
TEXT	
INTRODUCTION	9
ESTIMATED POPULATION	10
BIRTHS	13
Sex Ratio	13
Monthly Rates	14
Fertility Rates	14
Multiple Births	15
Illegitimate Births	15
International Rates	16
MARRIAGES	16
Civil Marriages	17
International Rates	17
Divorces	17
DEATHS	
Standardised Rates	20
Monthly Rates	21
International Rates	21
Age and Sex	21
Infant Mortality	22
International Rates	23
Mortality among Legitimate and Illegitimate Children	23
Neo-natal Mortality	24
Centenarians	25
LIFE TABLES	25
CAUSES OF DEATH	27
Certification	27
Principal Epidemic Diseases	27
Tuberculosis	28
Other Infective and Parasitic Diseases	30
Malignant Neoplasms	30
Diabetes	32
Anæmias	32
Other General Diseases	32
Diseases of the Nervous System	32
Diseases of the Circulatory System	33
Coronary Thrombosis	33
Diseases of the Respiratory System	33
Diseases of the Digestive System	33
Diseases of the Genito-Urinary System	33
Diseases of Pregnancy and Childbirth	34
Diseases of Skin and Cellular Tissue	35
Diseases of the Bones and Organs of Movement	35
Malformations	35
Diseases of Early Infancy	36
Senility	36
Violence	37
Accidents	37
Transport	38
Home	39
Residential Institutions	39
Mines and Quarries	39
Farm and Forest	39
Suicide	39
Anæsthetics	40
Relative Frequency of Cause of Death	40
Death-rates in Scotland compared with England and Wales and Northern Ireland	40

CAUSES OF DEATH—*continued.*

Page

INFANT DEATHS see also Appendix IX

Cause	41
Month of Registration	41
Age Period	41

CENTRAL CLYDESIDE CONURBATION

Statistical Summary	43
-------------------------------	----

APPENDICES

I. FERTILITY OF WOMEN

Report on information obtained for the year 1959 under the Population (Statistics) Act, 1938	45
--	----

II. STILLBIRTHS

Stillbirths and Neo-natal deaths	49
Age of Mother and Number of Previous children	51
Illegitimate Stillbirths	53
Multiple births	54
Certification	55
Principal causes of stillbirth	55
Causes of stillbirth—Recent trends	56
Sex ratios and rates	57
Causes of stillbirth by parity	58
Illegitimate stillbirths by cause	58
Month of registration	58
Stillbirths by cause and place of occurrence	59
Stillbirths by cause and local authority area	59

III. SOCIAL CLASS

Births, Stillbirths and Infant Deaths according to social class of father.	60
--	----

IV. MARRIAGES

Additional Statistics regarding Marriages during the year 1958	67
--	----

V. PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS

.	75
-----------	----

VI. ALTERATION OF BOUNDARIES

Burghs, Landward Areas, Parishes and Registration Districts	76
---	----

VII. REGISTRATION OF BIRTHS &C.

Re-registration of Births	77
Adopted Children Register	77
Registers in General Registry Office	77
Searches and Extracts	78

VIII. INHABITED HOUSES

.	78
-----------	----

IX. PERINATAL DEATHS CLASSIFIED TO STILLBIRTH CAUSES See also Infant Deaths

.	79
-----------	----

X. METEOROLOGICAL NOTES

Report on the weather in Scotland for the year ending 31st December 1959	83
--	----

TABLES

BIRTHS, DEATHS AND MARRIAGES

1. Population, Births, Stillbirths, Deaths and Marriages in Scotland 1855 to 1959, with Quinquennial averages	86
1A. Estimated Populations, Total, De Facto and Civilian by sex and age as at 30th June 1959	88
1B. Estimated Total Population by sex, age and marital condition, as at 30th June 1959	88
1C. Estimated Total Population mid-1959 projected to mid-1979 by sex and age	89
2. Birth, Stillbirth, Death and Marriage rates, Scotland, 1855 to 1959, with Quinquennial averages	90
3. Births, Stillbirths, Deaths and Marriages by Quarters, Scotland 1949 to 1959	92
4. Birth, Stillbirth, Death and Marriage rates, Scotland, Counties of Cities, Large Burghs and Counties, 1959	93
5. Birth, Stillbirth, Death and Marriage rates, Small Burghs, 1959	96
6. Birth, Stillbirth, Death and Marriage rates, Landward Areas. 1959	99

GENERAL REGISTRATION SUMMARY Page

7. Births, Stillbirths, Deaths and Marriages, Scotland, Counties of Cities, Large Burghs, and Counties, 1959	100
--	-----

BIRTHS

8. Birth-rate among married and unmarried women, Scotland, Counties of Cities, Large Burghs and Counties, 1959	101
See also Tables 7 and 63.	

FERTILITY OF WOMEN

9. Births by single age of mother, sex and legitimacy, Scotland, 1959	103
10. Births by age of mother and duration of marriage, Scotland, 1959	104
11. Fertility by age of mother, Scotland, 1959	105
12. Interval between marriage and birth of first child, Scotland, 1959	106
13. Number of previous children by age of mother, Scotland, 1959	107
14. Number of previous children by duration of marriage, Scotland, 1959	108
15. Deaths of married, widowed and divorced women by age-groups who died childless, Scotland, 1959	109
16. Deaths of women by duration of marriage, and number who died childless Scotland, 1959	110
17. Deaths from selected causes and age-groups of women who had been married, Scotland, 1959	111

STILLBIRTHS

18. Number and rates of stillbirths and neo-natal deaths, Scotland, Counties of Cities, Large Burghs and Counties, 1959	112
19. Stillbirths by age of mother and number of previous children, Scotland, 1959	114
20. Multiple confinements (all births live and still) by age of mother, 1959	115
21. Stillbirths by cause and age of mother, Scotland, 1959	116
21A. Stillbirths by cause of death, Scotland—1950-1959	119
22. Stillbirths by cause and order of birth, Scotland, 1959	122
23. Stillbirths by cause and month of registration, Scotland, 1959	124
23A. Stillbirths by cause and place of occurrence, Scotland, 1959	126
24. Stillbirths by cause in Public Health Districts of Scotland, 1959	127

BIRTHS, STILLBIRTHS AND INFANT DEATHS BY SOCIAL CLASS

25. Legitimate stillbirths by cause and social classification, Scotland, 1959	131
26. Deaths of legitimate children under one year from selected causes by social classification, Scotland, 1959	133
27. Stillbirths by social classification, age of mother and number of previous children, Scotland, 1959	134
28. Live births by social classification, age of mother and number of previous children, Scotland, 1959	135

DEATHS

29. Children under one year, deaths from selected causes, Scotland, 1959	136
30. Children under one year, deaths from selected causes by month of registration, Scotland, 1959	137
31. Children under one year, births, deaths and death-rates by age periods, Scotland, Counties of Cities, Large Burghs and Counties, 1959	138
32. Children under one year, deaths by selected age-groups, Scotland, 1959	140
33. Ages at death, Scotland, and aggregate of Counties of Cities, Large Burghs, Counties ex Large Burghs, Small Burghs and Landward Areas, 1959	141
34. Deaths, male and female, by year of age and conjugal condition, Scotland, 1959	142
35. Deaths and death-rates from selected causes by age groups, Scotland, 1959	144
36. Deaths and death-rates from selected causes, Scotland, and aggregate of Counties of Cities, Large Burghs, Small Burghs and Landward Areas, 1959	148

DEATHS—continued

	<i>Page</i>
37. Deaths from selected causes and in age-groups, Scotland, 1951-1959	150
38. Death-rates from selected causes and in age-groups, Scotland, 1951-1959	152
39. Deaths from principal epidemic and certain other diseases, Scotland, 1855-1959	154
40. Death-rates from principal epidemic and certain other diseases, Scotland, 1855-1959	155
41A. Deaths from non-transport accidents by place of occurrence, age and sex in Scotland, 1959	156
41B. Deaths from Poisoning in Scotland in 1959	158
41C. Deaths in anaesthesia and connected with anaesthetics in Scotland in 1959	159

Detailed International List

42. Causes of death by age groups (males and females), Scotland, 1959	160
42A. Causes of death by sex, Scotland, 1950-1959	202

Intermediate International List A

43. Causes of death by months and sex, Scotland, 1959	243
44A. Deaths in Scotland by sex and age-groups, 1959	248
44B. Deaths in Cities over 100,000 population (Glasgow, Edinburgh, Aberdeen, and Dundee) by sex and age-groups, 1959	256
44C. Deaths in aggregate of Large Burghs in Scotland by sex and age-groups, 1959	264
44D. Deaths in aggregate of Small Burghs in Scotland by sex and age-groups, 1959	272
44E. Deaths in aggregate of Landward Areas in Scotland by sex and age-groups, 1959	280
44F. Deaths in Central Clydeside Conurbation in Scotland by sex and age-groups, 1959	288
45. Causes of deaths in Public Health Districts of Scotland (Persons) 1959	296

Abbreviated International List B

46. Causes of death by age-groups in Public Health Districts of Scotland (males and females) 1959 (including separate particulars for the insular portions of Inverness and Ross and Cromarty Counties)	308
47. Statistical Abstract, Population, Births, Stillbirths, Marriages, Deaths, Causes of Death, Ages at Death, Scotland, Counties, Counties of Cities, Burghs and Landward Areas, 1959	368

	<i>Page</i>
County of Aberdeen	368
Do. Angus	372
Do. Argyll	372
Do. Ayr	374
Do. Banff	376
Do. Berwick	378
Do. Bute	380
Do. Caithness	380
Do. Clackmannan	380
Do. Dumfries	382
Do. Dunbarton	382
Do. East Lothian	384
Do. Fife	386
Do. Inverness	390
Do. Kincardine	390
Do. Kinross	390
Do. Kirkcudbright	392

	<i>Page</i>
County of Lanark	392
Do. Midlothian	394
Do. Moray	396
Do. Nairn	396
Do. Orkney	396
Do. Peebles	398
Do. Perth	398
Do. Renfrew	400
Do. Ross and Cromarty	402
Do. Roxburgh	402
Do. Selkirk	404
Do. Stirling	404
Do. Sutherland	406
Do. West Lothian	406
Do. Wigtown	408
Do. Zetland	408

STANDARDISED RATES

48. Standardised mortality ratios, age specific death rates and infant mortality rates from selected causes in 1959 in England and Wales, Scotland and Northern Ireland	410
---	-----

MARRIAGES .	Page
49. Method of celebration, etc., of marriages, 1855 to 1958	416
50. Ecclesiastical, Civil and Irregular Marriages, Scotland, Counties of Cities, Large Burghs and Counties, 1958	417
51. Marriages according to Church of Celebration, Scotland, Counties of Cities, Large Burghs and Counties, 1958	418
52. Conjugal Condition of Persons marrying, Scotland, Counties of Cities, Large Burghs and Counties, 1958	419
53. Ages of Men at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1958	420
54. Ages of Women at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1958	422
54A. Age and conjugal condition of men marrying in Scotland, 1958	424
54B. Age and conjugal condition of women marrying in Scotland, 1958	426
55. Ages in combination of men and women at marriage, Scotland, 1958	428
56. Ages in combination of bachelors and spinsters at marriage, Scotland, 1958	429
57. Ages in combination of bachelors and widows at marriage, Scotland, 1958	430
58. Ages in combination of widowers and spinsters at marriage, Scotland, 1958	431
59. Ages in combination of widowers and widows at marriage, Scotland, 1958	432
59A. Ages in combination of divorced men and of women (all conjugal conditions) at marriage, Scotland, 1958	433
59B. Ages in combination of men (all conjugal conditions) and of divorced women at marriage, Scotland, 1958	434
See also Tables 7 and 63.	

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS	
60. Parliamentary Electors on the February 1959 Register	435
61. Local Government Electors and analysis of local elections on the February 1959 Register	438

INHABITED HOUSES	
62. Return of Inhabited Houses in Scotland 1939 and 1955-1959	449

METEOROLOGY	
63. Meteorology of Scotland for 1959; also number of births, stillbirths, deaths, deaths under one year and marriages by months, with rates	455
64. Deaths, temperature and rainfall for each week of 1959—seventeen Large Burghs	456
See also Tables I to IV, pages 458 to 465.	

METEOROLOGICAL TABLES FOR APPENDIX X	
I. District Values of air temperature, rainfall and sunshine, 1959	458
II. Summary table of mean values of air temperature at the principal towns, Monthly values, 1959, also generalised figures for rain for the United Kingdom	459
III. Number of hours bright sunshine, Monthly values 1959	460
IV. Rainfall, Monthly values, 1959	462

REPORT
ON THE
VITAL STATISTICS of SCOTLAND for the YEAR 1959

GENERAL REGISTRY OFFICE OF BIRTHS, &C.,
NEW REGISTER HOUSE,
EDINBURGH, *14th December, 1960.*

SIR,

I have the honour, in compliance with the Registration of Births, Deaths and Marriages (Scotland) Act, 1854, to submit, with a view to its being laid before Parliament, a Report on the Vital Statistics of Scotland for the year 1959.

I am, Sir,

Your obedient Servant,

ALEX. B. TAYLOR,
Registrar-General.

To THE RIGHT HONOURABLE
JOHN S. MACLAY, C.M.G., M.P.,
SECRETARY OF STATE FOR SCOTLAND.

Introduction

Population. The estimated population of Scotland at 30th June, 1959, was 5,191,700 and was 22,700 more than in the previous year. The natural increase (excess of births over deaths) during the period was 36,400, but the effect of this on the population was reduced to the figure of 22,700 referred to by a net outward movement of the population.

Births. The births registered in Scotland during the year 1959 numbered 99,251, giving a rate of 19·12 per thousand of population. This rate is 0·13 below the 1958 rate but 0·55 above the average.

Marriages. 40,448 marriages were registered, 738 fewer than in 1958. The rate of 7·79 per thousand of the population is again below the average.

Deaths. 63,061 deaths were registered and the rate per thousand of the population was 12·1, 0·1 more than the rate for 1958.

Infant Mortality. Deaths of children under one year of age numbered 2,816, and equal a rate of 28·4 per 1,000 live births, a slight rise from the record low figure of 27·7 in 1958.

Maternal Mortality. Deaths from diseases and accidents of pregnancy and childbirth numbered 36, 17 fewer than in 1958. This represented a rate of 4 for every 10,000 births (live and still), the lowest ever recorded in Scotland.

Expectation of Life. The expectation of life at birth on the experience of the mortality of 1959 is 66·0 years for males and 71·4 years for females.

EXPLANATORY NOTES

(1) *To save repetition, any references to an average or average rate will, unless the contrary is indicated, be intended as references to the average for the five years 1954 to 1958.*

(2) *The home or de facto population is used for the calculation of the birth, death and marriage-rates.*

(3) *Births, stillbirths and deaths are corrected throughout this Report by transfer where necessary to usual place of residence, if in Scotland, but marriage figures are as registered.*

(4) *Throughout the Report "year" means "calendar year" except where otherwise specified.*

Report 1959

Estimated Population

The estimated population of Scotland at 30th June, 1959, was 5,191,700, and was 22,700 more than in the previous year.

Since 1951 these estimates have been based upon the figures obtained at the census in that year, adjusted to take account of the natural increase (excess of births over deaths) and such information as is available about movement into and out of Scotland. This movement comprises emigration and immigration in the ordinary sense of these terms, movements of workers on civil engineering projects and admission to, discharge from, and movement of H.M. Forces, these factors operating differently at different times.

The natural increase in the year to 30th June, 1959 was 36,400, compared with 34,600 in 1958. As in every year since 1951, the estimated numbers moving out of Scotland, whether for purposes of emigration in the ordinary sense or otherwise, have been in excess of the estimated numbers moving in. In the year to 30th June, 1959, the estimated net outward movement was 13,800, thus reducing the effect of the natural increase to the increase of 22,700 given above. Of those who moved out it is estimated that about 12,000 went to the rest of the United Kingdom and 6,600 went overseas. In 1958 the estimated net outward movement, emigration and otherwise (15,600) reduced the effect of the natural increase to 19,000.

Table 1, as in previous Reports, gives the estimated mid-year population in 1959. Since 1951 the estimated population has been the "home" or "de facto" population, comprising the population of all types actually in Scotland, and thus including all armed forces in Scotland whether or not of Scottish domicile but excluding members of H.M. Forces of Scottish domicile serving outwith Scotland and the Merchant Navy abroad. The "home" population has been used since 1951 as a basis for calculating the birth, death and marriage rates in these Reports.

It is sometimes also convenient to have estimates of the "civilian" population (all armed forces and merchant navy at home and abroad being excluded); and the "total" population (i.e. the "home" population, members of H.M. Forces of Scottish domicile serving out of Scotland and of the Merchant Navy abroad, but excluding Forces stationed in Scotland who are not of Scottish domicile). Table 1A shows these additional population figures along with the "home" population, analysing all three by age and sex. Table 1B analyses the "total" population by age, sex and marital condition.

Changes in the age structure of the population over a period are of interest. Table A(1) below shows the age distribution according to three age groups at different dates since 1861. It will be noted that the proportion of the total population over 65 had more than doubled between 1901 and 1951; and that it has been creeping upwards since then, being in 1959 2.2 times the proportion in 1901.

Table 1C shows a projection of the total population of Scotland by sex and age at five-yearly intervals from 1959 to 1979. This projection has been prepared by the Government Actuary's Department in consultation with the Registrar General.

A distinctive feature of the population of Scotland is its distribution—a much higher number living in urban than rural areas and in cities than in large burghs. The Central Clydeside Conurbation (defined on page 43) occupying just over one per cent. of the area of Scotland has a population about one-third of the total population of Scotland.

Table A(1)
Age Distribution of the Population of Scotland, 1861-1959

Year	Proportion per 1,000 of total population in each age-group		
	0-14	15-64	Over 65
1861 Census	361	591	49
1901 "	334	617	48
1951 "	246	654	99
1952 Estimate	247	652	100
1953 "	247	651	101
1954 "	248	650	102
1955 "	249	649	102
1956 "	250	647	102
1957 "	252	645	103
1958 "	253	643	104
1959 "	254	642	104

Studies of long term trends can be appropriately made only in the Census Reports, but the following Tables A(2) and A(3) show something of the apparent trends since 1951.

Table A(2) shows that since 1951 the small burghs take first place as gainers of population and the large burghs second place. In the four counties of cities there has been a slight decrease in population since 1951. In the landward areas of counties the population has fluctuated, the total number in 1959 being slightly above the total number in 1951.

Table A(2) Census Population 1951 and Estimated Populations 1952-59, Scotland by Local Authority Districts

Year	Scotland	Counties of Cities	Large Burghs	Small Burghs	Landward
1951	5,096,415	1,926,903	828,389	817,623	1,523,500
1952	5,114,624	1,923,584	836,054	838,130	1,516,856
1953	5,117,612	1,917,506	839,844	840,198	1,520,064
1954	5,123,336	1,915,223	844,214	842,333	1,521,566
1955	5,133,292	1,914,652	848,644	844,925	1,525,071
1956	5,144,578	1,913,486	855,019	848,290	1,527,783
1957	5,150,020	1,910,450	860,430	850,745	1,528,395
1958	5,168,992	1,912,884	867,844	867,691	1,520,573
1959	5,191,660	1,913,678	875,023	874,938	1,528,021

In Table A(3) the ratio of the population in the Central Clydeside Conurbation to the population in the rest of Scotland has not changed very much since 1951. Both have increased but the increase is slightly greater proportionately in the Conurbation.

Table A(3) Census Population 1951 and Estimated Populations 1952-59, Scotland by Central Clydeside Conurbation and Rest of Scotland

Year	Scotland	Central Clydeside Conurbation	Rest of Scotland
1951	5,096,415	1,762,053	3,334,362
1952	5,114,624	1,761,113	3,353,511
1953	5,117,612	1,762,437	3,355,175
1954	5,123,336	1,765,414	3,357,922
1955	5,133,292	1,770,340	3,362,952
1956	5,144,578	1,777,589	3,366,989
1957	5,150,020	1,782,170	3,367,850
1958	5,168,992	1,790,658	3,378,334
1959	5,191,660	1,798,464	3,393,196

Births

Numbers. The number of living children* whose births were registered in Scotland in 1959 was 99,251 (51,126 males and 48,125 females). This is a decrease of 230 compared with 1958 but 3,726 above the average of the five years 1954-1958.

Rates. The birth-rate for the year was 19.12 per 1,000 population. The rate in 1958 was 19.25 and the average rate 18.57. In the cities the 1959 rate was 19.7, in the large burghs 20.3, in the small burghs 18.2, and in the landward districts 18.2. (Table B(1).)

The birth-rates in 1959 in each city, large burgh and county will be found in Table 4. In the cities and large burghs the rate ranged from 24.6 in Coatbridge, to 17.0 in Falkirk. In the counties the rate ranged from 22.0 in Caithness to 12.2 in Berwick.

The standardised† birth-rate, in the cities and large burghs, varied from 23.3 in Coatbridge, to 16.0 in Kirkcaldy. In the counties the rate ranged from 25.4 in Inverness to 13.7 in Berwick.

Table B(1)
Birth-rate in Scotland and its Groups of Public Health Districts in 1959

GROUPS OF DISTRICTS	Live Births					Birth-rate per 1,000 of Estimated Population			Illegitimate Births per 100 Live Births
	Total	Legitimate		Illegitimate		Total	Legitimate	Illegitimate	
		Males	Females	Males	Females				
Counties of Cities .	37,674	18,524	17,291	946	913	19.69	18.72	0.97	4.93
Large Burghs .	17,780	8,714	8,436	323	307	20.32	19.60	0.72	3.54
Small Burghs .	15,920	7,952	7,444	256	268	18.20	17.60	0.60	3.29
Landward .	27,877	13,802	12,954	609	512	18.24	17.51	0.73	4.02
SCOTLAND .	99,251	48,992	46,125	2,134	2,000	19.12	18.32	0.80	4.17

	Stillbirths			Rate per 1,000 Births (including Stillbirths)		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
Counties of Cities .	908	845	63	23.5	23.0	32.8
Large Burghs .	384	361	23	21.1	20.6	35.2
Small Burghs .	347	320	27	21.3	20.4	49.0
Landward .	613	585	28	21.5	21.4	24.4
SCOTLAND .	2,252	2,111	141	22.2	21.7	33.0

*Stillbirths are dealt with in Appendix II (Pages 49-59).

†The local birth rates are standardised to the Scottish age and sex distribution.

Ratio of Male to Female Births. There were 1,062 males to every thousand females among the children born alive in 1959. The ratio is 9 above that in the year 1958 and 7 above the average for the years 1954 to 1958. The highest

average of male to female births since 1855 (the beginning of registration) was in the period 1946 to 1950 when the ratio was 1,063.

Monthly Birth-Rates. As will be seen from Table 63 the average monthly birth-rate was, as usual, higher in the first than in the second half of the year.

Fertility Rates. Births and birth rates in relation to women of child-bearing age in Scotland in 1959 are shown in Table 8. They are given for Scotland as a whole, for the administrative areas in the aggregate, and for each county and large burgh. The total number of births is shown and, separately, the number of legitimate and illegitimate births.

The rates are summarised in the following Table B(2) for three-yearly periods centred on each census from 1861 to 1951.

The number of births per 1,000 married women reached its highest figure of 319.4 in 1870-72. By 1900-02 it had fallen to 271.8 and by 1950-52 that figure was more than halved at 132.3. The 1950-52 rate was about 42 per cent. of the rate of 1860-62.

Table B(2)
Birth-rate in Scotland, per 1,000 Women aged 15-44, 1861-1951

Year	Births per 1,000 Women aged 15-44			Legitimate Births per 1,000 Married Women aged under 45		
	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62
1860-62	144.6	—	100	316.0	—	100
1870-72	149.4	103.3	103.3	319.4	101.1	101.1
1880-82	145.8	97.6	100.8	311.5	97.5	98.6
1890-92	132.5	90.9	91.6	296.4	95.2	93.8
1900-02	121.9	92.0	84.3	271.8	91.7	86.0
1910-12	107.3	88.0	74.2	233.2	85.8	73.8
1920-22	105.1	97.9	72.7	226.7	97.2	71.7
1930-32	80.1	76.2	55.4	169.0	74.5	53.5
1940-42	73.0	91.1	50.5	136.9	81.0	43.3
1950-52	80.3	110.0	55.5	132.3	96.6	41.9

The yearly rates from 1931 to 1959 are given in the following Table B(3). It will be observed that the rate for all women aged 15 to 44 was higher in 1959 than in 1931, whereas the rate for married women was a good deal lower. The reason for the increase in relation to all women of child-bearing age is that the proportion of married women is much increased. The marriage-rate has remained high for a long time, and the numbers of married persons in the population were sharply increased by exceptionally high marriage-rates after the last war.

In 1959 the birth-rate per 1,000 married women was lower by 26.7 than in 1931. In 1947 the high post-war birth-rates raised the rate to 163.9 but after that it decreased steadily till 1952, when it reached the low level of 131.3. Since then there has been an upward trend. The rate of 141.6 in 1959, however, is 1.0 below that for 1958, but it is 10.3 more than the 1952 rate.

It would seem that the increase in the number of births per 1,000 married women is due to the larger number of marriages at the younger ages where fertility is generally highest.

Table B(3)

Crude Birth-rate and rate per 1,000 women aged 15-44 in Scotland 1931-1959

Year	Crude Birth-rate per 1,000 Population	Births per 1,000 Women aged 15-44	Legitimate Births per 1,000 Married Women aged 16-44	Illegitimate Births per 1,000 Unmarried Women aged 15-44
1931	19.0	79.8	168.3	10.3
1932	18.6	78.4	164.3	9.9
1933	17.6	74.5	154.7	9.2
1934	18.0	76.5	156.8	9.4
1935	17.8	74.9	152.4	9.0
1936	17.9	75.1	151.4	9.1
1937	17.6	73.7	147.2	8.6
1938	17.7	74.0	146.1	8.7
1939	17.4	72.1	141.1	8.3
1940	17.1	71.4	137.0	8.3
1941	17.5	73.5	138.1	9.6
1942	17.6	74.2	135.9	10.7
1943	18.4	78.7	140.6	12.3
1944	18.5	79.9	141.5	13.1
1945	16.9	73.1	126.1	13.3
1946	20.3	89.5	158.0	12.6
1947	22.3	97.1	163.9	12.3
1948	19.7	86.6	143.9	11.5
1949	18.7	83.4	137.9	10.6
1950	18.0	81.0	133.9	9.9
1951	17.7	79.8	131.5	9.6
1952	17.7	80.1	131.3	9.1
1953	17.8	81.3	132.1	9.2
1954	18.0	83.2	134.2	9.2
1955	18.0	84.1	134.2	9.1
1956	18.5	87.5	137.4	9.6
1957	19.0	90.8	140.9	9.7
1958	19.2	92.8	142.6	10.1
1959	19.1	93.2	141.6	10.5

Multiple Births. The total number of women who gave birth to living children in 1959 was 98,080 of whom 96,919 or 98.82 per cent. gave birth to single children, 1,152 or 1.17 per cent. to twin children, 8 to triplets and 1 to quadruplets. These births refer only to children born alive; and single births here include multiple births in which only one child was born alive. Appendix II which analyses the stillbirths registered in Scotland in 1959 provides further particulars regarding multiple births, live and still. (Table 20).

Illegitimate Births. These numbered 4,134 or 4.17 per cent. of the total live births compared with 4,073 and 4.09 per cent. in 1958. In the cities the percentage was 4.9 and in the large burghs 3.5, compared with 4.9 and 3.6 in 1958. It was 3.3 in the small burghs and 4.0 in the landward districts. Relating these births to the estimated number of unmarried women aged 15-44, the rate for Scotland was 10.5 per 1,000, that for the cities being 12.0, for the large burghs 9.6, for the small burghs 8.2 and for the landward areas 10.3. (Tables 1.4 and 8.)

Table C. Birth-rate per 1,000 Women aged 15-44, 1959

Groups of Districts	Estimated Number of Women aged 15-44	Births	Birth-rate per 1,000 of Population		Birth-rate per 1,000 Women aged 15-44	
		Number	Rate	Relative Quantity, Scotland being=100	Rate	Relative Quantity, Scotland being=100
Counties of Cities .	405,500	37,674	19.69	103.0	92.9	99.7
Large Burghs .	184,100	17,780	20.32	106.3	96.6	103.6
Small Burghs .	179,000	15,920	18.20	95.2	88.9	95.4
Landward .	296,700	27,877	18.24	95.4	94.0	100.9
SCOTLAND .	1,065,300	99,251	19.12	100.0	93.2	100.0

International Rates. The following table shows birth-rates in certain other countries:

Birth-rates per 1,000 Population, 1959

Canada	27.9	Finland	18.4
Israel*	26.6	Italy	18.4
New Zealand†	26.5	France	18.3
India	25.7	Norway	18.0
Union of South Africa‡	25.4	Switzerland	17.8
Poland	24.8	Western Germany	17.6
U.S.A.	24.1	Austria	17.5
Portugal	23.5	Japan	17.5
Yugoslavia	23.1	Belgium	17.2
Australia	22.6	Eastern Germany	16.9
Northern Ireland	21.9	England and Wales	16.5
Spain	21.8	Denmark	16.4
Netherlands	21.3	Czechoslovakia	16.0
Eire	21.1	Hungary	15.2
Greece	19.3	Sweden	14.1
Scotland	19.1		

* Jewish population only.

† Excluding Maoris.

‡ European population only

Marriages

There were 40,448 marriages in Scotland in 1959. This was 738 fewer than in 1958. The rate per 1,000 of the population was 7.79 compared with a rate of 7.97 in 1958 and 8.28 in 1957.

During 1959 the marriage rate was highest in the month of March (13.3), and lowest in May (2.4). (Table 63.)

Table D. Marriages in Scotland and its Groups of Public Health Districts in 1959

Groups of Districts	Marriages	Marriage-rate per 1,000 of Population	
	Number	Rate	Relative Quantity, Scotland being=100
Counties of Cities .	17,039	8.90	114.2
Large Burghs . . .	7,752	8.86	113.7
Small Burghs . . .	7,315	8.36	107.3
Landward	8,342	5.46	70.1
SCOTLAND	40,448	7.79	100.0

The marriage rate was highest in the urban and lowest in the rural areas. This is invariably the case (and almost certainly overstates the true urban-rural difference in this respect because people living in rural areas often go to a town or city to be married). The parties often come from different areas, and consequently it is not possible to correct the figures of marriage according to normal residence as it is customary to do for births and deaths. (Table 4.)

The following table shows the number of ecclesiastical and civil marriages registered in the cities, large burghs, small burghs and landward areas in 1959.

	Scotland	Counties of Cities	Large Burghs	Small Burghs	Landward
All Marriages	40,448	17,039	7,752	7,315	8,342
Solemnised by a minister of religion:					
Preceded by Banns or Publication of Notice	33,083	12,666	6,283	6,284	7,850
Authorised by Sheriff's Licence	118	53	27	21	17
Irregular Marriages:					
Decree of Declarator (Court of Session)	2	—	—	—	2
Civil Marriages:					
Preceded by Publication of Notice	6,984	4,151	1,388	983	462
Authorised by Sheriff's Licence	261	169	54	27	11

Civil Marriages constituted 17·9 per cent. of all marriages registered in Scotland. The percentage was 25·4 for the cities, 18·6 for the large burghs, 13·8 for the small burghs and 5·7 for landward areas. In 1958 civil marriages constituted 18·2 per cent. of all marriages (25·0 per cent. for the cities, 19·1 for the large burghs, 15·2 for the small burghs and 5·6 for landward areas).

The proportion of civil marriages to total marriages rose steadily from 11·3 per cent. in 1941, the first full year in which the Marriage (Scotland) Act, 1939 took effect, to 19·2 per cent. in 1955. Since then, however, the percentage has declined and has fluctuated as follows—1956—17·9, 1957—17·4, 1958—18·2, and 1959—17·9.

International Rates. The following table shows the marriage rates in other countries so far as these are available:

Marriage Rates per 1,000 Population, 1959

Eastern Germany	9·4	Switzerland	7·7
Hungary	9·1	Czechoslovakia	7·6
Japan	9·1	Israel†	7·6
Western Germany	9·1	England and Wales	7·5
Yugoslavia	8·7	Australia	7·4
U.S.A.	8·5	Canada	7·3
Portugal	8·4	Denmark	7·3
Austria	8·3	Finland	7·2
Greece	8·3	Belgium	7·1
Spain	8·1	France	7·1
New Zealand*	7·9	Northern Ireland	6·8
Italy	7·8	Norway	6·5
Netherlands	7·8	Sweden	6·3
Scotland	7·8	Eire	5·4

* Excluding Maoris.

† Jewish population only.

Divorces. 1,704 marriages were dissolved by decrees pronounced in Scotland during the year 1959. Of these 1,687 were decrees of divorce and 12 of nullity. Five marriages were dissolved on a presumption of death of one of the parties.

Divorces decreased by 75 compared with the number in 1958 and they are 234 below the average of the past five years.

Table E shows the number of decrees of divorce, nullity and dissolution of marriage on presumption of death in ten yearly periods from 1855 to 1954, and annually from 1945 to 1959. The annual numbers of divorces increased steadily until 1946, and from then to the year 1952 the number varied irregularly with the ability of the courts to deal with the post-war accumulation of cases. From 1952, with the exception of a slight increase in 1958, there has been a regular decline in the number of decrees.

Table E. Number of Divorces, etc. in Scotland, 1855-1959

Ten Years	Average Number of Decrees of Divorce and Nullity of Marriage	Year	Annual Number of Decrees of		
			Divorce	Nullity of Marriage	Dissolution of Marriage (Presumption of Death)
1855-64	17	1945	2208	15	4
1865-74	14	1946	2902	22	10
1875-84	60	1947	2495	18	20
1885-94	100	1948	2028	19	10
1895-1904	159	1949	2419	19	9
1905-14	222	1950	2186	10	8
1915-24	458	1951	1928	16	11
1925-34	488	1952	2702	16	19
1935-44	906	1953	2352	13	11
1945-54	2358	1954	2200	16	10
		1955	2054	19	5
		1956	1867	16	8
		1957	1722	17	8
		1958	1762	19	10
		1959	1687	12	5

The following tables give further details as follows:

(a) Marital Condition at time of marriage 1948-1959, (b) age of wife in relation to age of husband at time of divorce, 1959 (c) age of wife in relation to age of husband at date of marriage, 1959, and (d) age of wife at time of divorce with duration of marriage, 1959. The particulars relate only to persons who were married in Scotland.

Divorce Statistics of Persons Married in Scotland 1948-1959

Year	Marital Condition at Time of Marriage					
	Husbands			Wives		
	Bachelors	Widowers	Divorced	Spinsters	Widows	Divorced
1948	1,675	24	15	1,686	16	12
1949	1,953	37	23	1,953	34	26
1950	1,744	45	25	1,763	30	21
1951	1,562	61	25	1,578	45	25
1952	2,196	75	36	2,208	59	40
1953	1,901	55	48	1,902	54	48
1954	1,784	63	38	1,776	64	45
1955	1,679	43	54	1,681	46	49
1956	1,524	50	47	1,524	42	55
1957	1,445	44	27	1,453	24	39
1958	1,468	37	47	1,469	35	48
1959	1,398	41	46	1,402	40	43

Present Age of Wife in Relation to Age of Husband—1959

Present Age of Wife	All Ages	Present Age of Husband								
		16-20	21-24	25-29	30-34	35-39	40-44	45-49	50-59	60 and over
16-20	36	4	22	9	1	—	—	—	—	—
21-24	188	1	62	106	18	1	—	—	—	—
25-29	333	—	18	146	134	27	5	3	—	—
30-34	302	—	1	21	134	110	25	6	5	—
35-39	235	—	—	2	24	99	73	29	8	—
40-44	162	—	—	—	3	17	59	62	19	2
45-49	127	—	—	—	1	2	13	67	43	1
50-59	86	—	—	—	—	—	1	10	60	15
60 and over	16	—	—	—	—	—	—	—	4	12
TOTAL	1,485	5	103	284	315	256	176	177	139	30

Age of Wife at Time of Marriage in Relation to Age of Husband—1959

Age of Wife	All Ages	Age of Husband								
		16-20	21-24	25-29	30-34	35-39	40-44	45-49	50-59	60 and over
Under 16	1	—	1	—	—	—	—	—	—	—
16-20	721	246	353	100	19	1	2	—	—	—
21-24	475	48	229	144	32	16	4	1	1	—
25-29	187	4	43	78	46	11	4	1	—	—
30-34	51	—	5	20	14	7	4	1	—	—
35-39	32	—	1	—	9	13	7	1	—	1
40-44	9	—	—	—	1	1	4	2	1	—
45-49	5	—	—	—	—	—	1	1	1	2
50-59	4	—	—	—	—	—	1	1	2	—
60 and over	—	—	—	—	—	—	—	—	—	—
TOTAL	1,485	298	632	342	121	49	27	8	5	3

Present Age of Wife and Duration of Marriage—1959

Present Age of Wife	All Durations	Duration of Marriage (Years)						
		0-2	3-4	5-6	7-9	10-14	15-19	20 and over
16-20	36	16	20	—	—	—	—	—
21-24	188	20	86	77	5	—	—	—
25-29	333	7	52	84	146	44	—	—
30-34	302	1	14	23	78	166	20	—
35-39	235	3	6	4	22	75	106	19
40-44	162	—	1	4	5	23	49	80
45-49	127	—	1	1	3	15	19	88
50-59	86	1	1	1	1	6	2	74
60 and over	16	—	—	1	—	2	—	13
TOTAL	1,485	48	181	195	260	331	196	274

Deaths

The total number of deaths registered during the year was 63,061—an increase of 996 compared with 1958. The death rate for the year was 12·1 per 1,000 population, and is 0·1 above that for the previous year.

Standardised Death-rates. The following Table shows the crude and standardised* death-rates for Scotland for each year 1931-59.

The improvement manifest in the crude rates over the years reveals only part of the real improvement that has taken place. The adverse influence on mortality of the ageing of the population is allowed for by standardisation. Thus since 1931 the crude rate shows a decline of only 8 per cent. whereas, with the elimination of the effects of changing age structure of the population, the extent of improvement in the general death-rate is no less than 38 per cent.

DEATH-RATES FOR SCOTLAND PER 1,000 POPULATION

	PERSONS		MALES		FEMALES	
	Crude Rate	Standardised Rate	Crude Rate	Standardised Rate	Crude Rate	Standardised Rate
1931	13·26	12·45	13·86	13·74	12·71	11·28
1932	13·53	12·65	13·94	13·76	13·14	11·64
1933	13·20	12·22	13·79	13·50	12·66	11·04
1934	12·92	11·98	13·51	13·23	12·37	10·84
1935	13·19	11·99	13·76	13·30	12·66	10·80
1936	13·44	12·14	14·16	13·57	12·77	10·83
1937	13·85	12·33	14·59	13·82	13·17	10·98
1938	12·61	11·13	13·22	12·39	12·04	10·00
1939	12·87	11·10	13·68	12·62	12·11	9·73
1940†	14·86	12·46	16·59	14·32	13·40	10·78
1941†	14·74	12·30	16·75	14·02	13·11	10·71
1942†	13·34	10·70	15·24	12·26	11·81	9·27
1943†	13·98	10·71	15·93	12·21	12·43	9·34
1944†	13·57	10·22	15·65	11·74	11·95	8·82
1945†	13·20	9·63	15·11	11·07	11·70	8·32
1946†	13·07	9·82	14·14	11·15	12·15	8·61
1947	13·02	9·73	13·86	11·13	12·25	8·48
1948	11·96	8·79	12·64	10·03	11·34	7·68
1949	12·42	8·91	12·99	10·13	11·90	7·83
1950	12·48	8·75	13·09	10·05	11·93	7·61
1951	12·86	8·84	13·55	10·23	12·23	7·61
1952	12·03	8·22	12·86	9·64	11·26	6·96
1953	11·50	7·76	12·41	9·23	10·68	6·44
1954	11·98	7·92	12·87	9·44	11·17	6·57
1955	12·01	7·87	12·76	9·33	11·32	6·57
1956	12·01	7·73	12·85	9·28	11·24	6·34
1957	11·87	7·61	12·83	9·22	11·00	6·19
1958	12·01	7·60	12·81	9·14	11·27	6·23
1959	12·15	7·66	13·01	9·31	11·35	6·19

† Civilian death-rates

The crude rates do not vary greatly between urban and rural areas, being 12·72 per 1,000 in the cities, 11·54 in the large burghs, 13·10 in the small burghs and 11·23 in the landward areas. But when the rates are standardised for difference of age and sex constitution the urban rates are appreciably higher. The standardised rate for the cities was 13·25, for the large burghs 12·37, for the small burghs 11·86, and for the landward area only 10·91.

*Standardised to a Standard International Population, 1900.

**Table F. Deaths in Scotland and its Groups of
Public Health Districts in 1959**

Groups of Districts	Deaths		Death-rate per 1,000 of Population	
	Registered Numbers	Corrected for Transfers	Corrected for Transfers	Corrected for Transfers and Adjusted for Age and Sex Distribution, 1951
Counties of Cities	26,327	24,343	12·72	13·25
Large Burghs	10,880	10,093	11·54	12·37
Small Burghs	8,881	11,461	13·10	11·86
Landward	16,973	17,164	11·23	10·91
SCOTLAND	63,061	63,061	12·15	—

In the cities and large burghs the standardised rate ranged from 14·2 in Glasgow, to 11·1 in Airdrie, Dumfries and Kirkcaldy. In the counties it ranged from 14·4 in Bute to 8·1 in Kinross. (Table 4).

Monthly Death-rates. The highest death-rate of the year occurred in February (18·7), and the lowest in August (9·7). (Table 63.)

International Death-rates. The following table gives the crude death-rates for various countries, so far as available, in the year 1959. The Scottish death-rate is with India the third highest of the countries mentioned. In Scotland, however, the population is older than in most of the other countries included in the table, and if comparisons were made on standardised death-rates the difference between Scotland and most of the other countries referred to would be narrowed.

Death-rates per 1,000 Population, 1959

Eastern Germany	13·3	Denmark	9·4
Austria	12·4	U.S.A.	9·4
India	12·1	Italy	9·3
Scotland	12·1	New Zealand*	9·1
Eire	12·0	Spain	9·0
Belgium	11·8	Australia	8·9
England and Wales	11·6	Norway	8·9
France	11·2	Finland	8·8
Northern Ireland	10·9	Union of South Africa†	8·6
Portugal	10·8	Poland	8·4
Western Germany	10·8	Canada	8·1
Hungary	10·5	Japan	7·4
Yugoslavia	9·8	Greece	7·3
Czechoslovakia	9·7	Netherlands	7·1
Sweden	9·5	Israel‡	5·9
Switzerland	9·5		

* Excluding Maoris.

† European population only.

‡ Jewish population only.

Age and Sex. The death-rates by age-groups show a rapid decline from the high rates in infancy to a minimum in age-groups 5-9 and 10-14. After that there is an increase in the rate, gradual at first but becoming more pronounced at higher ages.

Table 35 shows the death-rates for each sex in the various age-groups, and it will be observed that the male death-rate exceeds the female in each age-group.

Table G shows death-rates by age and sex for five-yearly periods from 1911 to 1955 and for single years from 1951. (Tables 35, 37 and 38.)

Table G. Age-group Death-rates per 1,000 of Population from 1911 to 1959

Years	Males													Females												
	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-			
1911-15	140.0	18.5	3.7	2.4	4.1	5.6	8.8	16.2	33.5	67.4	162.7	-	111.2	17.5	3.7	2.6	3.8	5.5	8.3	12.9	26.4	54.3	147.0			
1916-20	110.8	15.5	3.6	2.4	4.5	6.2	8.5	16.2	34.3	69.1	170.2	-	85.4	14.7	3.6	2.7	4.3	6.0	7.8	12.6	25.9	49.8	149.5			
1921-25	109.1	15.1	2.9	1.9	3.2	4.6	6.9	12.0	26.8	61.9	144.5	280.7	82.6	13.7	2.7	1.9	3.2	4.5	6.3	10.1	21.5	49.2	118.7			
1926-30	103.8	11.8	2.7	1.9	3.1	4.2	7.0	11.9	25.9	62.4	143.2	303.8	79.0	10.2	2.4	1.7	2.9	4.1	5.9	10.0	20.6	48.4	118.6			
1931-35	96.2	9.3	2.6	1.6	2.9	3.8	6.3	11.8	24.3	59.7	140.7	289.8	74.1	8.3	2.2	1.5	2.8	3.7	5.2	9.1	19.4	47.8	117.4			
1936-40	90.7	6.8	2.2	1.5	2.8	3.5	6.0	12.4	25.4	60.9	147.2	349.9	69.0	6.1	1.9	1.2	2.6	3.2	4.6	8.7	18.8	47.5	116.9			
1941-45	82.1	4.6	1.9	1.4	3.3	4.2	6.1	11.7	24.4	54.1	129.1	290.3	62.0	4.2	1.5	1.2	3.0	3.3	4.0	7.5	16.5	41.0	101.1			
1946-50	56.0	2.6	1.1	0.9	1.8	2.4	3.4	10.6	24.5	54.2	117.8	258.5	42.6	2.1	0.8	0.7	1.5	3.0	3.3	6.5	15.3	41.2	98.0			
1951-55	38.7	1.5	0.7	0.5	1.2	1.8	3.4	9.6	25.6	57.0	130.0	272.9	30.0	1.3	0.5	0.4	0.8	1.5	2.7	6.0	14.4	39.4	104.8			
1951	43.5	1.8	0.9	0.5	1.3	2.1	3.6	10.4	26.4	59.0	140.0	298.4	33.2	1.6	0.6	0.5	1.2	1.9	3.0	6.3	15.6	43.5	115.6			
1952	41.7	1.6	0.8	0.5	1.2	1.8	3.3	9.7	25.3	56.6	131.4	270.8	32.5	1.4	0.5	0.4	1.0	1.6	2.7	6.1	14.6	40.3	102.6			
1953	36.6	1.5	0.8	0.6	1.2	1.8	3.5	9.1	24.9	55.6	122.6	242.4	27.6	1.3	0.5	0.4	0.8	1.4	2.6	6.0	13.5	36.9	98.4			
1954	36.7	1.5	0.6	0.4	1.1	1.7	3.2	9.5	26.1	56.4	129.1	274.2	28.0	1.1	0.4	0.4	0.7	1.3	2.6	6.2	14.4	37.5	103.0			
1955	34.9	1.4	0.6	0.5	1.0	1.6	3.3	9.5	25.2	57.2	127.5	280.5	28.5	1.0	0.5	0.4	0.6	1.3	2.4	5.6	14.1	39.1	103.8			
1956	34.1	1.2	0.5	0.5	1.0	1.6	3.1	9.2	25.1	59.2	129.9	265.4	25.2	1.0	0.4	0.3	0.5	1.1	2.2	5.6	13.9	38.1	103.5			
1957	34.7	1.3	0.7	0.5	0.9	1.5	3.1	9.5	25.6	57.8	123.7	256.4	26.0	0.8	0.4	0.4	0.5	1.0	2.5	5.5	13.7	36.8	95.8			
1958	32.5	1.0	0.5	0.5	1.0	1.4	3.2	9.0	24.9	59.7	127.3	257.1	25.3	0.9	0.3	0.3	0.5	1.1	2.5	5.5	13.7	37.0	99.8			
1959	33.1	1.3	0.5	0.5	1.0	1.3	3.1	9.2	25.5	60.3	131.8	259.2	24.8	1.1	0.3	0.3	0.5	0.9	2.3	5.2	13.8	37.1	100.1			

Infant Mortality. Deaths of children aged under one year numbered 2,816. When related to the 99,251 live births in 1959 the infant mortality rate is 28.4 per 1,000 live births which is 0.7 above that for 1958. Up to the year 1915 the rate was never below 100, and by 1939 it had fallen to 69. In 1946 the rate was 54 but since then it has gradually declined. In 1959 the male rate was 32.0 and the female rate 24.5 compared with 30.9 and 24.3 respectively in 1958.

The increase in the infant mortality rate from 27.7 in 1958 to 28.4 in 1959 may be attributable to the effect of the influenza epidemic in the first quarter of 1959 upon the infant deaths in the first quarter, which showed an increase, and the number of births in the fourth quarter which showed a decrease, as compared with the corresponding quarters of 1958.

The monthly infant mortality rate was highest in February (36) and lowest in September (23). In 1958 the highest rate was recorded in January (37) and the lowest in September (23). (Tables 1, 2 and 63.)

The rate was 31 in the cities, 29 in the large burghs, 25 in the small burghs and 27 in the landward areas. In 1958 these rates were respectively 30, 29, 24, and 26. The landward areas, however, are by no means uniformly rural in character. In the Central Industrial Belt of Scotland* there are considerable areas which are distinctly urban although not within the boundaries of a burgh. The census of 1951† showed that no less than 67.9 per cent. of the landward population in the Central Industrial Belt was enumerated in towns or villages which, though not burghs, had a population of 1,000 or more. The corresponding percentage in the rest of the country was no higher than 7.6.

*The Central Industrial Belt comprises:

EAST CENTRAL DIVISION: Counties of Fife, Clackmannan, Stirling,

West Lothian, Midlothian, East Lothian and the City of Dundee.

WEST CENTRAL DIVISION: Counties of Lanark, Dunbarton, Renfrew

and Ayr.

The counties lying to the north and west of the Central Industrial Belt are referred to as the NORTHERN DIVISION; those lying to the south and east of it as the SOUTHERN DIVISION.

†Census 1951, Scotland, Volume II, Population of Towns and Larger Villages, etc., published by H.M. Stationery Office, price 4s. 0d.

The infant mortality for 1959 in landward areas was 29 per 1,000 in the Central Industrial Belt, compared with 23 per 1,000 in the rest of landward Scotland.

The following table shows the infant mortality rates for the years 1958 and 1959 for the large burghs (including cities) and small burghs in Scotland and also for the landward areas of the four main geographical regions*.

The rate for the large burghs is largely influenced by the rate in Glasgow which accounted for 41 per cent. of the births in the large burghs. The rates for Glasgow are therefore shown separately in the table.

	1959	1958		1959	1958
Scotland	28	28	Regions (Landward):		
Large burghs	30	30	Northern	23	20
Glasgow	35	35	East Central*	25	27
Other large burghs	26	26	West Central*	31	29
Small burghs	25	24	Southern	23	26
Landward	27	26			

The rate in the large burghs fell steadily from 64 in 1947 to 32 in 1953 and 1954, and has stood at 30 for the last four years. In Glasgow the rate fell from 77 in 1947 to 35 in 1954 and has remained around that level since.

In individual large burghs the rate ranged from 38 in Hamilton and Paisley to 16 in Arbroath and Kirkcaldy. In the counties it ranged from 38 in Argyll to 9 in Kinross.

International Rates. The following table shows infant mortality rates in other countries in 1959 so far as these are available:

Infant Mortality per 1,000 Births, 1959

Yugoslavia	91	France	30
Portugal	88	Israel†	30
Poland	72	Northern Ireland	28
Hungary	52	Scotland	28
Italy	45	U.S.A.	26
Eastern Germany	41	Finland	24
Greece	41	Denmark	23
Spain	41	England and Wales	22
Austria	40	Switzerland	22
Western Germany	34	New Zealand‡	20
Eire	32	Netherlands	17
Belgium	30	Sweden	16

† Jewish population only.

‡ Excluding Maoris.

Mortality among Legitimate and Illegitimate Children. Among legitimate children the infant mortality rate was 28 per 1,000 live births, being 30 in the cities, 29 in the large burghs and 26 in the counties. These rates in 1958 were 27, 29, 29 and 25 respectively. Among illegitimate children the rate was 38, being 42 in the cities, 35 in the large burghs and 33 in the counties. In 1958 the rates were 36 for Scotland, 40 in the cities, 38 in the large burghs and 31 in the counties.

Infant Mortality—Age at Death. Table 31 classifies the number of deaths and the death-rates per 1,000 births by age in days, weeks and months during the first year of life. It shows that more infants died in the first day of life than in the remaining six days of the first week, and that 59 per cent. of the children

*See note * p. 22

who died before reaching one year of age did not survive the first week. When ages are stated in months it is found that the rate falls suddenly from 19·4 per 1,000 births at ages under 28 days to 3·4 at 1-2 months. It is 0·9 at 9-11 months.

Infant death-rates at age under 28 days are highest in the cities. For the remainder of the infant deaths the rates for the cities and large burghs are also generally in excess of the county rate.

In Tables 29 and 30 infant deaths from selected causes of death are shown by age and month of registration. (See also page 41.)

Neo-natal Mortality. Deaths at ages under 28 days are shown in Tables 29 and 31. The following table shows the variations in the Infant Mortality rate since 1911 and how much of the rate has been attributable to neo-natal mortality. In the quinquennium 1911-15 the rate at ages between one month and one year was very much higher than the neo-natal rate, but from 1911 to 1941 the difference between the two rates gradually decreased. Since then the post-natal rate has been lower than the neo-natal rate and the difference between the two rates has generally increased, reflecting the greater improvement in the post-natal rate. In 1959 the rate for ages between 28 days and one year (9·0) was less than half the neo-natal rate (19·4).

Neo-natal Mortality per 1,000 Births

	Deaths under 28 days*			Deaths between 28 days and 1 Year*		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
1911-15	43·0	—	—	69·8	—	—
1916-20	40·5	—	—	58·5	—	—
1921-25	38·2	—	—	53·6	—	—
1926-30	36·5	—	—	48·9	—	—
1931-35	36·8	—	—	44·0	—	—
1936-40	36·9	35·8	54·5	38·9	37·5	58·8
1941-45	33·8	32·3	53·0	33·9	32·1	55·6
1946-50	26·1	25·3	39·8	21·2	20·2	37·0
1951-55	20·7	20·1	32·4	12·2	11·9	18·5
1951	22·3	21·8	31·6	15·1	14·7	22·2
1952	21·7	21·1	33·2	13·5	13·1	20·9
1953	19·3	18·8	30·3	11·5	11·2	17·0
1954	20·6	19·9	35·0	10·4	10·1	15·6
1955	19·7	19·2	31·8	10·6	10·4	16·3
1956	19·1	18·7	27·0	9·5	9·4	13·3
1957	19·6	19·2	29·9	9·0	8·9	10·5
1958	18·7	18·4	27·0	9·0	9·0	8·8
1959	19·4	19·1	26·4	9·0	8·9	11·4

*Prior to 1950 the rates relate to under 1 month and between 1 month and 1 year.

The table also accounts for the infant deaths from 1936 according to whether the births were legitimate or illegitimate. This information is not available before 1936.

Although since 1942 the post-natal death-rate for legitimate births has been lower than the neo-natal rate it was not until 1948 that the post-natal rate similarly fell in the case of illegitimate births. In recent years the excess of the illegitimate rates over the legitimate has been more pronounced for the neo-natal rate.

The causes of death in infancy will be found in Table 29 and are discussed later. (See page 41.)

See Appendix III for Neo-natal Mortality according to Social Class.

Centenarians. Twenty-two deaths of reputed centenarians were registered during the year the highest number in any year since records were kept. Four were males and 18 females. In 16 cases the age was verified as being at least 100 years, the verified age being 100 years in ten cases, 101 years in four cases, 102 in one case and 103 in one case. Since 1910, when enquiries regarding such cases were begun, 702 deaths have been registered as being of centenarians, 116 of males and 586 of females. The age has been verified as being at least 100 years in 444 cases (63 males and 381 females); in 106 the evidence was rather against the claim; while in 152 cases no satisfactory evidence of age could be found. The greatest age verified was one of 109 years and 14 days in 1936.

Life Tables

The following abridged life table, based on the mortality experience of 1959, shows the further expectation of life at different stages in life. At each age point the expectation of life is the average future life a person of that age would have if the 1959 mortality rates had operated throughout the lifetime.

A table is also given showing how the expectation of life has increased at different ages during the past century.

It will be seen that since the period 1861-1870 the expectation of life at birth has increased by 25·7 years for males and by 27·5 years for females. The greatest improvement has taken place since the beginning of the century. In the thirty years from 1861-1870 to 1891-1900 the improvement in males was only 4·4 years and in females 3·5 years. From 1891-1900 to 1930-1932 the span had lengthened by 11·3 years for males and 12·1 years for females. Since 1930-32 it has increased further by 10·0 years and 11·9 years respectively.

In 1861-1870 if the child survived the first year of life, the expectation of life rose from 40·3 years at age 0 to 45·6 at age 1 for males and from 43·9 to 47·5 for females. Adding in the year elapsed since birth, the gain was 6·3 and 4·6 years for males and females respectively. By 1959 the improvement in child mortality had reduced these handicaps to 2·2 and 1·8 years respectively.

At age 15 the expectation of life, since 1861-70, has increased for males by 11 or 12 years (from roughly 42 to 54 years). At succeeding ages there is a consistent increase in expectation right up till the end of the life span. The actual amount of improvement, however, as might be expected, decreases progressively with increase of age until at age 65 the average change is less than one year.

The expectation of life for females is uniformly greater than for males of the same age and the increase since 1861-70 is slightly greater. At age 15 it increased by 14 years (from 44 to 58 years) and at age 65 the average change is slightly over 2 years.

Abridged Life Table—Scotland

1959

Age x	Males		Females	
	l_x	e_x	l_x	e_x
0	10,000	66.00	10,000	71.44
1	9,682	67.16	9,756	72.22
2	9,661	66.30	9,737	71.36
3	9,650	65.38	9,727	70.43
4	9,638	64.46	9,721	69.48
5	9,631	63.51	9,714	68.52
10	9,609	58.65	9,699	63.63
15	9,586	53.78	9,685	58.72
20	9,550	48.97	9,664	53.84
25	9,499	44.22	9,637	48.98
30	9,446	39.46	9,598	44.17
35	9,372	34.75	9,548	39.39
40	9,264	30.13	9,466	34.71
45	9,080	25.69	9,326	30.19
50	8,780	21.48	9,134	25.77
55	8,279	17.63	8,851	21.52
60	7,482	14.24	8,392	17.56
65	6,348	11.33	7,688	13.94
70	4,920	8.90	6,672	10.68
75	3,400	6.76	5,237	7.92
80	1,909	5.09	3,484	5.64
85	781	3.82	1,724	3.85

This abridged life table is constructed from the estimated population in 1959 and the total deaths registered in that year.

The column headed l_x shows the numbers who would survive to exact age x of 10,000 born who were subject throughout their lives to the death probabilities indicated by the 1959 death records. Column e_x is the "expectation of life", that is the average future lifetime which would be lived by a person aged exactly x , if likewise subject to these death probabilities.

Expectation of Life, 1861 to 1959, Scotland

Scottish Life Tables	Expectation of Life at									
	Birth		Age one year		Age 15		Age 45		Age 65	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
1861-70	40.3	43.9	45.6	47.5	42.3	44.5	22.7	24.5	10.8	11.6
1871-80	41.0	43.8	46.5	48.5	42.2	44.4	22.1	24.2	10.4	11.5
1881-90	43.9	46.3	49.7	51.2	43.9	45.6	22.6	24.6	10.8	11.9
1891-1900	44.7	47.4	51.1	52.7	44.3	46.2	22.2	24.2	10.5	11.5
1910-1912	50.1	53.2	55.8	57.8	47.5	49.5	23.5	25.7	10.9	12.2
1920-22	53.1	56.4	58.4	60.4	49.1	51.1	24.5	26.7	10.9	12.5
1930-32	56.0	59.5	60.7	63.1	50.4	52.7	25.1	27.3	11.0	12.6
1942-44	59.8	64.6	63.6	67.6	51.6	55.4	25.7	29.0	11.7	13.6
1950-52	64.4	68.7	66.2	69.9	53.1	56.7	25.5	29.1	11.4	13.2
1947	61.7	65.8	64.7	68.0	52.2	55.4	25.5	29.1	11.6	13.5
1948	63.5	67.5	65.8	69.0	53.0	56.1	26.3	29.6	12.2	14.0
1949	63.7	67.5	65.7	68.9	52.8	55.8	25.8	29.1	11.8	13.4
1950	64.2	68.2	66.0	69.4	52.9	56.2	25.5	29.0	11.6	13.3
1951	64.2	68.4	65.9	69.6	52.8	56.4	25.2	28.8	11.2	12.9
1952	65.1	69.6	66.7	70.8	53.5	57.4	25.7	29.5	11.6	13.6
1953	65.7	70.7	67.0	71.6	53.8	58.3	26.2	30.2	11.9	14.1
1954	65.5	70.5	66.9	71.5	53.6	58.0	25.8	29.8	11.6	13.9
1955	65.8	70.6	67.0	71.6	53.7	58.1	25.9	29.8	11.6	13.7
1956	66.0	71.2	67.2	72.0	53.8	58.4	25.8	29.9	11.4	13.8
1957	66.0	71.4	67.2	72.2	53.9	58.7	25.8	30.3	11.7	14.1
1958	66.2	71.4	67.3	72.1	53.9	58.6	25.9	30.2	11.5	14.0
1959	66.0	71.4	67.2	72.2	53.8	58.7	25.7	30.2	11.3	13.9

Causes of Death

Certification. The number of deaths registered in Scotland in 1959 was 63,061. The cause of death was specified in 62,804 cases or 99.6 per cent. of the total deaths registered. These figures include 483 deaths attributed to senility.

In 257 cases or 0.4 per cent. of the total registered deaths, the cause of death was either ill-defined or unknown. 50 deaths were ascribed to heart failure. In 3 cases no cause was specified, and in 6 cases the death was described as syncope. 198 were assigned to various symptoms and ill-defined causes, including 20 from convulsions in children under 5 and 6 from uræmia.

The numbers given in brackets after a cause of death are Detailed List rubrics of the International Statistical Classification (1955), Seventh Revision.

Principal Epidemic Diseases. This group as now classified consists of typhoid fever (I.S.C. No. 040), scarlet fever (050, 051), diphtheria (055), whooping cough (056), meningococcal infections (057), and measles (085). For comparison with previous years deaths from influenza (480-483) are also included. The total number of deaths in the group in 1959 was 634. The equivalent death-rate is 12 per 100,000 population which compares with 3 in 1958 and an average of 7 over the period 1954-58.

There were 8 deaths from whooping cough in 1959, 4 more than in the previous year. In 1959 there was one death from diphtheria (0 in 1958). Influenza accounted for 583 deaths in this group compared with 143 in 1958. The following

Table H shows the number of certified deaths in which influenza was mentioned not as a primary but as a contributory cause. There were 23 from meningococcal infections (25 in 1958), 18 from measles (4) and 1 from scarlet fever and streptococcal sore throat. There were no deaths from typhoid fever.

Deaths in the whole of this group of the main epidemic diseases accounted for 1.0 per cent. of all deaths in Scotland in 1959. (Tables 35-40.)

Table H. Deaths associated with Influenza but not classified as such, 1959

Inter-national abbreviated List 'B'	Causes of Death	Total	Males	Females	Ages										
					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84
1	Tuberculosis of respiratory system	4	4	-	-	-	-	-	-	-	-	-	2	1	1
3	Syphilis and its sequelæ	1	1	-	-	-	-	-	-	-	-	-	1	-	1
10	Meningococcal infections	1	1	-	-	-	-	-	-	-	-	-	-	-	-
17	Other infective and parasitic diseases	1	-	1	-	-	-	-	-	-	1	-	1	-	-
18	Malignant neoplasms	3	1	2	-	-	-	-	-	-	-	-	-	2	1
19	Benign and unspecified neoplasms	2	2	-	-	-	-	-	-	-	-	-	-	2	-
20	Diabetes mellitus	1	-	1	-	-	-	-	-	-	-	-	-	1	-
21	Anaemias	1	1	-	-	-	-	-	-	-	-	-	-	1	-
46-0	Other general diseases	2	1	1	-	-	-	-	-	-	-	-	1	-	1
22	Vascular lesions affecting central nervous system	17	10	7	-	-	-	-	-	-	-	-	2	9	4
46-1	Other diseases of nervous system	4	1	3	-	-	-	-	1	-	1	-	-	-	-
25	Chronic rheumatic heart disease	4	-	4	-	-	-	-	-	-	1	-	-	3	-
26	Arteriosclerotic and degenerative heart disease	97	47	50	-	-	-	-	-	-	-	2	4	8	32
27	Other disease of heart	4	2	2	-	-	-	-	-	-	-	-	-	2	2
28	Hypertensive heart disease	7	3	4	-	-	-	-	-	-	-	-	-	3	3
29	Other hypertensive disease	4	1	3	-	-	-	-	-	-	-	-	-	2	2
46-2	Other circulatory disease	16	8	8	-	-	-	-	-	-	-	-	-	3	6
32	Bronchitis	29	23	6	-	-	-	-	-	-	1	1	10	8	7
46-3	Other respiratory diseases	7	7	-	-	-	-	-	-	-	-	-	4	1	2
35	Intestinal obstruction and hernia	1	1	-	-	-	-	-	-	-	-	1	-	-	-
46-7	Diseases of skin and organs of locomotion	4	1	3	-	-	-	1	-	-	-	-	-	1	2
41	Congenital malformations	1	-	1	-	-	-	1	-	-	-	-	-	-	-
E48.1	Accidents in the home	1	1	-	-	-	-	-	-	-	-	-	1	-	-
	TOTAL	212	116	96	-	-	-	2	1	-	6	6	32	73	66

Tuberculosis (I.S.C. Nos. 001-019): Deaths from all forms of tuberculosis numbered 576 compared with 687 in 1958 and an average of 864 over the years 1954-1958. The death-rate from tuberculosis was 11 per 100,000 of the population compared with 13 the previous year and an average of 17 for 1954-1958. (Tables 35, 37-40.)

Since 1855, when the registration of deaths began, mortality from tuberculosis has continuously decreased decade by decade, though the decline was checked temporarily in the two world wars. Since 1947 the rate has fallen from 81 to 11.

On the 1959 statistics, death-rates from tuberculosis were heaviest at ages 55-84 in males and 35-44 and 65-84 in females. (Table 35.)

Deaths from tuberculosis were most numerous in January, February and March in that order. (Table 43.)

The rate in the cities was 15 per 100,000, in the large burghs 12, in the small burghs 8 and in the landward areas 8. In the cities and large burghs the rates ranged from 30 in Port Glasgow to 4 in Dunfermline and Kirkcaldy. In the counties (excluding large burghs) the rates ranged from 20 in Bute to 1 in Aberdeen. There were no deaths from tuberculosis in the Counties of Kinross, Nairn, Peebles and Selkirk. (Table 4.)

Respiratory Tuberculosis (I.S.C. Nos. 001-008). 89 per cent. of the deaths from tuberculosis in 1959 were due to the respiratory forms of the disease. They numbered 513 compared with 638 in 1958. The average over 1954-1958 was 777. The death-rate from respiratory tuberculosis in 1959 was 10 per 100,000 (males 14, females 6) compared with 12 in 1958 (males 17, females 8). The heaviest death-rates in males in 1959 were at ages 65-84, in females at 75-84. The lowest rates for males and females were recorded at ages under 25 years. (Tables 35, 37-40.)

The following table shows the changing incidence of death-rates in different age groups since 1938. It will be noted that the general fall in mortality is not shared by men over 65.

Death-rates per 100,000 from Respiratory Forms of Tuberculosis

Year	MALES				FEMALES			
	Under 15	15-44	45-64	65+	Under 15	15-44	45-64	65+
1938	9	74	89	46	10	75	30	25
1939	6	78	102	49	7	79	32	17
1940	6	107	107	50	9	88	33	23
1941	10	108	105	49	12	96	33	15
1942	11	103	103	42	12	98	31	22
1943	10	112	105	54	14	96	26	20
1944	11	111	103	54	14	99	25	16
1945	9	115	102	52	12	94	25	15
1946	11	94	113	61	12	105	27	19
1947	13	85	121	60	20	112	25	23
1948	13	89	124	63	13	115	23	19
1949	6	78	117	62	11	104	23	18
1950	6	54	100	73	7	78	23	19
1951	5	41	89	77	5	49	22	18
1952	4	29	69	70	4	35	17	13
1953	2	24	63	59	2	25	15	14
1954	1	19	55	54	2	22	14	16
1955	0	17	49	48	0	19	10	9
1956	0	12	42	54	0	13	7	14
1957	0	11	39	56	1	12	8	10
1958	0	8	39	56	0	11	7	13
1959	0	7	27	52	0	7	9	10

Deaths from respiratory tuberculosis were most numerous in January, February and March and fewest in September, July and October. The range of monthly incidence was from 21 in October to 84 in January. (Table 43.)

The rate in the cities was 13 per 100,000, in the large burghs 11, in the small burghs 7 and in the landward areas 7. It was highest in the large burghs of the west being 25 in Port Glasgow and 20 in Glasgow. In general the counties on the north, east and south perimeter of Scotland had the lowest death rates. (Table 4.)

Non-respiratory tuberculosis (I.S.C. Nos. 010-019). Deaths from non-respiratory forms of tuberculosis numbered 63 compared with 49 in 1958 and an average of 87 in the five years 1954-1958. The rates per 100,000 were 1 for males and 1 for females which are the same as those in the years 1957 and 1958.

The rate for non-respiratory tuberculosis averaged more than 100 per 100,000 population until 1880, fell rapidly to 72 in 1883, and thereafter more gradually, reaching a level of 60 prior to the first world war. By 1920 the rate had fallen to less than 40, and at the outbreak of war in 1939 it was 16. As with

respiratory tuberculosis, the decline was interrupted for a few years during and after the war, but the rate of one in the last three years contrasts with a pre-war rate of 16 per 100,000. (Tables 35, 37-40.)

Other Infective and Parasitic Diseases (Remdr. 020-138). Deaths from syphilis and its sequelae numbered 79, of which 23 were attributable to aneurysm of aorta and 28 to the nervous affections, including tabes dorsalis and general paralysis of the insane.

Table J. Deaths from Syphilis and its Sequelae. 1855-1959
(Decennial Averages, 1855-1950)

	Total	Syphilis	General Paralysis of the Insane	Locomotor Ataxia (Tabes Dorsalis)	Aneurysm of Aorta
1855-1860	—	87	—	—	—
1861-1870	—	157	—	—	—
1871-1880	—	210	—	—	—
1881-1890	—	237	—	—	—
1891-1900	—	203	—	—	—
1901-1910	—	218	223	70	149*
1911-1920	—	202	248	76	136*
1921-1930	—	141	191	71	139*
1931-1940	—	88	116	56	128*
1941-1950	223	57	55	28	83†
1950	170	35	33	21	81†
1951	149	36	28	15	70†
1952	110	31	22	12	45†
1953	96	28	27	14	27†
1954	109	41	27	14	27†
1955	97	40	21	10	26†
1956	88	33	20	10	25†
1957	94	34	17	11	32†
1958	58	16	19	7	16‡
1959	79	30	20	6	23§

NOTE.—The symbol — indicates the number is not available.
The numbers for decennial periods are annual averages. * Aneurysm (all sites).

† Excludes dissecting aneurysm unqualified.

‡ Excludes dissecting aneurysm unqualified in the year 1950.

§ Excludes aneurysm of abdominal aorta and dissecting aneurysm unless specified as syphilitic.

There was one death from acute poliomyelitis (16 in 1958), 2 from late effects of acute poliomyelitis, 48 from infectious encephalitis and 17 from infectious hepatitis.

Other deaths in this group include 17 from septicæmia and pyæmia and 1 from tetanus, the result of an agricultural worker cutting his hand at work.

Malignant Neoplasms (I.S.C. Nos. 140-205). Deaths from this group numbered 11,032 (males 5,878 and females 5,154), equivalent to a death-rate of 212 per 100,000. This rate is two above that for the previous year and 4 above that for the five years 1954-58.

The death-rates per 100,000 of the population from malignant neoplasms from 1931 to 1959 are shown in the following table. In the meantime the population has aged appreciably and comparisons of crude death-rates do not allow for that. The table therefore also gives rates standardised to the age structure of the population when last known, i.e. at the census of 1951.

The increase in the crude rate is substantial. It was accelerated during the recent war but this was mainly attributable to the withdrawal from the population temporarily on war service of numbers of younger persons less vulnerable to diseases of this kind. Since 1931 the crude rate has increased by 43 per cent. but the standardised rate by only 11 per cent. The standardised rate provides the truer basis of comparison, allowing as it does for the ageing of the population.

The standardised rate for males rose from 186 in 1931 to 251 in 1959, an increase of 35 per cent. compared with an increase of 69 per cent. in the crude rate. On the other hand the standardised rate for females decreased from 182 to 168, a reduction of 8 per cent. compared with an increase of 23 per cent. in the crude rate.

As Hodgkin's disease, leukæmia, aleukæmia and mycosis fungoides were omitted from the malignant neoplasms before 1950 the rates for that year are calculated on the number of deaths classified to both the 5th and 6th Revisions of the International List of Causes of Death. An allowance can therefore be made for the years prior to 1950.

Death-rate per 100,000 Population from Malignant Disease

Year	Both Sexes			Male		Female	
	Crude	Standardised to Scotland 1951	Effect of Standardisation	Crude	Standardised	Crude	Standardised
1931	148	184	+36	140	186	155	182
1932	153	187	+34	145	190	160	186
1933	153	187	+34	147	192	159	183
1934	153	185	+32	148	191	158	181
1935	157	188	+31	152	196	162	183
1936	159	187	+28	155	196	163	182
1937	157	182	+25	151	188	163	179
1938	162	187	+25	152	189	170	185
1939	161	184	+23	156	192	165	177
1940	170	185	+15	175	196	165	175
1941	174	185	+11	184	198	166	174
1942	179	185	+6	193	201	168	172
1943	185	182	-3	199	199	173	170
1944	186	181	-5	205	201	171	166
1945	192	185	-7	209	202	178	171
1946	180	180	—	190	201	171	162
1947	178	183	+5	186	210	171	164
1948	184	187	+3	190	212	178	169
1949	188	190	+2	192	213	184	173
1950*	190	190	—	197	218	183	169
1950†	196	197	+1	205	226	187	174
1951	192	192	—	201	221	184	171
1952	198	196	-2	212	230	185	170
1953	198	195	-3	217	235	180	164
1954	205	200	-5	224	241	188	170
1955	206	200	-6	222	240	191	171
1956	209	202	-7	227	244	193	170
1957	209	199	-10	228	242	191	167
1958	210	200	-10	235	250	186	162
1959	212	204	-8	236	251	191	168

* 5th Revision.

† 6th Revision.

In recent Scottish statistics of mortality from cancer the principal sites in males have been trachea, bronchus and lung, stomach, intestine, prostate and rectum, and for females, breast, stomach, intestine, cervix and other parts of

the uterus. In individual sites males show the greatest relative excess for lung, larynx and buccal cavity and in less degree, for bladder, rectum, Hodgkin's disease and kidney and females for thyroid gland, intestine and biliary passages and liver.

The table given below has been prepared to show death-rates per million, by age and sex, from cancer of the bronchus and lung during the period 1950-1959. Among males the rates have remained fairly steady up to age 55 but thereafter have increased, especially so in age-groups 70-74 and 80-84 where the 1959 rates are over three times as high as the comparable 1950 rates. Among females the rates have exhibited a somewhat similar trend, but there have not been any spectacular increases in the later age-groups.

Death-rates per million, by age and sex, from cancer of bronchus and lung (I.S.C. Nos. 162, 163), 1950-1959.

AGE	MALES										FEMALES									
	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
30-	42	30	40	66	59	39	39	52	23	23	23	33	16	16	10	27	11	22	17	2
35-	124	129	124	174	125	115	136	114	155	55	46	26	44	40	18	24	23	22	33	6
40-	298	271	276	279	264	254	269	275	387	314	89	52	78	47	74	64	92	102	95	8
45-	609	704	728	745	631	601	673	728	628	634	104	88	110	121	109	120	98	103	120	13
50-	1339	1274	1425	1567	1518	1323	1349	1402	1314	1448	214	113	106	239	156	161	162	156	172	19
55-	1817	1678	1840	2267	2451	2369	2367	2380	2423	2141	193	315	217	275	225	162	252	162	332	26
60-	2158	2128	2124	2771	2843	3095	3532	3651	3816	4206	371	345	327	308	327	284	304	307	319	41
65-	1893	2103	2435	2828	3112	3088	3599	3728	4179	4372	423	457	255	316	437	439	471	491	390	45
70-	1217	1643	1980	2151	2239	2335	2961	3237	3494	4027	454	454	347	482	479	428	411	552	568	64
75-	1209	1360	1801	1645	1616	1808	2044	2422	2952	3192	558	459	649	566	623	592	636	495	601	53
80-	673	1052	1240	989	1344	1812	1110	1589	2069	2220	461	462	279	613	493	533	545	550	510	61
85 and over	777	459	583	560	1508	957	1158	1092	1289	1608	292	221	213	414	268	540	465	457	388	50

Diabetes (I.S.C. No. 260). Deaths from this cause numbered 550 (156 males and 394 females), 22 more than in 1958 and 68 above the average. The much heavier female rate is most in evidence at the highest age groups. (Tables 35 and 37.)

Anæmias (I.S.C. Nos. 290-293). Deaths from this cause numbered 245 of which 88 were of males and 157 of females. In 1958 the number was 239. The majority of deaths in the group are due to pernicious and other hyperchromic anæmias and these account for 130.

Other general diseases (Remdr. 240-299). In addition to the foregoing there were 166 deaths from asthma, a decrease of 2 compared with 1958, 27 deaths from thyrotoxicosis (24 in 1958) and from other diseases of thyroid gland 66 (80 in 1958).

Diseases of the Nervous System (I.S.C. Nos. 330-398). In this group there were 10,624 deaths, of which the majority 9,862, were from vascular lesions affecting the central nervous system. Most of the latter are certified as either cerebral and subarachnoid hæmorrhages 4,159, or cerebral embolism and thrombosis 4,803. Apart from these, though much less important numerically, the main nervous diseases were paralysis agitans 184, multiple sclerosis 148, epilepsy 89, and other cerebral paralysis 66. Nonmeningococcal meningitis deaths numbered 46 compared with 58 in 1958.

The vascular lesions of the central nervous system show a heavier crude death rate in females, but for other diseases of the central nervous system there is little sex difference.

Diseases of the Circulatory System (I.S.C. Nos. 400-468). Deaths in this group numbered 23,530 of which 21,122 were ascribed to heart disease. The number increased steadily from 9,535 in 1931 to 16,503 in 1940. Change of Classification in 1941 reduced this number slightly (about 1 per cent.) and in the two following years there was a substantial diminution in deaths from these causes. Since then there has been an irregular increase. The change of classification between the fifth and sixth revision accounted for an increase of only $\frac{1}{2}$ per cent. in deaths allocated to this group.

Of the total deaths from diseases of the heart (I.S.C. Nos. 410-443) the vast majority 18,364, were ascribed to the arteriosclerotic or degenerative categories. Of these 10,623 were arteriosclerotic heart disease (including coronary thrombosis), 7,407 other forms of myocardial degeneration and 334 chronic endocarditis not specified as rheumatic.

Mortality ascribed to coronary thrombosis shows a progressive increase with age both in males and females, but at each age the rate in males exceeds that in females, although the extent of this differs widely throughout the age span. At ages under 35 the number of deaths is small and the sex ratio is irregular. From ages 35 and over there is a decided divergence in the rates for the separate sexes. In the group 45-49 the male rate is almost six times that of the female. After age 50 the male: female ratio declines progressively, until in the oldest age groups the male mortality is only a little more than the female.

Deaths from chronic rheumatic heart disease numbered 816 compared with 815 in 1958. Acute rheumatic fever accounted for 21 deaths, an increase of 4 from the previous year. Deaths from acute non-rheumatic conditions of the heart were 82. Functional and other unspecified diseases of the heart caused 734 deaths. Hypertension accounted for 1,681 of which 1,126 were associated with heart disease.

General arteriosclerosis was the most important of the circulatory diseases apart from the heart, and in 1959 there were 1,328 deaths ascribed to this cause, compared with 1,237 in 1958.

Diseases of the Respiratory System (I.S.C. Nos. 470-527). Deaths from these causes numbered 6,273, compared with 5,155 in 1958. Of these the principal individual causes were bronchitis 2,556, bronchopneumonia 1,927, lobar pneumonia 383 and pneumoconiosis 225.

In 1959 deaths from pneumonia and bronchitis numbered 5,113, 1,126 above the five years average.

Diseases of the Digestive System (I.S.C. Nos. 530-587). Deaths in this group, exclusive of those from malignant disease and tuberculosis, numbered 1,915 compared with 1,912 in 1958. The principal conditions under this heading are ulcer of stomach 224, and duodenum 283, hernia and intestinal obstruction 339, and cirrhosis of the liver 213. There were 92 deaths from diarrhoea of children between four weeks and under 2 years of age compared with 60 in 1958.

Diseases of Genito-urinary system (I.S.C. Nos. 590-637). These collectively numbered 1,202 deaths. They are 31 more than in 1958 but 78 below the average of the past five years. The principal components of the group are chronic nephritis 303 and diseases of the prostate 371. Deaths from diseases of the prostate were 21 fewer than in 1958.

Diseases of Pregnancy and Childbirth (I.S.C. Nos. 640-689). These numbered 36 and are 17 fewer than in 1958. They are 17 below the average of the past five years and roughly a third of what were so registered ten years ago. The most prominent constituents are puerperal sepsis including abortion with sepsis 11, complications of delivery 8 and toxæmias 5. The total deaths represent a rate of 0·4 per 1,000 live births, the lowest ever recorded in Scotland. (Table K(1).)

In addition to the deaths classified as due to puerperal conditions, there were 27 which occurred during pregnancy or within four weeks thereafter, but in which the puerperal condition was not specified as the primary cause of death. These are shown in detail in Table K(2). The number in 1959 is 3 more than in 1958.

Table K(1). Deaths and Death-rates from Puerperal Conditions in Scotland and its Groups of Public Health Districts in 1959

	Births (Living Children)	Still- births	Deaths from all Puerperal Con- ditions	Deaths from Puerperal Sepsis	Deaths from other Puerperal Con- ditions	Death-rate per 1,000 Live Births			Death-rate (all Puer- peral conditions) per 1,000 Total Births (including Stillbirths)
						All Puerperal Conditions	Puerperal Sepsis	Other Puerperal Conditions	
SCOTLAND	99,251	2,252	36	11	25	0·36	0·11	0·25	0·35
Counties of Cities	37,674	908	10	3	7	0·27	0·08	0·19	0·26
Large Burghs	17,780	384	10	5	5	0·56	0·28	0·28	0·55
Counties (ex. Counties of Cities and Large Burghs)	43,797	960	16	3	13	0·37	0·07	0·30	0·36
Small Burghs	15,920	347	7	1	6	0·44	0·06	0·38	0·43
Landward	27,877	613	9	2	7	0·32	0·07	0·25	0·32

Table K (2). Deaths associated with Pregnancy and Parturition but not classified as Puerperal, 1959

International Abbreviated List 'B'	Cause of Death	Total	Ages						
			15-19	20-24	25-29	30-34	35-39	40-44	45 and over
1	Tuberculosis of respiratory system .	2	—	—	—	1	—	1	—
18	Malignant neoplasms	2	—	—	1	1	—	—	—
20	Diabetes mellitus	1	—	—	—	1	—	—	—
46-0	Other general diseases	1	—	—	—	1	—	—	—
22	Vascular lesions affecting central nervous system	3	—	2	—	—	1	—	—
46-1	Other diseases of nervous system .	1	—	—	1	—	—	—	—
25	Chronic rheumatic heart disease .	6	—	2	2	1	1	—	—
26	Arteriosclerotic and degenerative heart disease	2	—	—	—	1	1	—	—
27	Other diseases of heart	1	—	—	—	—	1	—	—
46-2	Other circulatory disease	1	—	1	—	—	—	—	—
30	Influenza	1	—	—	1	—	—	—	—
34	Appendicitis	1	—	—	1	—	—	—	—
35	Intestinal obstruction and hernia .	1	—	—	—	1	—	—	—
36-1	Diarrhoea	1	—	—	—	—	1	—	—
46-5	Other digestive diseases	1	—	—	—	—	1	—	—
38	Nephritis and nephrosis	1	—	—	—	—	1	—	—
E.48-1	Accidents in the home	1	—	—	—	—	1	—	—
	TOTAL	27	—	5	6	7	8	1	—

Diseases of Skin and Cellular Tissue (I.S.C. Nos. 690-716). There were 53 deaths from these causes compared with 46 in 1958.

Diseases of Bones and Organs of Movement (I.S.C. Nos. 720-749). These causes accounted for 275 deaths during the year, 14 more than in 1958. Rheumatoid arthritis and allied conditions was the principal cause in this group and of the 180 deaths from this cause 41 were males and 139 females.

Malformations (I.S.C. Nos. 750-759). There were 718 deaths from these compared with 648 in 1958. Congenital malformations of the circulatory system were the most frequent 255. These were followed by spina bifida 127, digestive system 94, hydrocephalus 78, and genito-urinary system 46. The vast majority, 78 per cent., of these deaths took place in the first year of life.

Table L(1) shows these deaths distributed in age groups. Of the 718 who died from congenital malformations 561 died at ages under one year and of these 255 did not survive a week. Table L(2) shows for each of the principal causes in the group and also for certain diseases of early infancy, the rate per 1,000 births in each quinquennium since 1936 and for individual years since 1955. The rate for congenital malformations was 7.23 in 1959 compared with 6.51 in 1958. A more accurate rate is obtained by limiting the deaths to those which occurred in the first year of life, but this does not materially affect the trend.

Internal changes in classification of causes such as prematurity affect some of the rates when comparing 1950 onwards with earlier years.

Table L(1). Deaths from Congenital Malformations in 1959
(International Nos. Detailed List 750-759)

Causes of Death	Total	Males	Females	Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days-2 m'ths	3-5 months	6-8 months	9-11 months	1-4 years	5-9 years	10-14 years	15-24 years	25 years and over
Spina bifida and meningocele (751)	127	55	72	12	29	12	13	8	23	18	4	3	3	2	-	-	-
Congenital hydrocephalus (752)	78	37	41	17	8	6	3	1	6	8	6	3	16	-	1	1	2
Congenital malformations of circulatory system (754)	255	146	109	19	50	18	6	10	25	39	13	6	19	6	8	9	27
Imperforate anus and other congenital malformations of digestive system (756.1.2)	91	49	42	9	28	10	7	5	4	4	4	4	3	1	1	1	10
Other congenital malformations (Residual)	167	90	77	62	21	11	4	-	12	1	4	5	13	1	1	3	29
Total	718	377	341	119	136	57	33	24	70	70	31	21	54	10	11	14	68

Table L(2). Death-rates per 1,000 Live Births from Congenital Malformations and Diseases of Early Infancy
(International Nos. Detailed List 750-776)

Causes of Death	1936-40	1941-45	1946-50	1951-55	1955	1956	1957	1958	1959
Congenital malformations . 750-759	6.87	7.28	6.58	6.85	6.72	6.95	7.33	6.51	7.23
(All ages)	6.20	6.33	5.47	5.25	5.17	5.33	5.51	4.99	5.65
Do. (Under 1 Year) .	1.89	1.93	1.38	1.54	1.64	1.50	1.47	1.35	1.28
Spina bifida meningocele 751	0.70	0.74	0.64	0.70	0.72	0.65	0.71	0.78	0.79
Hydrocephalus . 752	2.26	2.26	2.11	2.24	2.26	2.37	2.45	2.30	2.57
Congenital heart disease 754	2.02	2.34	0.48	0.11	0.05	0.05	0.06	0.05	0.03
Congenital pyloric stenosis 756.0									
Other congenital defects } Residual			1.97	2.26	2.04	2.37	2.63	2.03	2.57
Diseases of early infancy . 760-776	30.61	27.74	20.24	17.24	16.24	15.44	15.60	15.17	15.13
Debility . 773 OY & 5Y	7.09	5.22	1.93	0.74	0.45	0.39	0.24	0.17	0.21
Premature birth . 776	16.79	15.07	10.39	5.50	5.09	4.34	4.63	3.89	3.82
Injury at birth . 760-761	3.22	3.19	2.94	2.78	2.54	2.63	2.54	2.46	2.86
Asphyxia at birth . 762			2.99	4.58	4.99	4.99	5.24	5.66	5.66
Other specified causes . } Residual	3.50	4.27	2.00	*3.65	*3.17	*3.08	*2.94	*2.99	2.58
TOTAL (All ages)	37.48	35.02	26.83	24.09	22.96	22.39	22.92	21.68	22.37

*Includes pneumonia of newborn and diarrhoea of newborn.

Diseases of early infancy (I.S.C. Nos. 760-776). Deaths from this group of causes totalled 1,502 compared with 1,509 in 1958. The most important individual component of this group is postnatal asphyxia and atelectasis, deaths from which numbered 562, over a third of the total. Prematurity unqualified, birth injury, pneumonia of newborn and hæmorrhagic disease of newborn are next in order of importance. Out of the 1,502 deaths ascribed to certain diseases of early infancy 379 were classified to prematurity, but it is perhaps worth mentioning that of the other 1,123 deaths in this group 572 had a mention of prematurity on the death certificate. Mortality ascribed to prematurity and, even more, to congenital debility has shown remarkable improvement recently. Deaths from injury at birth have shown no such favourable change. The rate per 1,000 live births for 1959 was 2.86 compared with 2.46 in 1958.

Senility (I.S.C. No. 794). Only 483 deaths were so attributed. In spite of the ageing of the population the numbers here have shown fairly steady diminution, and it is clearly due to transfer to other cause groups, presumably as a result of more specific certification.

Violence (I.S.C. Nos. E800-E999). 2,860 deaths from causes other than natural causes were registered in 1959. 2,394 were from accidents, 442 from suicide and 24 were caused by homicide.

There were 724 transport accidents in 1959, 14 more than in 1958. The majority were motor vehicle accidents—613—an increase of 15 from the previous year. Of the remainder, 34 were from railway accidents, 21 from road transport fatalities other than with motor vehicles, 53 in water transport accidents and 3 in air transport accidents.

The number of deaths from road transport accidents in Scotland from 1934 is set out in summary form in the following table. The figures are given by sex and by five age groupings. It will be seen that at all ages accidents have taken a much heavier toll of the male than of the female population.

Table M. Deaths from Road Transport Accidents, 1934-1959

		All Ages	0-4	5-14	15-34	35-64	65 and over
<i>Males</i>	1934-38 (average) .	515	41	86	169	145	74
	1939-45 " .	709	50	104	183	242	130
	1946-50 " .	394	48	67	98	105	76
	1951-55 " .	422	39	61	123	122	76
	1956 " .	452	31	45	117	173	86
	1957 " .	454	26	45	133	159	91
	1958 " .	463	24	44	137	175	83
	1959 " .	461	22	39	150	166	84
<i>Females</i>	1934-38 (average) .	162	21	37	25	42	37
	1939-45 " .	188	22	43	29	50	44
	1946-50 " .	155	21	35	20	35	43
	1951-55 " .	149	19	28	21	38	42
	1956 " .	137	20	21	20	37	39
	1957 " .	133	15	15	10	41	52
	1958 " .	169	18	18	35	50	48
	1959 " .	173	14	27	20	57	55

Table 41A shows other deaths by accident (International Detailed List Nos. E870-E936, E961, E962) classified by sex and age in cause groups, differentiating as to whether they occurred in the home, residential institutions, mines and quarries, farms and forest and other places.

Deaths in the home in 1959 made up as usual the greatest individual group of fatal accidents. They numbered 1,086 or 45 per cent. of the total deaths from accidents. The number was 22 fewer than in 1958.

The causes of accidents in the home are shown in more detailed age groups in Table N(1) overleaf.

Table N(1). Deaths from Accidents at Home, 1959

International Detailed List Nos.	Cause of Death	Total	Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Not stated
E870-E888	Accidental poisoning by solid and liquid substances {M. F.	26 33	- -	1 3	1 -	- -	1 -	1 3	7 5	7 10	4 5	2 5	2 2	- -	- -
E890-E895	Accidental poisoning by gases and vapours {M. F.	102 109	- -	2 1	1 -	- -	2 3	5 2	8 5	25 12	17 13	18 18	21 45	3 10	- -
E890a	Poisoning by utility (illuminating), gas, stated to be accidental {M. F.	53 67	- -	2 1	1 -	- -	1 1	3 1	1 2	8 5	9 5	11 13	14 33	3 7	- -
E890b	Poisoning by utility (illuminating) gas, unspecified as to whether accidental or suicidal {M. F.	48 39	- -	- -	- -	- -	1 1	2 3	7 3	16 7	8 8	7 5	7 12	- 3	- -
E891-E895	Accidental poisoning by other gases and vapours {M. F.	1 3	- -	- -	- -	- -	- 3	- -	- -	1 -	- -	- -	- -	- -	- -
E900-E904	Accidental falls {M. F.	166 347	- -	5 -	- -	1 -	- -	2 1	3 3	4 5	17 7	32 52	63 162	39 117	- -
E916-E918	Accident caused by fire, explosion, hot substance, radiation, etc. {M. F.	51 63	- -	4 2	1 5	- -	- 1	3 1	5 1	8 7	6 6	11 11	18 23	6 6	- -
E919	Accident caused by firearm {M. F.	3 -	- -	- -	- -	1 -	- -	- -	- -	2 -	- -	- -	- -	- -	- -
E921, E922, E924, E925 }	Accidental mechanical suffocation {M. F.	107 57	84 47	4 2	1 -	1 -	1 2	5 1	5 1	3 3	- -	- -	2 -	- 1	- -
E926	Lack of care of infants under 1 year of age {M. F.	2 1	2 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E929	Accidental drowning and submersion {M. F.	- 4	- -	- -	- -	- -	- -	- -	- -	- -	- 2	- 1	- 1	- -	- -
Rem. of E910-E936, E961, E962 }	Other and unspecified accidents {M. F.	8 7	- -	2 2	- -	- -	1 1	- -	- -	3 -	1 -	1 3	- 1	- -	- -
	TOTAL {M. F.	465 621	86 48	18 10	4 5	3 -	5 5	9 9	26 15	51 35	50 36	59 90	106 234	48 134	- -

Accidental falls were the main cause, accounting for 513 deaths or 47 per cent. of the total deaths through accidents at home. These deaths from falls were much heavier among females, numbering 347 or two-thirds of the total, and they took a very much heavier toll of older persons, as is seen from the fact that 91 per cent. of the deaths were of persons aged 65 and over (males 81 per cent., females 95 per cent.)

Gas poisoning was the second heaviest cause of deaths in the home, and it will be seen from the table that in 1959 there were 211 deaths (102 of males and 109 of females). Of these 124 were stated to be accidental and 87 were unspecified as to whether accidental or suicidal. 115 of the deaths from gas poisoning were among persons aged 65 and over (males 42, females 73).

The third heaviest cause was **suffocation**, which caused 164 accidental deaths in 1959. No less than 131 or 80 per cent. were deaths of children under one, and 6 of the remainder were of children between one and four. 76 of the deaths of children under one were due to inhalation and ingestion of food causing obstruction or suffocation. Of the remaining 55 deaths of children under one, 45 were due to suffocation in bed or cradle.

Accidents caused by **fire**, etc., were the next heaviest contributor to deaths in the home in 1959. They caused 114 deaths. Among these there were 6 children under five and 70 persons aged 65 and over.

Accidents in **residential institutions** accounted for 61 deaths, 13 more than in 1958. Fifty-two of the deaths were due to falls and 51 of this cause group were aged 65 and over.

There were 96 deaths due to fatal accidents in **mines and quarries** compared with 36 in 1958. Forty-seven deaths were caused by fire and explosion of combustible material (0 in 1958), 35 by blows from falling objects (17), 5 by machinery (3) and 4 by mine vehicles (8).

Farm and forest accidents claimed 16 deaths, 5 more than in 1958. Three were caused by falls, 3 by electric current and 3 by blow from falling object. In addition there were 12 deaths due to accidents in which farm tractors, etc., were involved. Of this number 10 were due to motor vehicle non-traffic accidents and 2 to motor vehicle traffic accidents.

Four hundred and nine deaths were due to accidents in **other places**, 28 fewer than in 1958. Deaths due to drowning accounted for 178 (149 males, 29 females), falls were second in importance at 122 (95 males, 27 females), 19 (all males) were caused by machinery and 17 (14 males and 3 females) were caused by blows from falling objects, etc. In 1958 the figures for these cause groups were 196, 138, 14 and 28 respectively.

The following Table N(2) compares in broad age-groups the death-rates per 100,000 of the population of males and females from accidents at home and from accidents elsewhere (excluding transport accidents).

**Table N(2). Death-rate per 100,000 from Accidental Deaths
(excluding Transport Accidents)**

		All ages	0-4	5-14	15-44	45-64	65 and over
Accidents at Home	Male	19	44	2	4	17	100
	Female	23	26	1	3	11	141
Accidents elsewhere	Male	19	7	12	17	25	38
	Female	4	1	1	1	3	21
Total	Male	38	52	13	21	43	137
	Female	27	27	2	4	14	162

The over-all male rate is lower than for females as regards accidents at home; but it will be observed that the male rate is higher in each individual age-group except for 65 and over where the rate for females is 41 per cent. higher. The figures show that males are more vulnerable to accidents outside the home in the proportion of almost five to one. The difference is even greater in the age-groups between 15 and 64.

Suicide (I.S.C. Nos. E970-E979) Deaths from suicide numbered 442 (278 males and 164 females). This represents a death rate of 9 per 100,000, one more than for 1958 and for the average of the last five years. (Tables 41B and 42.)

Accidental and suicidal poisoning. The agents used in the 279 accidental and 291 suicidal deaths from poisoning are given in table 41B.

Anæsthetics. Details are given in table 41C of the anæsthetic administered in the case of deaths which were primarily due to complications of anæsthesia for non-therapeutic purposes and therapeutic misadventure in anæsthesia (none in 1959) and of the 124 deaths where there was mention of anæsthetic other than as primary cause.

Relative frequency of cause of death. As in recent years the commonest causes or cause groups of death are, in descending order, heart disease, malignant neoplasms, vascular lesions of the central nervous system, violence, pneumonia, bronchitis, and congenital malformations and diseases of early infancy. These together account for 83 per cent. of the total deaths in 1959. (See Table O below).

Table O. Relative Frequency of Causes of Death

Causes of Death	1959		1958	
	Number	Per cent. of total	Number	Per cent. of total
Heart disease	21,122	33·49	21,346	34·39
Malignant neoplasms	11,032	17·49	10,831	17·45
Vascular lesions of the central nervous system	9,862	15·64	9,982	16·08
Violence	2,860	4·54	2,850	4·59
Pneumonia (excluding pneumonia of newborn)	2,557	4·05	2,108	3·40
Bronchitis	2,556	4·05	2,294	3·70
Congenital malformations and diseases of early infancy	2,220	3·52	2,157	3·48
TOTAL	52,209	82·79	51,568	83·09

Death-rates in Scotland compared with those in England and Wales and Northern Ireland. Precise comparisons between the death-rates in Scotland and those in England and Wales and Northern Ireland cannot be made from an examination of the crude death-rates in the three countries. By agreement between the Registrars General, death rates have been standardised to the age and sex distribution of the United Kingdom.

Table 48 gives the standardised mortality ratios for the three countries for all causes and for a specially selected list of causes for the year 1959. It also shows the age specific death-rates by sex so that a more detailed examination of the rates can be made. It will be observed that while for all causes Scotland is materially in excess of England and Wales and Northern Ireland, its position varies a great deal from cause to cause. The Scottish ratio is more favourable for syphilis, influenza and pneumonia. In the case of tuberculosis, malignant neoplasms, diabetes, anæmias, vascular lesions of central nervous system, some digestive causes, other diseases of genito-urinary system, and accidents in the home, the Scottish ratio shows a fairly marked excess.

Infant Deaths

Cause. Table 29 contains an analysis of deaths at age-periods under one year classified according to cause of death. For all causes of death the infant death-rates and the neo-natal rates (referring to children under 28 days) will be found on page 24 for years and combinations of years back to 1911, but Table 29 shows for 1959 a closer analysis by age with classification according to cause of death. The changes in recent years in the number of deaths from congenital defects and from conditions associated with early infancy (debility, premature birth, etc.), have already been referred to (page 36). Compared with 1958 deaths from accidental mechanical suffocation decreased by 11, meningitis by 4 and bronchitis by 4. Diarrhœa (excluding newborn) increased by 23, other respiratory diseases by 11, pneumonia (excluding newborn) by 10, and whooping cough by 4.

Of all deaths under one year of age the most important causes numerically are asphyxia and atelectasis, congenital malformations, prematurity (unqualified), birth injuries and pneumonia (excluding newborn) in that order. (Tables 29 and 42.)

Month of Registration. Table 30 shows deaths from the same causes as are shown in Table 29 but classified according to calendar month of registration. The rates by calendar month for all infant deaths have already been referred to (page 22). These deaths were at a maximum in January and at a minimum in September. The incidence of individual causes throughout the year generally conforms to this pattern though the variation is considerable in deaths from pneumonia and bronchitis. (Tables 30 and 63.)

Age Period. Table 31 shows for each large burgh and county the numbers of children who died in 1959 before reaching their first birthday. The duration of the lives of these children according to days, weeks or months is indicated in the headings to the table. The columns on the right-hand side of the table show the death-rates per 1,000 of the births in Scotland in 1959. Many of the rates are of course based on small numbers and are therefore of limited value.

The neo-natal rates for Scotland as a whole have already been dealt with (see page 24), but in Table P there will be found for Scotland the death rates for certain age groups within the first year of life for 1959 and previous years.

Table P. Deaths under One Year per 1,000 Births in Scotland, 1922-1959

Year	Males						Females					
	Under 1 year	Under 7 days	*7-27 days	*28 days and under 3 months	3 months and under 6 months	6 months and under 12 months	Under 1 year	Under 7 days	*7-27 days	*28 days and under 3 months	3 months and under 6 months	6 months and under 12 months
1922-25	103.7	42.6		16.0	16.6	28.5	80.0	32.7		11.8	12.6	23.0
1926-30	96.0	41.1		14.9	16.5	23.3	74.4	31.8		10.6	12.1	19.9
1931	93.2	27.5	12.6	13.9	15.9	23.9	69.9	21.7	9.6	9.9	10.4	18.4
1932	94.6	26.8	13.4	15.4	17.0	22.1	77.3	20.7	11.1	12.3	13.8	19.4
1933	89.3	28.8	12.0	14.8	14.2	19.5	72.4	23.3	10.9	10.0	11.4	16.7
1934	86.9	27.7	12.2	14.3	14.0	18.7	68.0	21.6	10.8	9.5	11.1	15.0
1935	86.9	28.8	14.6	13.2	13.6	16.7	66.2	20.7	12.8	9.1	10.1	13.6
1931-35	90.3	27.9	13.0	14.3	15.0	20.1	70.8	21.6	11.0	10.2	11.4	16.6
1936	92.2	28.4	14.1	15.9	15.2	18.7	71.9	21.3	11.2	10.7	13.0	15.8
1937	89.6	28.2	14.2	15.0	16.2	16.0	70.5	22.0	12.0	10.8	11.5	14.2
1938	76.6	26.6	11.4	13.4	12.2	13.0	62.1	21.9	10.0	8.9	9.1	12.1
1939	77.4	29.7	12.4	12.1	11.7	11.6	59.1	22.8	8.0	8.8	9.7	9.8
1940	90.3	29.5	13.1	15.0	15.7	17.0	65.7	21.2	10.4	10.5	11.8	11.8
1936-40	85.2	28.5	13.0	14.3	14.2	15.3	65.9	21.8	10.3	9.9	11.0	12.8
1941	93.3	29.0	16.0	17.4	17.0	14.0	71.6	22.5	12.2	12.6	10.9	13.4
1942	77.9	27.0	12.9	14.1	13.1	10.8	60.2	19.8	10.3	10.0	11.4	8.8
1943	73.0	25.3	11.8	13.3	12.3	10.3	57.0	18.7	9.8	9.1	10.0	9.4
1944	73.0	24.7	12.3	13.3	13.1	9.5	56.4	17.8	10.4	9.4	10.4	8.4
1945	64.7	23.6	9.0	12.4	11.5	8.2	47.3	17.5	6.6	8.9	8.2	6.0
1941-45	76.4	25.9	12.4	14.1	13.4	10.6	58.5	19.2	9.9	10.0	10.2	9.2
1946	60.0	25.1	8.1	10.0	9.5	7.3	47.3	19.4	7.0	7.2	7.8	5.9
1947	62.9	22.4	9.4	11.8	10.3	9.1	48.2	17.5	7.6	7.7	7.8	7.6
1948	51.3	21.6	6.9	8.9	8.1	5.8	37.7	15.5	5.9	5.9	5.8	4.6
1949	46.2	21.0	5.3	8.3	6.6	5.0	36.3	15.4	4.4	6.3	5.9	4.2
1950	43.0	21.0	4.6	6.5	6.4	4.5	33.8	16.2	4.0	5.3	4.4	3.9
1946-50	53.2	22.3	7.0	9.2	8.3	6.4	41.1	16.9	5.9	6.5	6.4	5.3
1951	42.2	20.4	4.8	6.9	6.2	3.8	32.4	15.5	3.6	5.1	4.6	3.6
1952	39.3	20.1	4.1	5.6	6.2	3.3	30.8	15.7	3.2	4.1	4.3	3.5
1953	34.7	18.9	3.5	5.3	4.4	2.6	26.6	13.5	2.5	4.3	3.6	2.7
1954	34.9	20.2	3.4	4.3	4.1	2.9	26.9	15.2	2.3	4.2	3.1	2.0
1955	33.2	19.3	2.8	4.9	3.7	2.5	27.4	14.5	2.8	3.9	3.7	2.6
1951-55	36.8	19.8	3.7	5.4	4.9	3.0	28.8	14.9	2.9	4.3	3.9	2.9
1956	32.6	19.2	3.1	4.6	3.9	1.8	24.4	13.3	2.4	3.7	2.6	2.4
1957	32.6	19.2	3.4	4.1	3.5	2.3	24.4	14.0	2.4	3.1	3.0	2.0
1958	30.9	18.8	2.8	4.3	3.0	2.0	24.3	13.4	2.2	3.3	3.2	2.3
1959	32.0	19.4	3.1	3.7	3.5	2.4	24.5	13.6	2.5	3.1	3.1	2.2

*Prior to 1950 the numbers and rates relate to 1 week and under 1 month and 1 month and under 3 months.

Central Clydeside Conurbation

A description of the Clydeside Conurbation was given in previous Reports but for reference purposes the constitution of the area is again given. It is as follows:

Dunbarton County (part of)	Lanark County (part of)	Renfrew County (part of)
Clydebank Burgh	Glasgow City	Barrhead Burgh
Bearsden Burgh	Airdrie Burgh	Johnstone Burgh
Kirkintilloch Burgh	Coatbridge Burgh	Paisley Burgh
Milngavie Burgh	Hamilton Burgh	Renfrew Burgh
	Motherwell and Wishaw Burgh	Renfrew First District of County
	Rutherglen Burgh	Renfrew Second District of County
	Lanark Fifth District of County	
	Lanark Sixth District of County	
	Lanark Eighth District of County	
	Lanark Ninth District of County	

The following is a summary of the births, deaths and marriages in the area of the conurbation in the calendar year of 1959. The births and deaths are corrected where necessary, to relate to the area of usual residence.

Central Clydeside Conurbation

	Registered	Corrected for Transfer	Rate per 1,000 of estimated population
Births . . .	37,124	37,851	21.0
Deaths . . .	20,890	21,595	12.0
Deaths under 1 year	—	1,265	33.4 per 1,000 live Births
Marriages . . .	14,875	—	8.3
Stillbirths . . .	916	936	24.1 per 1,000 total Births (including stillbirths)

The population of Central Clydeside at 30th June, 1959 is estimated at 1,798,464, more than a third of the population of Scotland. The birth-rate of 21.0 is 2.9 higher than that of the rest of Scotland whereas the death-rate of 12.0 is 0.2 lower. The stillbirth rate of 24.1 per 1,000 total births is 3.1 more than in the rest of Scotland.

The excess of the birth-rate over the death-rate in the conurbation area was 9.0 per 1,000 of the population against 5.9 in the remainder of Scotland. The excess of births over deaths in Scotland was 36,190, those in Central Clydeside accounting for no less than 16,256.

The infant mortality rate at 33.4 per 1,000 live births is appreciably higher than the rate of 25.3 for the rest of Scotland.

The overall death-rate in the conurbation area is for males 1,331 per 100,000 of the population compared with 1,285 in the rest of Scotland. The female rates are 1,080 and 1,164 respectively. The accompanying table compares the rates by sex from the principal groups of causes of death.

*Certain specified causes of death in the Central
Clydeside Conurbation and the Rest of Scotland with
their corresponding rates per 100,000 population—1959*

International Classification Intermediate List "A"		Number				Rates per 100,000 population			
		Conurbation Area		Rest of Scotland		Conurbation Area		Rest of Scotland	
		Males	Females	Males	Females	Males	Females	Males	Females
1	Tuberculosis, respiratory .	208	94	136	75	24	10	8	4
2-5	Tuberculosis—other forms	17	10	18	18	2	1	1	1
6-10	Syphilis	18	9	36	16	2	1	2	1
12, 17, 18, 21-23, 32, 88	Principal epidemic diseases	87	77	230	240	10	8	14	14
44-59	Malignant neoplasms .	2,095	1,723	3,783	3,431	242	185	232	195
70	Vascular lesions of central nervous system .	1,345	1,871	2,704	3,942	155	200	166	224
80-83	Heart disease	3,587	3,213	7,235	7,087	415	344	444	402
89-91	Pneumonia (excluding newborn)	563	442	779	773	65	47	48	44
92, 93	Bronchitis	892	403	873	388	103	43	54	22
99, 100	Ulcer of stomach and duo- denum	110	48	248	101	13	5	15	6
104	Diarrhoea (excluding new- born)	56	61	88	91	6	7	5	5
108, 109	Nephritis	53	70	152	136	6	7	9	8
127-135	Congenital malformations and other diseases of early infancy	566	399	732	523	65	43	45	30
Residual of 1-137	All other natural causes .	1,268	1,347	2,801	2,933	147	144	172	166
138, 139	Transport accidents . .	175	66	369	113	20	7	23	6
148	Suicide	90	39	188	125	10	4	12	7
Residual of 138-150	Other violence	384	209	568	534	44	22	35	30
	All causes	11,514	10,081	20,940	20,526	1,331	1,080	1,285	1,164

The rates in the conurbation area are to a large extent influenced by those of Glasgow. The following statement shows the rates for tuberculosis, bronchitis, pneumonia (excluding newborn) and the principal epidemic diseases separately for the conurbation area, Glasgow and the remainder of the conurbation area.

International Classification Intermediate List "A"		Rate per 100,000 of Estimated Population					
		Conurbation Area		Glasgow		Remainder of Conurbation Area	
		Males	Females	Males	Females	Males	Females
1	Tuberculosis respiratory	24	10	28	12	19	7
2-5	Tuberculosis—other forms	2	1	2	2	1	0
92, 93	Bronchitis	103	43	123	55	74	25
89-91	Pneumonia (excluding newborn)	65	47	74	56	52	35
12, 17, 18, 21-23, 32, 88	Principal epidemic diseases*	10	8	10	10	11	5

*Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

Appendix I

REPORT ON INFORMATION OBTAINED FOR THE YEAR 1959 UNDER THE POPULATION (STATISTICS) ACT, 1938

This Appendix contains an analysis of the statistics obtained in respect of the year 1959.

The crude birth-rates for the year is 19·1 compared with 19·2 in 1958. If current trends of birth and death rates are maintained, the number of female births is more than enough to ensure that the population of Scotland is reproducing itself.

The crude birth-rates and the gross and net reproduction rates for each year from 1939 are as follows:

Year	Crude Birth-rate	Gross Reproduction rate	Net Reproduction rate
1939 .	17·4	1·051	0·932
1940 .	17·1	1·042	0·896
1941 .	17·5	1·058	0·893
1942 .	17·6	1·087	0·948
1943 .	18·4	1·162	1·012
1944 .	18·5	1·183	1·041
1945 .	16·9	1·088	0·978
1946 .	20·3	1·336	1·192
1947 .	22·3	1·427	1·281
1948 .	19·7	1·265	1·158
1949 .	18·7	1·228	1·131
1950 .	18·0	1·187	1·107
1951 .	17·7	1·171	1·099
1952 .	17·7	1·180	1·114
1953 .	17·8	1·179	1·121
1954 .	18·0	1·212	1·156
1955 .	18·0	1·230	1·173
1956 .	18·5	1·279	1·228
1957 .	19·0	1·326	1·272
1958 .	19·2	1·355	1·302
1959 .	19·1	1·350	1·296

Table 10 shows the number of births analysed by age of mother, and, so far as legitimate births are concerned, by the duration of marriage. As usual, more children were born to mothers aged between 25 and 29 than to those in any other quinquennial age-group, but the gap between the figures for this group and for mothers aged between 20-24 is becoming narrower. The single ages which contributed the greatest number of children were 24, 23 and 25 years (in that order), and when related to legitimate births only, the ages were also 24, 23 and 25 years. At age 30 the number was much smaller. The largest number of illegitimate births was to mothers aged 21, 20 and 19 in that order. (Table 9.)

The number of legitimate births to mothers in the age-group 20-24 has steadily increased since 1939 when these figures were first available and, as the following table shows, they are now 57 per cent. above the 1939 figure.

Year	Total Legitimate Births	Number of Legitimate Births by quinquennial age-groups			Proportion compared with 1939		
		20-24	25-29	30-34	20-24	25-29	30-34
1939	81,669	18,605	25,661	19,267	100	100	100
1947	106,836	25,804	33,600	24,795	139	131	129
1948	94,568	24,117	30,001	20,255	130	117	105
1949	90,451	23,586	29,628	17,949	127	115	93
1950	87,693	23,168	27,964	18,193	125	109	94
1951	86,047	23,244	27,302	18,306	125	106	95
1952	86,116	23,616	27,078	18,808	127	106	98
1953	86,682	24,140	27,391	19,325	130	107	100
1954	88,138	25,437	27,374	19,673	137	107	102
1955	88,548	25,595	28,491	18,786	138	111	98
1956	91,244	26,637	29,151	18,895	143	114	98
1957	93,960	28,010	30,022	18,812	151	117	98
1958	95,408	29,059	30,416	18,688	156	119	97
1959	95,117	29,150	30,240	18,548	157	118	96

Table 11 shows fertility by age of mother. The fertility rates for 1939 and 1947 to 1959 are summarised below.

Table F(a). Fertility Rates by Age of Mother
Legitimate Births per 1,000 Married Women

Year	All Ages (16-49)	16-19	20-24	25-29	30-34	35-39	40-44
1939	119.8	525.7	336.6	220.0	140.5	82.7	25.8
1947	137.5	466.4	348.8	251.5	171.3	98.5	29.7
1948	120.4	458.0	320.8	213.4	145.2	84.7	26.9
1949	115.2	510.0	316.8	208.6	132.9	79.1	23.8
1950	111.7	478.8	312.5	202.1	133.5	74.6	22.8
1951	109.6	464.3	307.1	203.5	129.6	71.6	21.2
1952	109.4	456.9	302.3	206.2	128.8	71.0	20.3
1953	109.8	456.7	301.8	209.4	127.8	68.6	19.6
1954	111.2	451.8	310.9	208.0	128.2	68.0	19.9
1955	111.2	450.9	305.2	214.6	124.9	66.8	18.7
1956	113.7	454.4	308.4	215.6	129.2	68.4	18.1
1957	116.4	456.9	315.1	218.6	131.5	68.5	18.1
1958	117.8	466.8	318.0	218.4	131.8	66.1	17.9
1959	117.1	452.8	312.8	215.3	130.5	64.4	17.0

Illegitimate Births per 1,000 Unmarried Women

Year	All Ages (15-49)	15-19	20-24	25-29	30-34	35-39	40-44
1939	7.7	5.3	12.0	11.5	10.6	7.7	2.8
1947	11.2	4.7	17.5	26.5	19.5	12.6	4.1
1948	10.4	4.8	15.4	24.9	19.7	12.1	4.0
1949	9.6	4.3	14.1	21.5	21.1	11.3	3.7
1950	9.0	4.1	12.8	19.9	19.0	11.6	3.6
1951	8.6	3.7	12.4	18.6	18.9	12.5	3.0
1952	8.2	3.7	11.7	17.6	18.2	11.2	3.5
1953	8.3	3.8	12.1	16.7	18.1	12.1	3.4
1954	8.4	3.8	12.4	17.7	16.9	13.4	3.3
1955	8.2	3.6	12.5	17.3	18.1	11.9	3.8
1956	8.6	4.2	13.3	18.8	18.4	11.6	3.4
1957	8.8	4.2	14.1	19.9	17.6	12.2	3.6
1958	9.1	4.1	15.0	22.3	19.0	11.8	3.7
1959	9.5	4.3	15.3	26.1	18.6	11.5	3.6

On comparing the legitimate rates for 1959 with those of 1958 it will be observed that there is a decrease in each age-group. There is an increase in the illegitimate fertility rates in the younger age-groups mainly between 25 and 29.

Table 12 shows the interval between present marriage and the birth of the first child for all first children born in 1959 according to the age of mother.

The following table gives a summary for the years 1939 and 1947 to 1959 of the percentage of first births occurring within eight months of marriage.

Table F(b). Percentage of First Births taking place within Eight Months of Date of Present Marriage

Year	All ages	Age of Mother			
		Under 20	20-24	25-29	30-34
1939	28.8	70.1	40.3	17.0	10.0
1947	15.1	50.8	18.9	9.6	7.7
1948	19.1	56.6	23.7	11.6	8.4
1949	20.4	59.8	24.3	11.3	8.7
1950	20.2	60.0	24.6	10.0	8.1
1951	19.8	60.3	23.6	9.9	9.1
1952	19.2	59.4	22.5	9.3	8.6
1953	18.6	59.9	21.7	8.8	7.0
1954	18.2	59.8	20.7	7.3	6.4
1955	17.6	56.1	19.6	7.3	7.0
1956	17.7	56.1	18.8	7.2	6.8
1957	16.8	54.4	17.4	6.8	5.8
1958	16.9	54.1	16.8	6.4	6.5
1959	17.6	55.5	17.4	6.6	5.8

There were 5,939 first births within eight months of marriage and they represent 17.6 per cent. of all first births, 0.7 higher than that for 1958. If these are added to the number of illegitimate births, the combined total of 10,073 is 3,510 below the figure of 13,583 in 1939 but 202 above that for last year.

A summary of Table 13 is given below for the years 1939, and 1951 to 1959 (Table F(c)).

Table F(c). Number of Births by Present Husband which are First, Second, etc.

Number of previous children (including still-born and dead)	1939	1951	1952	1953	1954	1955	1956	1957	1958	1959
0	28,976	30,834	31,468	31,641	32,313	32,738	33,681	34,923	34,394	33,677
1	19,473	24,795	24,214	24,233	24,744	24,544	26,032	26,488	27,642	27,429
2	11,757	13,952	13,758	14,073	14,146	14,309	14,615	15,066	15,433	16,011
3	7,391	7,129	7,316	7,507	7,619	7,538	7,566	7,787	8,185	8,163
4	4,771	3,725	3,871	3,990	4,165	4,166	4,093	4,262	4,350	4,356
More than 4	9,301	5,478	5,356	5,159	5,125	5,186	5,223	5,388	5,381	5,444
Not stated	—	134	133	79	26	67	34	46	23	37
TOTAL	81,669	86,047	86,116	86,682	88,138	88,548	91,244	93,960	95,408	95,117

In 1959 there was a total decrease of 291 legitimate births compared with 1958, and first births by present husband decreased by 717. While total legitimate births decreased by 0.3 per cent., first births decreased by 2.1 per cent., second births decreased by 0.8 per cent. but third births increased by 3.7 per cent.

On examining the proportion which first births bear to the total births for the year as set out in Table F(c), it is found that the percentage was 35.5 in 1939. It was 35.8 in 1951, but thereafter the rate generally increased from 36.5 in 1952 to 37.2 in 1957. Since then however the rate has decreased to 36.0 in 1958 and 35.4 in 1959.

Table 14 shows legitimate births by duration of present marriage and number of previous children. It also indicates the trend of family size. The following table, covering the period 1939 and 1948 to 1959 and relating to children by present husband only, gives average family size—but only for those families having a child in the year under observation. The figures shown include the birth in the particular year referred to as well as previous births. They show that the average size of family into which a child was born was lower in the post war years. In 1939 the figure was 2.79 compared with 2.42 in 1959. Since 1948 the average has fluctuated between 2.39 and 2.45.

Duration of Marriage	Average number of children by present husband in family including stillborn and dead													
	1939	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	
Under one year	1.03	1.03	1.03	1.03	1.03	1.02	1.02	1.02	1.02	1.02	1.02	1.02	1.02	
1	1.29	1.23	1.23	1.24	1.27	1.22	1.22	1.22	1.22	1.22	1.22	1.22	1.23	
2	1.77	1.69	1.71	1.73	1.71	1.69	1.66	1.67	1.68	1.69	1.69	1.71	1.70	
3	2.14	1.96	2.01	2.06	2.04	2.03	2.03	1.98	1.99	2.00	2.00	2.02	2.03	
4	2.48	2.22	2.25	2.30	2.33	2.35	2.29	2.29	2.30	2.27	2.29	2.29	2.33	
5	2.77	2.38	2.49	2.53	2.56	2.60	2.58	2.58	2.57	2.55	2.53	2.57	2.61	
6	3.17	2.54	2.65	2.76	2.78	2.83	2.88	2.85	2.86	2.84	2.81	2.83	2.85	
7	3.50	2.74	2.81	2.94	3.00	2.99	3.08	3.11	3.11	3.10	3.12	3.10	3.10	
8	3.83	3.02	3.02	3.08	3.20	3.28	3.27	3.34	3.39	3.34	3.36	3.37	3.35	
9	4.10	3.40	3.37	3.26	3.35	3.44	3.52	3.54	3.63	3.63	3.62	3.68	3.65	
10-14	5.06	4.32	4.29	4.18	4.13	4.06	4.05	4.12	4.17	4.14	4.16	4.20	4.27	
15-19	6.93	6.08	6.15	6.13	5.97	5.90	5.76	5.63	5.49	5.42	5.25	5.26	5.29	
20-24	8.94	7.93	7.78	7.91	7.90	7.81	7.74	7.59	7.40	7.28	7.20	7.00	6.84	
25 and over	10.68	9.62	9.54	9.53	9.69	9.54	9.02	9.04	8.88	8.59	9.14	8.31	8.28	
Total														
Present Husband	2.79	2.43	2.42	2.45	2.45	2.44	2.43	2.42	2.41	2.39	2.39	2.40	2.42	

Table 20 sets out the number of multiple confinements classified by age of mother and type of birth (live and still). It also shows as a percentage of all mothers the number of mothers who gave birth to multiple children.

Tables 15 and 16 contain statistics of women who have been married but at the time of death are stated to have had no children. The results are summarised in the following Table F(d). It will be seen that the percentage of women who died childless gradually decreased from 15.6 in 1948 to 14.7 in 1952, but from then there was an upward trend to 15.7 in 1956. In the years 1957, 1958 and 1959 the rates were 15.3, 15.5 and 15.5 respectively. The number of deaths among divorced women is too small to give reliable rates for individual years. In 1959 13 per cent. of the married women who died childless were under 45 years of age, whereas 0.2 per cent. of widows died under that age.

Table F(d). Percentage of Women who have been Married and who at Death are stated to have had No Children

	1939	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
Married	15.4	16.7	16.6	16.3	16.2	16.0	16.1	16.0	17.0	16.8	16.3	15.8	16.7
Widowed	13.8	14.6	14.2	14.3	14.0	13.7	14.1	14.7	14.7	14.9	14.6	15.1	14.8
Divorced	35.0	26.5	23.9	26.5	28.0	18.2	31.4	28.0	22.8	28.6	23.0	30.0	18.1
All women who had been married	14.6	15.6	15.3	15.2	15.0	14.7	15.0	15.2	15.6	15.7	15.3	15.5	15.5

Table 17 shows deaths from selected causes by age-groups of women who had been married, and gives figures of those who had children, and those who died childless.

Appendix II

REGISTRATION OF STILLBIRTHS

The total number of stillbirths registered during the year 1959 was 2,252 and with 99,251 live births registered during the same period these stillbirths were equivalent to a rate of 22·2 per 1,000 total births, live and still, as compared with 42·2 in 1939, 27·1 in 1949, and 22·8 in 1958. Apart from slight increases in the rates for 1945 and 1954 there has been a continuous reduction in the rate since 1939, the first year in which stillbirths were registered in Scotland.

Stillbirths and Neo-natal deaths. The geographical distribution of these live births and stillbirths (together with neo-natal deaths among live born infants) and the corresponding rates for stillbirths, neo-natal deaths and for the two groups combined are shown in Table 18. For local authority aggregates the stillbirth rate was 23·5 in the cities, 21·1 in the large burghs, 21·3 in the small burghs and 21·5 in the landward areas. The corresponding rates in the previous year were 23·1, 24·8, 21·9 and 21·7.

As in previous years, the rates for individual large burghs and counties show wide variations, but in some, owing to the comparatively small numbers involved, the annual rates are not very stable. Among large burghs the highest rate for the year was in Dumfries 35, and the lowest in Perth 13. In the counties the highest rate was in Sutherland 48, and the lowest in Kinross 9. For the combined stillbirth and neo-natal rate the rate in the large burghs ranged from 55 in Dumfries to 25 in Ayr while in the counties it ranged from 75 in Sutherland to 9 in Kinross.

In Table SB(A1) will be found the stillbirth rates aggregated for the four geographical divisions of Scotland. The rate in the Southern group of counties was highest with that for the West Central division second, while the rate for the East Central district was lowest of all. From Table 18 it will be seen that for the more comprehensive rate for stillbirths and neo-natal deaths the higher rates were for the West Central and Southern County groups in that order and the lowest in the East Central Division and table SB (A1) shows that the stillbirth rate for large burghs is heavier than for the county districts in the West Central and Southern Divisions.

Table SB (A1). Stillbirth Rates per 1,000 Births (Live and Still) by Divisions, 1959

Divisions*	Total	Counties of Cities and Large Burghs	Counties (excluding Counties of Cities and Large Burghs)
Northern	20.7	18.5	21.6
East Central	20.3	19.9	20.9
West Central	23.3	24.4	21.0
Southern	26.2	35.0	25.0
SCOTLAND	22.2	22.8	21.4

*The East Central Division consists of the Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian and East Lothian, with the City of Dundee; the West Central Division consists of the Counties of Lanark, Dunbarton, Renfrew and Ayr; the Northern Division includes all counties north and west of these two divisions, and the Southern Division all counties south and east.

Table SB (A2). Stillbirths per 1,000 Births (Live and Still) by Areas, 1939 to 1959

Year	Scotland	Counties of Cities and Large Burghs	Counties (excluding counties of cities and large burghs)	Divisions			
				Northern	East Central	West Central	Southern
1939	42.2	42.1	42.5	39.3	42.4	43.2	42.0
1940	42.1	42.4	41.7	40.1	43.1	42.7	37.6
1941	39.6	41.9	36.8	32.1	38.7	43.1	35.9
1942	38.2	40.2	35.9	33.7	38.0	40.8	30.5
1943	35.6	37.0	33.9	32.6	35.9	36.5	35.8
1944	32.5	33.6	31.2	28.4	31.5	34.8	29.0
1945	32.8	33.1	32.5	29.9	32.4	34.4	29.1
1946	32.3	34.7	29.3	28.6	32.0	33.9	32.2
1947	30.5	29.8	31.5	27.6	29.2	32.3	31.6
1948	28.7	29.8	27.4	26.6	27.7	30.3	26.1
1949	27.1	27.7	26.4	22.6	27.4	28.6	21.4
1950	26.9	28.2	25.3	22.7	25.9	28.8	29.7
1951	26.6	27.1	26.0	23.5	26.4	28.0	25.7
1952	26.2	26.6	25.6	22.1	26.2	27.9	23.8
1953	24.8	25.5	23.9	21.5	25.0	25.9	23.9
1954	25.3	26.4	24.1	20.7	25.3	27.0	25.5
1955	24.6	24.7	24.4	18.4	26.1	25.8	25.5
1956	23.9	24.4	23.2	22.1	23.4	24.8	22.7
1957	23.7	23.3	24.2	19.9	22.7	25.4	24.7
1958	22.8	23.7	21.8	19.1	22.3	24.1	25.9
1959	22.2	22.8	21.4	20.7	20.3	23.3	26.2

In table SB(A2) stillbirth rates are given for Scotland, cities and large burghs, counties exclusive of large burghs, and the four geographical divisions for the years 1939 to 1959. Generally there has been a steady improvement each year in all the areas except the Southern Division where the rate has tended to fluctuate somewhat. Among the geographical divisions the East Central has shown the most improvement, the rate now being 52 per cent. below that of 1939; the Northern comes next at 47 per cent. below the 1939 rate.

For Scotland as a whole in 1959, out of every 1,000 born alive or dead after the 28th week of pregnancy 41.1 died before or within 28 days of birth. This figure compares with 42.1 in 1956-1958 and with 77.3 in 1939. The rates for individual years since the beginning of stillbirth registration are as follows:

Death rates per 1,000 Total Births—Live and Still—1939-1959

Year	Still-births	Neo-natal Deaths*	Total
1939	42.2	35.0	77.3
1940	42.1	35.7	77.8
1941	39.6	38.4	77.9
1942	38.2	33.7	71.9
1943	35.6	31.7	67.3
1944	32.5	31.7	64.2
1945	32.8	27.6	60.4
1946	32.3	28.9	61.2
1947	30.5	27.7	58.2
1948	28.7	24.4	53.1
1949	27.1	22.5	49.7
1950	26.9	22.4	49.3
1951	26.6	21.7	48.3
1952	26.2	21.1	47.3
1953	24.8	18.8	43.6
1954	25.3	20.1	45.5
1955	24.6	19.2	43.8
1956	23.9	18.6	42.5
1957	23.7	19.1	42.8
1958	22.8	18.3	41.1
1959	22.2	18.9	41.1

* These neo-natal rates, being based on total births, do not quite correspond with those based on live births only, which will be found elsewhere in this Report.

Both rates have declined since 1939, the stillbirth rate rather more regularly than the neo-natal rate but each is now not much more than half of the rate registered 20 years ago.

Age of Mother and Number of Previous Children. Table 19 shows legitimate and illegitimate stillbirths classified according to age of mother, and legitimate stillbirths according to the number of children already born to the mother. For all births, legitimate and illegitimate, the rate is 22.2 per 1,000 total births, this rate being at its lowest when the mother was aged 20-29 years and rising thereafter with increasing age of the mother. For every age-group the illegitimate stillbirth rates are higher than the corresponding legitimate rates. They are based on small numbers, but exhibit a general trend similar to that of the legitimate rates, *viz.*:—a fairly steady increase with increasing age of mother.

Stillbirth rates by age of mother are given in table SB(C3) for the years 1939 to 1959. Throughout the twenty-one years under review it will be seen that, in general, the younger the mother the less risk there is of stillbirth. Among those aged under 45 a comparison of the 1939 and 1959 rates shows that there has been a steady improvement in each age-group and that most improvement has taken place in age-groups 30-34 and 35-39 which are each now 48 per cent. below the 1939 rates, and in group 25-29, 46 per cent.

Table SB(B) has been prepared from the distribution of stillbirths by age and parity shown in Table 19 in order to contrast first births with all subsequent births at different ages of mother. This shows that except for age-group 35-39 the rate for primiparous exceeds the rate for multiparous births.

Among multiparous births themselves, as will be observed from Table 19, the relative frequency of stillbirth varies widely, being least in the case of a second birth and thereafter generally increasing with increase in the number of previous children born to the mother.

Table SB (B). Legitimate Stillbirths per 1,000 Legitimate Births (Live and Still), 1959

Age of Mother	Children of all married mothers	Primiparae (first births)	Multiparae (one or more previous births)
Under 20	21	21	20
20—	19	21	16
25—	19	23	17
30—	23	24	23
35—	32	31	33
40 and over	41	45	41
ALL AGES	22	22	21

To examine separately the influence of parity and of age of mother, Table SB(C1) has been compiled. The parity groups are aggregated to obtain more stable rates. For each parity group the stillbirth rate tends to increase with increasing age of mother and when the experience of mothers of similar ages is examined, it is found that as a rule the rate increases with increasing number of previous children, an important exception being for first births in which are found higher rates than for 1-3 previous children. This is further borne out by Table SB(C2) where rates are given of the number of previous children to mother for each year from 1939 to 1959. The stillbirth rate for first births is above the average rate for each maternal age-group, except for those aged under 20 and 35-39.

Table SB (C1). Legitimate Stillbirths per 1,000 Legitimate Births (Live and Still), (Age of Mother and Number of Previous Children), 1959

Number of previous children	Age of Mother						
	All Ages	—20	20—	25—	30—	35—	40 and over
None . .	22	21	21	23	24	31	45
1-3 . . .	19	20	16	16	20	29	34
4-6 . . .	35	—	19	29	33	41	44
7-9 . . .	36	—	—	32	38	27	54
10 and over .	52	—	—	—	71	45	57
TOTAL .	22	21	19	19	23	32	41

No rate has been calculated, where the number of births (live and still) is less than 50.

Table SB (C2). Stillbirths per 1,000 Births (Live and Still) by Number of Previous Children to Mother, 1939 to 1959

Year	All Legitimate Stillbirths	Number of previous children (present or any previous husband)											Not Stated
		None	1	2	3	4	5	6	7	8	9	10 and over	
1939*	41.9	48	29	33	42	44	45	53	63	67	72	88	—
1940*	41.6	46	28	35	41	42	51	52	69	78	82	101	—
1941*	38.9	42	28	31	38	44	56	51	57	56	74	61	—
1942*	37.6	41	26	31	37	41	46	52	55	63	82	88	—
1943*	35.1	37	23	30	36	42	53	49	59	78	54	97	—
1944*	31.8	36	21	25	31	37	52	48	65	50	53	75	—
1945*	32.4	35	23	29	33	37	40	56	48	77	79	74	—
1946	31.8	36	21	26	33	40	42	46	52	57	61	74	—
1947	29.8	33	21	26	31	38	39	42	53	48	47	76	—
1948	28.3	30	20	26	31	36	41	42	59	47	66	75	—
1949	26.7	28	17	24	31	32	43	54	64	42	61	80	—
1950	26.5	27	18	25	32	36	36	50	45	49	36	64	—
1951	26.0	27	18	23	30	36	41	60	56	41	67	78	—
1952	25.7	28	18	24	25	33	36	39	48	50	58	69	—
1953	24.3	26	17	23	26	31	34	39	56	50	35	53	—
1954	24.9	26	18	24	27	33	38	49	46	48	45	50	—
1955	24.1	24	18	23	26	30	40	41	49	65	56	76	—
1956	23.4	25	16	23	25	33	40	31	44	50	49	49	—
1957	23.4	25	17	20	27	36	34	39	38	75	43	76	—
1958	22.5	24	17	23	22	30	27	34	40	62	40	60	—
1959	21.7	22	15	21	25	30	41	39	38	38	25	52	—

* Present husband only.

Table SB (C3). Stillbirths per 1,000 Births (Live and Still) by Age of Mother, 1939 to 1959

Year	Age of Mother									
	All Ages			Under 20	20-24	25-29	30-34	35-39	40-44	45-49
	Total	Leg.	Illeg.	Total	Total	Total	Total	Total	Total	Total
1939	42.2	41.9	47.6	30	31	35	46	63	74	132
1940	42.1	41.6	50.7	35	31	36	45	61	77	95
1941	39.6	38.9	49.2	27	30	35	43	56	65	67
1942	38.2	37.6	46.4	32	29	32	42	55	66	98
1943	35.6	35.1	41.6	25	25	31	38	49	71	66
1944	32.5	31.8	40.7	24	24	27	35	44	57	98
1945	32.8	32.4	37.2	25	25	27	34	46	67	61
1946	32.3	31.8	39.7	27	23	29	33	44	61	94
1947	30.5	29.8	42.0	24	23	26	33	41	60	77
1948	28.7	28.3	35.6	23	22	23	32	41	55	88
1949	27.1	26.7	34.7	21	21	20	31	40	63	104
1950	26.9	26.5	34.7	23	19	23	27	41	59	73
1951	26.6	26.0	37.3	23	19	22	28	40	64	87
1952	26.2	25.7	34.5	23	20	23	27	39	56	61
1953	24.8	24.3	34.0	17	20	22	27	36	51	58
1954	25.3	24.9	33.8	23	20	22	28	36	48	51
1955	24.6	24.1	33.7	20	20	19	28	38	49	90
1956	23.9	23.4	32.8	22	19	21	25	35	50	60
1957	23.7	23.4	30.2	21	18	21	25	37	51	94
1958	22.8	22.5	30.7	21	19	20	24	34	49	91
1959	22.2	21.7	33.0	21	19	19	24	33	43	38

Illegitimate Stillbirths. Of the 2,252 stillbirths, 141 or 6.3 per cent. were illegitimate, this being an appreciably greater proportion than among living births 4.2 per cent. of which were illegitimate. The stillbirth rate was 33.0 per 1,000 total illegitimate births but it varied with age of mother, being 22 for young unmarried women in age-group under 20 years, 35 in age-group 20-24, and the highest rates of all being in the later ages. The corresponding general rate for legitimate infants was 21.7 per 1,000 and this better experience is apparent

in every age-group. It will be seen from Table SB(C3) that while the 1959 general legitimate rate is now 48 per cent. below that of 1939 the illegitimate rate has only improved by 31 per cent. in the same period.

The percentage of illegitimate stillbirths and live births are compared for individual years as follows.

Percentage of Illegitimate Stillbirths to Total Births, 1939-1959

Year	Still-births	Live Births
1939 . . .	6.8	6.0
1940 . . .	7.2	6.0
1941 . . .	8.3	6.6
1942 . . .	8.8	7.2
1943 . . .	9.0	7.6
1944 . . .	10.0	7.9
1945 . . .	9.9	8.7
1946 . . .	8.2	6.7
1947 . . .	7.8	5.6
1948 . . .	7.2	5.8
1949 . . .	7.1	5.5
1950 . . .	6.8	5.2
1951 . . .	7.2	5.1
1952 . . .	6.3	4.8
1953 . . .	6.5	4.7
1954 . . .	6.1	4.5
1955 . . .	6.0	4.3
1956 . . .	5.9	4.3
1957 . . .	5.3	4.1
1958 . . .	5.6	4.1
1959 . . .	6.3	4.2

Multiple Births. On page 15 of this Report reference is made to multiple births where the children were born alive. From Table 20 it will be seen that when stillborn children are included it is found that there were 85 additional cases of the birth of twins in 66 of which one was stillborn (the others being included among the single births) and in 19 of which both were stillborn. In addition to the 8 cases of living triplets there was one case in which two were stillborn. (See page 115.)

Adding the number of stillbirths to the living births, it is found that the total number of children born was 101,503, of whom 99,251 were live born and 2,252 stillborn, the total number of confinements being 100,245. Of these confinements 98,998 resulted in a single birth, 1,237 in a twin birth, 9 in a triplet birth and one in a quadruplet birth. Of the 2,474 twin children 104 were stillborn—a rate of 42 per 1,000 twin children compared with 22 for all children and 22 for single births. The total confinements according to plurality or otherwise are summarised overleaf.

The percentage of mothers who gave birth to two or more children was 1.24 compared with 1.28 in 1958. In Table 2 rates will be found from 1855 onwards but prior to 1939 they relate to multiple live births only and are not comparable with those for subsequent years. Since 1939 the rate has varied between 1.24 and 1.45 but does not show any general trend.

Table SB (D). Multiple Births, 1959

Number of children born	Confinements	Living born children	Stillborn children
1 living	96,852	96,852	—
1 stillborn	2,146	—	2,146
2 living	1,152	2,304	—
1 living, 1 stillborn	66	66	66
2 stillborn	19	—	38
3 living	8	24	—
1 living 2 stillborn	1	1	2
4 living	1	4	—
TOTAL	100,245	99,251	2,252

Certification. In the great majority of the 2,252 stillbirths registered, the cause of death was certified by a medical practitioner (2,232) and in only 14 by a certified midwife. Four registrations were made on the authority of a Schedule of Result of Precognition issued by the Procurator Fiscal and in two cases where no certificate of stillbirth was available it was necessary for a statutory declaration to be made by the informant that the child was not born alive. The percentages certified by a medical practitioner and by a midwife were 99·1 and 0·6 respectively. In 1958 the corresponding figures were 99·2 and 0·7 and in 1939 94·4 and 5·3 respectively.

Principal Causes of Stillbirth. The registration of the cause or probable cause of each stillbirth has been a statutory requirement in Scotland since 1939.

The causes of stillbirth, shown separately by sex of child and age of mother, are dealt with in detail in Table 21 and rates per 1,000 total births are given in Table SB(E1) in summarised form. Of the 2,252 stillbirths, 495 were attributed to foetal defects, 401 to antepartum hæmorrhage, 391 to other placental and cord conditions, 328 to ill-defined causes, 273 to difficult labour and 188 to toxæmias of pregnancy.

The group acute and chronic diseases of mother includes 70 cases, of which the chief individual components are diseases of the circulatory system (36) and diabetes (12). Deaths from toxæmia, of which 91 per cent. were from eclampsia, numbered 188 compared with 218 in 1958. Foetal deaths attributed to difficulties at birth numbered 273 of which 64 were certified as birth injury. There were 3 deaths from birth injury associated with immaturity. Of the remainder the most frequently stated causes were malposition of foetus (83 cases of which 15 were also stated to be immature), disproportion (58 with 24 immature) and abnormality of forces of labour (26 with 3 stated as immature). (The individual causes within this group are not readily comparable with these in the list in use prior to 1950.) Antepartum hæmorrhage leading to stillbirth is preponderantly accidental hæmorrhage, a little under six per cent. of this whole group being ascribed to placenta prævia. Of stillbirths ascribed to congenital defect, the most important individual defects were anencephalus (307) and hydrocephalus (96) these accounting for four-fifths of the whole group. Placental and cord conditions (apart from antepartum hæmorrhage) accounted for a total of 391 deaths, roughly equal numbers being found for prolapse of cord, torsion of cord and placental infarct. Ill-defined and unknown causes constitute 15 per cent. of stillbirths (17 per cent. in 1958) and compare favourably with the figure of 33 per cent. at the outset of registration of stillbirths in 1939.

For the principal cause groups the rates per 1,000 births by age of mother are shown in Table SB(E1). Generally the rates in the first age-group (under

20 years) are high, fall to a minimum at 20-24 or 25-29 and thereafter rise steadily with advance of maternal age. Acute and chronic disease in mother and antepartum hæmorrhage are notable exceptions.

Table SB (E1). Stillbirths per 1,000 Births (Live and Still) by Age and Disease Groups, 1959.

Age of mother	All causes	Acute and chronic diseases in mother	Toxæmias	Antepartum hæmorrhage	Other placental and cord conditions	Fœtal defects	Difficult labour	Other defined causes	Ill-defined or unknown causes
Under 20	21	0.2	3.1	1.7	3.5	7.1	2.1	—	3.1
20—	19	0.4	1.9	2.9	2.8	5.0	2.3	0.7	3.4
25—	19	0.9	1.6	3.3	3.3	3.9	2.2	1.3	2.6
30—	24	0.8	1.3	5.3	4.2	4.8	3.2	1.1	3.1
35—	33	0.8	2.4	6.9	6.6	5.9	4.2	1.7	4.0
40 and over	43	1.9	3.5	6.9	10.4	7.3	3.8	1.9	7.3
ALL AGES	22	0.7	1.9	4.0	3.9	4.9	2.7	1.0	3.2

Causes of Stillbirth—Recent Trends. This Report repeats two tables which appeared for the first time last year showing trends in the relative importance of different causes of stillbirth over recent years. So far as is known, no similar tables are at present available in any other country.

The first of these is Table SB(E2) which shows the comparative rates for eight cause groups over the period 1939-1959. During the first two years, when certification of cause of stillbirth was an innovation, the rates for ill-defined or unknown causes are probably exaggerated, and the other rates during these years correspondingly reduced. It seems appropriate to begin any secular comparisons in 1941. Since that date different trends can be observed in the various cause groups. It will be noted first of all that the rate for all causes has fallen from 40 per 1,000 births (live and still) to 22 between 1941 and 1959. The first two cause groups in the table, acute and chronic diseases in mother and toxæmias, show rates that have fallen fairly regularly since 1941 and are now respectively 46 per cent. and 52 per cent. below the rates for that year. Antepartum hæmorrhage, other placental and cord conditions and fœtal defects have fallen but only slightly, each being now 20 per cent. below the 1941 rates. Difficult labour and ill-defined or unknown causes have shown the most improvement, being now 68 per cent. and 62 per cent. respectively below the 1941 rates. The improvement in the rates for ill-defined or unknown causes has to be looked at somewhat cautiously as this may be due to better certification and also to increasing use of a system of enquiries to certifiers which the Registrar General's Office makes in those cases. The rate for other defined causes has remained fairly stationary.

Table 21A gives numbers of cases, by sex, according to the detailed cause list, but for a shorter period, 1950-1959. Although some of the figures are small, this table may be found to point the way to further study of trends for individual causes which contribute to the cause-group trends shown in Table SB(E2). For example, in the cause-group difficult labour the fall in the number of cases is most marked in malposition of fetus and in abnormality of forces of labour. In placental and cord conditions, the fall is most marked in placenta prævia. In the group comprising congenital malformations of fetus, there is a rising trend in the number of cases of anencephalus. In the group comprising diseases of fetus and ill-defined causes there is a rise in stillbirths due to asphyxia and erythroblastosis; there is a slight reduction, however, in the number of stillbirths due to prematurity (cause not stated).

Table SB (E2). Stillbirths per 1,000 Births (Live and Still) by cause of Death Groups, 1939 to 1959.

Year	All causes	Acute and chronic diseases in mother (Y30.0-5 Y31.0-4)	Toxæmias (Y32.1, 3-5 Y33)	Ante-partum hæmorrhage (Y32.2 Y36.1-4)	Other placental and cord conditions (Y36.0, 5, 6)	Fœtal defects (Y38.0-7)	Difficult labour (Y34.0-6 Y37)	Other defined causes (Y32.0, Y35.0-3 Y39.0-3)	Ill-defined or unknown causes (Y39.4-6)
1939	42	0.8	3.8	5.5	4.1	5.4	7.5	0.7	14.4
1940	42	0.9	4.4	5.0	4.3	5.6	6.9	0.7	14.3
1941	40	1.3	4.0	5.1	4.9	6.1	8.5	1.1	8.4
1942	38	1.2	4.2	5.2	5.1	6.4	8.5	0.9	6.7
1943	36	1.2	3.4	4.3	4.6	5.6	8.0	0.9	7.4
1944	32	1.0	2.8	3.9	4.8	5.5	7.6	1.0	5.9
1945	33	1.0	3.0	3.7	4.6	6.0	7.0	1.2	6.2
1946	32	1.1	2.7	3.7	4.9	5.6	6.8	1.0	6.4
1947	31	1.1	2.7	3.5	5.2	4.8	6.9	1.2	5.2
1948	29	0.9	2.1	3.9	4.4	5.0	6.2	1.1	5.1
1949	27	0.8	2.4	3.8	4.3	4.8	5.3	1.1	4.5
1950	27	0.8	2.3	3.9	4.1	4.8	5.4	0.9	4.7
1951	27	0.8	2.7	3.8	3.9	5.1	4.8	1.1	4.2
1952	26	0.8	2.1	3.8	4.8	5.6	3.9	1.1	3.9
1953	25	0.7	2.3	3.4	4.8	5.1	3.5	1.2	3.7
1954	25	0.5	2.5	3.9	4.4	5.1	4.0	1.3	3.7
1955	25	0.8	1.8	3.8	4.5	5.3	3.4	0.9	4.1
1956	24	0.8	2.1	3.5	4.5	5.2	3.3	1.1	3.5
1957	24	0.7	2.2	4.0	4.3	5.1	2.8	1.0	3.4
1958	23	0.5	2.1	3.4	4.3	5.3	2.3	1.1	3.9
1959	22	0.7	1.9	4.0	3.9	4.9	2.7	1.0	3.2

Rates for years 1939 to 1949 conform as far as is possible to the 1948 and 1955 International Classification of Causes of Stillbirth (Y30-Y39)

Sex Ratios and Rates. The ratio of male to female stillbirths for groups of causes is given below.

	1959	1958
Acute and chronic disease in mother	1.41	1.45
Toxæmias	1.00	1.10
Ante-partum hæmorrhage	1.40	1.43
Other placental and cord conditions	1.05	1.19
Fœtal defects	0.55	0.50
Difficult labour	1.33	1.69
Other defined causes	1.04	1.11
Ill-defined or unknown causes	1.02	1.13
ALL CAUSES	0.99	1.03

In 1959 the ratio of male:female stillbirths was 0.99, the corresponding live birth ratio being 1.06. This is the first time the ratio has fallen below unity, continuing a downward trend from a peak of 1.27 in 1941. An examination of the trend of the stillbirth rate in each sex over the period since 1941 shows that the excess of the male rate over the female gradually decreased until in 1956 when the female rate was greater than the male rate and has remained so.

The following table has been drawn up to show how the sex rates by cause group have changed between 1941-43 and 1957-59. The total male rate has improved by 45 per cent. as against the female 34 per cent. In individual cause groups, the male improvement has been relatively and absolutely greater for difficult labour, toxæmias and other placental and cord conditions.

	All causes	Acute and chronic diseases in mother	Toxæmias	Ante-partum hæmorrhage	Other placental and cord conditions	Fœtal defects	Difficult labour	Other defined causes	Ill-defined or unknown causes
MALES									
1941-43	40	1.4	4.4	5.4	5.5	4.3	9.5	1.1	8.3
1957-59	22	0.7	2.0	4.3	4.2	3.4	3.1	1.1	3.6
FEMALES									
1941-43	35	1.1	3.4	4.3	4.1	7.9	7.1	0.8	6.7
1957-59	23	0.6	2.0	3.2	4.0	6.9	2.1	1.0	3.5

Causes of Stillbirth by Parity. Table SB(F) shows the stillbirth rates for broad cause groups for all married mothers and separately among primiparous and multiparous births. The heavier general rate among primiparous births is chiefly attributable to toxæmias and fœtal defects. The rates among them are more favourable than in the multiparous for ante-partum hæmorrhage, and other defined causes.

Table SB (F). Stillbirth Rates per 1,000 Births (Live and Still) among Married Mothers, 1959.

	All married mothers	Primiparæ	Multiparæ
Acute and chronic disease in mother	0.7	0.6	0.7
Toxæmias	1.8	3.2	1.1
Ante-partum hæmorrhage	3.9	3.1	4.3
Other placental and cord conditions	3.8	3.4	4.0
Fœtal defects	4.8	5.5	4.4
Difficult labour	2.6	2.4	2.7
Other defined causes	1.1	0.2	1.5
Ill-defined or unknown causes	3.1	3.7	2.8
ALL CAUSES	21.7	22.2	21.4

Illegitimate stillbirths by cause. The number of illegitimate stillbirths analysed by cause is shown in the last column of Table 22. There were in all 141 stillbirths from unmarried mothers, the rate being 33 per 1,000 compared with 22 among infants of married mothers.

Month of registration. Stillbirths are classified by cause of death and month of registration in Table 23. The monthly rate for all causes fluctuates between 20 in May and 26 in November. (Table 63.)

Table SB (G). Stillbirth Rates per 1,000 Births (Live and Still), 1959.

	All causes	Acute and chronic diseases in mother	Toxæmias	Ante-partum hæmorrhage	Other placental and cord conditions	Fœtal defects	Difficult labour	Other defined causes	Ill-defined or unknown causes
1st Quarter	22	0.8	2.1	3.8	3.4	5.2	2.2	1.3	3.4
2nd Quarter	21	0.7	1.7	3.7	3.6	4.8	3.0	0.8	3.3
3rd Quarter	22	0.7	2.2	4.1	3.9	4.2	3.1	1.0	3.0
4th Quarter	23	0.5	1.5	4.3	4.5	5.3	2.5	1.1	3.3
YEAR	22	0.7	1.9	4.0	3.9	4.9	2.7	1.0	3.2

Stillbirths by cause and place of occurrence. Table 23A shows the stillbirths by cause sub-divided by place of occurrence. Of the total 2,252 stillbirths, 1,923 or 85·4 per cent. occurred in institutions. The highest proportions are, as expected, found for acute serious illness peculiar to pregnancy such as eclampsia and accidental hæmorrhage; for general illness such as diabetes and heart disease; and for anencephalus, erythroblastosis and asphyxia. The lower proportions of institutional stillbirths, proportions actually lower than the average for all deliveries, are found for malposition of fœtus, placental infarct, spina bifida, premature birth (cause not stated) and unknown causes. These figures naturally afford no information on the relative safety to the fœtus of domiciliary or institutional birth. Initial selection on such grounds as parity, general health of mother, previous obstetrical history, social factors and personal preference, together with the later, perhaps more important selection on the advent of illness during pregnancy or of obstetrical or other accidents in pregnancy and labour, preclude any inference on these lines on the basis of such data as those in Table 23A.

Stillbirths by cause and local authority area. In Table 24 the stillbirths in each local authority area in Scotland are shown subdivided according to the full list of causes in use since 1950. Live births for these areas are given in Table 47.

Appendix III

BIRTHS, STILLBIRTHS AND INFANT DEATHS ACCORDING TO SOCIAL CLASS, 1959

The five social classes are those into which occupations have previously been grouped in vital statistical investigations. Class I represents the professional and financially independent section of the population, Class III represents the skilled artisan and analogous workers, and Class V labourers and workers in other unskilled callings. Classes II and IV are intermediate, comprising occupations of mixed types or types not readily assignable to the class on either side.

Stillbirths and Infant Mortality according to Social Class, 1959.

Social Class	Numbers				Rates			
	Live Births	Still-births	Deaths		Stillbirths per 1,000 Total Births (Live and Still)	Neo-Natal Deaths per 1,000 Live Births	Post-Natal Deaths per 1,000 Live Births	Total Infant Mortality per 1,000 Live Births
			Under 28 days	28 days-11 months				
SCOTLAND								
I.	3,866	53	53	9	13.5	13.7	2.3	16.0
II.	8,858	139	145	53	15.4	16.4	6.0	22.4
III.	54,701	1,218	1,026	448	21.8	18.8	8.2	26.9
IV.	19,890	498	407	203	24.4	20.5	10.2	30.7
V.	10,312	285	247	159	26.9	24.0	15.4	39.4
NOT STATED	1,624	59	44	22	—	—	—	—
TOTAL	99,251	2,252	1,922	894	22.2	19.4	9.0	28.4
COUNTIES OF CITIES								
I.	1,509	25	24	3	16.3	15.9	2.0	17.9
II.	2,570	47	38	15	18.0	14.8	5.8	20.6
III.	21,126	485	444	188	22.4	21.0	8.9	29.9
IV.	6,923	179	149	73	25.2	21.5	10.5	32.1
V.	4,690	147	110	80	30.4	23.5	17.1	40.5
NOT STATED	856	25	20	12	—	—	—	—
TOTAL	37,674	908	785	371	23.5	20.8	9.8	30.7
LARGE BURGHS								
I.	500	7	9	1	13.8	18.0	2.0	20.0
II.	1,162	19	25	7	16.1	21.5	6.0	27.5
III.	10,718	227	191	86	20.7	17.8	8.0	25.8
IV.	2,879	60	47	35	20.4	16.3	12.2	28.5
V.	2,275	56	62	38	24.0	27.3	16.7	44.0
NOT STATED	246	15	8	2	—	—	—	—
TOTAL	17,780	384	342	169	21.1	19.2	9.5	28.7
COUNTIES (EX. COS. OF CITIES & LARGE BURGHS)								
I.	1,857	21	20	5	11.2	10.8	2.7	13.5
II.	5,126	73	82	31	14.0	16.0	6.0	22.0
III.	22,857	506	391	174	21.7	17.1	7.6	24.7
IV.	10,088	259	211	95	25.0	20.9	9.4	30.3
V.	3,347	82	75	41	23.9	22.4	12.2	34.7
NOT STATED	522	19	16	8	—	—	—	—
TOTAL	43,797	960	795	354	21.4	18.2	8.1	26.2

Numbers and rates are shown in the foregoing table for Scotland as a whole, for cities, large burghs and for all counties (excluding cities and large burghs).

Analysis of the figures for 1959 confirms the conclusions to which that of previous years has pointed, *viz.*— that social class has a much more marked effect on infant mortality than on the incidence of stillbirths, and that it is more important in post-natal than in neo-natal deaths. These conclusions are generally borne out not only by the figures for Scotland as a whole but also by those for the cities, large burghs and for the counties.

The Scottish infant mortality rate for 1959 is 28.4 and this is 0.7 above that for 1958. In the individual classes however it is found that, compared with the previous year, Class I shows a decrease and the remaining four classes each show an increase. The post-natal mortality rate is 9.0 and is the same as that for 1958, but compared with the previous year Classes I, II and V show increases and the remaining two classes each show a decrease. The neo-natal rate increased from 18.7 in 1958 to 19.4 in 1959, the increase affecting Classes II, III and IV. While such annual differences are evident, the general trend over the post-war years shows a fairly uniform rate of change in each of the five social classes for stillbirths as well as the two important sections of the infant mortality rate. (See page 66.)

Age and Parity Distribution of Births in Different Social Classes. Since age of mother and previous parity each have an influence on the outcome as regards stillbirth frequency, and since explanation of the differences of stillbirth rates in the social classes is of importance, there are incorporated in this section detailed tables from which, *inter alia*, social class differences of parity and maternal age among the births each year can be observed and thus offer opportunity of assessing the influence, if any, of such differences on the crude stillbirth rates. Tables 27 and 28 show live births and stillbirths separately subdivided in this manner for each of the five social classes.

The main points of note here are the higher proportion of first births and the lower proportion of parities of higher order (five and over) in Class I compared with Classes IV or V and the progressive and regular change in this respect throughout the social classes from I to V. Such differences of distribution would tend to produce favourable rates in Classes I and II compared with the remainder. With age of mother, the social class differences are of opposite character as regards influence on the crude stillbirth rates. In the first two classes the proportion of births to mothers in earlier age-groups are smaller, in older ages correspondingly higher than in the remaining classes. This difference would, other things being equal, tend to produce heavier stillbirth rates in the upper classes.

With a view to illustrating the magnitude of the effects of these social class differences of age and parity constitution, there was published in the 1950 Report a table of correcting factors found by standardising the stillbirth rates in the five social classes for age of mother and parity separately and jointly. The calculations were based upon the experience over several years. It was found that the application of these correcting factors had little effect upon the comparative relationships between the social class rates and that the crude stillbirth rates did not give a distorted view of social class differences of mortality in this period.

Causes of Stillbirths in different Social Classes. Since 1950 the registered causes of stillbirth, in respect of legitimate stillbirths only, have been tabulated (Table 25) for each of the five social classes. The relative importance of the several broad cause groups of foetal death has been noted in Appendix II and in the following table, covering the period 1950-59, the rates for these cause groups according to social class have been calculated in five two-year periods. This has been done so as to provide something more reliable than the experience of only one year, and the table thus offers some indication of the causes to which general social class differences in the total stillbirth rates are attributable. In the period 1950-59 the social class distribution of total legitimate births, live and still, was as follows: Classes I and II 14·7 per cent., Class III 55·5 per cent. and Classes IV and V 29·8 per cent.; the figures for 1959 were respectively 13·1 per cent., 56·5 per cent. and 30·4 per cent.

Legitimate Stillbirths per 10,000 Births (Live and Still) by Cause of Death and Social Class—1950 to 1959.

CAUSE OF DEATH	1950-1951			1952-1953			1954-1955			1956-1957			1958-1959		
	I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V
Acute and chronic disease in mother	7	7	11	8	7	8	6	6	8	7	7	9	4	6	7
Toxæmias	20	26	25	20	23	24	19	19	27	19	22	22	18	19	21
Antepartum hæmorrhage	31	37	45	35	33	40	24	37	45	27	34	49	26	35	43
Other placental and cord conditions	38	37	48	39	47	53	37	42	51	41	42	48	36	38	45
Foetal defects	35	51	54	35	53	61	34	49	65	39	49	60	33	51	57
Difficult labour	43	47	56	32	34	41	26	35	42	23	28	36	18	25	26
Other defined causes	6	11	11	6	13	12	11	10	13	11	9	13	10	10	14
Ill-defined or unknown causes	31	41	50	32	35	43	32	36	43	28	31	45	29	34	40
ALL CAUSES	211	255	300	207	244	282	188	235	294	195	221	280	173	217	252

A comparison of the total rates for 1950-51 and 1958-59 shows that there was an improvement among all classes, in Classes I and II (18 per cent.), Classes IV and V (16 per cent.) and Class III (15 per cent.). Among individual cause groups the greatest improvement, relatively and absolutely, was in difficult labour; indeed it accounted for more than half of the absolute improvement of each of the three social class groupings. There was also improvement in ill-defined or unknown causes, toxæmias, and antepartum hæmorrhage, but foetal death from other defined causes and foetal defects increased a little.

In the period 1958-59 the relative excess of Classes IV and V over Classes I and II was greatest in foetal defects (73 per cent.), with antepartum hæmorrhage (65 per cent.), and difficult labour (44 per cent.) next in importance. These three cause groups account for more than three-fifths of the absolute difference between the extremes of social class.

Causes of Infant Mortality in Different Social Classes. The causes of death in the first year of life in legitimate infants in the five social classes are shown in Table 26.

The total infant mortality, as has been indicated above, is directly related to social class and, using only the three social groups as in the table overleaf, it will be observed that the mortality of Classes IV and V is 64 per cent. higher than that in I and II. The difference between the rates for causes of early infant

deaths and those generally occurring at a later date in the first year of life is also clear. Thus, for the neo-natal causes as a whole, (which for this purpose comprise congenital malformations and certain diseases of early infancy) and for other causes the rates per 10,000 are these:

	I and II	III	IV and V
Neo-natal . . .	171	198	233
Other causes . . .	33	70	101

Relatively and absolutely the difference in infant mortality between Social Classes I and II and Social Classes IV and V is greater for the later cause group, neo-natal causes being 36 per cent. higher in Classes IV and V than in I and II, and other causes being three times as high; of the total absolute difference between the rate for class extremes a smaller contribution to this is made by the earlier causes (62 as compared with 68 per 10,000 for other causes).

The following table shows the experience over the last ten years of infant mortality from individual diseases or groups. The rates have been taken in two year periods to provide more stable rates.

Infant Mortality per 10,000 Live Births by Cause in Social Class, 1950-1959

International No.	CAUSE OF DEATH	1950-51			1952-53			1954-55			1956-57			1958-59		
		I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V
001-019	Tuberculosis	—	3	3	1	2	3	—	1	1	1	0	0	—	0	0
020-029	Syphilis	—	0	1	—	—	1	—	0	—	—	—	—	—	—	—
055-057, 085	Epidemic diseases	3	8	12	2	5	7	3	3	4	3	4	4	1	2	3
340	Meningitis (not meningococcal or tuberculous)	1	2	4	1	1	4	2	2	3	2	2	2	1	2	2
490-493	Pneumonia (excluding newborn)	15	39	55	13	31	51	9	24	42	8	21	40	9	26	40
500-502	Bronchitis	2	5	7	3	4	6	2	4	5	2	3	4	1	3	5
470-483	Other respiratory diseases	2	5	5	3	3	3	3	3	4	0	2	2	3	2	3
510-527	Diarrhoea (excluding newborn) gastritis and duodenitis*	8	20	35	3	13	20	5	10	14	2	7	12	1	6	12
543, 571-572	Other digestive diseases	1	3	3	4	5	6	3	4	4	5	5	4	1	6	4
530-542, 544-570, 573-587 }	Congenital malformations	43	50	55	32	53	56	37	53	60	41	55	60	47	50	60
750-759	Birth injuries	27	33	34	23	27	25	21	25	27	22	25	28	19	26	29
760-761	Asphyxia and atelectasis	25	33	41	33	44	51	42	49	54	31	53	54	38	57	64
762	Pneumonia of newborn	7	15	21	7	12	10	8	11	17	6	10	13	7	9	11
763	Diarrhoea of newborn	2	3	5	2	2	3	1	1	1	1	1	3	—	2	1
764	Other infantile diseases	65	94	113	71	81	92	59	69	84	55	60	74	52	54	60
765-776	Convulsions	2	6	13	1	4	11	0	5	6	2	4	5	1	2	4
780a	All other natural causes	9	12	16	8	10	13	7	6	11	7	6	12	9	8	9
Remainder	Accidental mechanical suffocation, etc.	8	14	18	6	14	24	5	15	23	6	12	24	7	13	18
E921, E922 }	Other violence	—	1	1	0	1	1	0	2	1	1	1	1	0	1	2
E924-E925 }	All Causes	220	346	442	212	312	386	207	287	358	193	269	342	197	267	330
E800-E920, E923, E926-E999 }																

*Diarrhoea only in 1950-1953.

An examination of the rates shows that mortality in infancy is consistently heaviest in Classes IV and V throughout the listed causes. In 1958-59 the relative excess over Classes I and II was greatest in pneumonia, suffocation and diarrhoea, and least in congenital malformations and other infantile diseases. The greatest contributions to the absolute difference in the total rate were made by pneumonia, asphyxia and atelectasis, and congenital malformations which jointly contributed more than half of the excess.

Over the period covered by the table, relatively the greatest improvement in the total infant mortality was in Classes IV and V closely followed by Class III and the least in Classes I and II. For individual causes, the improvement was more than average in the case of tuberculosis, epidemic diseases, pneumonia, diarrhoea and other infantile diseases. There were increases in the rates for asphyxia and atelectasis and congenital malformations. Improvement in the mechanical suffocation rate was very slight.

The following table shows stillbirth, neo-natal and post-natal mortality rates by social class for 1939 and each year 1946 to 1959.

It will be observed that for each social class, the post-natal rate has shown a greater improvement over the period covered by the table than the other two rates. Indeed in 1939 the post-natal rate was almost as high as the neo-natal rate for Class IV and higher for Class V. The figures for recent years show that, relatively speaking, there is more room for improvement in the post-natal rate for these classes.

An examination of the social class distinctions in the three infant death rates shows that the improvement experienced over the period has tended to increase the disparity between social class rates, especially so for the stillbirth rate and to a lesser degree for the neo-natal rate.

Stillbirth and Infant Mortality Rates according to Social Class, 1939 and 1946 to 1959.

Year	Stillbirths per 1,000 births (live and still)					Neo-natal deaths per 1,000 live births					Post-natal deaths per 1,000 live births				
	I	II	III	IV	V	I	II	III	IV	V	I	II	III	IV	V
1939	34.1	38.1	44.9	38.3	42.7	25.9	25.1	38.6	34.8	39.9	7.6	14.8	30.2	33.4	44.9
1946	18.8	26.0	31.7	35.6	38.3	16.7	25.0	29.3	31.1	36.9	5.5	12.8	22.0	29.3	36.1
1947	17.8	30.2	29.5	31.1	38.4	17.8	19.3	27.2	29.7	42.1	9.1	15.7	24.1	31.4	46.5
1948	19.8	26.7	26.0	31.6	38.9	15.0	16.4	24.6	28.7	30.5	9.8	9.9	18.2	21.8	32.2
1949	17.3	21.4	26.5	28.7	35.0	13.7	17.9	22.6	24.4	31.3	4.9	9.1	16.2	22.9	30.8
1950	16.3	22.6	26.4	29.1	32.3	20.0	16.5	22.7	24.9	28.5	5.9	7.7	14.3	18.9	25.1
1951	14.7	23.0	25.2	31.2	32.4	14.6	15.2	22.1	23.3	29.7	3.8	7.6	14.3	17.7	24.3
1952	20.0	24.1	25.4	28.1	30.1	12.9	18.2	21.8	23.2	24.2	5.3	6.6	12.7	15.9	22.1
1953	13.2	21.2	24.1	27.7	29.9	14.8	16.2	19.0	21.4	22.0	4.0	5.5	10.6	13.0	20.4
1954	17.6	22.1	24.3	28.5	30.2	13.4	16.0	20.8	20.7	25.6	2.2	6.1	10.1	10.9	16.4
1955	16.6	17.5	23.4	29.8	30.9	16.1	16.8	18.5	22.6	24.5	4.2	5.9	9.6	12.7	18.0
1956	17.6	20.1	23.0	25.6	29.9	11.1	13.6	19.1	22.2	22.2	5.8	5.7	8.4	10.9	16.5
1957	17.1	20.8	21.5	29.2	29.7	14.1	16.4	19.5	20.1	22.2	4.3	5.3	7.9	11.6	14.3
1958	16.5	20.7	21.9	24.7	27.1	15.0	14.2	18.4	18.4	24.2	2.1	5.7	8.4	10.6	14.0
1959	13.5	15.4	21.8	24.4	26.9	13.7	16.4	18.8	20.5	24.0	2.3	6.0	8.2	10.2	15.4

Appendix IV

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1958

A preliminary statement regarding marriages registered in Scotland during the year 1958 was incorporated in the Hundred and Fourth Annual Report, but as full details were not available at the time when the report was prepared the statement was necessarily restricted. It is now supplemented by this detailed report on these marriages, which includes figures according to the kind of marriage preliminaries (Banns, Notice or Sheriff's Licence), the type of marriage, the church of celebration and the ages and conjugal condition of those marrying.

Number of Marriages. In the Hundred and Fourth Annual Report it was stated that the number of marriages registered in Scotland in 1958 was 41,201, but after complete examination of the registers the corrected number is found to be 41,186. This is 1,475 fewer than in 1957 but is much above the average number registered annually prior to 1939.

The average number of marriages registered in the years 1934-38 was about 38,000. In the post-war years 1946-50 it was as high as 43,200. Since then the number has varied, though still above the pre-war average, showing a downward trend from 1956.

It is unlikely that the high level after the war could have been maintained on account of the fall in the reservoir of unmarried population caused by these high numbers. The following table shows the annual number of marriages from 1951 and the estimated total population available for marriage. It will be seen that whilst the number of marriages in 1958 is similar to that in 1951; the number of unmarried males over 15 has fallen by 9 per cent.

Year	Number of Marriages	Estimated Total Population (Single, Widowed and Divorced) aged 15 and over	
		Males	Females
1951	41,361	728,900	914,300
1952	41,154	719,200	909,500
1953	40,902	713,600	902,300
1954	41,974	705,000	894,600
1955	43,199	696,800	884,600
1956	43,963	684,500	871,600
1957	42,661	672,200	860,500
1958	41,186	666,500	852,800

Marriage Rates. The marriages in 1958 represent a rate of 7.97 per 1,000 population as against 8.28 in 1957.

The following table shows the trend of the crude marriage rate from 1951. It rose to 8.55 in 1956 but in 1958 it is a little below the 1951 figure. The table also shows, for a truer comparison of rates, the number of marriages related to the estimated total unmarried population aged 15 and over, males and females separately. It will be seen that over the period, these rates show effective increases of 9 and 7 per cent. respectively.

Year	Rate per 1,000 Population	Rate per 1,000 Total Unmarried Population aged 15 and over	
		Males	Females
1951	8.09	56.7	45.2
1952	8.05	57.2	45.2
1953	7.99	57.3	45.3
1954	8.19	59.5	46.9
1955	8.42	62.0	48.8
1956	8.55	64.2	50.4
1957	8.28	63.5	49.6
1958	7.97	61.8	48.3

Ecclesiastical, Civil and Irregular Marriages. Of the 41,186 marriages registered, 33,684 or 81.79 per cent. were solemnised by a minister of religion after proclamation of banns, publication of notice or Sheriff's licence, 7,498 or 18.21 per cent. were civil marriages under the Act of 1939, and 4 or 0.01 per cent. were irregular. Percentages in 1957 were 82.58, 17.40 and 0.01 respectively.

Civil marriages accounted for 25.0 per cent. of marriages in the cities, 19.1 in the large burghs and 10.1 per cent. in the counties, as against 24.8, 17.4 and 9.1 respectively in 1957. This percentage ranged in the cities and large burghs from 35.6 in Perth, 34.8 in Kirkcaldy and 32.8 in Dumfries to 7.9 in Airdrie, 6.9 in Port Glasgow, and 4.7 in Rutherglen. In Glasgow it was 21.4. In the counties it ranged from 39.8 in Dumfries, 20.5 in Moray and 19.6 in Wigtown to 4.1 in Stirling, 3.2 in Berwick and 2.4 in Sutherland.

Table Q. Ecclesiastical Marriages in Scotland in 1958 following Proclamation of Banns, Publication of Notice at Registrar's Office, or Licence granted by Sheriff.

Church of Celebration	Number					Percentage of Total for each Church, etc.				Per- centage of Total Ecclesi- astical Mar- riages
	Total	Banns	Publi- cation of Notice	Banns and Publi- cation	Licence granted by Sheriff	Banns	Publi- cation of Notice	Banns and Publi- cation	Licence granted by Sheriff	
Church of Scotland .	23,118	21,790	488	791	49	94.3	2.1	3.4	0.2	68.6
United Free Church .	380	278	76	26	—	73.2	20.0	6.8	—	1.1
Free Church .	242	132	94	14	2	54.5	38.8	5.8	0.8	0.7
Roman Catholic Church .	6,904	348	6,378	127	51	5.0	92.4	1.8	0.7	20.5
Scottish Episcopal Church .	868	395	387	78	8	45.5	44.6	9.0	0.9	2.6
Congregational Church .	915	631	230	50	4	69.0	25.1	5.5	0.4	2.7
Baptist Church .	400	230	144	24	2	57.5	36.0	6.0	0.5	1.2
Methodist Church .	313	151	146	15	1	48.2	46.6	4.8	0.3	0.9
Christian Brethren .	149	27	106	16	—	18.1	71.1	10.7	—	0.4
Jews .	58	—	57	—	1	—	98.3	—	1.7	0.2
All other Ecclesiasti- cal Marriages .	337	142	184	10	1	42.1	54.6	3.0	0.3	1.0
All Ecclesiastical Marriages .	33,684	24,124	8,290	1,151	119	71.6	24.6	3.4	0.4	100.0

All the 4 irregular marriages were registered on the authority of Decree of Declarator granted in the Court of Session.

Method of Publication. Of the 33,684 ecclesiastical marriages (i.e. those with a religious ceremony) 71·6 per cent. were solemnised after proclamation of banns, 24·6 per cent. after publication of notice, 3·4 per cent. after proclamation of banns for one party and publication of notice for the other, while 0·4 per cent. were after Sheriff's licence under the special provisions of the Act of 1939. In the cities and large burghs these four percentages were respectively 64·7, 31·5, 3·3 and 0·5 while in the counties they were 81·8, 15·0, 3·6 and 0·2.

Table Q shows the frequency of banns or of publication of notice in the case of marriages solemnised according to the forms of each of the principal churches. In the Church of Scotland proclamation of banns was the most usual preliminary (94·3 per cent. of all Church of Scotland marriages). In the United Free Church 73·2 per cent. of the marriages celebrated were preceded by banns and in the Congregational Church 69·0 per cent. On the other hand 92·4 per cent. of Roman Catholic marriages and 98·3 per cent. of Jewish marriages were preceded by publication of notice.

Of the 7,498 civil marriages registered 7,194 were preceded by publication of notice at the office of the Registrar, while 304 were after Sheriff's licence. (Tables 49 and 50).

Church of Celebration. Of the 33,684 ecclesiastical marriages those solemnised according to the forms of the Church of Scotland number 23,118 or 68·6 per cent., and those according to the forms of the Roman Catholic Church 6,904 or 20·5 per cent. (Tables Q and S).

Table S. Marriages in Scotland in 1958 by Denominations, etc., in Order of Frequency.

1. Church of Scotland	23,118	15. Church of Christ	16
2. Roman Catholic Church	6,904	16. Elim Foursquare Gospel	15
3. Congregational Church	915	17. Reformed Presbyterian Church	14
4. Scottish Episcopal Church	868	18. Church of England (English Episcopal Church)	14
5. Baptist Church	400	19. Fellowship of Independent Evangelical Churches	14
6. United Free Church	380	20. Apostolic Church	12
7. Methodist Church	313	21. Other religious forms (32)	83
8. Free Church	242		
9. Christian Brethren (Plymouth Brethren)	149	All Religious Forms	33,684
10. Salvation Army	71	Irregular Marriages	4
11. Jews	58	Civil Marriages	7,498
12. Free Presbyterian Church	42		
13. Church of the Nazarene	35	All Marriages	41,186
14. International Bible Students' Association (Jehovah's Witnesses)	21		

From Table 49 it will be seen that there has not been any marked change from year to year in the proportions of those married according to the forms of the principal churches. Compared with 1957 the percentage of marriages celebrated according to the forms of the Church of Scotland decreased by 0·9 and that of the Roman Catholic Church increased by 0·1. Civil marriages increased by 0·8 per cent. compared with 1957. The local distribution according to ecclesiastical forms, and the numbers and proportion of non-ecclesiastical marriages, are set out in Table 51. Church of Scotland marriages constituted 56·1 per cent.

of all marriages in Scotland, the proportion was 46·8 in the cities, 50·1 in the large burghs and 69·6 in the counties. Roman Catholic marriages made up 16·8 per cent. of all Scottish marriages, the percentage being 19·5 in the cities, 20·4 in the large burghs and 11·8 in the counties.

Conjugal conditions of those marrying. Of the 41,186 males marrying during the year, 38,426 or 93·3 per cent. were bachelors, 1,621 or 3·9 per cent. were widowers and 1,139 or 2·8 per cent. had been divorced. Of the same number of females, 38,784 or 94·2 per cent. were spinsters, 1,159 or 2·8 per cent. were widows, and 1,243 or 3·0 per cent. had been divorced. Compared with the previous year there is a decrease in the percentage of widows and divorced men, and an increase in the percentage of spinsters and bachelors. The following Table shows the marriages registered during 1958 arranged according to the conjugal condition of the contracting parties:—

	Spinsters	Widows	Divorced Women	All Women
Bachelors . . .	37,152	481	793	38,426
Widowers . . .	848	563	210	1,621
Divorced men . .	784	115	240	1,139
All men . . .	38,784	1,159	1,243	41,186

From the above it will be seen that of the bachelors who married during the year 97 per cent. married spinsters and 1 per cent. married widows, while of widowers 52 per cent. married spinsters and 35 per cent. married widows. Of divorced men 69 per cent. married spinsters, 10 per cent. married widows and 21 per cent. married divorced women. Some 96 per cent. of the spinsters marrying during 1958 married bachelors, of the widows 42 per cent. married bachelors and 49 per cent. married widowers, and of the divorced women who remarried 64 per cent. married bachelors, 17 per cent. married widowers and 19 per cent. married men who had also been divorced. These proportions do not differ materially from those observed in 1957. In the post-war period the marriages in which both parties had been divorced rose considerably above pre-war figures. In 1938 the number was 28, but in the period 1947-1957 the figure never fell below 211 and the maximum figure recorded was 307 in 1952. The number in 1958 was 240. (Tables 52, 54A and 54B).

The Table following shows the civil condition of those marrying as compared with previous years. From about 1880 there was an almost continuous decline in the percentage of widowed persons of both sexes remarrying. In the case of males this decline was arrested in 1941, the trend thereafter being somewhat irregular until 1949 since when the decline has been resumed.

All Marriages		Percentage of Males marrying who were			Percentage of Females marrying who were			Not stated (either Spouse)
		Bachelors	Widowers	Divorced*	Spinsters	Widows	Divorced*	
1855-1860	100.0	84.3	11.2	—	90.1	5.4	—	4.5
1861-1870	100.0	87.3	11.5	—	93.6	5.2	—	1.2
1871-1880	100.0	87.8	12.0	—	93.5	6.3	—	0.2
1881-1890	100.0	88.6	11.4	—	94.2	5.8	—	0.0
1891-1900	100.0	90.1	9.9	—	94.6	5.3	—	0.0
1901-1910	100.0	91.4	8.5	—	95.0	4.9	—	0.0
1911-1920	100.0	91.7	8.3	—	93.4	6.6	—	0.0
1921-1930	100.0	92.6	7.4	—	95.2	4.8	—	0.0
1931-1940	100.0	93.4	5.9	0.7	96.3	3.0	0.7	0.0
1941-1950	100.0	91.7	5.7	2.6	93.3	4.3	2.4	0.0
1941	100.0	93.6	5.3	1.1	95.8	3.2	1.0	0.0
1942	100.0	93.6	5.3	1.1	95.4	3.5	1.1	0.0
1943	100.0	91.9	6.3	1.7	94.2	4.3	1.5	0.0
1944	100.0	91.5	6.5	2.0	93.5	4.6	1.9	0.0
1945	100.0	92.5	5.5	2.0	93.8	4.2	2.0	0.0
1946	100.0	90.7	6.1	3.1	92.1	5.3	2.7	0.0
1947	100.0	90.2	5.7	4.1	91.2	5.3	3.5	0.0
1948	100.0	90.9	5.4	3.7	92.0	4.6	3.3	0.0
1949	100.0	90.8	5.5	3.7	92.4	4.2	3.4	0.0
1950	100.0	90.8	5.3	3.9	92.4	4.1	3.6	0.0
1951	100.0	91.6	5.1	3.3	93.1	3.7	3.2	0.0
1952	100.0	91.2	5.0	3.8	92.3	3.8	3.9	0.0
1953	100.0	91.8	4.9	3.3	92.9	3.5	3.6	0.0
1954	100.0	92.0	4.7	3.3	92.6	3.6	3.8	0.0
1955	100.0	92.5	4.4	3.2	93.3	3.1	3.5	0.0
1956	100.0	93.0	4.0	3.0	93.8	3.0	3.2	—
1957	100.0	93.2	3.9	2.9	94.1	2.9	3.0	—
1958	100.0	93.3	3.9	2.8	94.2	2.8	3.0	—

*—Previous to 1933 classified as Bachelors and Spinsters respectively.

From the decennium 1871-1880 to that of 1931-40, apart from the first war period 1911-20, the percentage of widows remarrying showed a progressive decline. It rose again during the second war in the period 1941-50 but from 1951 onwards it again decreased. The percentage of 2.8 in 1958 is 0.1 below the rate for the previous year and 0.2 below the 1931-40 average. The percentage of widowers remarrying has always been higher than that of widows, being approximately twice as much in the second half of last century, but the percentage has fallen steadily and is now just under 40 per cent. higher.

Marriages of divorced persons were first tabulated separately in 1933. From then the proportion increased for each sex up to the year 1947 when the percentage for males was 4.1 and that of females 3.5. Since then both males and females have declined to 2.8 and 3.0 respectively.

The Table following shows the number of divorces notified in each year since 1932 and some detail regarding re-marriages of divorced persons. From 1934 until 1945 the annual number of divorced men and women who remarried was roughly equal, but in the five years 1946-1950 there was a substantial excess of males. In 1951 they were again roughly equal but since then the position has been reversed and the females have exceeded the males. In the year 1958 the females exceeded the males by 104.

Year			Divorces*	Re-marriage of Divorced Persons		Divorced Persons Remarried per 100 Divorced in previous year	
				Males	Females	Males	Females
1932	.	.	488	—	—	—	—
1933	.	.	510	203	253	41·6	51·8
1934	.	.	468	240	238	47·1	46·7
1935	.	.	498	258	244	55·1	52·1
1933-35						47·8	50·1
1936	.	.	642	274	288	55·0	57·8
1937	.	.	649	346	347	53·9	54·0
1938	.	.	788	387	362	59·6	55·8
1939	.	.	884	480	460	60·9	58·4
1940	.	.	780	513	500	58·0	56·6
1936-40						57·8	56·5
1941	.	.	762	531	471	68·1	60·4
1942	.	.	1,017	505	507	66·3	66·5
1943	.	.	1,312	660	585	64·9	57·5
1944	.	.	1,731	757	707	57·7	53·9
1945	.	.	2,223	959	956	55·4	55·2
1941-45						60·9	57·6
1946	.	.	2,924	1,442	1,217	64·9	54·7
1947	.	.	2,513	1,798	1,557	61·5	53·2
1948	.	.	2,047	1,607	1,464	63·9	58·3
1949	.	.	2,438	1,553	1,415	75·9	69·1
1950	.	.	2,196	1,558	1,446	63·9	59·3
1946-50						65·5	58·5
1951	.	.	1,944	1,357	1,338	61·8	60·9
1952	.	.	2,718	1,549	1,611	79·7	82·9
1953	.	.	2,365	1,368	1,480	50·3	54·5
1954	.	.	2,216	1,378	1,586	58·3	67·1
1955	.	.	2,073	1,368	1,526	61·7	68·9
1951-55						61·4	65·9
1956	.	.	1,883	1,329	1,426	64·1	68·8
1957	.	.	1,739	1,236	1,293	65·6	68·7
1958	.	.	1,781	1,139	1,243	65·5	71·5

*Including nullities.

Ages of those marrying. The average age of all men marrying in 1958 was 27·4 and of all women 24·7. The following table shows the trend since registration began at ten yearly intervals, and yearly since 1951. Between 1855 and 1951 the variation ranged about one year but since 1951 there has been a progressive decrease in average age, evidence of the recent trend to younger marriage.

Year	Males	Females
1855	28·8	25·5
1861	28·7	25·5
1871	28·6	25·6
1881	28·4	25·6
1891	28·7	25·8
1901	28·7	26·1
1911	29·4	26·7
1921	29·3	26·6
1931	29·3	26·3
1941	29·1	26·1
1951	28·6	25·7
1952	28·7	25·7
1953	28·5	25·6
1954	28·3	25·4
1955	28·0	25·2
1956	27·7	24·9
1957	27·5	24·8
1958	27·4	24·7

The average ages arranged according to the conjugal condition of those marrying are set forth below in tabular form—

Average ages of	Spinsters	Widows	Divorced Women	All Women
Bachelors marrying . . .	25·6	40·4	33·5	25·9
Widowers marrying . . .	50·4	59·1	52·2	53·7
Divorced men marrying . . .	37·2	45·8	40·9	38·9
All men marrying . . .	26·3	50·0	38·1	27·4

Average ages of	Bachelors	Widowers	Divorced Men	All Men
Spinsters marrying . . .	23·1	40·8	30·6	23·6
Widows marrying . . .	41·0	53·9	44·9	47·6
Divorced women marrying . . .	33·3	43·4	37·5	35·8
All women marrying . . .	23·5	45·7	33·5	24·7

These do not show any marked differences compared with 1957.

For all marriages the average age of the bridegroom was 2·7 years greater than that of the brides, and equal to the excess in 1957. The figure which scarcely varies from year to year was 3·0 in 1943 and 1944, and until 1956 the difference fluctuated between 2·8 and 3·0. In the case of bachelors and spinsters this excess was 2·5 (2·5 in 1957), of widowers and spinsters, 9·6 (9·8) and of widowers marrying widows 5·2 (5·4). In cases where either party had been divorced the average age of the bridegroom was always higher than that of the bride.

The following table shows in age-groups the number of persons married in each year from 1938 to 1958. During the intervening years a considerable alteration has taken place in the age of those marrying. The number under 25 has increased since 1938 by no less than 98 per cent. in the case of males and 53 per cent. in that of females. In age groups 25-44 the proportion has fallen considerably but at ages 45 and over more marriages now take place, especially among females where the percentage is 33 above that of 1938. But for the excess of those marrying at 45 and over, the average age would have declined still further. Compared with 1957 the numbers of both males and females show an increase in the age group under 21.

Age at Marriage, 1938-58

MALES	Year	All Ages	Under 21					45 and over
			21	21-24	25-29	30-34	35-44	
1938	.	38,716	1,648	9,192	14,292	7,215	4,205	2,164
1939	.	46,236	2,554	11,161	16,996	8,419	4,782	2,324
1940	.	53,522	3,379	13,453	19,694	9,226	5,412	2,358
1941	.	47,620	3,786	12,550	15,747	7,883	5,134	2,520
1942	.	47,402	4,127	14,340	14,323	6,997	5,164	2,451
1943	.	38,177	3,529	12,180	10,228	5,442	4,458	2,340
1944	.	37,017	3,318	12,676	9,443	5,031	4,220	2,329
1945	.	48,642	3,560	15,789	14,775	6,872	4,992	2,654
1946	.	45,785	2,754	12,771	14,901	7,239	5,348	2,772
1947	.	44,360	2,288	12,989	14,881	6,685	4,911	2,606
1948	.	43,718	2,261	13,564	14,774	5,861	4,716	2,542
1949	.	41,708	2,319	13,508	13,857	5,251	4,288	2,485
1950	.	40,459	2,377	13,274	13,055	5,288	4,129	2,336
1951	.	41,361	2,682	14,123	13,152	5,272	3,755	2,377
1952	.	41,154	2,754	13,989	12,940	5,153	3,847	2,471
1953	.	40,902	2,922	14,567	12,511	5,027	3,478	2,397
1954	.	41,974	3,523	15,207	12,536	4,906	3,300	2,502
1955	.	43,199	4,087	15,814	12,795	4,804	3,216	2,483
1956	.	43,963	4,610	16,551	12,634	4,539	3,204	2,425
1957	.	42,661	5,154	16,246	11,909	4,119	2,833	2,400
1958	.	41,186	5,376	16,110	10,913	3,719	2,824	2,244
1958 per cent. of 1938	.	106.4	326.2	175.3	76.4	51.5	67.2	103.7

FEMALES	Year	All Ages	Under 21					45 and over
			21	21-24	25-29	30-34	35-44	
1938	.	38,716	7,138	11,927	10,927	4,804	2,819	1,101
1939	.	46,236	9,295	13,957	13,197	5,365	3,260	1,162
1940	.	53,522	11,857	16,344	14,526	5,886	3,666	1,243
1941	.	47,620	11,124	15,129	11,652	4,956	3,460	1,299
1942	.	47,402	11,786	16,437	9,889	4,466	3,526	1,298
1943	.	38,177	9,764	13,145	7,216	3,686	3,087	1,279
1944	.	37,017	9,302	13,273	6,729	3,412	2,988	1,313
1945	.	48,642	11,152	17,814	10,154	4,486	3,589	1,447
1946	.	45,785	9,440	15,702	10,698	4,715	3,667	1,563
1947	.	44,360	9,182	15,599	10,370	4,191	3,521	1,497
1948	.	43,718	9,621	15,554	10,027	3,668	3,339	1,509
1949	.	41,708	9,804	14,882	9,387	3,154	3,061	1,420
1950	.	40,459	9,667	14,770	8,660	3,100	2,818	1,444
1951	.	41,361	10,133	15,455	8,590	3,120	2,605	1,458
1952	.	41,154	10,225	15,288	8,279	3,157	2,662	1,543
1953	.	40,902	10,569	15,597	7,757	3,040	2,378	1,561
1954	.	41,974	11,594	15,698	7,721	2,998	2,355	1,608
1955	.	43,199	12,815	15,897	7,693	2,890	2,295	1,609
1956	.	43,963	13,756	16,216	7,416	2,705	2,283	1,587
1957	.	42,661	14,042	15,614	6,899	2,449	2,123	1,534
1958	.	41,186	14,102	15,003	6,303	2,310	2,009	1,459
1958 per cent. of 1938	.	106.4	197.6	125.8	57.7	48.1	71.3	132.5

The youngest bridegrooms of the year were 27 bachelors aged 16 who all married spinsters and 205 aged 17 all of whom married spinsters. The youngest brides were 443 spinsters aged 16. Of these 439 married bachelors, 2 married widowers and 2 married divorced men. There were 1,389 brides aged 17 all spinsters, of whom 1,379 married bachelors, 4 married widowers and 6 married divorced men.

The oldest man who married during the year was a widower aged 85 who married a spinster aged 62 years. The oldest bride was a widow aged 82 who married a widower aged 82 years.

The accompanying table shows the percentage of persons who married by age-groups for the years 1938, 1948 and 1958. This comparative table indicates that both as regards males and females there are now more marriages in the

younger age groups than immediately prior to the war. In 1938 the largest percentage of males who married was in the age-group 25-29 whereas to-day the largest percentage is in the age-group 21-24. The number of males marrying under 21 years has also greatly increased and the percentage is roughly three times that of 1938. The highest percentage of females now marrying is in the age-group 21-24 years. In 1938 this group also showed the highest percentage, being slightly in excess of those at ages 25-29 but in 1958 the percentage in the latter group was less than half of those between 21-24. As in the case of males there is now a higher percentage of females marrying under 21 years and they constitute just over a third of all marriages.

Percentage Marrying in each Age Group 1938-58

	Year			All Ages	Under 21	21-24	25-29	30-34	35-44	45 and over
MALES	1938	100	4.26	23.74	36.91	18.64	10.86	5.59
	1948	100	5.17	31.03	33.79	13.41	10.79	5.81
	1958	100	13.05	39.12	26.50	9.03	6.86	5.45
FEMALES	1938	100	18.44	30.81	28.22	12.41	7.28	2.84
	1948	100	22.01	35.58	22.94	8.39	7.64	3.45
	1958	100	34.24	36.43	15.30	5.61	4.88	3.54

The foregoing paragraphs and tables demonstrate the recent change in marriage age from the late 20's and the 30's to the earlier age groups. This has had its effect in reducing the average age at marriage, an effect slightly offset by the increases at ages over 45 with their heavier weighting. It is likely that this trend to younger marriage will be slowed down as it depletes the reservoir of unmarried population, especially at the younger ages.

Appendix V

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS, 1959

Tables 60 and 61 summarise certain electoral statistics which are related to the Register of Electors compiled under the provisions of the Representation of the People Acts and published on the 15th February, 1959, with reference to the qualifying date, the 10th October, 1958.

The figures contained in Table 60 have been compiled from returns furnished by the electoral registration officers of the several areas. The table shows the total number of parliamentary electors in each parliamentary constituency in Scotland; separate figures are given for the civilian residents and service voters. There was one by-election held on the basis of the February 1959 register.

The figures contained in table 61 have been compiled from returns furnished by Town Clerks. The table shows the numbers of local government electors in the counties, burghs, landward areas and districts (district council areas) respectively. Additional figures show to what extent seats on Councils were contested and what proportion of the electorate voted at the local elections held in 1959.

Appendix VI

ALTERATIONS OF BOUNDARIES OF BURGHES, LANDWARD AREAS OF COUNTIES, COUNTIES, CIVIL PARISHES AND REGISTRATION DISTRICTS REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1959

Area		Nature of Alteration	Population at Census 1951						
			Before Alteration			After Alteration			
			Persons	Males	Females	Persons	Males	Females	
I. BURGHES									
Banff	.	Extension within Civic parish of Banff	3,357	1,461	1,896	3,383	1,476	1,907	
Bathgate	.	Extension (no population) within Civil Parish of Bathgate	11,291	5,506	5,785	11,291	5,506	5,785	
Oban	.	Extension (no population) within Civil Parish of Kilmore and Kilbride	6,226	2,888	3,338	6,226	2,888	3,338	
Prestonpans	.	Extension within Civil Parish of Prestonpans	2,907	1,433	1,474	2,909	1,434	1,475	
II. LANDWARD AREAS									
Argyll County	.	Extension of Burgh of Oban	37,598	19,136	18,462	37,598	19,136	18,462	
East Lothian County	.	Extension of Burgh of Prestonpans	26,405	13,533	12,872	26,403	13,532	12,871	
Banff County	.	Extension of Burgh of Banff	21,695	10,958	10,737	21,669	10,943	10,726	
West Lothian County	.	Extension of Burgh of Bathgate	49,867	25,051	24,816	49,867	25,051	24,816	
III. COUNTIES			—	—	—	—	—	—	
IV. CIVIL PARISHES			—	—	—	—	—	—	
V. REGISTRATION DISTRICTS									
150	Cullen	} United under the name of "Cullen"	1,719	734	985	—	—	—	
151	Deskford		150	415	213	202	—	—	
150	Cullen	See above	—	—	—	2,134	947	1,187	
164	Rathven	} An area in Registration District of Rathven transferred to Registration District of Cullen	13,598	6,229	7,369	13,536	6,201	7,335	
150	Cullen		164	2,134	947	1,187	2,196	975	1,221
149b	Cabrach	} United under the name of "Mortlach"	215	115	100	—	—	—	
162	Mortlach		162	2,275	1,120	1,155	—	—	—
162	Mortlach	See above	—	—	—	2,490	1,235	1,255	
145	Aberlour	} United under the name of "Aberlour"	2,152	1,060	1,092	—	—	—	
157(1)	Inveravon		145	467	235	232	—	—	—
145	Aberlour	See above	—	—	—	2,619	1,295	1,324	
586(2)	Waterside	} United under the name of "Patna"	1,859	933	926	—	—	—	
610b	Patna		610b	1,429	751	678	—	—	—
610b	Patna	See above	—	—	—	3,288	1,684	1,604	
285	Edzell	} United under the name of "Edzell, Lethnot and Lochlee" 285	943	438	505	—	—	—	
300	Lethnot and Navar		285	179	102	77	—	—	—
303	Lochlee	} See above	155	77	78	—	—	—	
285	Edzell, Lethnot and Lochlee		303	—	—	—	1,277	617	660
270	Airlie	} United under the name of "Airlie and Ruthven" 270	630	316	314	—	—	—	
318	Ruthven		270	182	87	95	—	—	—
270	Airlie and Ruthven	See above	—	—	—	812	403	409	
363	Kilspindie	} United under the name of "West Carse" 366	355	192	163	—	—	—	
366	Glencarse		366	778	380	398	—	—	—
366	West Carse	See above	—	—	—	1,133	572	561	
755	Ladykirk and Swinton	} United under the name of "Ladykirk, Swinton and Whitsome" 755	832	395	437	—	—	—	
757	Whitsome		755	304	152	152	—	—	—
755	Ladykirk, Swinton and Whitsome	See above	—	—	—	1,136	547	589	
627	Cambuslang	} An area in Registration District of Carmunnock transferred to Registration District of Cambuslang	27,091	12,904	14,187	27,290	12,996	14,294	
631	Carmunnock		627	1,298	600	698	1,099	508	591
440	Kinglassie	} Area in Registration District of Kinglassie, the Registration District of Leslie and Registration District of Markinch transferred to form Glenrothes Registration District, also an area (no population) in Registration District of Kinglassie transferred to Registration District of Leslie	2,521	1,307	1,214	2,338	1,208	1,130	
444	Leslie		440	3,765	1,806	1,959	3,471	1,663	1,808
447(1)	Markinch		444	5,130	2,485	2,645	3,925	1,880	2,045
			447(1)	—	—	—	—	—	—
433	Glenrothes	See above	—	—	—	1,682	847	835	

Appendix VII

GENERAL REGISTRY OFFICE

Re-registration of Births. The Registrar-General may authorise the re-registration of certain births under the provisions of the Registration of Births, etc. (Scotland) Amendment Act, 1934. This Act which became operative on the 1st January, 1935, allows for the re-registration of the births of persons born illegitimate who have been legitimated by the subsequent marriage of their parents and also of persons the entry of whose birth is affected by any matter contained in the Register of Corrected Entries respecting status or paternity.

The number of re-registrations authorised in each year was as follows:

<i>Year</i>	<i>No.</i>	<i>Year</i>	<i>No.</i>
1935 .	1,259	1948 .	648
1936 .	1,063	1949 .	534
1937 .	1,048	1950 .	552
1938 .	979	1951 .	507
1939 .	1,069	1952 .	507
1940 .	1,191	1953 .	469
1941 .	716	1954 .	449
1942 .	742	1955 .	401
1943 .	687	1956 .	511
1944 .	737	1957 .	382
1945 .	719	1958 .	317
1946 .	729	1959 .	276
1947 .	717		

Adopted Children Register. The Adoption of Children (Scotland) Act, 1930, which came into operation on 1st October, 1930, provided for the legal adoption of children in Scotland by Order of the Court, and for the registration of such adoptions in an Adopted Children Register kept at the General Registry Office, Edinburgh. Various amending Acts followed, and the enactments relating to the adoption of children were consolidated by the Adoption Act, 1958. The Adopted Children Register is open for search and extract purposes under the same conditions as are the Registers of Births, Deaths and Marriages, and an extract from the Adopted Children Register is evidence of adoption, and also of the date of birth of the child if it is recorded in the relative entry.

The following Table shows the number of adoptions recorded in each year:

<i>Year</i>	<i>No.</i>	<i>Year</i>	<i>No.</i>
1930 .	3	1945 .	1,876
1931 .	347	1946 .	2,292
1932 .	492	1947 .	1,890
1933 .	437	1948 .	2,073
1934 .	602	1949 .	1,764
1935 .	683	1950 .	1,289
1936 .	704	1951 .	1,562
1937 .	820	1952 .	1,523
1938 .	812	1953 .	1,486
1939 .	1,100	1954 .	1,343
1940 .	1,424	1955 .	1,352
1941 .	1,222	1956 .	1,358
1942 .	1,563	1957 .	1,405
1943 .	1,747	1958 .	1,365
1944 .	1,681	1959 .	1,236

Registers in General Registry Office. These consist in the main of duplicate copies of the registers of births, deaths and marriages maintained by the local registrars. The public are entitled to make searches in the alphabetical indexes

and to have extracts made from the registers on the payment of prescribed fees. The pre-1855 Church of Scotland registers of births, baptisms, proclamations of banns, etc., are also kept in the General Registry Office and extracts from these may also be obtained. The earlier census records are also open for search or extract.

Searches and Extracts

Year	Total Searches	Official Searches	Paid Searches	Extracts	Total Fees received		
					£	s.	d.
1937 . .	37,107	21,338	15,769	10,929	2,184	11	5
1938 . .	39,360	22,432	16,928	12,419	2,348	17	8
1939 . .	40,064	24,964	15,100	13,048	2,179	11	7
1940 . .	67,233	53,355	13,878	13,044	2,099	14	2
1941 . .	47,275	35,090	12,185	11,656	1,861	5	6
1942 . .	46,636	33,454	13,182	12,734	2,006	19	8
1943 . .	43,567	30,070	13,497	12,395	2,009	3	10
1944 . .	49,986	35,534	14,452	13,408	2,167	16	7
1945 . .	59,405	42,460	16,945	16,430	2,543	4	6
1946 . .	118,861	95,838	23,023	22,889	3,485	12	4
1947 . .	89,732	65,694	24,038	23,911	3,677	18	4
1948 . .	88,208	64,609	23,599	26,658	3,640	16	2
1949 . .	83,516	59,727	23,789	25,063	3,592	4	1
1950 . .	73,832	50,691	23,141	25,136	3,453	9	7
1951 . .	103,436	77,816	25,620	28,595	3,927	18	4
1952 . .	88,436	63,624	24,812	27,030	3,863	13	10
1953 . .	82,710	57,876	24,834	25,902	3,811	10	10
1954 . .	82,958	55,870	27,088	28,085	4,090	1	3
1955 . .	60,671	32,663	28,008	27,672	4,116	8	7
1956 . .	60,705	31,975	28,730	28,744	4,219	15	1
1957 . .	53,416	22,701	30,715	30,313	4,476	10	8
1958 . .	49,893	21,212	28,681	27,618	4,198	16	3
1959 . .	40,551	15,186	25,365	19,571	*6,500	4	9

*The fees chargeable for search and extract were increased on 1st January, 1959.

Among the 15,186 official searches made in 1959, 206 related to claims for family allowances, and 12,915 to claims for contributory, non-contributory and service pensions.

Appendix VIII

INHABITED HOUSES

Table 62 gives the numbers, as entered in the Valuation Rolls, of inhabited houses in each city, large burgh, small burgh and landward area in Scotland for the year 1939 and for each year from 1955 to 1959.

The table has been compiled from statements received from Town Clerks and County Clerks.

Appendix IX

PERINATAL DEATHS CLASSIFIED TO STILLBIRTH CAUSES

The Report for the year 1958 contained in Appendix X, the results of an experiment in classifying the neo-natal deaths in 1958 to the stillbirth cause list. It was found that in the more important period of the first week of life, only 5 per cent. of the deaths could not satisfactorily be coded to a stillbirth rubric.

It has been decided to continue this useful addition to the perinatal statistics. The following table shows the neonatal deaths in 1959 classified to the stillbirth cause list in detailed age groups, together with the stillbirths by cause. It will be observed that again only 5 per cent. of the deaths under one week could not be classified to a stillbirth cause.

Confining comparisons to stillbirths and deaths under one week, it will be seen that the more important causes are common to both. Pregnancy and childbirth, difficult labour and placental and cord conditions show a marked relative excess in stillbirth, and congenital malformations less so. Birth injury and the ill-defined causes, prematurity, atelectasis and asphyxia, are relatively more important among the early deaths.

Perinatal Deaths, 1959

Inter- national Nos. (Y30-Y39)	Cause of Death	Sex	Total	Stillbirths	Age at Death				
					Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days
	ALL CAUSES—BOTH SEXES		4,174	2,252	990	658	131	84	59
	Males		2,268	1,120	590	402	70	53	33
	Females		1,904	1,130	400	256	61	31	26
	Sex unknown		2	2	—	—	—	—	—
	Chronic Disease in Mother	{ M. F.	38 26	38 25	— 1	— —	— —	— —	— —
30.0	Syphilis	{ M. F.	— 1	— 1	— —	— —	— —	— —	— —
30.1	Tuberculosis	{ M. F.	1 —	1 —	— —	— —	— —	— —	— —
30.2	Diabetes	{ M. F.	9 4	9 3	— 1	— —	— —	— —	— —
30.3	Chronic disease of circulatory system	{ M. F.	19 17	19 17	— —	— —	— —	— —	— —
30.4	Chronic disease of genito-urinary system	{ M. F.	— 2	— 2	— —	— —	— —	— —	— —
30.5	Other chronic disease	{ M. F.	9 2	9 2	— —	— —	— —	— —	— —
	Acute Disease in Mother	{ M. F.	3 4	3 4	— —	— —	— —	— —	— —
31.1	Influenza	{ M. F.	2 2	2 2	— —	— —	— —	— —	— —
31.2	Pneumonia	{ M. F.	1 1	1 1	— —	— —	— —	— —	— —
31.3	Other acute respiratory disease	{ M. F.	— —	— —	— —	— —	— —	— —	— —
31.0, 31.4	Other acute disease or condition	{ M. F.	— 1	— 1	— —	— —	— —	— —	— —
	Diseases and Conditions of Pregnancy and Childbirth	{ M. F.	112 98	94 94	10 4	7 —	— —	— —	1 —
32.1	Ectopic gestation	{ M. F.	— —	— —	— —	— —	— —	— —	— —
32.3a	Eclampsia	{ M. F.	96 91	84 88	7 3	4 —	— —	— —	1 —
32.3b	Nephritic toxæmia	{ M. F.	3 —	3 —	— —	— —	— —	— —	— —
32.3c	Toxæmia not stated	{ M. F.	7 4	2 3	2 1	3 —	— —	— —	— —
32.4a	Acute yellow atrophy of liver	{ M. F.	1 —	— —	1 —	— —	— —	— —	— —
32.4b	Hyperemesis gravidarum	{ M. F.	— 1	— 1	— —	— —	— —	— —	— —
32.5a	Pyelitis	{ M. F.	— 1	— 1	— —	— —	— —	— —	— —
32.5b	Infection	{ M. F.	5 1	5 1	— —	— —	— —	— —	— —
33	Absorption of Toxic Substance from Mother	{ M. F.	— —	— —	— —	— —	— —	— —	— —
	Difficult Labour	{ M. F.	125 106	111 98	14 7	— 1	— —	— —	— —
34.0a	Abnormality of bones of pelvis with immaturity	{ M. F.	— —	— —	— —	— —	— —	— —	— —

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Perinatal Deaths, 1959—continued

International Nos. (Y30-Y39)	Cause of Death	Sex	Total	Stillbirths	Age at Death				
					Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days
	Difficult Labour—continued.								
34.0b	Abnormality of bones of pelvis without immaturity	M.	1	1	—	—	—	—	—
		F.	2	2	—	—	—	—	—
34.1a	Disproportion with immaturity	M.	18	11	7	—	—	—	—
		F.	16	13	3	—	—	—	—
34.1b	Disproportion without immaturity	M.	20	20	—	—	—	—	—
		F.	14	14	—	—	—	—	—
34.2a	Malposition of foetus, with immaturity	M.	10	9	1	—	—	—	—
		F.	6	6	—	—	—	—	—
34.2b	Malposition of foetus, without immaturity	M.	38	35	3	—	—	—	—
		F.	36	33	2	1	—	—	—
34.3a	Abnormality of forces of labour, with immaturity	M.	3	2	1	—	—	—	—
		F.	1	1	—	—	—	—	—
34.3b	Abnormality of forces of labour, without immaturity	M.	15	14	1	—	—	—	—
		F.	9	9	—	—	—	—	—
34.4a	Operative delivery, with immaturity	M.	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—
34.4b	Operative delivery, without immaturity	M.	3	3	—	—	—	—	—
		F.	4	3	1	—	—	—	—
34.5a	Abnormality of organs or tissues of pelvis with immaturity	M.	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—
34.5b	Abnormality of organs or tissues of pelvis without immaturity	M.	1	1	—	—	—	—	—
		F.	3	3	—	—	—	—	—
34.6a	Difficult labour without mention of condition, but with immaturity	M.	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—
34.6b	Difficult labour without mention of condition, and without immaturity	M.	16	15	1	—	—	—	—
		F.	15	14	1	—	—	—	—
	Other Causes in Mother	M.	5	5	—	—	—	—	—
		F.	5	5	—	—	—	—	—
35.0	Fall	M.	1	1	—	—	—	—	—
		F.	2	2	—	—	—	—	—
32.0, 35.1	Other accident or violence	M.	1	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—
35.2	Over-exertion	M.	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—
35.3	Other and ill-defined causes in mother	M.	3	3	—	—	—	—	—
		F.	3	3	—	—	—	—	—
	Placental and Cord Conditions	M.	463	434	24	5	—	—	—
		F.	388	358	20	10	—	—	—
36.0a	Prolapse of cord	M.	61	55	5	1	—	—	—
		F.	45	42	1	2	—	—	—
36.0b	Torsion of cord	M.	61	55	6	—	—	—	—
		F.	60	57	2	1	—	—	—
36.1, 36.3	Placenta prævia	M.	16	13	1	2	—	—	—
		F.	14	10	2	2	—	—	—
32.2	Accidental hæmorrhage	M.	217	206	9	2	—	—	—
		F.	157	145	10	2	—	—	—
36.2, 36.4	Other hæmorrhage	M.	16	15	1	—	—	—	—
		F.	15	12	2	1	—	—	—
36.5	Placental infarct	M.	36	36	—	—	—	—	—
		F.	45	44	1	—	—	—	—
36.6	Others of placenta and cord	M.	56	54	2	—	—	—	—
		F.	52	48	2	2	—	—	—

Perinatal Deaths, 1959—continued

Inter- national Nos. (Y30-Y39)	Cause of Death	Sex	Total	Stillbirths	Age at Death				
					Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days
37a	Birth Injury	M.	196	45	72	75	1	1	2
		F.	105	19	40	41	5	—	—
37b	Birth injury with immaturity	M.	60	2	26	31	1	—	—
		F.	32	1	10	20	1	—	—
37b	Birth injury without immaturity	M.	136	43	46	44	—	1	2
		F.	73	18	30	21	4	—	—
38.0	Congenital Malformation of Fetus Sex unknown	M.	395	176	68	82	35	22	12
		F.	498	318	66	62	26	14	12
38.1	Anencephalus	M.	98	92	4	2	—	—	—
		F.	231	215	12	4	—	—	—
38.2	Hydrocephalus	M.	67	53	7	1	3	3	—
		F.	66	43	11	6	3	1	2
38.3	Spina bifida	M.	43	5	7	17	5	6	3
		F.	52	20	5	11	6	6	4
38.4	Other malformations of the central ner- vous system	M.	11	5	2	2	1	1	—
		F.	24	16	4	2	—	2	—
38.5	Malformation of the cardiovascular system	M.	74	5	11	34	12	5	7
		F.	41	4	8	18	7	1	3
38.6	Malformation of other specified system Sex unknown	M.	70	4	21	23	13	7	2
		F.	63	7	23	19	7	4	3
38.7	Monster	M.	1	1	—	—	—	—	—
		F.	2	2	—	—	—	—	—
38.7	Other and unspecified malformations	M.	31	11	16	3	1	—	—
		F.	19	11	3	2	3	—	—
39.2	Diseases of Fetus and Ill-Defined Causes Sex unknown	M.	931	214	402	233	34	30	18
		F.	674	209	262	142	30	17	14
39.0	Erythroblastosis (Rhesus Factor)	M.	66	49	9	8	—	—	—
		F.	69	46	17	4	2	—	—
39.1, 39.3	Other diseases of foetus	M.	—	—	—	—	—	—	—
		F.	1	1	—	—	—	—	—
39.4	Maceration	M.	41	41	—	—	—	—	—
		F.	34	34	—	—	—	—	—
39.5a	Premature Birth (cause not stated)	M.	260	17	160	69	8	6	—
		F.	186	13	106	48	13	4	2
39.5b	Debility	M.	8	1	3	1	1	1	1
		F.	10	2	5	2	1	—	—
39.5c	Asphyxia	M.	196	63	85	43	4	1	—
		F.	124	58	46	19	1	—	—
39.5d	Atelectasis	M.	218	11	130	70	3	3	1
		F.	151	11	83	52	3	1	1
39.5e	Other ill-defined	M.	7	4	1	1	—	1	—
		F.	7	6	—	—	—	1	—
39.6	Cause unknown	M.	28	28	—	—	—	—	—
		F.	38	38	—	—	—	—	—
—	Sex unknown	M.	1	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—
—	No comparable stillbirth cause	M.	107	—	14	41	18	18	16
		F.	54	—	5	17	10	11	11

Appendix X

METEOROLOGICAL NOTES

REPORT ON THE WEATHER IN SCOTLAND FOR THE YEAR ENDING 31ST DECEMBER, 1959

Supplied by the Meteorological Office, Edinburgh

Under the heading of "Meteorological Notes" a descriptive account of the weather is given in the "Quarterly Returns" published by authority of the Registrar-General, and the notes are accompanied by statistics for some of the Principal Towns.

The present report, for the year 1959, is of a general character as to text, and to it are appended tables summarising the statistics of the various stations (pages 458-465).

General. The outstanding features of the year are indicated in the course of the report. The most notable are:

- (a) Consistent mildness from February onwards.
- (b) Heavy snowfalls in January.
- (c) The year taken as a whole was one of the driest of the century at the principal towns despite a wet November and December.
- (d) Good sunshine records in most areas from May to October.

Gales. Winds reached gale force at exposed places on 137 days, which is about the average. On 27th October a gust exceeding 104 m.p.h. (the limit of the scale of the anemometer) was recorded at St. Abb's Head, and on this day gusts of 96 m.p.h. were recorded at Tiree and Bell Rock, 92 at Grimsetter (Orkney) and 89 at Stornoway. Other noteworthy gusts during the year were 97 m.p.h. at Stornoway on 25th February and 96 m.p.h. there on 14th December, 98 m.p.h. at Dounreay on 30th December and 91 m.p.h. at Benbecula on 29th December.

Temperature. Mean temperature for the year, based on records from the main centres of population was 49.1°F., 1.5° above the average, and was the highest since 1949. January was cold with the mean temperature 4.7 degrees below average, but in all the remaining months it was above, notably so in October, which with 4.4° above average was the mildest since 1908. The highest reading of the year was 84° at Kelso on 21st August. The lowest readings were 0°F. at Braemar on 15th January and at Kincaig on 4th February. The lowest reading on the ground was -5°F. at Glenmore Lodge on 6th January.

The cold weather of January continued until around 9th February and there were a couple of cold days in the middle of that month, which however ended mild with maxima in the low fifties.

March was mainly mild, with only short cold spells. April was mild though rather dull.

May was warm and sunny except along the east coast where easterly winds resulted in mean temperatures only 1° to 2° above average against 3° to 4° in the west and sunshine totals were below average in places. The weather of June was very variable and the mean temperature was 1° to 2° above average in most places. 83°F. was recorded at Dundee on 14th.

In July warm southwesterly winds on many days caused temperatures again to exceed the average, the excess being around 2° in the east but rather less in the west. August was very warm, being the fifth warmest since 1900. Maxima of above 80° were recorded at many places in the east and south on 20th and 21st.

September was again warm, especially during the first fortnight and 80° was reached at Renfrew and Ruthwell on 10th. Slight air frosts, however, occurred at a few places. October's mean temperature for the principal towns was 4.4° above average, making it the mildest since 1908. The maximum of 77° at Falkirk on 3rd (equalled in 1926) was otherwise the highest since 80° was recorded in 1921.

November was again mild, except during the second week when minima of 12°F. were recorded at Glenlivet and Cannich. December was still rather mild with mean temperature about 1° above average, and was the 11th successive month with an excess.

Rainfall. Total precipitation in 1959 exceeded the average over western coastal districts north of Oban, most of Sutherland and Caithness, western Perthshire and a small area of northern Kirkcudbrightshire, the wettest area being Harris with over 120% of average. The driest areas comprised Midlothian, East Lothian and Berwickshire with 65-70% and Moray, Nairn and small areas near Aberdeen and Dundee with 70-80%.

In January rainfall was above average north of a line Peterhead to Gairloch, but the rest of the country had appreciably less than average, some parts of the S.W. having less than 25%. February was generally dry, notably so in the N.E. where Wick had the driest February since records began in 1866 and Gordon Castle since 1878. In March the average was exceeded in most western districts and the central Highlands, but in other areas the month was fairly dry and at Edinburgh it was the driest since 1929. In April it was above average except in parts of Ayrshire and Lanarkshire. Rainfall in May was below average almost everywhere, notably so in the southeast which had a quarter or less. In June parts of the northeast and central districts had less than the average; other districts mainly a moderate excess. In July east coast districts had well below the average, but a moderate to large excess occurred in parts of the west and north-west. In August the average was exceeded in the N.W. but most places in the south-eastern half of the country had less than one-third the average and some places only one-tenth. September was very dry, probably the driest in a number of places since 1894. October was again dry in most east coast districts and some central districts, but a moderate excess occurred elsewhere. November and December were both wet, with monthly totals exceeding the average almost everywhere. In both of these months many eastern districts had twice the average.

Amongst heavy falls of rain in 24 hours were 3.56 inches at Kingairloch, 2.92 inches at Arisaig and 2.90 at Stronachullin (Argyll) on 11th July; 3.51 at Achnacarry (Spean Bridge) on 23rd October; 3.29 at Dalness (Glen Etive) on 23rd August; 3.15 at Conaglen, 2.92 at Rhum and 2.70 at Kinlochourn on 7th June.

Snowfall. Snow showers occurred on many days in January and there were heavier falls on the 1st, 11th and 18th, especially in the north and northeast, and snowstorms were unusually severe in Shetland, some drifts 12 feet deep being reported. Some villages in Caithness were isolated for 13 days with drifts up to 15-20 feet. Most roads in the northern half of the country were snowbound by 4th-5th and though a thaw on 18th cleared most lowland areas, snow lay in upland areas for practically the whole month.

Snow which fell in January lay on the ground in the Highlands for the first fortnight of February, and further falls occurred on 21st/22nd February, though depths reported did not exceed an inch. Snow and sleet showers occurred in March, April, November and December but no serious falls were reported.

Thunder. The number of days with thunder was about the average. It was heard at one place or another on 13 days in May, 13 in June and 16 in July. September was unusual in that no occurrences at all were reported. Storms were widespread on 9th-12th May, 26th-28th July and 20th-21st August.

Sunshine. Records of bright sunshine for the year were above the average, most places having an excess of 50-150 hours, but at Marchmont (Berwickshire) the excess was 214 hours and at Inverness, Rothesay, Ruthwell (Dumfries) and Carnoustie it was 150-175 hours.

The highest annual totals were: Dunbar (1708 hours), Prestwick Airport (1600), Carnoustie (1576), Leuchars (1572), Arbroath (1565), Stranraer (1559) and Sourhope (Roxburghshire) (1549).

January was the sunniest on record at a number of places. February and March were rather dull except in the north. In April too, sunshine was below average except on the east coast. From May to October monthly totals exceeded the average in most places, though the north and west had a dull July. September was notably sunny, an excess of 30-60 hours above the average occurring in many places. November and December were rather dull in most places.

Fog. Morning fog was reported from one place or another on 205 days, considerably less than in 1958 though still above the average. The foggiest months were January, February, September and October.

Thick fog blanketed the Clyde area on 13th-15th January and on the latter date traffic was brought to a standstill, and widespread fog affected the Forth/Clyde area at times 27th January-3rd February, affecting both shipping and land transport. The wet and windy conditions in November and December resulted in less than the usual amount of fog during these months, though air and rail services were affected on 12th November.

Aurora. The Aurora Borealis was seen on 179 nights; this was the second year in succession with an unusually large number of occurrences. The months with the highest number of reports were January (23), April (20) and November (21).

(For statistical tables see pages 458-465.)

Table 1.—Population of Scotland, estimated in the middle of each year, with the Numbers of Births, Stillbirths, Deaths and Marriages registered in each year, 1855-1959

Year	Estimated Mid-Year Population	Live-Births				Still-Births	Multiple Births*		Marriages	Deaths			
		Total	Males	Fem.	Illegit.		Twins	Triplets		Total	Males	Fem.	Unclassified
1855	2,978,065	93,349	47,804	45,545	7,357	—	—	—	19,680	62,004	30,626	31,378	11,000
1856	2,995,771	101,821	52,239	49,582	8,695	—	1,267	12	20,740	58,529	29,418	29,111	12,000
1857	3,012,310	103,415	53,158	50,257	8,859	—	1,300	+16	21,369	61,906	30,937	30,969	12,000
1858	3,027,665	104,018	53,694	50,324	9,354	—	1,262	17	19,655	63,539	31,652	31,887	12,000
1859	3,041,812	106,543	54,628	51,915	9,715	—	1,335	11	21,201	61,714	30,588	31,126	11,000
1860	3,054,738	105,629	54,409	51,220	9,736	—	1,247	23	21,225	68,170	33,610	34,560	13,000
1855-60	3,018,000	102,462	52,635	49,807	8,953	—	1,282	+16	20,645	62,644	31,139	31,505	12,000
1861	3,069,403	107,009	54,606	52,403	9,929	—	1,249	18	20,896	62,341	30,890	31,451	11,000
1862	3,098,008	107,069	55,257	51,812	10,376	—	1,279	18	20,597	67,195	33,179	34,016	12,000
1863	3,126,879	109,341	56,226	53,115	10,948	—	1,267	6	22,234	71,481	35,631	35,850	13,000
1864	3,156,023	112,333	57,374	54,959	11,197	—	1,332	12	22,725	74,416	37,010	37,406	14,000
1865	3,185,439	113,070	58,220	54,850	11,262	—	1,364	9	23,611	70,891	35,190	35,701	14,000
1861-65	3,127,000	109,764	56,336	53,428	10,742	—	1,298	13	22,013	69,265	34,380	34,885	13,000
1866	3,215,130	113,667	58,360	55,307	11,673	—	1,366	12	23,688	71,348	35,355	35,993	13,000
1867	3,245,101	114,044	58,517	55,527	11,148	—	1,365	+13	22,618	69,068	34,363	34,705	13,000
1868	3,275,353	115,514	59,222	56,292	11,354	—	1,443	15	21,855	69,416	34,662	34,754	13,000
1869	3,305,889	113,354	58,321	55,033	11,066	—	1,407	15	22,144	75,875	37,868	38,007	14,000
1870	3,336,712	115,390	58,959	56,431	11,108	—	1,384	9	23,854	74,165	36,866	37,299	14,000
1866-70	3,276,000	114,394	58,676	55,718	11,270	—	1,393	+13	22,832	71,974	35,823	36,151	13,000
1871	3,368,926	116,128	60,029	56,099	11,077	—	1,299	17	24,019	74,712	36,827	37,885	15,000
1872	3,404,799	118,765	61,293	57,472	10,927	—	1,383	11	25,641	75,794	37,939	37,855	14,000
1873	3,441,057	119,700	61,467	58,233	10,925	—	1,410	15	26,748	76,946	39,037	37,909	14,000
1874	3,477,704	123,711	63,602	60,109	10,991	—	1,512	13	26,390	80,720	40,678	40,042	15,000
1875	3,514,744	123,578	63,432	60,146	10,786	—	1,477	9	25,974	81,767	40,323	41,444	16,000
1871-75	3,441,000	120,376	61,964	58,412	10,941	—	1,416	13	25,754	77,988	38,961	39,027	15,000
1876	3,552,182	126,534	64,819	61,715	11,029	—	1,463	20	26,579	74,129	37,404	36,725	15,000
1877	3,590,021	126,822	65,089	61,733	10,568	—	1,429	12	25,817	73,937	37,173	36,764	14,000
1878	3,628,268	126,773	65,200	61,573	10,641	—	1,367	12	24,358	76,793	38,389	38,404	15,000
1879	3,666,923	125,730	64,346	61,384	10,727	—	1,452	20	23,519	73,347	36,296	37,051	13,000
1880	3,705,994	124,570	63,786	60,784	10,589	—	1,438	8	24,505	75,803	38,055	37,748	15,000
1876-80	3,629,000	126,086	64,648	61,438	10,711	—	1,430	14	24,956	74,801	37,463	37,338	14,000
1881	3,742,564	126,171	64,720	61,451	10,484	—	1,418	13	26,004	72,325	36,097	36,228	14,000
1882	3,770,656	126,158	64,505	61,653	10,546	—	1,415	7	26,596	72,989	36,325	36,664	14,000
1883	3,798,961	124,458	63,879	60,579	10,114	—	1,370	18	26,869	76,891	38,296	38,595	14,000
1884	3,827,476	129,157	66,379	62,778	10,439	—	1,457	19	26,106	75,168	37,556	37,612	15,000
1885	3,856,207	126,100	64,543	61,557	10,680	—	1,423	14	25,304	74,607	36,932	37,675	15,000
1881-85	3,799,000	126,409	64,805	61,604	10,453	—	1,417	14	26,176	74,396	37,041	37,355	14,000
1886	3,885,154	127,890	65,910	61,980	10,506	—	1,331	10	24,515	73,640	36,432	37,208	14,000
1887	3,914,318	124,418	63,842	60,576	10,380	—	1,335	18	24,876	74,546	36,805	37,741	15,000
1888	3,943,701	123,269	63,129	60,140	9,968	—	1,380	12	25,305	71,174	34,953	36,221	13,000
1889	3,973,304	122,783	63,303	59,480	9,770	—	1,423	10	26,344	73,238	36,328	36,910	14,000
1890	4,003,131	121,526	62,187	59,339	9,241	—	1,421	13	27,469	79,004	39,130	39,874	15,000
1886-90	3,944,000	123,977	63,674	60,303	9,973	—	1,378	13	25,702	74,320	36,729	37,591	14,000
1891	4,036,245	125,986	64,769	61,217	9,647	—	1,372	14	27,969	83,573	41,122	42,451	16,000
1892	4,078,910	125,043	64,356	60,687	9,248	—	1,468	17	28,670	75,545	37,463	38,082	14,000
1893	4,122,029	127,110	65,010	62,100	9,467	—	1,469	10	27,145	79,670	39,585	40,085	17,000
1894	4,165,606	124,367	63,857	60,510	9,064	—	1,450	13	27,604	71,113	35,153	35,960	14,000
1895	4,209,645	126,494	64,799	61,695	9,204	—	1,342	12	28,422	81,852	40,663	41,189	16,000
1891-95	4,122,000	125,800	64,558	61,242	9,236	—	1,420	13	27,962	78,350	38,797	39,553	15,000
1896	4,254,153	129,172	66,214	62,958	9,393	—	1,493	21	30,270	70,677	35,321	35,356	14,000
1897	4,299,132	128,877	65,817	63,060	9,068	—	1,375	15	31,050	79,144	39,506	39,638	17,000
1898	4,344,589	130,861	66,814	64,047	8,870	—	1,450	14	32,112	78,397	39,344	39,053	17,000
1899	4,390,530	130,733	66,778	63,955	8,486	—	1,463	15	32,978	79,593	39,903	39,690	17,000
1900	4,436,958	131,401	67,147	64,254	8,534	—	1,544	15	32,444	82,296	41,276	41,020	16,000
1896-1900	4,345,000	130,209	66,554	63,655	8,870	—	1,465	16	31,771	78,021	39,070	38,951	16,000
1901	4,479,104	132,192	67,753	64,439	8,359	—	1,547	13	31,387	80,107	40,213	39,894	17,000
1902	4,507,220	132,267	67,442	64,825	8,300	—	1,620	25	31,913	77,941	39,183	38,758	15,000
1903	4,535,513	133,525	68,087	65,438	8,295	—	1,604	+13	32,351	76,002	38,136	37,866	15,000
1904	4,563,985	132,603	67,794	64,809	9,010	—	1,603	18	32,271	77,981	38,851	39,130	16,000
1905	4,592,636	131,410	66,750	64,660	9,082	—	1,619	17	31,270	74,536	37,196	37,340	15,000
1901-05	4,536,000	132,399	67,565	64,834	8,609	—	1,599	+17	31,838	77,313	38,716	38,597	15,000
1906	4,621,466	132,005	67,461	64,544	9,306	—	1,524	21	33,142	75,635	37,731	37,904	15,000
1907	4,650,478	128,840	65,901	62,939	8,791	—	1,676	+14	33,298	77,296	38,240	39,056	14,000
1908	4,679,671	131,362	66,826	64,536	9,111	—	1,675	15	31,606	77,838	38,864	38,974	15,000
1909	4,709,048	128,669	65,725	62,944	9,370	—	1,627	12	30,108	74,632	37,094	37,538	13,000
1910	4,738,611	124,059	63,144	60,915	9,049	—	1,541	8	30,902	72,268	36,049	36,219	13,000
1906-10	4,680,000	128,987	65,811	63,176	9,125	—	1,609	+14	31,811	75,534	37,596	37,938	14,000

* Live births only prior to 1939
† Including one case of quadruplets

Table 1—continued

Year	Estimated Mid-Year Popula- tion	Live-Births				Still- Births	Multiple Births*		Marriages	Deaths			
		Total	Males	Fem.	Illegit.		Twins	Triplets		Total	Males	Fem.	Under 1 Year
1911	4,751,132	121,850	62,274	59,576	9,200	—	1,552	11	31,844	71,732	35,823	35,909	13,707
1912	4,741,077	122,790	62,931	59,859	8,989	—	1,524	13	32,506	72,340	36,072	36,268	12,949
1913	4,728,132	120,516	61,464	59,052	8,548	—	1,527	21	33,676	73,069	36,504	36,565	13,214
1914	4,747,167	123,934	62,974	60,960	8,879	—	1,634	16	35,028	73,557	36,757	36,800	13,710
1915	4,770,798	114,181	58,392	55,789	7,875	—	1,451	15	36,233	81,631	41,110	40,521	14,441
1911-15	4,748,000	120,654	61,607	59,047	8,698	—	1,538	15	33,857	74,466	37,253	37,213	13,604
1916	4,794,708	109,942	56,471	53,471	7,797	—	1,419	6	31,419	70,640	35,649	34,991	10,674
1917	4,810,338	97,441	50,011	47,430	7,295	—	1,274	7	30,421	69,483	35,361	34,122	10,473
1918	4,812,274	98,554	50,373	48,181	7,854	—	1,357	10	34,529	78,372	39,144	39,228	9,836
1919	4,820,077	106,268	54,771	51,497	8,424	—	1,584	114	44,060	75,149	37,500	37,649	10,795
1920	4,864,396	136,546	69,719	66,827	10,204	—	1,822	15	46,754	68,179	34,619	33,560	12,565
1916-20	4,820,000	109,750	56,269	53,481	8,315	—	1,491	110	37,437	72,365	36,455	35,910	10,869
1921	4,882,497	123,201	63,075	60,126	8,757	—	1,596	8	39,243	66,210	33,085	33,125	11,130
1922	4,898,000	115,085	58,826	56,259	7,881	—	1,498	11	34,375	72,905	36,244	36,661	11,664
1923	4,888,100	111,902	57,332	54,570	7,477	—	1,491	9	35,200	63,283	31,682	31,601	8,825
1924	4,862,200	106,900	54,910	51,981	7,086	—	1,400	13	32,328	70,357	35,168	35,189	10,446
1925	4,867,100	104,137	53,426	50,711	6,831	—	1,309	7	32,456	65,507	33,036	32,471	9,430
1921-25	4,879,600	112,245	57,516	54,729	7,606	—	1,459	10	34,720	67,652	33,843	33,809	10,299
1926	4,864,300	102,449	52,362	50,087	7,046	—	1,279	112	31,244	63,780	32,021	31,759	8,514
1927	4,853,100	96,672	49,314	47,358	6,978	—	1,237	9	32,553	65,830	33,097	32,733	8,576
1928	4,847,900	96,822	49,584	47,238	7,158	—	1,201	15	32,948	65,271	32,577	32,694	8,299
1929	4,832,200	92,880	47,769	45,111	7,165	—	1,157	12	32,967	70,917	35,386	35,531	8,061
1930	4,828,000	94,549	48,069	46,480	6,950	—	1,265	9	33,315	64,285	32,448	31,837	7,852
1926-30	4,845,100	96,674	49,419	47,255	7,059	—	1,228	111	32,605	66,017	33,106	32,911	8,260
1931	4,843,000	92,220	46,972	45,248	6,661	—	1,117	15	32,652	64,229	32,238	31,991	7,544
1932	4,883,100	91,000	46,579	44,421	6,456	—	1,106	17	33,157	66,045	32,743	33,302	7,840
1933	4,912,400	86,546	44,767	41,779	5,964	—	1,067	10	34,201	64,848	32,593	32,255	7,019
1934	4,934,300	88,836	45,414	43,422	6,119	—	1,034	15	36,934	63,741	32,093	31,648	6,901
1935	4,952,500	87,928	44,965	42,963	5,777	—	1,058	5	37,988	65,331	32,822	32,509	6,754
1931-35	4,905,000	89,306	45,739	43,567	6,195	—	1,076	12	34,986	64,839	32,498	32,341	7,212
1936	4,966,300	88,928	45,323	43,605	5,744	—	1,047	7	37,896	66,749	33,873	32,876	7,315
1937	4,976,600	87,810	45,035	42,775	5,404	—	1,035	10	38,334	68,942	34,964	33,978	7,050
1938	4,993,100	88,627	45,447	43,180	5,449	—	1,058	3	38,716	62,953	31,806	31,147	6,163
1939	5,006,700	86,913	44,687	42,226	5,244	3,832	1,233	14	46,236	64,413	33,002	31,411	5,955
1940†	4,841,200	86,392	44,234	42,158	5,144	3,799	1,206	5	53,522	72,775	37,649	35,126	6,766
1936-40	4,956,800	87,734	44,245	42,759	5,397	—	1,116	8	42,941	67,166	34,259	32,907	6,650
1941‡	4,819,400	89,748	46,104	43,644	5,948	3,698	1,207	17	47,620	72,558	37,690	34,868	7,426
1942‡	4,751,000	90,703	46,405	44,298	6,516	3,602	1,175	8	47,402	64,963	33,813	31,150	6,283
1943‡	4,661,600	94,669	48,473	46,196	7,219	3,494	1,299	16	38,177	66,733	34,326	32,407	6,174
1944‡	4,653,600	95,920	49,519	46,401	7,612	3,221	1,342	113	37,017	64,603	33,323	31,280	6,237
1945‡	4,673,900	86,924	44,774	42,150	7,526	2,949	1,243	13	48,642	62,655	32,001	30,654	4,889
1941-45	4,711,900	91,593	47,055	44,538	6,964	3,393	1,253	113	43,772	66,302	34,230	32,072	6,202
1946‡	4,900,800	104,413	53,857	50,556	6,948	3,483	1,474	20	45,785	64,605	32,717	31,888	5,621
1947	5,084,200	113,147	58,010	55,137	6,311	3,563	1,570	19	44,360	66,200	33,801	32,399	6,309
1948	5,096,900	100,344	51,858	48,486	5,776	2,966	1,360	11	43,718	60,979	30,844	30,135	4,486
1949	5,110,900	95,674	49,183	46,491	5,223	2,666	1,331	17	41,708	63,488	31,851	31,637	3,961
1950	5,126,400	92,530	47,822	44,708	4,837	2,557	1,347	16	40,459	63,996	32,191	31,805	3,569
1946-50	5,063,800	101,222	52,146	49,076	5,819	3,047	1,416	17	43,206	63,854	32,281	31,573	4,789
1951	5,114,400	90,639	46,699	43,940	4,592	2,479	1,283	18	41,361	65,778	33,116	32,662	3,391
1952	5,114,600	90,422	46,268	44,154	4,306	2,430	1,277	114	41,154	61,510	31,401	30,109	3,181
1953	5,117,600	90,913	46,853	44,060	4,231	2,308	1,222	6	40,902	58,878	30,326	28,552	2,800
1954	5,123,300	92,315	47,414	44,901	4,177	2,401	1,310	14	41,974	61,380	31,493	29,887	2,861
1955	5,133,300	92,539	47,526	45,013	3,991	2,330	1,269	10	43,199	61,645	31,329	30,316	2,811
1951-55	5,120,700	91,366	46,952	44,414	4,259	2,390	1,272	113	41,721	61,838	31,533	30,305	3,009
1956	5,144,600	95,313	48,951	46,362	4,069	2,329	1,295	110	43,963	61,792	31,651	30,141	2,727
1957	5,150,000	97,977	50,350	47,627	4,017	2,378	1,408	12	42,661	61,143	31,622	29,521	2,802
1958	5,169,000	99,481	51,018	48,463	4,073	2,324	1,277	16	41,186	62,065	31,765	30,300	2,758
1959	5,191,700	99,251	51,126	48,125	4,134	2,252	1,237	110	40,448	63,061	32,454	30,607	2,816

* Live Births only prior to 1939

‡ Mean civilian population for year

† Including one case of quadruplets
(two cases in 1944)

Table 1A. Estimated Population, Total, De Facto, and Civilian by sex and age, as at 30th June, 1959.

Total population comprises the civilian population, all members of H.M. Forces of Scottish domicile and Merchant Navy at home and abroad, but excludes Forces stationed in Scotland who are not of Scottish domicile.

De facto population comprises the population, of all types, actually in Scotland.

Civilian population comprises all civilians but excludes Merchant Navy at home and abroad.

(Figures in thousands)

Age	Total Population			<i>De facto</i> Population			Civilian Population		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
0	96.9	49.4	47.5	96.9	49.4	47.5	96.9	49.4	47.5
1-4	361.9	185.0	176.9	361.9	185.0	176.9	361.9	185.0	176.9
5-9	421.2	215.7	205.4	421.2	215.7	205.4	421.2	215.7	205.4
10-14	439.2	224.4	214.8	439.2	224.4	214.8	439.2	224.4	214.8
15-19	379.8	192.7	187.1	372.0	185.3	186.7	367.4	180.9	186.5
20-24	366.3	185.9	180.4	343.3	163.3	180.0	329.5	149.7	179.7
25-29	354.5	179.1	175.4	347.5	172.2	175.3	343.1	167.9	175.2
30-34	351.2	175.4	175.8	347.3	171.5	175.8	344.9	169.2	175.7
35-39	373.7	185.1	188.7	370.2	181.6	188.6	368.1	179.5	188.6
40-44	307.7	148.7	159.0	305.4	146.4	158.9	304.0	145.1	158.9
45-49	355.8	173.1	182.7	354.5	171.9	182.6	353.8	171.2	182.6
50-54	340.5	164.3	176.2	339.9	163.7	176.2	339.5	163.3	176.2
55-59	308.9	144.6	164.3	308.6	144.4	164.3	308.5	144.2	164.3
60-64	245.3	105.6	139.8	245.3	105.6	139.8	245.3	105.6	139.8
65-69	198.4	81.7	116.7	198.4	81.7	116.7	198.4	81.7	116.7
70-74	153.4	60.8	92.5	153.4	60.8	92.5	153.4	60.8	92.5
75-79	104.3	40.7	63.5	104.3	40.7	63.5	104.3	40.7	63.5
80-84	57.8	22.1	35.7	57.8	22.1	35.7	57.8	22.1	35.7
85 and over	24.5	8.7	15.8	24.5	8.7	15.8	24.5	8.7	15.8
All Ages	5,241.3	2,543.1	2,698.2	5,191.7	2,494.5	2,697.1	5,161.6	2,465.2	2,696.4

Table 1B. Estimated Total Population, by Sex, Age and Marital Condition, as at 30th June, 1959.

(Figures in thousands)

Age	Males				Females			
	Total	Single	Married	Widowed and Divorced	Total	Single	Married	Widowed and Divorced
0-14	674.7	674.7	—	—	644.6	644.6	—	—
15-19	192.7	190.0	2.7	—	187.1	176.3	10.8	0.0
20-24	185.9	132.0	53.8	0.1	180.4	86.6	93.2	0.6
25-29	179.1	58.5	120.1	0.6	175.4	33.5	140.5	1.4
30-34	175.4	39.1	134.7	1.5	175.8	31.5	142.2	2.2
35-39	185.1	33.0	149.8	2.3	188.7	30.9	153.6	4.2
40-44	148.7	17.7	127.5	3.5	159.0	20.0	131.4	7.6
45-49	173.1	22.2	146.3	4.7	182.7	28.6	140.6	13.5
50-54	164.3	19.6	138.5	6.2	176.2	31.1	124.7	20.4
55-59	144.6	17.2	119.2	8.2	164.3	32.0	103.3	29.0
60-64	105.6	11.4	84.0	10.1	139.8	27.9	74.7	37.1
65-69	81.7	8.7	60.6	12.3	116.7	24.2	49.0	43.5
70-74	60.8	6.7	39.9	14.2	92.5	19.9	27.8	44.8
75 and over	71.5	8.4	30.8	32.3	115.1	24.9	15.8	74.4
All Ages	2,543.1	1,239.4	1,207.7	96.0	2,698.2	1,212.0	1,207.5	278.7

**Table 1C. Estimated Total Population mid-1959, projected to mid-1979
by sex and age.**

Basis—Mid-1959 estimate of Total Population (including Scottish Armed Forces and Merchant Seamen at home and abroad but excluding Forces stationed in Scotland who are not of Scottish domicile.)

Assumptions—

Mortality—Steady decline of death rates over the period to about one-half of the rates experienced in the years 1954-58 at ages under 45; and progressively less improvement at ages over 45.

Fertility—Births averaging 99,000 in first 5 years, 101,000 in next 10 years, thereafter rising to about 103,000 in 1979. Male to female ratio 1.06.

Migration—Annual net loss of 20,000 (10,000 males and 10,000 females).

(Thousands)

Age Group	1959		1964		1969		1974		1979	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
0-4	234	224	244	231	249	236	254	240	257	243
5-9	216	205	230	220	240	227	245	231	249	236
10-14	224	215	212	202	226	216	236	223	241	228
15-19	193	187	221	211	208	198	222	213	233	220
20-24	186	180	187	181	215	206	202	193	217	207
25-29	179	175	176	172	177	173	205	197	193	185
30-34	175	176	170	168	167	164	168	166	196	190
35-39	185	189	168	170	163	162	161	159	162	160
40-44	149	159	179	183	162	165	158	157	155	154
45-49	173	183	143	154	172	178	157	160	152	152
50-54	164	176	164	176	136	148	165	172	150	155
55-59	144	164	151	168	152	168	126	142	154	165
60-64	106	140	128	153	135	157	136	158	113	134
65-69	82	117	87	125	107	138	114	143	116	144
70-74	61	92	62	97	67	105	82	116	88	122
75-79	41	64	39	68	41	72	44	79	55	88
80-84	22	36	21	38	20	41	21	44	24	49
85+	9	16	9	17	9	19	9	20	9	22
All Ages	2,543	2,698	2,591	2,734	2,646	2,773	2,705	2,813	2,764	2,854
under 15	1,318		1,339		1,394		1,429		1,454	
M.15-64	3,243		3,270		3,249		3,259		3,313	
F.15-59										
M.65+	680		716		776		830		851	
F.60+										
Total	5,241		5,325		5,419		5,518		5,618	

Table 2. Birth-, Stillbirth-, Death-, and Marriage-rates in Scotland, 1855-1959

Year	Rates per 1,000 of Population					Natural Increase (excess of Births over Deaths)	Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births	Deaths of Children under one year per 1,000 Live Births	Stillbirths per 1,000 Births (including Stillbirths)
	Birth-rate (Living Children)	Marriage-rate	Death-rate								
			Total	Males	Fem.						
1855	31-346	6-608	20-820	21-62	20-03	10-53	7-88	1049	—	125-2	—
1856	33-988	6-923	19-537	20-65	18-50	14-45	8-54	1053	1-27	118-4	—
1857	34-331	7-094	20-551	21-61	19-58	13-78	8-58	1057	1-29	117-9	—
1858	34-356	6-492	20-986	22-02	20-05	13-37	8-99	1066	1-25	121-3	—
1859	35-026	6-969	20-288	21-20	19-40	14-74	9-12	1052	1-28	108-2	—
1860	35-578	6-948	22-316	23-21	21-50	13-26	9-22	1062	1-22	127-0	—
1855-60	34-104	6-839	20-750	21-72	19-84	13-36	8-74	1057	1-26	119-6	—
1861	34-863	6-808	20-310	21-25	19-46	14-55	9-28	1042	1-20	110-9	—
1862	34-561	6-648	21-690	22-60	20-87	12-87	9-69	1066	1-23	117-3	—
1863	34-968	7-160	22-860	24-02	21-81	12-11	10-01	1058	1-18	120-0	—
1864	35-594	7-200	23-579	24-70	22-56	12-02	9-97	1044	1-21	126-2	—
1865	35-496	7-412	22-255	23-25	21-35	13-24	9-96	1061	1-23	124-7	—
1861-65	35-096	7-046	22-139	23-16	21-21	12-96	9-79	1054	1-21	119-9	—
1866	35-354	7-367	22-191	23-13	21-34	13-16	10-27	1055	1-23	122-4	—
1867	35-063	6-970	21-284	22-26	20-40	13-78	9-78	1054	1-22	118-6	—
1868	35-267	6-673	21-193	22-22	20-25	14-07	9-83	1052	1-28	117-7	—
1869	34-288	6-698	22-951	24-04	21-96	11-34	9-76	1059	1-27	129-3	—
1870	34-582	7-149	22-227	23-17	21-37	12-36	9-63	1044	1-22	122-8	—
1866-70	34-911	6-971	21-969	22-96	21-06	12-94	9-85	1053	1-24	122-1	—
1871	34-470	7-130	22-177	22-90	21-51	12-29	9-54	1070	1-15	130-3	—
1872	34-882	7-531	22-261	23-33	21-00	12-62	9-20	1066	1-19	123-9	—
1873	34-786	7-773	22-361	23-72	21-11	12-43	9-13	1055	1-20	124-9	—
1874	35-573	7-588	23-211	24-44	22-08	12-36	8-88	1058	1-25	124-9	—
1875	35-160	7-390	23-264	23-94	22-63	11-90	8-73	1055	1-22	132-1	—
1871-75	34-974	7-482	22-655	23-67	21-67	12-32	9-09	1061	1-20	127-2	—
1876	35-621	7-482	20-869	21-96	19-86	14-75	8-72	1050	1-19	121-2	—
1877	35-326	7-191	20-595	21-57	19-69	14-73	8-33	1054	1-15	114-9	—
1878	34-940	6-713	21-165	22-02	20-37	12-78	8-39	1059	1-10	123-0	—
1879	34-288	6-414	20-002	20-58	19-47	14-29	8-53	1048	1-18	107-9	—
1880	33-613	6-612	20-454	21-33	19-64	13-16	8-50	1049	1-17	124-6	—
1876-80	34-758	6-882	20-617	21-49	19-81	13-94	8-49	1052	1-16	118-3	—
1881	33-712	6-948	19-325	20-02	18-68	14-39	8-31	1053	1-15	112-5	—
1882	33-458	7-053	19-357	19-98	18-77	14-10	8-36	1046	1-14	118-0	—
1883	32-761	7-073	20-240	20-90	19-61	12-52	8-13	1054	1-13	119-0	—
1884	33-745	6-821	19-639	20-32	18-97	14-11	8-08	1057	1-16	117-9	—
1885	32-700	6-562	19-347	19-83	18-87	13-35	8-47	1049	1-15	120-5	—
1881-85	33-275	6-891	19-582	20-21	18-98	13-69	8-27	1052	1-15	117-6	—
1886	32-918	6-310	18-954	19-40	18-50	13-96	8-21	1063	1-06	115-7	—
1887	31-785	6-355	19-044	19-44	18-63	12-74	8-34	1054	1-10	122-2	—
1888	31-257	6-417	18-048	18-32	17-75	13-21	8-09	1050	1-14	113-1	—
1889	30-902	6-630	18-433	18-88	17-96	12-47	7-96	1064	1-18	121-3	—
1890	30-358	6-862	19-736	20-26	19-25	10-62	7-60	1048	1-19	130-6	—
1886-90	31-444	6-515	18-843	19-26	18-42	12-60	8-04	1056	1-13	120-5	—
1891	31-214	6-929	20-706	21-11	20-33	10-51	7-66	1058	1-11	127-9	—
1892	30-656	7-029	18-521	19-01	18-06	12-14	7-40	1060	1-20	117-5	—
1893	30-837	6-585	19-328	19-87	18-82	11-51	7-45	1047	1-18	136-0	—
1894	29-856	6-627	17-071	17-45	16-72	12-79	7-29	1055	1-19	116-7	—
1895	30-049	6-752	19-444	19-95	18-96	10-61	7-28	1050	1-08	133-4	—
1891-95	30-522	6-784	19-014	19-48	18-58	11-51	7-41	1054	1-15	126-4	—
1896	30-364	7-115	16-614	17-14	16-12	13-75	7-27	1052	1-19	115-5	—
1897	29-977	7-222	18-409	18-96	17-89	11-57	7-04	1044	1-09	137-9	—
1898	30-120	7-391	18-045	18-67	17-46	12-08	6-78	1043	1-13	134-2	—
1899	29-776	7-511	18-128	18-72	17-57	11-65	6-49	1044	1-14	131-0	—
1900	29-615	7-312	18-548	19-15	17-98	11-07	6-49	1045	1-20	128-5	—
1896-1900	29-970	7-310	17-949	18-53	17-40	12-02	6-81	1046	1-15	129-5	—
1901	29-513	7-007	17-885	18-47	17-33	11-63	6-32	1051	1-19	129-4	—
1902	29-346	7-080	17-292	17-89	16-73	12-05	6-28	1040	1-26	113-4	—
1903	29-440	7-133	16-757	17-31	16-24	12-68	6-21	1040	1-23	117-5	—
1904	29-054	7-071	17-086	17-53	16-67	11-97	6-79	1046	1-24	123-1	—
1905	28-613	6-809	16-229	16-68	15-81	12-38	6-91	1032	1-26	116-2	—
1901-05	29-193	7-020	17-050	17-58	16-56	12-14	6-50	1042	1-24	119-9	—
1906	28-563	7-171	16-366	16-82	15-94	12-20	7-05	1045	1-18	115-0	—
1907	27-705	7-160	16-621	16-94	16-32	11-08	6-82	1047	1-33	109-7	—
1908	28-071	6-754	16-633	17-11	16-18	11-44	6-94	1035	1-30	121-0	—
1909	27-324	6-394	15-849	16-24	15-48	11-48	7-28	1044	1-29	107-7	—
1910	26-180	6-521	15-251	15-68	14-84	10-93	7-29	1037	1-26	108-3	—
1906-10	27-566	6-800	16-144	16-56	15-75	11-43	7-07	1042	1-27	112-4	—

Table 2—continued

Year	Rates per 1,000 of Population					Natural Increase (excess of Births over Deaths)	Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births (live and still)†	Deaths of Children under one year per 1,000 Live Births	Stillbirths per 1,000 Births (including Stillbirths)
	Birth- rate (Living Child- ren)	Mar- riage- rate	Death-rate								
			Total	Males	Fem.						
1911	25-647	6-702	15-098	15-55	14-67	10-55	7-55	1045	1-30	112-5	—
1912	25-899	6-856	15-258	15-68	14-86	10-64	7-32	1051	1-27	105-5	—
1913	25-489	7-122	15-454	15-90	15-04	10-04	7-09	1041	1-30	109-6	—
1914	26-107	7-379	15-495	15-93	15-08	10-61	7-16	1033	1-35	110-6	—
1915	23-933	7-595	17-111	17-77	16-49	6-82	6-90	1047	1-30	126-5	—
1911-15	25-415	7-131	15-683	16-17	15-23	9-73	7-21	1043	1-30	112-8	—
1916	22-930	6-553	14-733	15-37	14-13	8-20	7-09	1056	1-31	97-1	—
1917	20-257	6-324	14-445	15-24	13-71	5-81	7-49	1054	1-33	107-5	—
1918	20-480	7-175	16-286	16-96	15-67	4-19	7-97	1045	1-41	99-8	—
1919	22-047	9-141	15-591	16-20	15-02	6-46	7-93	1064	1-53	101-6	—
1920	28-070	9-611	14-016	14-81	13-28	14-05	7-47	1043	1-36	92-0	—
1916-20	22-757	7-761	15-014	15-72	14-36	7-74	7-58	1052	1-39	99-0	—
1921	25-233	8-037	13-561	14-09	13-07	11-67	7-11	1049	1-32	90-3	—
1922	23-496	7-018	14-885	15-37	14-43	8-61	6-85	1046	1-33	101-4	—
1923	22-892	7-201	12-946	13-47	12-46	9-95	6-68	1051	1-36	78-9	—
1924	21-986	6-649	14-470	15-10	13-89	7-52	6-63	1057	1-34	97-7	—
1925	21-396	6-668	13-459	14-15	12-82	7-94	6-56	1054	1-28	90-6	—
1921-25	23-001	7-114	13-864	14-44	13-34	9-14	6-78	1051	1-33	91-8	—
1926	21-061	6-423	13-112	13-73	12-55	7-95	6-88	1045	1-28	83-1	—
1927	19-919	6-707	13-564	14-22	12-96	6-35	7-22	1041	1-31	88-7	—
1928	19-971	6-796	13-463	14-01	12-96	6-51	7-39	1050	1-28	85-7	—
1929	19-220	6-822	14-675	15-27	14-12	4-54	7-71	1059	1-27	86-8	—
1930	19-583	6-900	13-314	14-01	12-67	6-27	7-35	1034	1-37	83-0	—
1926-30	19-951	6-730	13-626	14-25	13-05	6-32	7-30	1046	1-30	85-4	—
1931	19-042	6-742	13-262	13-86	12-71	5-78	7-22	1038	1-24	81-8	—
1932	18-636	6-790	13-525	13-94	13-14	5-11	7-09	1049	1-25	86-2	—
1933	17-618	6-962	13-201	13-79	12-66	4-42	6-89	1072	1-26	81-1	—
1934	18-004	7-485	12-918	13-51	12-37	5-09	6-89	1046	1-20	77-7	—
1935	17-754	7-670	13-191	13-76	12-66	4-56	6-57	1047	1-23	76-8	—
1931-35	18-207	7-133	13-219	13-77	12-71	4-99	6-94	1050	1-23	80-8	—
1936	17-906	7-631	13-440	14-16	12-77	4-47	6-46	1039	1-20	82-3	—
1937	17-645	7-703	13-853	14-59	13-17	3-79	6-15	1053	1-20	80-3	—
1938	17-749	7-754	12-608	13-22	12-04	5-14	6-15	1053	1-21	69-5	—
1939	17-359	9-235	12-865	13-68	12-11	4-49	6-03	1058	1-39	68-5	42-2
1940*	17-124	10-609	14-863	16-59	13-40	2-26	5-95	1049	1-36	78-3	42-1
1936-40	17-557	8-586	13-517	14-41	12-70	4-03	6-15	1050	1-27	75-8	—
1941*	17-501	9-284	14-741	16-74	13-11	2-76	6-63	1056	1-33	82-7	39-6
1942*	17-632	9-215	13-343	15-24	11-81	4-29	7-18	1048	1-27	69-3	38-2
1943*	18-355	7-402	13-977	15-93	12-43	4-38	7-63	1049	1-36	65-2	35-6
1944*	18-485	7-134	13-574	15-65	11-95	4-91	7-94	1067	1-39	65-0	32-5
1945*	16-855	9-432	13-200	15-11	11-70	3-65	8-66	1062	1-42	56-2	32-8
1941-45	17-766	8-493	13-772	15-74	12-20	4-00	7-61	1056	1-35	67-7	35-7
1946*	20-334	8-917	13-074	14-14	12-15	7-26	6-65	1065	1-40	53-8	32-3
1947	22-254	8-725	13-021	13-86	12-25	9-14	5-58	1052	1-38	55-8	30-5
1948	19-687	8-577	11-964	12-64	11-34	7-62	5-76	1070	1-35	44-7	28-7
1949	18-720	8-161	12-422	12-99	11-90	6-22	5-46	1058	1-39	41-4	27-1
1950	18-050	7-892	12-484	13-09	11-93	5-51	5-23	1070	1-45	38-6	26-9
1946-50	19-806	8-454	12-589	13-33	11-91	7-24	5-75	1063	1-39	47-3	29-2
1951	17-722	8-087	12-861	13-55	12-23	4-86	5-07	1063	1-42	37-4	26-6
1952	17-679	8-046	12-026	12-86	11-26	5-65	4-76	1048	1-41	35-2	26-2
1953	17-765	7-992	11-505	12-41	10-68	6-26	4-65	1063	1-33	30-8	24-8
1954	18-019	8-193	11-980	12-87	11-17	6-04	4-52	1056	1-42	31-0	25-3
1955	18-027	8-415	12-009	12-76	11-32	6-02	4-31	1056	1-37	30-4	24-6
1951-55	17-843	8-148	12-076	12-89	11-33	5-77	4-66	1057	1-39	32-9	25-5
1956	18-527	8-546	12-011	12-85	11-24	6-52	4-27	1056	1-35	28-6	23-9
1957	19-025	8-284	11-872	12-83	11-00	7-15	4-10	1057	1-44	28-6	23-7
1958	19-246	7-968	12-007	12-81	11-27	7-24	4-09	1053	1-28	27-7	22-8
1959	19-117	7-791	12-147	13-01	11-35	6-96	4-17	1062	1-24	28-4	22-2

* Death-rates from 1940 to 1946 are based on civilian population and civilian deaths

† Stillbirths not available prior to 1939

Table 3. Births, Stillbirths, Deaths and Marriages in Scotland, 1949-1959

	Numbers							Rates						
	Live Births		Stillbirths	Marriages	Deaths			Per 1,000 of Estimated Population			Illegit. Births per 100 Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality-rate per 1,000 Live Births	Stillbirths per 1,000 Total Births incl. stillbirths
	Total	Illegitimate			All Ages	Under One Year	Under Four Weeks	Births (living children.)	Marriages	Deaths				
1st Quarter, 1949	24,230	1,381	707	10,638	19,222	1,225	632	19.2	8.4	15.3	5.7	51	26	28
2nd " "	25,424	1,442	710	9,209	15,274	913	545	20.0	7.2	12.0	5.7	36	21	27
3rd " "	23,324	1,274	642	12,786	13,119	823	496	18.1	9.9	10.2	5.5	35	21	27
4th " "	22,696	1,126	607	9,075	15,873	1,000	544	17.6	7.0	12.3	5.0	44	24	26
Year 1949	95,674	5,223	2,666	41,708	63,488	3,961	2,217	18.7	8.2	12.4	5.5	41	23	27
1st Quarter, 1950	23,542	1,185	673	11,111	18,647	1,080	580	18.6	8.8	14.8	5.0	46	25	28
2nd " "	24,646	1,359	659	8,680	14,986	841	521	19.3	6.8	11.7	5.5	34	21	26
3rd " "	22,498	1,195	627	11,847	13,341	737	487	17.4	9.2	10.3	5.3	33	22	27
4th " "	21,844	1,098	598	8,821	17,022	911	543	16.9	6.8	13.2	5.0	42	25	27
Year 1950	92,530	4,837	2,557	40,459	63,996	3,569	2,131	18.0	7.9	12.5	5.2	39	23	27
1st Quarter, 1951	23,625	1,195	657	11,560	22,428	1,088	583	18.7	9.2	17.8	5.1	46	25	27
2nd " "	24,310	1,289	658	8,958	15,442	850	530	19.1	7.0	12.1	5.3	35	22	26
3rd " "	21,932	1,126	575	12,048	13,104	698	461	17.0	9.3	10.2	5.1	32	21	26
4th " "	20,772	982	589	8,795	14,804	755	445	16.1	6.8	11.5	4.7	36	21	28
Year 1951	90,639	4,592	2,479	41,361	65,778	3,391	2,019	17.7	8.1	12.9	5.1	37	22	27
1st Quarter, 1952	22,892	1,069	677	12,420	18,394	872	516	18.0	9.8	14.5	4.7	38	23	29
2nd " "	23,531	1,126	598	8,156	14,270	801	518	18.5	6.4	11.2	4.8	34	22	25
3rd " "	22,161	1,126	541	11,894	12,813	663	459	17.2	9.3	10.0	5.1	30	21	24
4th " "	21,838	985	614	8,684	16,033	845	465	17.0	6.8	12.5	4.5	39	21	27
Year 1952	90,422	4,306	2,430	41,154	61,510	3,181	1,958	17.7	8.0	12.0	4.8	35	22	26
1st Quarter, 1953	22,860	1,030	602	12,085	17,264	776	459	18.1	9.6	13.7	4.5	34	20	26
2nd " "	23,791	1,175	586	8,212	14,345	696	444	18.6	6.4	11.2	4.9	29	19	24
3rd " "	22,166	1,022	561	12,069	12,722	614	426	17.2	9.4	9.9	4.6	28	19	25
4th " "	22,096	1,004	559	8,536	14,547	714	427	17.1	6.6	11.3	4.5	32	19	25
Year 1953	90,913	4,231	2,308	40,902	58,878	2,800	1,756	17.8	8.0	11.5	4.7	31	19	25
1st Quarter, 1954	23,456	1,049	612	12,371	18,003	892	560	18.6	9.8	14.3	4.5	38	24	25
2nd " "	24,097	1,086	628	8,553	14,638	728	491	18.9	6.7	11.5	4.5	30	20	25
3rd " "	22,823	1,077	601	12,489	13,327	555	375	17.7	9.7	10.3	4.7	24	16	26
4th " "	21,939	965	560	8,561	15,412	686	478	17.0	6.6	11.9	4.4	31	22	25
Year 1954	92,315	4,177	2,401	41,974	61,380	2,861	1,904	18.0	8.2	12.0	4.5	31	21	25
1st Quarter, 1955	23,111	988	598	12,420	19,078	829	517	18.3	9.8	15.1	4.3	36	22	25
2nd " "	23,942	1,046	566	8,662	14,998	692	462	18.7	6.8	11.7	4.4	29	19	23
3rd " "	22,734	1,037	597	12,966	12,733	588	417	17.6	10.0	9.8	4.6	26	18	26
4th " "	22,752	920	569	9,151	14,836	702	430	17.6	7.1	11.5	4.0	31	19	24
Year 1955	92,539	3,991	2,330	43,199	61,645	2,811	1,826	18.0	8.4	12.0	4.3	30	20	25
1st Quarter, 1956	24,594	1,007	617	11,742	19,156	764	496	19.2	9.2	15.0	4.1	31	20	24
2nd " "	24,889	1,099	613	9,843	14,562	656	430	19.5	7.7	11.4	4.4	26	17	24
3rd " "	22,654	1,068	536	12,958	13,088	602	430	17.5	10.0	10.1	4.7	27	19	23
4th " "	23,176	895	563	9,420	14,986	705	463	17.9	7.3	11.6	3.9	30	20	24
Year 1956	95,313	4,069	2,329	43,963	61,792	2,727	1,819	18.5	8.5	12.0	4.3	29	19	24
1st Quarter, 1957	24,759	948	632	11,277	16,175	782	475	19.5	8.9	12.7	3.8	32	19	25
2nd " "	24,974	1,049	602	9,088	14,426	668	489	19.5	7.1	11.2	4.2	27	20	24
3rd " "	24,100	1,047	569	12,972	13,537	653	474	18.6	10.0	10.4	4.3	27	20	23
4th " "	24,144	973	575	9,324	17,005	699	482	18.6	7.2	13.1	4.0	29	20	23
Year 1957	97,977	4,017	2,378	42,661	61,143	2,802	1,920	19.0	8.3	11.9	4.1	29	20	24
1st Quarter, 1958	25,100	1,032	614	10,877	18,622	794	479	19.7	8.5	14.6	4.1	32	19	24
2nd " "	25,588	1,093	568	8,382	15,189	692	486	19.9	6.5	11.8	4.3	27	19	22
3rd " "	23,535	934	530	12,462	12,667	578	422	18.1	9.6	9.7	4.0	25	18	22
4th " "	25,258	1,014	612	9,465	15,587	694	475	19.4	7.3	12.0	4.0	27	19	24
Year 1958	99,481	4,073	2,324	41,186	62,065	2,758	1,862	19.2	8.0	12.0	4.1	28	19	23
1st Quarter, 1959	25,478	1,003	573	10,018	21,047	841	557	19.9	7.8	16.5	3.9	33	22	22
2nd " "	25,856	1,129	568	8,577	14,384	681	465	20.0	6.6	11.1	4.4	26	18	21
3rd " "	24,362	1,018	554	12,155	12,900	610	435	18.6	9.3	9.9	4.2	25	18	22
4th " "	23,555	984	557	9,698	14,730	684	465	18.0	7.4	11.2	4.2	29	20	23
Year 1959	99,251	4,134	2,252	40,448	63,061	2,816	1,922	19.1	7.8	12.1	4.2	28	19	22

Counties, Counties of Cities and Large Burghs	Estimated Population 1959	Birth-rate		Marri- age Rate	Death-rate								per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 (Live and Still)		
		Crude (Corrected for Transfer)	Standardised Age and Sex		Crude (Corrected for Transfer)	Standardised Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic* Diseases	Malignant Neoplasms	Bronchitis and Pneumonia	Total Violence					Road Transport Accidents	
SCOTLAND	5,191,660	19.1	19.1	7.8	12.1	12.1	12.1	0.11	0.10	0.12	2.12	0.98	0.55	0.12	4.2	28	19	22
COUNTIES OF CITIES	1,913,678	19.7	19.6	8.9	12.7	13.2	0.15	0.13	0.11	2.37	1.36	0.58	0.11	4.9	31	21	24	
LARGE BURGHS	875,023	20.3	19.2	8.9	11.5	12.4	0.12	0.11	0.10	2.01	0.90	0.51	0.09	3.5	29	19	21	
COUNTIES (EX. COUNTIES OF CITIES AND LARGE BURGHS)	2,402,959	18.2	18.7	6.5	11.9	11.3	0.08	0.07	0.14	1.97	0.71	0.54	0.14	3.8	26	18	21	
SMALL BURGHS	874,938	18.2	18.1	8.4	13.1	11.9	0.08	0.07	0.15	2.27	0.73	0.55	0.12	3.3	25	17	21	
LANDWARD	1,528,021	18.2	19.1	5.5	11.2	10.9	0.08	0.07	0.13	1.80	0.70	0.54	0.16	4.0	27	19	22	
ABERDEEN COUNTY	325,613	17.6	17.2	8.3	12.0	11.5	0.05	0.04	0.10	2.05	0.83	0.60	0.12	5.3	23	16	17	
Aberdeen C. of C.	186,796	17.9	16.9	9.5	12.3	12.3	0.07	0.06	0.07	2.32	0.93	0.61	0.11	5.3	23	14	18	
Remainder of C.	138,817	17.2	17.7	6.6	11.6	10.5	0.01	0.01	0.14	1.70	0.69	0.59	0.13	5.4	22	18	16	
ANGUS COUNTY	278,550	18.6	18.3	7.7	12.3	11.3	0.07	0.06	0.22	2.48	1.11	0.56	0.05	5.0	23	16	21	
Dundee C. of C.	180,869	19.8	19.0	8.3	12.5	12.2	0.07	0.07	0.25	2.57	1.31	0.58	0.03	5.4	23	16	20	
Arbroath Burgh	20,146	18.8	16.8	8.0	13.4	11.6	0.10	0.10	0.10	2.83	1.14	0.55	—	4.7	16	11	23	
Remainder of Co.	77,535	15.6	16.7	6.2	11.8	9.8	0.05	0.05	0.17	2.19	0.64	0.52	0.10	3.6	25	19	25	
ARGYLL COUNTY	55,970	15.6	20.1	5.7	16.8	12.5	0.14	0.13	0.16	2.75	0.70	0.88	0.23	6.1	38	18	20	
AYR COUNTY	343,697	19.0	18.2	7.5	11.8	12.2	0.08	0.07	0.14	1.97	0.60	0.45	0.11	3.7	27	17	22	
Ayr Burgh	44,440	18.7	18.7	9.9	13.4	13.0	0.11	0.07	0.14	2.48	0.50	0.45	0.11	4.3	18	8	17	
Kilmarnock Burgh	45,776	21.8	20.1	8.3	12.8	13.9	0.09	0.09	0.15	1.94	0.81	0.59	0.07	3.6	33	25	16	
Remainder of Co.	253,481	18.5	17.8	7.0	11.3	11.7	0.07	0.06	0.13	1.88	0.58	0.42	0.11	3.6	27	17	24	
BANFF COUNTY	49,105	17.4	20.0	6.8	12.5	10.8	0.04	0.04	0.20	1.93	0.81	0.63	0.16	5.3	30	18	24	
BERWICK COUNTY	23,434	12.2	13.7	5.8	14.7	12.1	0.04	0.04	—	2.09	0.77	0.51	0.21	3.8	31	21	27	
BUTE COUNTY	14,725	14.5	17.7	5.8	20.6	14.4	0.20	0.14	0.14	4.48	0.88	0.68	0.07	7.5	37	23	14	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	

Table 4. continued.

Counties, Counties of Cities and Large Burghs	Estimated Population 1959	Rates per 1,000 of Population														Per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 (Live and Still)
		Birth-rate				Death-rate													
		Crude (Transfer)	Standardised Age and Sex	Marri- age Rate	Crude (Corrected for Transfer)	Standardised Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic Diseases*	Malignant Neoplasms	Bronchitis and Pneumonia	Total Violence	Road Accidents Transport						
CATHNESS COUNTY	26,161	22.0	25.1	6.8	11.7	9.5	0.19	0.11	0.34	1.57	0.38	0.73	0.23	5.9	19	14	19		
CLACKMANNAN Co.	41,190	20.8	17.9	6.4	10.9	11.6	0.07	0.07	0.22	1.75	0.95	0.56	0.15	3.6	30	20	25		
DUMFRIES COUNTY	89,752	18.4	18.4	10.5	11.7	11.0	0.11	0.10	0.08	2.06	0.62	0.47	0.18	5.4	30	21	30		
Dumfries Burgh	27,780	18.9	17.3	12.4	10.8	11.1	0.11	0.11	0.07	1.73	0.68	0.32	0.11	5.9	31	21	35		
Remainder of Co.	61,972	18.2	19.1	9.6	12.1	11.0	0.11	0.10	0.08	2.21	0.60	0.53	0.21	5.1	29	20	28		
DUNBARTON COUNTY	179,835	19.9	19.1	6.5	11.2	11.9	0.12	0.11	0.16	2.07	0.77	0.61	0.15	3.2	25	16	19		
Clydebank Burgh	51,503	22.1	17.6	6.1	9.9	12.0	0.19	0.17	0.12	2.04	0.83	0.54	0.14	2.7	19	12	19		
Dumbarton Burgh	26,961	21.5	21.1	6.9	11.0	12.1	0.11	0.11	—	1.74	0.59	0.52	0.07	3.6	26	17	29		
Remainder of Co.	101,371	18.4	19.4	6.6	11.9	11.8	0.09	0.08	0.22	2.18	0.78	0.67	0.18	3.4	28	18	17		
EAST LOTHIAN Co.	52,221	17.9	17.3	6.6	11.7	11.8	0.08	0.06	0.08	2.14	0.71	0.54	0.11	2.9	22	16	15		
FIFE COUNTY	324,508	19.2	17.4	7.3	11.1	11.3	0.06	0.05	0.11	1.82	0.63	0.60	0.11	3.9	25	17	19		
Dunfermline Burgh	46,768	19.0	18.4	9.8	11.2	12.1	0.04	0.04	0.06	1.95	0.64	0.56	0.11	3.4	33	28	18		
Kirkcaldy Burgh	52,407	18.3	16.0	8.8	10.8	11.1	0.04	0.02	0.08	1.83	0.67	0.65	0.10	5.5	16	8	23		
Remainder of Co.	225,333	19.5	17.6	6.4	11.1	11.2	0.07	0.06	0.13	1.79	0.63	0.59	0.12	3.7	25	17	19		
INVERNESS COUNTY	83,477	17.3	22.2	7.5	12.7	10.4	0.10	0.08	0.29	1.76	0.85	0.56	0.22	5.0	26	21	26		
Inverness Burgh	28,562	17.9	17.8	14.9	12.7	12.1	0.14	0.14	0.11	1.93	0.91	0.67	0.21	4.3	31	25	27		
Remainder of Co.	54,915	17.0	25.4	3.6	12.7	9.8	0.07	0.05	0.38	1.68	0.82	0.51	0.22	5.4	24	18	25		
KINCARDINE COUNTY	26,687	15.5	16.8	5.9	11.2	9.5	0.07	0.07	0.07	1.57	0.60	0.60	0.26	2.9	17	17	26		
KINROSS COUNTY	7,135	15.1	16.2	5.5	9.3	8.1	—	—	—	1.82	0.14	0.28	0.14	1.9	9	—	9		
KIRKCUDBRIGHT COUNTY	30,268	18.4	20.0	6.1	13.2	11.7	0.07	0.07	0.03	2.38	0.79	0.86	0.13	3.9	13	7	23		
LANARK COUNTY	1,631,759	21.0	20.6	8.4	12.1	13.7	0.18	0.16	0.09	2.12	1.32	0.54	0.13	4.1	34	23	24		
Glasgow C. of C.	1,107,614	21.0	20.7	8.9	12.6	14.2	0.22	0.20	0.10	2.27	1.52	0.55	0.12	4.9	35	24	26		
Airdrie Burgh	33,397	23.0	21.8	9.6	9.3	11.1	0.06	0.06	0.03	1.35	0.96	0.33	0.06	2.6	25	13	15		
Coatbridge Burgh	53,754	24.6	23.3	6.6	10.3	12.5	0.09	0.09	0.04	1.64	1.25	0.41	0.11	2.9	23	14	17		
Hamilton Burgh	41,612	21.6	20.9	10.1	11.0	13.2	0.07	0.07	0.07	1.71	1.51	0.42	0.12	2.7	23	14	17		

Wishaw Burgh	72,733	20-4	19-8	8-2	11-2	12-9	0-12	0-08	0-10	1-99	0-87	0-49	0-12	2-7	32	21	18
Rutherglen Burgh	24,600	20-7	21-3	9-7	12-8	12-3	0-08	0-08	0-20	2-40	0-98	0-49	0-08	3-1	26	20	23
Remainder of Co.	329,049	20-2	19-9	6-6	11-4	12-9	0-13	0-12	0-09	1-84	0-86	0-55	0-16	2-6	35	24	20
MIDLOTHIAN COUNTY	578,253	18-0	18-4	8-6	12-9	12-2	0-04	0-04	0-11	2-44	1-13	0-63	0-12	4-3	24	18	20
Edinburgh C. of C.	469,399	17-4	18-3	9-0	13-3	12-2	0-05	0-04	0-11	2-54	1-20	0-64	0-10	4-7	24	18	19
Remainder of Co.	108,854	20-8	19-0	6-9	10-9	11-9	0-02	0-02	0-07	1-98	0-84	0-59	0-17	2-8	22	18	20
MORAY COUNTY	49,944	19-6	20-0	6-4	10-1	9-8	0-04	0-04	0-22	1-82	0-64	0-34	0-06	4-0	21	15	23
NAIRN COUNTY .	8,278	18-1	21-5	7-9	11-4	8-9	—	—	0-24	1-93	0-36	0-24	0-12	7-3	33	20	20
ORKNEY COUNTY	19,239	16-2	16-6	7-0	14-5	10-7	0-10	0-05	0-05	2-24	0-42	0-62	0-16	2-6	26	16	19
PEEBLES COUNTY	14,016	14-4	16-5	6-3	13-7	10-5	—	—	0-07	2-35	0-36	0-57	0-29	6-9	25	25	19
PERTH COUNTY .	126,236	16-2	18-1	7-3	13-5	11-0	0-08	0-08	0-16	2-19	0-82	0-47	0-13	5-1	26	22	18
Perth Burgh .	41,116	17-3	16-7	10-4	12-6	11-4	0-10	0-10	0-15	2-51	0-97	0-58	0-07	5-1	34	24	13
Remainder of Co.	85,120	15-6	18-9	5-8	13-9	10-8	0-07	0-07	0-16	2-04	0-74	0-41	0-15	5-1	23	21	21
RENFREW COUNTY	337,341	19-6	19-5	7-4	11-8	12-4	0-17	0-16	0-07	2-08	0-95	0-53	0-09	3-3	31	21	24
Greenock Burgh	78,350	20-9	20-1	7-6	11-9	13-1	0-19	0-17	0-11	2-13	0-92	0-57	0-05	3-2	35	24	26
Paisley Burgh	96,936	20-0	19-2	7-9	12-2	13-1	0-18	0-17	0-07	2-28	1-08	0-55	0-10	3-4	38	26	26
Port Glasgow Burgh	23,530	22-3	19-1	8-9	9-6	12-6	0-30	0-25	—	1-74	1-02	0-55	0-08	3-1	31	15	21
Remainder of Co.	138,525	18-1	19-3	6-5	11-9	11-7	0-14	0-13	0-06	1-96	0-86	0-50	0-10	3-3	24	15	21
ROSS AND CROMARTY Co.	59,039	15-7	22-8	4-2	14-1	9-9	0-10	0-05	0-25	2-20	0-58	0-49	0-08	4-4	22	16	25
ROXBURGH COUNTY	44,678	16-4	18-3	6-2	14-5	11-7	0-09	0-07	0-18	2-64	0-54	0-47	0-13	3-1	15	12	23
SELKIRK Co. .	20,956	15-2	16-3	7-1	14-5	11-5	—	—	0-19	2-34	1-05	0-72	0-24	2-2	25	13	22
STIRLING COUNTY	194,150	18-1	17-5	7-9	11-0	11-9	0-08	0-07	0-16	1-87	0-74	0-45	0-10	2-9	22	15	23
Falkirk Burgh	37,567	17-0	16-9	10-1	12-2	12-5	0-13	0-13	0-19	2-05	1-06	0-32	0-03	3-0	28	20	20
Stirling Burgh	27,085	20-4	21-1	10-1	11-4	11-2	0-18	0-18	0-15	1-66	1-00	0-52	0-07	3-6	18	13	25
Remainder of Co.	129,498	17-9	16-9	6-9	10-6	11-9	0-05	0-03	0-15	1-86	0-59	0-48	0-13	2-8	21	14	24
SUTHERLAND COUNTY	12,935	16-7	23-5	4-4	16-2	10-5	0-08	0-08	0-23	2-86	0-54	0-93	0-31	6-0	28	28	48
WEST LOTHIAN Co.	93,998	19-5	17-6	6-7	9-6	11-2	0-03	0-02	0-10	1-77	0-95	0-44	0-12	3-4	25	19	25
WIGTOWN Co. .	30,305	18-5	19-7	8-3	12-5	12-5	0-03	—	0-13	1-78	0-66	0-56	0-13	6-9	27	21	26
ZETLAND COUNTY	18,205	13-5	17-1	5-7	13-3	8-7	0-05	0-05	0-16	2-25	0-38	0-55	0-11	4-5	20	16	12

* Includes typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infection, measles, and influenza.

Table 5. Birth-, Death- and Marriage-rates in the Small Burghs of Scotland in 1959.

Small Burghs	Estimated Popula- tion 1959	Rates per 1,000 of Population								Illegitimate Births per cent of Live Births	Infant Mortality rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including stillbirths)	
		Birth-Rate			Death-Rate								
		Crude (Corrected for transfer)	Standardised for Age and Sex	Marriage Rate	Crude (Corrected for transfer)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respira- tory System	Principal Epidemic Diseases*				
ABERDEEN COUNTY—													
Ballater	1,111	9.0	12.7	7.2	20.7	13.1	—	—	1.80	10.0	—	—	
Ellon	1,436	14.6	17.7	27.2	17.4	12.9	—	—	—	4.8	48	—	
Fraserburgh	10,372	17.6	15.5	9.9	9.9	11.2	—	—	0.10	1.6	44	11	
Huntly	3,913	14.8	16.4	12.0	14.1	11.4	—	—	0.26	5.2	34	17	
Inverurie	4,949	20.8	21.9	15.2	13.3	12.1	—	—	0.40	4.9	10	19	
Kintore	835	18.0	18.0	15.6	21.6	15.4	—	—	—	6.7	—	—	
Old Meldrum	1,065	16.0	17.1	9.4	15.0	10.0	—	—	—	—	—	—	
Peterhead	12,876	22.4	19.9	8.2	11.3	12.4	0.08	0.08	0.23	4.2	24	14	
Rosehearty	1,186	19.4	15.8	4.2	12.6	12.8	—	—	—	—	43	—	
Turriff	2,777	11.9	10.6	11.5	16.2	13.7	—	—	—	3.0	121	57	
ANGUS COUNTY—													
Brechin	7,397	14.2	14.0	10.4	13.1	10.4	—	—	—	1.0	29	19	
Carnoustie	5,191	17.0	18.5	4.0	13.7	9.0	—	—	—	4.5	23	22	
Forfar	10,149	14.7	15.1	10.0	13.9	11.4	—	—	0.10	3.4	47	39	
Kirriemuir	3,476	17.0	21.8	8.6	16.1	10.3	—	—	0.29	—	—	—	
Monifieth	3,348	15.8	16.3	4.5	18.5	12.7	—	—	0.30	—	38	—	
Montrose	10,736	15.7	15.1	9.5	14.5	10.8	0.09	0.09	0.37	5.3	24	23	
ARGYLL COUNTY—													
Campbeltown	6,958	17.0	16.3	9.3	12.9	13.3	0.29	0.14	0.14	4.2	42	33	
Dunoon	8,780	13.6	15.8	6.3	22.1	14.9	0.11	0.11	0.23	7.6	50	—	
Inveraray	501	12.0	12.0	14.0	12.0	10.6	—	—	—	—	—	—	
Lochgilphead	1,163	15.5	17.5	6.9	15.5	11.5	0.86	0.86	—	16.7	—	—	
Oban	6,064	18.6	23.6	10.1	16.2	13.7	0.16	0.16	—	4.4	44	26	
Tobermory	652	23.0	23.8	6.1	23.0	14.4	1.53	1.53	1.53	—	133	—	
AYR COUNTY—													
Ardrossan	9,744	19.5	19.1	6.1	11.0	12.8	0.21	0.21	—	4.7	26	31	
Cumnock and Holmhead	5,346	20.4	18.6	14.2	9.5	10.8	0.19	0.19	—	3.7	9	18	
Darvel	3,341	17.1	18.1	5.4	13.8	11.4	0.30	0.30	0.60	3.5	53	—	
Galston	4,570	16.6	17.1	12.0	10.9	10.7	—	—	—	3.9	26	13	
Girvan	6,073	15.8	15.6	7.6	14.2	12.2	—	—	0.33	3.1	10	10	
Irvine	16,418	20.7	17.6	8.6	10.2	12.8	0.06	—	—	1.8	24	20	
Kilwinning	7,361	18.1	14.6	10.6	10.9	13.3	—	—	0.27	1.5	38	22	
Largs	9,974	14.5	19.5	5.8	21.8	12.9	0.13	0.13	0.13	5.2	—	25	
Maybole	5,034	15.9	14.5	8.5	9.5	10.3	0.20	0.20	0.20	1.3	50	24	
Newmilns and Greenholm	3,974	11.6	10.1	3.8	14.1	12.5	0.25	0.25	0.25	—	—	42	
Prestwick	11,830	18.2	18.9	8.0	14.4	11.4	0.08	—	0.17	5.1	19	14	
Saltcoats	14,462	23.1	20.0	8.1	10.4	11.1	—	—	0.14	2.7	21	9	
Stevenston	10,097	20.1	21.3	7.8	9.7	11.3	0.20	0.20	0.10	4.4	54	10	
Stewarton	3,488	19.2	18.8	6.0	10.6	10.7	—	—	0.29	—	45	56	
Troon	10,074	15.8	16.7	7.7	16.6	14.3	0.10	0.10	0.10	1.3	19	12	
BANFF COUNTY—													
Aberchirder	777	20.6	22.0	5.1	24.5	14.7	—	—	—	6.3	—	59	
Aberlour	1,114	12.6	20.3	13.5	10.8	11.0	—	—	—	—	—	—	
Banff	3,360	19.6	21.1	11.0	18.2	14.6	0.30	0.30	—	3.0	15	29	
Buckie	8,023	17.7	20.3	9.3	14.1	12.8	0.12	0.12	0.12	2.1	42	27	
Cullen	1,475	10.8	14.3	6.1	17.6	12.1	—	—	—	—	—	111	
Dufftown	1,447	26.3	27.0	2.8	17.3	13.3	—	—	—	—	26	50	
Findochty	1,455	14.4	15.8	6.2	15.1	12.3	—	—	—	9.5	48	45	
Keith	4,414	20.6	22.8	9.1	12.5	10.6	—	—	0.23	4.4	44	22	
Macduff	3,360	18.2	19.9	7.7	13.4	10.2	—	—	0.60	—	16	47	
Portnokie	1,434	9.1	11.2	0.7	13.9	12.2	—	—	—	—	—	—	
Portsoy	1,686	16.0	19.1	11.3	16.6	11.4	—	—	—	7.4	37	—	
BERWICK COUNTY—													
Coldstream	1,296	27.0	30.3	6.9	20.8	15.8	—	—	—	—	57	54	
Duns	1,921	15.6	15.6	11.5	18.7	15.6	—	—	—	3.3	33	32	
Eyemouth	2,190	4.6	4.9	8.7	16.4	13.6	—	—	—	—	100	—	
Lauder	577	6.9	7.0	5.2	36.4	23.0	—	—	—	25.0	—	—	
BUTE COUNTY—													
Millport	1,610	6.8	9.4	3.7	25.5	14.0	—	—	—	—	91	—	
Rothsay	7,232	15.6	17.3	8.2	23.1	18.3	0.41	0.28	0.28	9.7	44	9	
CAITHNESS COUNTY—													
Thurso	6,545	28.0	18.2	6.3	9.8	8.5	0.31	0.31	0.46	2.7	11	16	
Wick	7,881	18.9	19.1	8.9	11.2	10.7	0.13	0.13	0.13	7.4	20	20	
CLACKMANNAN CO.—													
Alloa	14,303	19.6	18.1	8.7	11.0	11.6	0.14	0.14	0.35	5.0	21	34	
Alva	4,220	22.0	20.3	7.8	13.3	11.6	—	—	0.24	3.2	32	21	
Dollar	1,679	13.1	17.0	4.8	10.1	8.2	—	—	—	4.5	—	—	
Tillicoultry	4,137	21.0	16.7	5.1	13.3	13.0	0.24	0.24	—	2.3	23	33	

NOTE.—Some of the rates in this table are based on very few observations and are therefore of limited value. Numbers on which the rates are based will be found in Table 47.

*Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

Table 5—continued.

Small Burghs	Estimated Popula- tion 1959	Rates per 1,000 of Population								Illegitimate Births per cent of Live Births	Infant Mortality rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including stillbirths)
		Birth-Rate			Death-Rate							
		Crude (Corrected for transfer)	Standardised for Age and Sex	Marriage Rate	Crude (Corrected for transfer)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respira- tory System	Principal Epidemic Diseases*			
UMFRIES COUNTY—												
Annan	5,275	24.1	25.7	15.0	13.1	11.5	0.19	0.19	—	3.1	39	23
Langholm	2,335	16.3	18.5	7.3	15.4	10.6	—	—	—	5.3	26	—
Lochmaben	1,228	23.6	25.3	11.4	17.9	13.8	—	—	—	—	103	—
Lockerbie	2,661	17.3	20.1	12.4	16.2	13.2	0.38	0.38	—	4.3	65	—
Moffat	2,027	10.9	14.0	8.4	20.2	12.6	—	—	—	9.1	—	43
Sanquhar	2,506	16.8	13.8	12.4	15.2	16.4	0.40	0.40	—	7.1	—	45
UNBARTON COUNTY—												
Bearsden	13,790	18.9	24.5	3.4	13.1	10.8	—	—	0.15	0.8	19	4
Cove and Kilcreggan	804	10.0	13.4	2.5	23.6	11.2	—	—	—	—	—	—
Helensburgh	8,699	18.4	21.8	8.0	15.5	11.4	—	—	0.57	3.8	38	18
Kirkintilloch	16,667	19.1	18.7	7.8	10.6	12.8	0.06	0.06	—	2.8	41	19
Milngavie	8,351	17.1	16.6	6.0	9.9	9.0	—	—	0.06	2.8	14	—
EAST LOTHIAN CO.—												
Cockenzie												
and Port Seton	3,369	16.9	13.2	1.8	13.1	13.7	—	—	—	3.5	53	34
Dunbar	4,157	13.7	14.1	11.5	11.8	9.9	—	—	0.24	1.8	—	—
East Linton	932	18.2	21.7	3.2	27.9	16.5	—	—	—	—	59	—
Haddington	4,732	19.9	20.9	7.8	15.4	12.5	—	—	0.21	3.2	11	21
North Berwick	3,715	12.4	14.8	6.7	18.0	13.0	—	—	—	4.3	22	—
Prestonpans	3,203	22.2	19.1	16.5	9.1	11.8	—	—	—	—	28	53
Tranent	6,401	25.8	21.8	11.6	10.0	12.4	0.16	0.16	—	1.2	30	6
FIFE COUNTY—												
Auchtermuchty	1,340	16.4	16.8	10.4	29.1	18.8	1.49	1.49	—	4.5	91	—
Buckhaven and Methil	21,888	20.2	16.3	7.9	11.1	13.0	—	—	0.14	3.2	20	18
Burntisland	6,097	19.0	19.1	6.2	13.4	11.7	0.16	0.16	—	2.6	17	25
Cowdenbeath	13,623	15.3	13.0	10.0	10.3	11.8	—	—	—	4.3	29	14
Craik	1,188	18.5	24.5	7.6	14.3	9.1	—	—	—	4.5	45	—
Culross	585	17.1	12.2	46.2	1.7	1.8	—	—	—	—	—	167
Cupar	5,722	20.1	20.8	10.1	13.8	11.9	—	—	0.87	0.9	—	25
Elie and Earlsferry	909	14.3	26.6	2.2	23.1	11.7	—	—	—	—	—	71
Falkland	1,067	20.6	21.6	11.2	8.4	6.4	—	—	0.94	—	—	—
Inverkeithing	4,119	23.8	19.8	9.5	8.7	9.7	—	—	—	7.1	20	30
Kilrenny etc.	2,959	22.0	29.3	5.7	18.9	11.9	—	—	0.34	1.5	15	—
Kinghorn	2,331	12.4	11.4	6.9	10.3	9.6	—	—	—	6.9	—	33
Ladybank	1,186	15.2	15.3	3.4	17.7	11.7	—	—	—	16.7	56	53
Leslie	3,480	18.1	15.4	4.9	10.6	10.7	0.29	0.29	—	4.8	32	16
Leven	9,056	18.7	17.6	7.6	13.8	13.0	0.11	0.11	0.11	2.4	41	17
Lochgelly	9,655	22.7	20.9	6.1	9.6	10.5	0.10	0.10	—	2.7	18	22
Markinch	2,423	12.8	12.7	12.8	16.5	14.7	—	—	0.41	3.2	—	61
Newburgh	2,503	15.2	16.1	5.2	12.8	11.0	—	—	0.40	2.6	26	50
Newport-on-Tay	3,284	13.4	15.9	5.2	18.9	11.1	—	—	0.30	—	23	22
Pittenweem	1,577	14.0	16.2	6.3	18.4	12.6	—	—	—	4.5	91	—
St. Andrews	9,650	14.2	17.3	10.2	13.6	11.6	—	—	—	7.3	29	7
St. Monance	1,464	8.9	11.5	4.1	21.2	16.3	—	—	0.68	—	—	—
Tayport	3,273	18.0	19.3	5.2	13.7	10.7	—	—	0.61	6.8	17	—
VERNESS COUNTY—												
Fort William	2,846	17.6	20.5	14.1	11.9	12.2	—	—	0.35	4.0	20	74
Kingussie	1,042	19.2	20.4	5.8	21.1	15.0	—	—	2.88	10.0	—	—
JINCARDINE COUNTY—												
Banchory	1,884	10.6	12.7	13.8	14.9	10.1	—	—	—	5.0	—	—
Inverbervie	918	15.3	17.3	13.1	16.3	12.4	—	—	—	—	—	—
Laurencekirk	1,399	14.3	14.8	12.9	15.0	10.1	—	—	—	—	—	—
Stonehaven	4,391	15.5	18.0	7.5	15.7	10.9	—	—	0.23	1.5	15	14
INROSS COUNTY—												
Kinross	2,526	19.4	20.0	12.3	11.1	9.7	—	—	—	2.0	—	20
KIRKCUDBRIGHT CO.—												
Castle Douglas	3,298	16.1	16.4	6.1	17.0	15.1	—	—	—	—	—	36
Dalbeattie	3,402	16.8	15.6	7.3	14.1	12.9	—	—	—	5.3	18	34
Gatehouse-of-Fleet	886	15.8	17.9	9.0	12.4	8.2	—	—	—	—	71	—
Kirkcudbright	2,503	19.2	20.7	11.6	13.2	11.5	0.40	0.40	—	4.2	21	20
New Galloway	287	20.9	37.5	3.5	31.4	15.0	—	—	—	16.7	—	—
ANARK COUNTY—												
Biggar	1,442	11.1	11.3	11.1	18.0	12.3	—	—	—	—	63	—
Lanark	8,285	15.6	15.4	8.2	14.2	13.0	—	—	—	1.6	62	23
EDLOTHIAN CO.—												
Bonnyrigg and Lasswade	6,102	22.9	22.7	12.0	11.5	11.8	—	—	—	5.7	—	21
Dalkeith	9,173	16.5	14.5	8.3	12.8	13.4	—	—	0.11	2.6	7	32
Loanhead	5,233	16.6	15.0	7.3	10.9	11.9	—	—	—	2.3	—	11
Musselburgh	18,124	17.2	16.3	7.0	12.7	13.2	0.06	0.06	0.06	2.9	32	34
Penicuik	5,869	20.4	17.3	8.0	10.1	10.2	—	—	0.17	0.8	25	8

*Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

Table 5—continued.

Small Burghs	Estimated Popula- tion 1959	Rates per 1,000 of Population								Illegitimate Births per cent of Live Births	Infant Mortality rate per 1,000 Live Births	Stillbirths per 1,000 Total Births
		Birth-Rate		Marriage Rate	Death-Rate							
		Crude (Corrected for transfer)	Standardised for Age and Sex		Crude (Corrected for transfer)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respira- tory System	Principal Epidemic Diseases*			
MORAY COUNTY—												
Burghead	1,388	18.0	14.9	7.2	9.4	7.7	—	—	—	—	—	—
Elgin	11,707	23.7	22.5	12.4	12.8	11.1	—	—	0.68	3.2	14	35
Forres	5,056	16.2	14.5	7.1	10.1	8.9	0.20	0.20	0.20	3.7	12	47
Grantown-on-Spey	1,475	19.0	29.4	7.5	15.6	12.2	—	—	—	7.1	71	—
Lossiemouth and Branderburgh	5,270	26.9	21.5	10.1	13.3	13.2	—	—	—	2.1	35	14
Rothies	1,202	14.1	16.8	3.3	11.6	9.8	—	—	—	5.9	59	—
NAIRN COUNTY—												
Nairn	4,742	19.2	21.2	11.8	10.8	8.0	—	—	0.21	7.7	—	32
ORKNEY COUNTY—												
Kirkwall	4,186	18.6	15.9	12.7	12.2	10.7	—	—	—	1.3	13	13
Stromness	1,448	13.8	14.7	9.0	18.0	12.8	—	—	—	5.0	50	—
PEEBLES COUNTY—												
Innerleithen	2,336	18.4	19.3	7.3	15.8	11.7	—	—	—	4.7	—	—
Peebles	5,508	12.5	14.2	8.0	16.0	11.4	—	—	—	8.7	58	14
PERTH COUNTY—												
Aberfeldy	1,470	19.0	23.4	8.2	23.1	17.3	—	—	—	3.6	36	34
Abernethy	635	7.9	9.4	12.6	25.2	20.2	—	—	—	—	—	167
Alyth	1,985	7.1	7.7	10.6	12.6	10.0	—	—	0.50	—	—	—
Auchterarder	2,374	18.5	21.9	4.2	17.3	11.6	—	—	—	6.8	—	22
Blairgowrie and Rattray	5,326	13.9	16.5	10.9	13.0	8.9	—	—	—	6.8	54	51
Callander	1,607	13.7	17.2	10.6	15.6	11.2	0.62	0.62	—	9.1	45	43
Coupar Angus	2,143	10.3	11.9	3.7	19.6	13.8	—	—	—	—	—	43
Crieff	5,397	15.7	21.5	7.6	19.6	12.9	—	—	0.19	1.2	24	12
Doune	843	16.6	16.7	15.4	16.6	12.7	—	—	—	7.1	—	—
Dunblane	2,870	14.6	18.4	9.1	19.9	13.2	—	—	0.35	2.4	24	—
Pitlochry	2,322	12.9	13.3	5.6	14.2	10.3	—	—	—	—	33	63
RENFREW COUNTY—												
Barrhead	14,035	23.4	22.2	6.7	10.3	11.4	0.36	0.36	—	2.4	21	15
Gourock	9,206	17.4	17.7	5.8	15.8	13.4	—	—	—	2.5	—	30
Johnstone	16,866	21.7	18.7	8.8	10.2	12.6	0.12	0.12	—	5.2	36	32
Renfrew	18,058	19.9	18.3	7.0	12.0	13.2	0.28	0.22	0.06	1.9	31	22
ROSS AND CROMARTY COUNTY—												
Cromarty	662	9.1	10.8	4.5	15.1	9.2	—	—	—	—	—	—
Dingwall	3,567	19.1	18.6	11.5	13.7	13.4	0.28	0.28	0.56	2.9	29	29
Fortrose	852	9.4	13.5	3.5	12.9	8.2	—	—	—	12.5	—	—
Invergordon	1,626	19.7	22.7	8.0	9.2	6.8	—	—	—	3.1	—	86
Stornoway	5,283	15.1	22.4	9.8	15.1	12.9	0.19	—	1.33	5.0	38	36
Tain	1,672	16.7	16.9	15.6	15.6	11.2	—	—	—	3.6	—	34
ROXBURGH COUNTY—												
Hawick	16,547	15.8	17.7	6.3	15.2	12.6	0.12	0.12	0.30	2.3	11	19
Jedburgh	3,951	17.2	16.6	7.3	12.7	11.5	—	—	—	1.5	29	29
Kelso	4,134	20.8	21.3	10.4	15.0	11.5	—	—	0.24	2.3	12	11
Melrose	2,133	12.7	19.9	7.0	24.8	14.5	0.47	—	—	3.7	—	—
SELKIRK COUNTY—												
Galashiels	12,185	16.7	18.1	7.8	14.4	11.3	—	—	0.33	2.0	5	19
Selkirk	5,699	11.9	12.0	5.8	16.5	12.7	—	—	—	2.9	59	42
STIRLING COUNTY—												
Bridge of Allan	3,232	12.1	14.3	5.6	16.7	12.2	—	—	—	7.7	26	—
Denny and Dunipace	7,613	22.1	20.2	7.1	10.8	13.5	0.13	0.13	0.26	1.2	24	23
Grangemouth	17,584	20.7	19.3	6.5	9.1	11.1	—	—	0.06	3.3	19	27
Kilsyth	10,446	18.0	17.7	7.4	9.7	11.7	0.10	0.10	0.10	3.7	11	26
SUTHERLAND Co.—												
Dornoch	837	9.6	11.4	6.0	13.1	10.4	—	—	—	—	—	111
WEST LOTHIAN Co.—												
Armadale	6,237	18.9	14.9	10.6	9.0	12.1	—	—	—	5.1	42	25
Bathgate	12,157	22.9	21.4	7.8	10.5	11.8	0.08	0.08	0.08	2.2	32	11
Bo'ness	10,329	20.6	19.0	7.6	11.1	11.9	—	—	0.19	1.4	14	9
Linlithgow	4,234	17.9	15.4	11.6	9.9	10.7	—	—	—	2.6	—	50
Queensferry	2,777	27.7	22.0	8.3	8.6	9.8	—	—	0.36	2.6	26	—
Whitburn	5,945	18.0	13.0	9.6	4.9	7.6	—	—	—	3.7	28	36
WIGTOWN COUNTY—												
Newton Stewart	2,031	16.2	17.6	9.4	9.8	9.1	—	—	—	6.1	—	—
Stranraer	9,113	19.9	18.9	12.0	13.8	14.9	—	—	0.11	4.4	22	27
Whithorn	1,036	20.3	19.5	15.4	17.4	13.5	—	—	—	—	—	45
Wigtown	1,331	9.0	8.8	6.8	6.8	5.1	—	—	—	—	—	—
ZETLAND COUNTY—												
Lerwick	5,572	14.4	15.0	11.3	10.6	8.8	0.18	0.18	0.18	2.5	25	12

NOTE.—Some of the rates in this table are based on very few observations and are therefore of limited value. Numbers on which the ratio are based will be found in Table 47.

*Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

Table 6. Birth-, Death- and Marriage-rates in the Landward Areas of Scotland in 1959.

County Landward Areas	Estimated Popula- tion 1959	Rates per 1,000 of Population								Illegitimate Births per cent of Live Births	Infant Mortality rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including stillbirths)
		Birth-Rate		Marriage Rate	Death-Rate							
		Crude (Corrected for transfer)	Standardised for Age and Sex		Crude (Corrected for transfer)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respira- tory System	Principal Epidemic Diseases*			
Aberdeen . . .	98,297	16.6	17.7	4.8	11.2	9.9	0.01	0.01	0.11	6.2	18	17
Angus . . .	37,238	15.8	17.8	3.5	8.9	8.4	0.08	0.08	0.16	4.1	20	25
Argyll . . .	31,852	15.3	22.2	3.8	16.4	11.7	0.06	0.06	0.16	6.4	31	22
Ayr . . .	133,695	18.5	17.7	6.0	10.4	11.6	0.05	0.04	0.13	4.1	28	30
Banff . . .	20,560	17.1	19.8	4.6	9.2	8.6	—	—	0.29	8.8	31	11
Berwick . . .	17,450	11.9	13.7	4.8	12.8	10.6	0.06	0.06	—	4.3	24	23
Bute . . .	5,883	15.3	21.0	3.6	16.1	10.1	—	—	—	5.6	22	22
Caithness . . .	11,735	20.7	25.8	5.7	13.0	9.5	0.17	—	0.43	7.4	25	20
Clackmannan . . .	16,851	22.1	17.4	4.5	9.7	11.7	—	—	0.18	2.9	40	18
Dumfries . . .	45,940	18.0	18.7	8.8	10.9	10.4	0.09	0.07	0.11	5.4	25	32
Dunbarton . . .	53,060	18.3	18.7	7.0	11.5	12.6	0.15	0.13	0.26	4.3	27	22
East Lothian . . .	25,712	16.6	16.3	3.9	10.1	11.1	0.12	0.08	0.08	4.0	19	12
Fife . . .	115,954	20.8	17.8	4.8	9.5	10.4	0.08	0.06	0.11	3.8	27	18
Inverness . . .	51,027	16.9	25.8	2.9	12.6	9.6	0.08	0.06	0.33	5.3	24	23
Kincardine . . .	18,095	16.1	17.1	3.8	9.2	8.7	0.11	0.11	0.06	3.4	21	33
Kinross . . .	4,609	12.8	14.0	1.7	8.2	7.2	—	—	—	1.7	17	—
Kirkcudbright . . .	19,892	19.1	21.4	5.1	12.3	11.2	0.05	0.05	0.05	4.2	11	21
Lanark . . .	319,322	20.4	20.1	6.6	11.3	12.8	0.13	0.13	0.08	2.6	35	20
Midlothian . . .	64,353	22.5	20.4	6.0	10.2	11.6	0.02	0.02	0.08	2.7	25	18
Moray . . .	23,846	17.1	19.3	2.5	7.7	8.2	0.04	0.04	0.08	5.1	20	17
Nairn . . .	3,536	16.7	21.8	2.5	12.2	10.2	—	—	0.28	6.8	85	—
Orkney . . .	13,605	15.7	17.0	5.0	14.8	10.4	0.15	0.07	0.07	2.8	28	23
Peebles . . .	6,172	14.6	17.5	4.5	10.9	9.2	—	—	0.16	6.7	11	32
Perth . . .	58,148	16.3	19.8	4.6	12.3	10.1	0.09	0.09	0.19	5.7	21	18
Renfrew . . .	80,360	16.0	19.2	6.0	12.0	11.1	0.09	0.09	0.09	3.5	23	18
Ross and Cromarty . . .	45,377	15.5	24.0	2.4	14.2	9.6	0.09	0.04	0.13	4.6	21	21
Roxburgh . . .	17,913	16.2	18.5	4.7	12.9	10.4	0.06	0.06	0.11	4.5	17	30
Selkirk . . .	3,072	15.0	17.0	6.5	10.7	9.5	—	—	—	2.2	65	—
Stirling . . .	90,623	17.2	16.2	6.9	10.8	12.0	0.04	0.02	0.18	2.6	22	23
Sutherland . . .	12,098	17.2	24.5	4.3	16.4	10.5	0.08	0.08	0.25	6.3	29	46
West Lothian . . .	52,319	18.4	17.3	5.0	9.8	11.3	0.04	0.02	0.10	4.1	24	30
Wigtown . . .	16,794	18.8	21.3	6.0	12.3	12.4	0.06	—	0.18	9.2	35	28
Zetland . . .	12,633	13.1	18.2	3.2	14.5	8.7	—	—	0.16	5.5	18	12

*Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

Table 7. General Registration Summary.
Events registered in 1959. (Figures in this table show actual numbers
as registered and are not "Corrected for Residence")

Counties, Counties of Cities and Large Burghs	Population* (Enumerated at Census of)		Registered Births, Stillbirths, Deaths and Marriages, 1959				
	1951	1931	Live Births		Still- births	Deaths	Mar- riages
			Total	Illegi- timate			
SCOTLAND	5,096,415	4,842,980	99,251	4,134	2,252	63,061	40,448
COUNTIES OF CITIES	1,916,833	1,879,620	41,468	2,256	1,091	26,327	17,039
LARGE BURGHs	829,696	774,749	22,025	767	455	10,880	7,752
COUNTIES (ex Counties of Cities and Large Burghs)	2,349,886	2,188,611	35,758	1,111	706	25,854	15,657
SMALL BURGHs	845,538	759,833	13,893	393	209	8,881	7,315
LANDWARD	1,504,348	1,428,778	21,865	718	497	16,973	8,342
COUNTIES (ex Large Burghs)							
Aberdeen	144,746	143,611	1,807	89	15	1,203	910
Angus	78,015	75,304	870	25	16	1,029	478
Argyll	63,361	63,050	711	31	9	886	321
Ayr	236,720	207,619	4,796	168	141	2,638	1,774
Banff	50,148	54,907	826	42	13	523	334
Berwick	25,068	26,612	193	7	2	237	136
Bute	19,283	18,823	180	12	1	272	86
Caithness	22,710	25,656	501	25	7	288	178
Clackmannan	37,532	31,948	285	6	5	306	262
Dumfries	59,338	77,926	287	19	5	667	596
Dunbarton	95,923	58,010	1,317	36	38	1,227	673
East Lothian	52,258	47,338	599	14	7	596	346
Fife	213,009	196,565	2,736	77	42	1,918	1,441
Inverness	56,823	58,558	376	15	7	649	195
Kincardine	27,882	26,780	160	3	1	198	157
Kinross	7,418	7,454	31	—	—	51	39
Kirkcudbright	30,725	30,341	143	7	1	290	185
Lanark	313,178	293,502	7,005	154	150	3,941	2,188
Midlothian	98,792	87,102	947	15	13	792	747
Moray	48,218	40,806	848	25	11	487	319
Nairn	8,719	8,294	127	5	2	70	65
Orkney	21,255	22,077	308	5	6	266	134
Peebles	15,232	15,051	173	8	3	128	89
Perth	87,525	85,706	555	21	8	1,144	496
Renfrew	132,154	100,758	3,056	77	77	1,279	907
Ross and Cromarty	60,508	62,799	787	27	18	703	247
Roxburgh	45,557	45,788	540	11	5	542	275*
Selkirk	21,729	22,608	389	11	2	459	148
Stirling	122,841	105,334	2,729	89	42	1,273	890
Sutherland	13,670	16,101	131	2	1	179	57
West Lothian	88,577	81,431	1,650	49	46	1,049	628
Wigtown	31,620	29,331	449	27	9	331	253
Zetland	19,352	21,421	246	9	3	233	103
COUNTIES OF CITIES							
Glasgow	1,089,767	1,093,337	22,443	1,196	640	14,135	9,552
Edinburgh	466,943	439,194	10,395	523	237	6,914	4,212
Aberdeen	182,783	169,910	4,294	235	107	2,908	1,782
Dundee	177,340	177,179	4,336	302	107	2,370	1,493
LARGE BURGHs							
Paisley	93,711	88,384	2,573	146	27	1,364	766
Greenock	77,177	79,023	1,902	60	53	1,093	597
Motherwell and Wishaw	68,806	66,559	1,300	28	23	645	595
Kirkcaldy	49,050	44,745	1,576	75	38	652	459
Coatbridge	47,541	43,513	493	12	2	544	356
Dunfermline	44,719	35,058	1,743	55	34	629	458
Clydebank	44,638	47,033	401	12	3	389	313
Ayr	42,377	38,905	706	20	4	657	439
Kilmarnock	42,140	38,693	1,018	27	4	648	380
Perth	40,504	35,087	1,206	43	23	634	429
Hamilton	40,174	38,112	1,149	19	11	293	419
Falkirk	37,535	36,566	1,526	31	51	645	380
Airdrie	30,666	27,442	596	11	8	206	319
Inverness	28,107	23,550	1,294	57	58	614	427
Stirling	27,151	24,547	1,126	39	34	548	273
Dumfries	26,322	23,031	1,883	83	65	523	345
Rutherglen	24,231	25,198	129	6	1	151	238
Dumbarton	23,708	21,770	841	25	11	252	187
Port Glasgow	21,618	19,826	230	8	3	144	210
Arbroath	19,521	17,707	333	10	2	249	162

*Adjusted for alteration of boundary.

Table 8. Birth-rate among Married and Unmarried Women in Scotland in 1959.

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Un-married Women and Widows aged 15-44	Total	Legitimate	Illegitimate	Total per 1,000 Women aged 15-44	Legitimate Births per 1,000 Married Women aged 16-44	Illegitimate Births per 1,000 Un-married Women aged 15-44
SCOTLAND	1,065,300	671,600	393,700	99,251	95,117	4,134	93·2	141·6	10·5
COUNTIES OF CITIES	405,500	250,100	155,400	37,674	35,815	1,859	92·9	143·2	12·0
LARGE BURGHS	184,100	118,300	65,800	17,780	17,150	630	96·6	144·9	9·6
COUNTIES (excluding Counties of Cities and Large Burghs)	475,700	303,200	172,500	43,797	42,152	1,645	92·1	139·0	9·5
SMALL BURGHS	179,000	115,400	63,600	15,920	15,396	524	88·9	133·4	8·2
LANDWARD	296,700	187,800	108,900	27,877	26,756	1,121	94·0	142·5	10·3
ABERDEEN COUNTY									
Aberdeen C. of C.	41,000	25,300	15,700	3,345	3,167	178	81·7	125·1	11·4
Remainder of Co.	26,800	17,000	9,800	2,385	2,257	128	89·1	132·9	13·1
ANGUS COUNTY									
Dundee C. of C.	37,800	23,900	13,900	3,581	3,386	195	94·7	141·6	14·0
Arbroath Burgh	4,200	2,800	1,400	379	361	18	90·4	129·4	12·8
Remainder of Co.	15,200	9,500	5,700	1,211	1,168	43	79·7	122·8	7·6
ARGYLL COUNTY	9,900	6,000	3,900	875	822	53	88·4	137·6	13·5
AYR COUNTY									
Ayr Burgh	9,500	5,900	3,600	831	795	36	87·5	134·9	10·0
Kilmarnock Burgh	9,900	6,500	3,300	996	960	36	100·9	146·7	10·8
Remainder of Co.	52,000	33,600	18,400	4,690	4,521	169	90·2	134·6	9·2
BANFF COUNTY	9,200	5,600	3,600	856	811	45	93·5	145·3	12·6
BERWICK COUNTY	4,300	2,800	1,400	287	276	11	67·2	97·3	7·7
BUTE COUNTY	2,600	1,600	1,000	214	198	16	81·9	125·2	15·5
CAITHNESS COUNTY	5,200	3,400	1,800	575	541	34	110·7	159·8	18·8
CLACKMANNAN Co.	8,600	5,900	2,700	856	825	31	100·0	140·4	11·5
DUMFRIES COUNTY									
Dumfries Burgh	5,900	3,800	2,100	524	493	31	88·6	130·1	14·6
Remainder of Co.	11,800	7,500	4,300	1,130	1,072	58	96·1	142·8	13·6
DUNBARTON COUNTY									
Clydebank Burgh	11,400	7,800	3,600	1,137	1,106	31	99·9	141·8	8·7
Dumbarton Burgh	5,600	3,500	2,100	579	558	21	103·1	158·5	10·1
Remainder of Co.	20,300	12,900	7,400	1,862	1,799	63	91·9	139·5	8·6
EAST LoTHIAN Co.	10,500	7,000	3,500	934	907	27	89·0	130·1	7·7
FIFE COUNTY									
Dunfermline Burgh	9,200	6,300	2,800	890	860	30	97·3	135·9	10·6
Kirkcaldy Burgh	11,000	7,500	3,500	958	905	53	86·9	120·1	15·2
Remainder of Co.	45,700	30,700	14,900	4,385	4,222	163	96·0	137·3	10·9
INVERNESS COUNTY									
Inverness Burgh	6,000	3,600	2,400	510	488	22	84·5	134·3	9·2
Remainder of Co.	9,000	5,200	3,800	931	881	50	103·6	169·9	13·2

Table 8—continued

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Un- married Women and Widows aged 15-44	Total	Legiti- mate	Illegiti- mate	Total per 1,000 Women aged 15-44	Legiti- mate Births per 1,000 Married Women aged 16-44	Illegiti- mate Births per 1,000 Un- married Women aged 15-44
KINCARDINE COUNTY	5,000	3,200	1,800	413	401	12	83.2	126.0	6.7
KINROSS COUNTY	1,400	900	500	108	106	2	77.3	120.6	3.9
KIRKCUDBRIGHT CO.	5,700	3,600	2,000	558	536	22	98.4	148.0	10.7
LANARK COUNTY									
Glasgow C. of C.	228,900	140,900	88,000	22,598	21,497	1,101	98.7	152.6	12.5
Airdrie Burgh	7,100	4,500	2,600	768	748	20	107.9	164.9	7.8
Coatbridge Burgh	11,400	7,100	4,300	1,325	1,286	39	116.6	181.6	9.1
Hamilton Burgh	8,900	5,500	3,400	898	869	29	100.8	157.3	8.6
Motherwell and Wishaw Burgh	15,400	9,800	5,600	1,481	1,441	40	96.4	147.0	7.2
Rutherglen Burgh	5,100	3,200	1,900	508	492	16	99.0	154.5	8.2
Remainder of Co.	68,300	42,500	25,800	6,646	6,474	172	97.3	152.2	6.7
MIDLOTHIAN COUNTY									
Edinburgh C. of C.	97,800	60,000	37,900	8,150	7,765	385	83.3	129.5	10.2
Remainder of Co.	22,400	14,900	7,500	2,260	2,197	63	101.0	147.4	8.4
MORAY COUNTY	9,400	6,000	3,500	979	940	39	103.8	157.9	11.2
NAIRN COUNTY	1,600	1,000	600	150	139	11	96.2	142.4	18.8
ORKNEY COUNTY	3,400	2,300	1,100	312	304	8	91.3	132.9	7.1
PEEBLES COUNTY	2,600	1,700	1,000	202	188	14	76.3	112.0	14.4
PERTH COUNTY									
Perth Burgh	8,500	5,500	3,000	711	675	36	83.3	122.8	11.9
Remainder of Co.	16,200	9,700	6,500	1,330	1,262	68	82.3	130.7	10.5
RENFREW COUNTY									
Greenock Burgh	16,300	10,100	6,100	1,635	1,583	52	100.6	156.1	8.5
Paisley Burgh	20,400	13,000	7,400	1,935	1,870	65	95.0	143.8	8.8
Port Glasgow Burgh	5,000	3,300	1,700	524	508	16	105.0	155.9	9.2
Remainder of Co.	28,400	17,800	10,600	2,502	2,419	83	88.2	135.7	7.9
ROSS AND CROMARTY CO.	10,200	5,800	4,400	924	883	41	90.7	152.1	9.4
ROXBURGH COUNTY	8,500	5,400	3,100	732	709	23	86.0	130.7	7.5
SELKIRK COUNTY	4,100	2,600	1,500	318	311	7	76.7	119.4	4.5
STIRLING COUNTY									
Falkirk Burgh	7,800	5,000	2,800	639	620	19	82.0	124.2	6.8
Stirling Burgh	5,600	3,500	2,100	552	532	20	98.7	153.8	9.4
Remainder of Co.	27,100	17,400	9,700	2,319	2,255	64	85.6	129.4	6.6
SUTHERLAND COUNTY	2,200	1,300	900	216	203	13	98.9	153.2	15.2
WEST LOTHIAN CO.	19,500	12,900	6,600	1,830	1,768	62	93.7	136.7	9.4
WIGTOWN COUNTY	5,700	3,600	2,000	562	523	39	99.1	144.2	19.1
ZETLAND COUNTY	3,300	1,900	1,300	245	234	11	75.3	120.2	8.4

Table 9. Births by Single Age of Mother, Sex and Legitimacy, Scotland, 1959.

Ages	All Births	Males	Females	Legitimate			Illegitimate		
				Total	Males	Females	Total	Males	Females
13	2	2	—	—	—	—	2	2	—
14	6	3	3	—	—	—	6	3	3
15	31	16	15	—	—	—	31	16	15
16	184	111	73	102	64	38	82	47	35
17	716	360	356	550	288	262	166	72	94
18	1,650	857	793	1,442	752	690	208	105	103
19	3,053	1,592	1,461	2,786	1,450	1,336	267	142	125
Under 20	5,642	2,941	2,701	4,880	2,554	2,326	762	387	375
20	4,354	2,257	2,097	4,072	2,093	1,979	282	164	118
21	5,890	3,026	2,864	5,578	2,861	2,717	312	165	147
22	6,380	3,275	3,105	6,116	3,146	2,970	264	129	135
23	6,910	3,504	3,406	6,674	3,393	3,281	236	111	125
24	6,945	3,566	3,379	6,710	3,448	3,262	235	118	117
20-24	30,479	15,628	14,851	29,150	14,941	14,209	1,329	687	642
25	6,816	3,569	3,247	6,607	3,452	3,155	209	117	92
26	6,533	3,337	3,196	6,351	3,251	3,100	182	86	96
27	6,220	3,240	2,980	6,029	3,141	2,888	191	99	92
28	6,059	3,120	2,939	5,894	3,033	2,861	165	87	78
29	5,517	2,851	2,666	5,359	2,779	2,580	158	72	86
25-29	31,145	16,117	15,028	30,240	15,656	14,584	905	461	444
30	4,923	2,533	2,390	4,788	2,462	2,326	135	71	64
31	4,070	2,098	1,972	3,936	2,022	1,914	134	76	58
32	3,783	1,990	1,793	3,662	1,930	1,732	121	60	61
33	3,355	1,728	1,627	3,223	1,659	1,564	132	69	63
34	3,041	1,522	1,519	2,939	1,468	1,471	102	54	48
30-34	19,172	9,871	9,301	18,548	9,541	9,007	624	330	294
35	2,610	1,316	1,294	2,508	1,267	1,241	102	49	53
36	2,297	1,185	1,112	2,218	1,144	1,074	79	41	38
37	2,004	1,017	987	1,938	975	963	66	42	24
38	1,851	928	923	1,767	887	880	84	41	43
39	1,520	801	719	1,447	764	683	73	37	36
35-39	10,282	5,247	5,035	9,878	5,037	4,841	404	210	194
40	886	450	436	852	435	417	34	15	19
41	544	294	250	519	277	242	25	17	8
42	475	253	222	452	241	211	23	12	11
43	259	138	121	247	131	116	12	7	5
44	171	86	85	165	83	82	6	3	3
40-44	2,335	1,221	1,114	2,235	1,167	1,068	100	54	46
45	89	46	43	87	46	41	2	—	2
46	34	19	15	31	18	13	3	1	2
47	18	13	5	18	13	5	—	—	—
48	11	5	6	11	5	6	—	—	—
49	2	2	—	2	2	—	—	—	—
45-49	154	85	69	149	84	65	5	1	4
50	1	1	—	1	1	—	—	—	—
Not stated	41	15	26	36	11	25	5	4	1
Total	99,251	51,126	48,125	95,117	48,992	46,125	4,134	2,134	2,000

Table 10. Births by Age of Mother and Duration of Marriage, Scotland, 1959.

Duration of Marriage (Years)	Age of Mother																	
	All Ages	Under 16	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	50 and over	Not stated
Under one year	13,079	—	102	478	1,060	1,590	1,757	1,693	1,446	1,201	796	1,995	644	263	48	4	—	2
1	13,045	—	—	72	307	858	1,342	1,821	1,712	1,547	1,162	2,948	874	351	49	2	—	5
2	11,057	—	—	—	75	284	710	1,151	1,365	1,448	1,260	3,428	959	307	64	1	—	—
3	10,156	—	—	—	—	54	222	670	966	1,208	1,379	4,164	1,102	314	67	4	—	6
4	8,461	—	—	—	—	—	41	194	465	784	1,034	4,248	1,277	353	63	—	2	2
5	7,172	—	—	—	—	—	—	49	135	348	630	4,026	1,510	401	64	3	—	6
6	5,883	—	—	—	—	—	—	—	27	117	318	3,357	1,592	405	63	1	—	3
7	4,898	—	—	—	—	—	—	—	—	21	109	2,579	1,691	445	50	1	—	2
8	3,989	—	—	—	—	—	—	—	—	—	22	1,677	1,721	502	60	6	—	1
9	3,381	—	—	—	—	—	—	—	—	—	—	1,046	1,705	553	71	3	—	3
10-14	9,785	—	—	—	—	—	—	—	—	—	—	772	5,114	3,428	444	22	—	5
15-19	3,500	—	—	—	—	—	—	—	—	—	—	—	359	2,370	729	41	—	1
20-24	671	—	—	—	—	—	—	—	—	—	—	—	—	186	444	41	—	—
25 and over	40	—	—	—	—	—	—	—	—	—	—	—	—	—	19	20	1	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All Legitimate Births	95,117	—	102	550	1,442	2,786	4,072	5,578	6,116	6,674	6,710	30,240	18,548	9,878	2,235	149	1	36
Male	48,992	—	64	288	752	1,450	2,093	2,861	3,146	3,393	3,448	15,656	9,541	5,037	1,167	84	1	11
Female	46,125	—	38	262	690	1,336	1,979	2,717	2,970	3,281	3,262	14,584	9,007	4,841	1,068	65	—	25
Illegitimate Births	4,134	39	82	166	208	267	282	312	264	236	235	905	624	404	100	5	—	5
Male	2,134	21	47	72	105	142	164	165	129	111	118	461	330	210	54	1	—	4
Female	2,000	18	35	94	103	125	118	147	135	125	117	444	294	194	46	4	—	1
All Births	99,251	39	184	716	1,650	3,053	4,354	5,890	6,380	6,910	6,945	31,145	19,172	10,282	2,335	154	1	41
Male	51,126	21	111	360	857	1,592	2,257	3,026	3,275	3,504	3,566	16,117	9,871	5,247	1,221	85	1	15
Female	48,125	18	73	356	793	1,461	2,097	2,864	3,105	3,406	3,379	15,028	9,301	5,035	1,114	69	—	26

Table 11. Fertility by Age of Mother, Scotland, 1959.

	Age of Mother									
	All Ages	15-19*	20-24	25-29	30-34	35-39	40-44	45-49	50 and over	Not stated
Births, 1959:										
Total	99,251	5,642	30,479	31,145	19,172	10,282	2,335	154	1	41
Legitimate	95,117	4,880	29,150	30,240	18,548	9,878	2,235	149	1	36
Illegitimate	4,134	762	1,329	905	624	404	100	5	—	5
Rates per annum per 1,000 females:										
All Births	79.53†	30.23	169.37	177.77	109.12	54.53	14.70	0.84	0.00	—
Legitimate Births (per 1,000 married females)	117.11†	452.83	312.79	215.31	130.52	64.35	17.02	1.06	0.00	—
Illegitimate Births (per 1,000 unmarried females including widowed and divorced)	9.49†	4.34	15.33	26.06	18.60	11.53	3.63	0.12	—	—

† Rates in this column are calculated on the appropriate population of women aged 15-49.

* 2 aged 13 and 6 aged 14.

Table 12. Interval between Present Marriage and Birth of First Child, Scotland, 1959.

Duration of Marriage	Age of Mother																
	All Ages	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	50 and over	Not stated
<i>Months.</i>																	
Under One	119	6	8	11	20	15	12	9	9	7	13	7	2	—	—	—	—
1	164	6	9	20	21	12	17	12	15	9	28	6	7	1	1	—	—
2	257	5	19	37	35	30	25	20	21	7	30	15	9	3	1	—	—
3	540	17	36	68	76	57	54	41	45	23	71	28	18	4	2	—	—
4	492	18	43	73	75	61	60	30	31	19	51	21	9	—	1	—	—
5	802	13	71	112	118	110	101	72	53	39	71	29	11	2	—	—	—
3-5	1,183	19	82	174	201	169	150	108	78	40	109	33	17	3	—	—	—
6	2,477	50	196	359	394	340	311	210	162	98	237	83	37	5	1	—	—
7	1,617	18	84	190	310	255	201	157	111	62	150	45	29	4	1	—	—
8	1,305	9	87	166	211	225	184	112	70	61	123	34	21	2	—	—	—
8	738	4	19	63	103	104	96	86	66	46	99	34	15	3	—	—	—
6-8	3,660	31	190	419	624	584	481	355	247	169	372	113	65	9	1	—	—
9	1,554	2	12	76	137	215	195	194	170	100	318	90	39	6	—	—	—
10	2,562	1	25	71	205	308	342	347	309	207	520	166	48	13	—	—	—
11	2,063	1	17	64	146	233	288	279	247	181	423	136	38	10	—	—	—
9-11	6,179	54	54	211	488	756	825	820	726	488	1,261	392	125	29	—	—	—
12-14	4,154	—	26	110	308	453	626	529	482	345	878	266	109	22	—	—	—
15-17	2,607	—	9	46	136	262	346	377	313	240	630	174	69	5	—	—	—
18-20	1,973	—	8	26	83	148	267	252	247	213	509	148	64	7	1	—	—
21-23	1,542	—	1	14	33	114	170	206	225	165	427	129	48	9	1	—	—
<i>Years.</i>																	
Under One	12,856	102	476	1,057	1,582	1,737	1,671	1,426	1,180	778	1,935	616	245	47	4	—	—
1	10,276	—	44	196	560	977	1,409	1,364	1,267	963	2,444	717	290	43	2	—	—
2	4,169	—	—	13	52	187	355	465	533	495	1,525	378	128	38	—	—	—
3	2,315	—	—	—	8	24	68	178	258	308	1,087	279	86	16	3	—	—
4	1,328	—	—	—	—	2	10	41	87	131	707	266	73	11	—	—	—
5	817	—	—	—	—	—	4	5	16	41	466	216	54	12	3	—	—
6	533	—	—	—	—	—	—	2	6	11	288	173	44	8	1	—	—
7	402	—	—	—	—	—	—	—	—	1	176	176	42	6	1	—	—
8	270	—	—	—	—	—	—	—	—	—	76	139	50	5	—	—	—
9	173	—	—	—	—	—	—	—	—	—	31	106	27	9	—	—	—
10-14	432	—	—	—	—	—	—	—	—	—	19	208	179	24	2	—	—
15-19	88	—	—	—	—	—	—	—	—	—	—	7	64	16	1	—	—
20 and over	18	—	—	—	—	—	—	—	—	—	—	—	5	13	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	33,677	102	520	1,266	2,202	2,927	3,517	3,481	3,347	2,728	8,754	3,281	1,287	248	17	—	—

Table 13. Legitimate Births by Age of Mother and Number of Previous Children, Scotland, 1959.

[illegible]

Table 14. Legitimate Births by Duration of Marriage and Number of Previous Children, Scotland, 1959.

Number of Previous Children (Including Stillborn and Dead)	Total Births	Duration of Present Marriage—Years														Total Children (Including Present Birth)	
		Under 1 year	1	2	3	4	5	6	7	8	9	10-14	15-19	20-24	25 and over		Not stated
By All Husbands—None	33,163	12,610	10,143	4,112	2,285	1,307	810	528	396	268	170	428	88	18	—	—	33,163
1	27,381	2,666	6,036	5,525	5,525	3,926	2,781	1,930	1,310	899	623	1,202	197	15	1	—	54,762
2	16,127	101	158	761	2,003	2,377	2,260	1,939	1,530	1,230	978	2,190	560	39	1	—	48,381
3	8,310	42	43	81	268	703	970	961	959	779	693	2,079	643	86	3	—	33,240
4	4,468	30	15	29	47	106	271	384	455	473	465	1,514	586	88	5	—	22,340
5	2,543	13	9	14	12	20	50	102	176	223	272	1,072	488	88	4	—	15,258
6	1,419	4	6	10	12	10	15	26	52	92	116	647	352	84	3	—	9,933
7	777	2	4	4	2	7	4	7	16	18	22	49	175	86	6	—	6,216
8	409	2	1	2	2	3	2	2	1	4	11	75	98	38	3	—	3,681
9	230	1	—	2	1	—	1	1	—	—	—	32	55	31	2	—	2,300
10	123	2	—	—	—	—	—	—	—	—	—	5	28	20	1	—	672
11	56	—	—	—	—	—	—	—	—	—	—	4	18	14	2	—	494
12	38	—	—	—	—	—	—	—	—	—	—	—	6	11	—	—	266
13	19	—	—	—	—	—	—	—	—	—	—	—	5	6	1	—	180
14	12	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	90
15 and over	37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	37
Not stated	37	2	—	5	6	2	6	3	3	1	3	5	1	3	—	—	37
TOTAL	95,117	13,079	13,045	11,057	10,156	8,461	7,172	5,883	4,898	3,989	3,381	9,785	3,500	671	40	—	232,366
TOTAL NUMBER OF CHILDREN (Including Present Birth)	232,366	13,945	16,333	19,177	20,819	19,910	18,881	16,850	15,277	13,422	12,399	41,899	18,531	4,592	331	—	—
By Present Husband—None	33,677	12,856	10,276	4,169	2,315	1,328	817	533	402	270	173	432	88	18	—	—	33,677
1	27,429	179	2,637	6,088	5,553	3,946	2,811	1,942	1,320	905	625	1,210	197	15	1	—	54,858
2	16,011	27	111	719	1,993	2,383	2,276	1,953	1,530	1,238	979	2,202	560	39	1	—	48,033
3	8,163	8	9	54	251	689	955	956	961	773	694	2,079	644	87	3	—	32,652
4	4,356	4	9	11	31	96	251	374	451	472	466	1,513	586	88	5	—	21,780
5	2,464	1	1	7	12	10	38	95	172	218	269	1,066	492	88	4	—	14,784
6	1,381	1	1	2	1	5	14	21	48	93	115	644	349	84	3	—	9,667
7	743	1	1	2	2	2	3	5	11	16	12	349	215	86	6	—	5,944
8	396	—	—	—	—	—	—	1	—	—	—	173	160	44	3	—	3,564
9	218	—	—	—	—	—	—	—	—	—	—	74	97	38	6	—	2,180
10	119	—	—	—	—	—	—	—	—	—	—	32	54	31	2	—	1,309
11	53	—	—	—	—	—	—	—	—	—	—	4	28	20	1	—	636
12	36	—	—	—	—	—	—	—	—	—	—	2	18	14	—	—	468
13	17	—	—	—	—	—	—	—	—	—	—	—	6	11	—	—	238
14	12	—	—	—	—	—	—	—	—	—	—	—	5	6	1	—	180
15 and over	37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	90
Not stated	37	2	—	5	6	2	6	3	3	1	3	5	1	3	—	—	37
TOTAL	95,117	13,079	13,045	11,057	10,156	8,461	7,172	5,883	4,898	3,989	3,381	9,785	3,500	671	40	—	230,097
TOTAL CHILDREN BY PRESENT HUSBAND (including Present Birth)	230,097	13,370	15,985	18,850	20,616	19,718	18,708	16,739	15,190	13,363	12,356	41,763	18,517	4,591	331	—	—
Average Number of Children to Present Husband	2.42	1.02	1.23	1.70	2.03	2.33	2.61	2.85	3.10	3.35	3.65	4.27	5.29	6.84	8.28	—	—

NOTE.—The above numbers indicate that in some cases children born before marriage have been included by informant.
 * DURATION OF PRESENT MARRIAGE
 20-24 years—1 with 16 previous children; 1 with 18 previous children and 1 with 19 previous children.
 25 years and over—2 with 16 previous children.

Table 15. Deaths, by Age-Groups, of Women who had been married, and number returned at time of death as having had no children, Scotland, 1959.

Conjugal Condition at Date of Death	Age of Women											
	All Ages	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-59	60-69	70 and over	Not stated
All women*—												
Married . . .	8,605	2	49	91	134	244	343	549	1,737	2,544	2,912	—
Widowed . . .	14,015	—	—	—	2	6	22	55	528	2,020	11,382	—
Divorced . . .	116	—	—	—	2	9	9	13	27	24	32	—
Women stated to have had no children—												
Married . . .	1,438	1	22	26	32	38	62	97	309	409	442	—
Widowed . . .	2,068	—	—	—	—	1	3	12	89	294	1,669	—
Divorced . . .	21	—	—	—	1	2	2	3	4	3	6	—
No statement as to children—												
Married . . .	21	—	—	—	—	1	—	—	2	6	12	—
Widowed . . .	65	—	—	—	—	—	—	1	2	7	55	—
Divorced . . .	10	—	—	—	—	—	—	1	2	4	3	—
Not stated . . .	4	—	—	—	—	—	1	—	1	2	—	—
Percentage of women* in each group stated to have had no children—												
Married . . .	16.7	50.0	44.9	28.6	23.9	15.6	18.1	17.8	17.8	16.1	15.2	—
Widowed . . .	14.8	—	—	—	—	16.7	13.6	21.8	16.9	14.6	14.7	—
Divorced† . . .	18.1	—	—	—	—	—	—	—	—	—	—	—

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.

† Numbers in age columns too small for the calculation of significant rates.

Table 16. Deaths of Women who had been married, by duration of marriage, and number returned at time of death as having had no Children, Scotland, 1959.

Duration of Marriage (Years)	Deaths of Women* who had been Married				Number who had had no Children				No statement as to Children				Percentage of Women* in each Group who had had no Children				
	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Not stated	Total	Married	Widowed	Divorced†
Under 1	69	33	35	1	43	23	19	1	—	—	—	—	—	62.3	69.7	54.3	—
1	112	41	71	—	56	22	34	—	—	—	—	—	—	50.0	53.7	47.8	—
2	107	33	72	2	41	12	29	—	—	—	—	—	—	38.3	36.4	40.2	—
3	150	61	86	3	46	21	24	1	—	—	—	—	—	30.7	34.4	27.9	—
4	147	38	106	3	58	17	39	2	—	—	—	—	—	39.5	44.7	36.8	—
5	141	45	95	1	45	15	30	—	—	—	—	—	—	31.9	33.3	31.6	—
6	166	51	113	2	60	29	31	—	—	—	—	—	—	36.1	56.9	27.4	—
7	184	60	120	4	54	17	34	3	1	—	—	—	—	29.3	28.3	28.3	—
8	188	64	117	7	55	24	30	1	1	—	—	1	—	29.3	37.5	25.6	—
9	193	61	130	2	55	25	30	—	—	—	—	—	—	28.5	41.0	23.1	—
10-14	1,240	427	782	31	334	135	194	5	—	—	—	—	—	26.9	31.6	24.8	—
15-19	1,461	526	914	21	395	173	219	3	—	—	—	—	—	27.0	32.9	24.0	—
20-29	4,035	1,476	2,535	24	804	336	463	5	—	—	—	—	—	19.9	22.8	18.3	—
30-39	5,626	2,188	3,425	13	726	332	394	—	—	—	—	—	—	12.9	15.2	11.5	—
40-49	5,556	2,166	3,390	—	473	191	282	—	—	—	—	—	—	8.5	8.8	8.3	—
50-59	2,796	1,181	1,615	—	159	53	106	—	—	—	—	—	—	5.7	4.5	6.6	—
60-69	332	136	196	—	15	7	8	—	—	—	—	—	—	4.5	5.1	4.1	—
70 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	233	18	213	2	108	6	102	—	99	21	65	9	4	46.4	33.3	47.9	—
TOTAL	22,736	8,605	14,015	116	3,527	1,438	2,068	21	100	21	65	10	4	15.5	16.7	14.8	18.1

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.

† Individual numbers too small for the calculation of significant rates.

Table 17. Deaths from Selected Causes and Age Groups of Women who had been married—Scotland, 1959.

Cause of Death	Women who had Children						Women who had no Children									
	Total	15—	25—	35—	45—	55—	65—	75+	Total	15—	25—	35—	45—	55—	65—	75+
001-019	117	2	18	26	22	22	14	13	26	—	4	6	7	2	6	1
020-029	16	—	—	—	1	3	8	4	2	—	—	—	—	1	—	1
Malignant neoplasm of breast	558	—	15	64	120	128	129	102	125	—	—	5	33	30	30	27
171-174	285	—	4	35	58	77	66	45	52	—	—	4	13	8	17	10
Malignant neoplasm of other organs and unspecified female genital organs	174	1	4	7	33	54	44	31	62	1	1	5	12	18	21	4
140-165 } Malignant neoplasm of all other 180-205 } and unspecified sites	2,366	2	21	87	255	509	741	751	410	5	6	14	49	116	107	113
214-217 } Benign neoplasm of female genital organs	6	—	2	1	1	1	1	—	3	—	—	—	—	1	1	—
241	57	—	3	4	13	16	10	11	10	2	—	1	2	1	4	—
252	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thyroidosis, with or without goitre	301	—	1	1	2	6	5	1	1	—	—	—	—	1	—	1
260	108	—	—	2	10	68	143	78	41	—	3	—	3	13	16	6
290-293	55	—	—	1	1	16	30	60	18	—	—	1	—	7	10	10
Anaemias	300-326	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mental, psychoneurotic and personality disorders	330-334	—	—	3	2	9	17	24	7	—	—	—	—	3	—	4
Vascular lesions affecting central nervous system	3,876	3	6	49	158	504	1,125	2,031	642	2	4	7	29	90	179	331
Epilepsy	6	—	—	—	1	3	2	39	3	—	1	1	1	—	—	1
410-416	337	3	17	48	85	82	63	—	95	4	8	15	15	22	15	16
420-422 } Chronic rheumatic heart disease Arteriosclerotic and degenera- tive heart disease	5,754	—	4	35	144	619	1,531	3,421	1,032	—	2	14	34	122	267	593
430-434	320	—	3	4	13	35	93	172	51	—	—	—	3	5	12	31
440-447 } Other diseases of heart	666	—	2	7	30	88	214	325	107	—	1	2	3	17	33	51
450-456	86	1	—	2	9	16	31	27	31	—	—	—	3	7	13	8
Diseases of veins	490-493	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	500-502	1	2	4	31	65	182	387	116	2	1	—	1	10	33	69
Bronchitis	550-561, 570	—	1	8	23	79	177	263	85	—	—	1	7	19	26	32
Intestinal obstruction and hernia	560, 561, 570	—	2	3	8	19	37	53	19	—	—	1	2	2	8	6
Diseases of the liver	581-586	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the urinary and genito-urinary system	590-609	—	5	2	19	43	52	56	29	—	1	1	3	8	9	7
Diseases of female genital organs	620-637	1	9	20	33	46	71	82	57	3	3	5	8	7	16	15
640-689 } Deliveries and complications of pregnancy and the puerperium	17	—	—	3	—	4	8	2	3	1	—	—	—	2	—	—
Remainder	32	5	17	10	—	—	—	—	1	1	—	—	—	—	—	—
001-795	1,743	6	22	59	108	210	377	961	365	—	13	12	17	51	72	200
E800-E999	529	3	12	40	59	73	97	245	134	2	11	13	16	17	18	57
TOTAL	19,209	28	170	525	1,239	2,795	5,268	9,184	3,527	23	59	108	260	572	910	1,595

**Table 18. Number of Stillbirths and Neo-Natal Deaths
in Counties of Cities, Large Burghs and Counties of Scotland 1959.**

Counties of Cities Large Burghs, and Counties	Living Births	Stillbirths		Neo- natal Deaths	Rate per 1,000 Total Births		
		Total	Illegiti- mate		Still- births	Neo- natal Deaths	Com- bined Rates
SCOTLAND . .	99,251	2,252	141	1,922	22.2	18.9	41.1
COUNTIES OF CITIES . .	37,674	908	63	785	23.5	20.3	43.9
LARGE BURGHS . .	17,780	384	23	342	21.1	18.8	40.0
COUNTIES (ex. Counties of Cities and Large Burghs)	43,797	960	55	795	21.4	17.8	39.2
SMALL BURGHS . .	15,920	347	27	275	21.3	16.9	38.2
LANDWARD . .	27,877	613	28	520	21.5	18.3	39.8
NORTHERN DIVISION . .	16,669	352	25	290	20.7	17.0	37.7
EAST CENTRAL DIVISION . .	27,354	568	31	466	20.3	16.7	37.0
WEST CENTRAL DIVISION . .	50,915	1,216	76	1,092	23.3	20.9	44.3
SOUTHERN DIVISION . .	4,313	116	9	74	26.2	16.7	42.9
ABERDEEN COUNTY . .	5,730	101	5	89	17	15	33
Aberdeen County of City . .	3,345	61	3	47	18	14	32
Remainder of County . .	2,385	40	2	42	16	17	34
ANGUS COUNTY . .	5,171	113	7	84	21	16	37
Dundee County of City . .	3,581	73	4	57	20	16	36
Arbroath Burgh . .	379	9	—	4	23	10	34
Remainder of County . .	1,211	31	3	23	25	19	43
ARGYLL COUNTY . .	875	18	3	16	20	18	38
AYR COUNTY . .	6,517	147	9	113	22	17	39
Ayr Burgh . .	831	14	1	7	17	8	25
Kilmarnock Burgh . .	996	16	1	25	16	25	41
Remainder of County . .	4,690	117	7	81	24	17	41
BANFF COUNTY . .	856	21	—	15	24	17	41
BERWICK COUNTY . .	287	8	1	6	27	20	47
BUTE COUNTY . .	214	3	—	5	14	23	37
CAITHNESS COUNTY . .	575	11	1	8	19	14	32
CLACKMANNAN COUNTY . .	856	22	—	17	25	19	44
DUMFRIES COUNTY . .	1,654	52	3	34	30	20	50
Dumfries Burgh . .	524	19	—	11	35	20	55
Remainder of County . .	1,130	33	3	23	28	20	48
DUNBARTON COUNTY . .	3,578	71	3	57	19	16	35
Clydebank Burgh . .	1,137	22	1	14	19	12	31
Dumbarton Burgh . .	579	17	2	10	29	17	45
Remainder of County . .	1,862	32	—	33	17	17	34
EAST LoTHIAN COUNTY . .	934	14	—	15	15	16	31

**Table 18. Number of Stillbirths and Neo-Natal Deaths
in Counties of Cities, Large Burghs and Counties of Scotland 1959—continued.**

Counties of Cities Large Burghs, and Counties	Living Births	Stillbirths		Neo- natal Deaths	Rate per 1,000 Total Births		
		Total	Illegiti- mate		Still- births	Neo- natal Deaths	Com- bined Rates
FIFE COUNTY	6,233	122	9	107	19	17	36
Dunfermline Burgh	890	16	3	25	18	28	45
Kirkcaldy Burgh	958	23	1	8	23	8	32
Remainder of County	4,385	83	5	74	19	17	35
INVERNESS COUNTY	1,441	38	1	30	26	20	46
Inverness Burgh	510	14	—	13	27	25	52
Remainder of County	931	24	1	17	25	18	43
KINCARDINE COUNTY	413	11	—	7	26	17	42
KINROSS COUNTY	108	1	—	—	9	—	9
KIRKCUDBRIGHT COUNTY	558	13	1	4	23	7	30
LANARK COUNTY	34,224	837	55	786	24	22	46
Glasgow County of City	22,598	613	48	538	26	23	50
Airdrie Burgh	768	12	—	10	15	13	28
Coatbridge Burgh	1,325	23	1	18	17	13	30
Hamilton Burgh	898	17	3	21	19	23	42
Motherwell etc. Burgh	1,481	27	—	31	18	21	38
Rutherglen Burgh	508	12	—	10	23	19	42
Remainder of County	6,646	133	3	158	20	23	43
MIDLOTHIAN COUNTY	10,410	208	11	183	20	17	37
Edinburgh County of City	8,150	161	8	143	19	17	37
Remainder of County	2,260	47	3	40	20	17	38
MORAY COUNTY	979	23	1	15	23	15	38
NAIRN COUNTY	150	3	1	3	20	20	39
ORKNEY COUNTY	312	6	—	5	19	16	35
PEEBLES COUNTY	202	4	—	5	19	24	44
PERTH COUNTY	2,041	38	5	45	19	22	40
Perth Burgh	711	9	—	17	13	24	36
Remainder of County	1,330	29	5	28	21	21	42
RENFREW COUNTY	6,596	161	9	136	24	20	44
Greenock Burgh	1,635	44	5	39	26	23	49
Paisley Burgh	1,935	52	2	51	26	26	52
Port Glasgow Burgh	524	11	1	8	21	15	36
Remainder of County	2,502	54	1	38	21	15	36
ROSS AND CROMARTY CO.	924	24	3	15	25	16	41
ROXBURGH COUNTY	732	17	—	9	23	12	35
SELKIRK COUNTY	318	7	1	4	22	12	34
STIRLING COUNTY	3,510	83	4	53	23	15	38
Falkirk Burgh	639	13	2	13	20	20	40
Stirling Burgh	552	14	—	7	25	12	37
Remainder of County	2,319	56	2	33	24	14	37
SUTHERLAND COUNTY	216	11	—	6	48	26	75
WEST LOTHIAN COUNTY	1,830	46	3	34	25	18	43
WIGTOWN COUNTY	562	15	3	12	26	21	47
ZETLAND COUNTY	245	3	2	4	12	16	28

Table 19. Stillbirths by Age of Mother and Number of Previous Children, Scotland, 1959.

Number of Previous Children (Present or any Previous Husband)	All Ages	Rate per 1,000 Births	Age of Mother							50 and over	Not stated
			Under 20	20-	25-	30-	35-	40-	45-		
None	754	22	87	343	201	76	37	10	—	—	—
1	420	15	13	131	146	86	39	5	—	—	—
2	354	21	3	55	116	92	73	15	—	—	—
3	212	25	—	19	50	72	54	15	2	—	—
4	137	30	—	4	33	52	31	17	—	—	—
5	110	41	—	1	18	30	51	8	2	—	—
6	57	39	—	—	8	19	23	7	—	—	—
7	31	38	—	—	2	10	9	9	1	—	—
8	16	38	—	—	1	5	6	4	—	—	—
9	6	25	—	—	—	2	2	2	—	—	—
10 and over	14	52	—	—	—	2	6	5	1	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—
All Legitimate Stillbirths	2,111	21·7	103	553	575	446	331	97	6	—	—
All Illegitimate Stillbirths	141	33·0	*17	48	27	22	15	9	—	—	3
ALL STILLBIRTHS	2,252	22·2	120	601	602	468	346	106	6	—	3
Stillbirths per 1,000 Total Births (including Stillbirths)—											
Legitimate	21·7	—	21	19	19	23	32	42	39	—	—
Illegitimate	33·0	—	22	35	29	34	36	83	—	—	—
All Births	22·2	—	21	19	19	24	33	43	38	—	—

	Live Births		Stillbirths		Total	Legitimate	Illegitimate	Age of Mother							45—49	50 and over	Not stated
	Male	Female	Male	Female				Under 20	20—24	25—29	30—34	35—39	40—44				
Twin Births .	2	—	—	—	380	359	21	20 (3)	92 (4)	121 (5)	89 (3)	44 (6)	14	—	—	—	
	1	2	—	—	415	398	17	8 (1)	89 (5)	129 (5)	120 (6)	58	10	1	—	—	
	—	—	—	—	357	340	17	14 (2)	85 (2)	105 (6)	85 (1)	62 (6)	6	—	—	—	
	1	—	1	—	22	21	1	—	7	3 (1)	6	4	2	—	—	—	
	1	—	—	1	11	10	1	—	1	1	4 (1)	3	—	—	—	—	
	—	1	—	—	13	12	1	—	2	4	3	4 (1)	—	—	—	—	
Triplet Births	—	1	—	—	20	18	2	1	4 (1)	4	4	6	1 (1)	—	—	—	
	—	—	—	—	7	6	1	—	3 (1)	3	1	—	—	—	—	—	
	—	—	—	—	1	—	1	—	—	—	1 (1)	—	—	—	—	—	
	—	—	—	—	11	11	—	—	4	—	2	—	—	—	—	—	
	3	—	—	—	2	2	—	—	1	1	—	—	—	—	—	—	
	2	1	—	—	4	4	—	—	—	—	2	1	—	—	—	—	
Quadruplet Births .	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	
	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
	2	2	—	—	1	1	—	—	—	—	1	—	—	—	—	—	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Twin Confinements	1,237	1,175	62	45	287	373	315	183	33	1	—	—	
	9	9	—	—	1	3	2	2	1	—	—	—	
	1	1	—	—	—	—	1	—	—	—	—	—	
	—	—	—	—	—	—	—	—	—	—	—	—	
All Multiple Confinements	1,247	1,185	62	45	288	376	318	185	34	1	—	—	
	62	—	62	6	13	17	12	13	1	—	—	—	
	100,245	96,032	4,213	5,717	30,796	31,367	19,316	10,439	2,406	159	1	44	
	—	—	—	—	—	—	—	—	—	—	—	—	
All mothers	Percentage of mothers who had multiple births	1.23	1.47	0.79	0.94	1.20	1.65	1.77	1.41	0.63	—	—	
													

NOTE.—The total in each group includes the illegitimate births which are also shown separately in brackets.

Table 21. Stillbirths, 1959—Cause, with Age of Mother.

Inter- national Nos. (Y30-Y39)	Cause of Death	Sex of Child	Age of Mother										
			All Ages	Under 20	20—	25—	30—	35—	40—	45—	50 and over	Not stated	
	ALL CAUSES	B.S. M. F.	2,252 1,120 1,130	120 63 57	601 305 296	602 289 312	468 227 241	346 178 167	106 54 52	6 3 3	— — —	3 1 2	
	Sex not stated		2	—	—	1	—	1	—	—	—	—	
	Chronic Disease in mother	M. F.	38 25	1 —	5 5	15 8	8 7	5 4	3 —	1 1	— —	— —	
30.0	Syphilis	M. F.	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —	
30.1	Tuberculosis	M. F.	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	
30.2	Diabetes	M. F.	9 3	— —	1 1	4 2	3 —	1 —	— —	— —	— —	— —	
30.3	Chronic diseases of circulatory system	M. F.	19 17	1 —	3 4	5 4	4 5	4 3	1 —	1 1	— —	— —	
30.4	Chronic disease of genito-urinary system	M. F.	— 2	— —	— —	— 2	— —	— —	— —	— —	— —	— —	
30.5	Other chronic disease	M. F.	9 2	— —	— —	6 —	1 2	— —	2 —	— —	— —	— —	
	Acute disease in mother	M. F.	3 4	— —	1 1	1 3	1 —	— —	— —	— —	— —	— —	
31.1	Influenza	M. F.	2 2	— —	1 —	1 2	— —	— —	— —	— —	— —	— —	
31.2	Pneumonia	M. F.	1 1	— —	— 1	— —	1 —	— —	— —	— —	— —	— —	
31.3	Other acute respiratory disease	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
31.0, 31.4	Other acute disease or condition	M. F.	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	
	Diseases and conditions of pregnancy and childbirth	M. F.	94 94	10 8	26 33	24 27	15 11	15 10	4 5	— —	— —	— —	
32.1	Ectopic gestation	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
32.3a	Eclampsia	M. F.	84 88	10 6	24 31	21 26	12 11	13 9	4 5	— —	— —	— —	
32.3b	Nephritic toxæmia	M. F.	3 —	— —	1 —	— —	1 —	1 —	— —	— —	— —	— —	
32.3c	Toxæmia not stated	M. F.	2 3	— —	— 2	— —	1 —	1 1	— —	— —	— —	— —	
32.4a	Acute yellow atrophy of liver	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
32.4b	Hyperemesis gravidarum	M. F.	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	
32.5a	Pyelitis	M. F.	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	
32.5b	Infection	M. F.	5 1	— —	1 —	3 1	1 —	— —	— —	— —	— —	— —	
33	Absorption of toxic substance from mother	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	Difficult Labour	M. F.	111 98	7 3	36 15	27 31	21 27	17 19	3 2	— 1	— —	— —	
34.0a	Abnormality of bones of pelvis with immaturity	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 21—continued

International Nos. (Y30-Y39)	Cause of Death	Sex of Child	Age of Mother									
			All Ages	Under 20	20—	25—	30—	35—	40—	45—	50 and over	Not stated
	<i>Difficult Labour—continued</i>											
34.0b	Abnormality of bones of pelvis without immaturity	M. F.	1 2	— —	1 —	— 1	— —	— —	— —	— —	— —	— —
34.1a	Disproportion with immaturity	M. F.	11 13	1 3	4 3	2 6	4 1	— 3	— —	— —	— —	— —
34.1b	Disproportion without immaturity	M. F.	20 14	— —	8 3	5 1	3 6	4 3	— 1	— —	— —	— —
34.2a	Malposition of fœtus, with immaturity	M. F.	9 6	2 1	1 1	2 2	— 1	3 1	1 —	— —	— —	— —
34.2b	Malposition of fœtus, without immaturity	M. F.	35 33	3 1	10 6	9 10	10 10	3 6	— —	— —	— —	— —
34.3a	Abnormality of forces of labour, with immaturity	M. F.	2 1	— 1	1 —	— —	— —	1 —	— —	— —	— —	— —
34.3b	Abnormality of forces of labour, without immaturity	M. F.	14 9	— —	4 —	5 2	2 3	2 4	1 —	— —	— —	— —
34.4a	Operative delivery, with immaturity	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
34.4b	Operative delivery, without immaturity	M. F.	3 3	— —	2 —	— 3	— —	— —	1 —	— —	— —	— —
34.5a	Abnormality of organs or tissues of pelvis with immaturity	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
34.5b	Abnormality of organs or tissues of pelvis, without immaturity	M. F.	1 3	— —	— 1	— 1	1 1	— —	— —	— —	— —	— —
34.6a	Difficult labour without mention of condition, but with immaturity	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
34.6b	Difficult labour without mention of condition, and without immaturity	M. F.	15 14	1 —	5 1	4 5	1 4	4 2	— 1	— 1	— —	— —
	Other causes in Mother	M. F.	5 5	— —	2 1	2 2	1 2	— —	— —	— —	— —	— —
35.0	Fall	M. F.	1 2	— —	— 1	1 1	— —	— —	— —	— —	— —	— —
32.0, 35.1	Other accident or violence	M. F.	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
35.2	Over-exertion	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
35.3	Other and ill-defined causes in mother	M. F.	3 3	— —	2 —	1 1	— 2	— —	— —	— —	— —	— —
	Placental and cord conditions	M. F.	434 358	18 12	94 84	116 93	103 84	79 64	23 21	1 —	— —	— —
36.0a	Prolapse of cord	M. F.	55 42	3 1	10 17	15 6	13 7	11 5	3 6	— —	— —	— —
36.0b	Torsion of cord	M. F.	55 57	3 1	13 14	15 16	13 14	7 9	4 3	— —	— —	— —
36.1, 36.3	Placenta prævia	M. F.	13 10	1 —	2 2	5 2	4 1	1 3	1 2	— —	— —	— —
32.2	Accidental hæmorrhage	M. F.	206 145	4 5	51 32	50 41	52 39	39 24	9 4	1 —	— —	— —
36.2, 36.4	Other hæmorrhage	M. F.	15 12	— —	2 3	3 3	5 4	4 2	1 —	— —	— —	— —
36.5	Placental infarct	M. F.	36 44	2 2	10 8	12 13	7 9	4 10	1 2	— —	— —	— —
36.6	Others of placenta and cord	M. F.	54 48	5 3	7 8	16 12	9 10	13 11	4 4	— —	— —	— —

Table 21—continued.

Inter- national Nos. (Y30-Y39)	Cause of Death	Sex of Child	Age of Mother									
			All Ages	Under 20	20-	25-	30-	35-	40-	45-	50 and over	Not stated
37a	Birth injury	M. F.	45 19	1 1	15 7	9 3	12 3	7 2	1 3	-	-	-
	Birth injury with immaturity	M. F.	2 1	- 1	1 1	- -	1 -	- -	- -	-	-	-
37b	Birth injury without immaturity	M. F.	43 18	1 1	14 6	9 3	11 3	7 2	1 3	-	-	-
	Congenital malformation of fetus	M. F.	176 318	18 23	58 97	38 85	28 66	26 36	7 10	1 1	-	-
	Sex not stated		1	-	-	-	-	1	-	-	-	-
38.0	Anencephalus	M. F.	92 215	9 18	30 62	21 62	15 45	13 24	4 4	-	-	-
38.1	Hydrocephalus	M. F.	53 43	7 18	11 16	13 7	9 5	7 5	3 -	-	-	-
38.2	Spina bifida	M. F.	5 20	- 1	3 6	1 8	- 2	1 1	- 1	1 1	-	-
38.3	Other malformations of the central nervous system	M. F.	5 16	- 3	2 3	1 -	- 5	2 3	- 2	-	-	-
38.4	Malformation of the cardiovascular system	M. F.	5 4	- -	- 1	2 1	1 1	2 -	- 1	-	-	-
38.5	Malformation of other specified system	M. F.	4 7	- 1	1 4	- 1	1 -	1 -	- 2	1 -	-	-
	Sex not stated		1	-	-	-	-	1	-	-	-	-
38.6	Monster	M. F.	1 2	- -	- 1	- -	1 -	1 -	- -	-	-	-
38.7	Other and unspecified malformations	M. F.	11 11	2 1	4 4	2 -	3 4	- 2	- -	-	-	-
	Diseases of fetus and ill-defined causes	M. F.	214 209	8 10	68 53	57 60	38 41	29 32	13 11	-	-	1 2
	Sex not stated		1	-	-	-	-	-	-	-	-	-
39.2	Erythroblastosis (Rhesus Factor)	M. F.	49 46	- -	9 9	22 14	7 11	8 10	3 2	-	-	-
39.0 39.1, 39.3	Other diseases of fetus	M. F.	- 1	- -	- -	1 -	- -	- -	- -	-	-	-
39.4	Maceration	M. F.	41 34	1 2	16 10	10 6	6 10	6 4	2 2	-	-	-
39.5a	Premature birth (cause not stated)	M. F.	17 13	2 1	6 3	3 6	5 1	1 1	- 1	-	-	-
39.5b	Debility	M. F.	1 2	- 1	- -	- -	1 -	1 -	- -	-	-	-
39.5c	Asphyxia	M. F.	63 58	3 2	24 17	11 17	11 10	9 9	5 3	-	-	-
39.5d	Atelectasis	M. F.	11 11	2 -	3 3	4 2	- 3	- 2	2 1	-	-	-
39.5e	Other ill-defined	M. F.	4 6	- -	1 1	2 1	1 1	2 2	- -	-	-	-
39.6	Cause unknown	M. F.	28 38	- 4	9 10	6 12	7 5	4 3	1 2	-	-	1 2
	Sex not stated		1	-	-	1	-	-	-	-	-	-

Table 21A. Stillbirths by Cause of Death and Sex, 1950 to 1959—Scotland.

Inter- national Nos. (Y30-Y39)	Cause of Death.	Sex	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
	ALL CAUSES . . .	B.S. M. F.	2,252 1,120 1,130	2,324 1,176 1,147	2,378 1,195 1,183	2,329 1,170 1,156	2,330 1,229 1,098	2,401 1,243 1,157	2,308 1,197 1,107	2,430 1,249 1,180	2,479 1,292 1,186	2,557 1,319 1,237
	Sex not stated		2	1	—	3	3	1	4	1	1	1
	Chronic disease in mother . . .	M. F.	38 25	22 18	29 27	27 29	41 23	28 16	26 20	35 30	45 19	29 28
30.0	Syphilis . . .	M. F.	— 1	— 1	—	— 1	2 —	2 1	2 —	5 3	5 1	10 5
30.1	Tuberculosis . . .	M. F.	1 —	— —	3 —	1 —	2 —	1 —	2 —	— —	— 2	2 1
30.2	Diabetes . . .	M. F.	9 3	4 4	4 5	6 5	12 4	6 3	7 5	6 7	5 2	3 5
30.3	Chronic disease of circulatory system . . .	M. F.	19 17	11 12	20 15	16 15	18 14	12 10	9 8	17 9	19 9	7 7
30.4	Chronic disease of genito-urinary system . . .	M. F.	— 2	— 1	— 1	— 1	— 1	2 —	5 1	2 4	5 4	1 2
30.5	Other chronic disease . . .	M. F.	9 2	7 —	5 3	4 6	7 4	6 1	1 4	5 9	11 1	6 8
	Acute disease in mother . . .	M. F.	3 4	7 2	5 12	9 9	7 4	7 —	12 10	5 7	11 4	13 9
31.1	Influenza . . .	M. F.	2 2	3 —	2 5	4 1	2 —	— 4	4 1	2 2	2 3	6 4
31.2	Pneumonia . . .	M. F.	1 1	1 —	— 4	— 5	2 —	4 —	1 3	2 2	4 —	6 1
31.3	Other acute respiratory disease . . .	M. F.	— —	— 1	1 1	— —	— 1	— —	1 1	1 —	2 —	1 1
30 31.4	Other acute disease or condition . . .	M. F.	— 1	3 1	2 2	5 3	3 2	3 —	6 2	1 3	3 1	— 3
	Diseases and conditions of pregnancy and childbirth . . .	M. F.	94 94	110 100	113 105	100 107	87 83	116 116	121 96	109 90	142 113	124 94
32.1	Ectopic gestation . . .	M. F.	— —	— —	1 —	— —	— —	— —	— 1	— —	1 1	— —
32.3a	Eclampsia . . .	M. F.	84 88	97 93	102 87	86 93	75 69	106 99	96 80	100 73	118 94	96 80
32.3b	Nephritic toxæmia . . .	M. F.	3 —	2 2	2 —	— 4	2 5	1 6	8 6	2 7	7 5	5 1
32.3c	Toxæmia not stated . . .	M. F.	2 —	8 5	4 11	6 3	7 4	6 7	10 6	7 4	10 8	18 11
32.4a	Acute yellow atrophy of liver . . .	M. F.	— —	— —	— —	1 —	2 1	— 1	2 2	— 1	— —	1 1
32.4b	Hyperemesis gravidarum . . .	M. F.	— 1	1 —	1 —	1 —	— 1	— —	— —	— 1	— 2	1 1
32.5a	Pyelitis . . .	M. F.	— 1	1 —	1 4	— 1	— 1	2 2	1 —	— 3	— 2	2 —
32.5b	Infection . . .	M. F.	5 1	1 —	3 —	6 6	1 2	1 1	4 1	— 1	6 1	1 —
33	Absorption of toxic substance from mother . . .	M. F.	— —	— —	— —	— —	1 2	— 2	1 —	— —	1 —	— —
	Difficult Labour . . .	M. F. N.S.	111 98 —	99 73 —	134 85 —	127 100 —	136 93 —	169 110 —	140 108 1	158 130 —	203 141 —	225 178 —
34.0a	Abnormality of bones of pelvis with immaturity . . .	M. F.	— —	— —	— —	— —	1 —	1 —	1 —	— 1	— —	— 2

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 21A—continued

Inter- national Nos. (Y30-Y39)	Cause of Death	Sex	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
	<i>Difficult Labour—continued</i>											
34.0b	Abnormality of bones of pelvis without immaturity	M. F. N.S.	1 2 —	— 4 —	1 3 —	4 2 —	5 3 —	8 4 —	9 6 1	4 1 —	3 2 —	7 4 —
34.1a	Disproportion with immaturity	M. F.	11 13	4 5	15 9	10 13	10 5	12 7	2 4	4 7	9 5	11 11
34.1b	Disproportion without immaturity	M. F.	20 14	16 17	20 8	24 7	21 20	30 18	17 16	19 10	29 16	38 10
34.2a	Malposition of foetus, with immaturity	M. F.	9 6	4 6	5 1	6 9	8 7	10 9	7 10	6 3	10 11	15 11
34.2b	Malposition of foetus, without immaturity	M. F.	35 33	38 21	50 36	39 38	46 27	53 44	54 38	68 51	79 53	78 72
34.3a	Abnormality of forces of labour, with immaturity	M. F.	2 1	3 2	— 4	1 1	1 —	1 1	— 1	6 5	2 2	8 1
34.3b	Abnormality of forces of labour, without immaturity	M. F.	14 9	15 4	13 9	14 12	9 7	24 8	22 23	33 35	36 31	48 42
34.4a	Operative delivery, with immaturity	M. F.	— —	1 —	— —	— —	— —	1 1	— —	— 1	1 —	— —
34.4b	Operative delivery, without immaturity	M. F.	3 3	1 2	2 3	4 1	9 7	1 5	5 2	3 2	13 10	6 7
34.5a	Abnormality of organs or tissues of pelvis with immaturity	M. F.	— —	— —	— —	— —	1 —	1 —	— —	1 —	— —	2 —
34.5b	Abnormality of organs or tissues of pelvis, without immaturity	M. F.	1 3	— 1	2 1	2 2	7 1	5 —	3 —	5 3	5 5	2 8
34.6a	Difficult labour without mention of condition, but with immaturity	M. F.	— —	— —	— 1	— —	— —	1 —	2 1	1 —	— 4	2 3
34.6b	Difficult labour without mention of condition, and without immaturity	M. F.	15 14	17 11	26 10	23 15	19 15	22 12	18 10	8 4	16 10	8 7
	Other Causes in Mother	M. F. N.S.	5 5 —	3 11 —	7 8 —	12 6 1	13 7 —	16 16 —	25 6 —	9 10 —	12 16 —	8 16 —
35.0	Fall	M. F.	1 2	1 4	2 1	2 2	3 2	2 4	7 —	2 1	3 4	1 6
32.0, 35.1	Other accident or violence	M. F.	1 —	— 1	1 1	2 —	— —	3 2	3 1	— 1	1 1	— 2
35.2	Over-exertion	M. F.	— —	— 1	— —	— 1	3 1	1 3	— —	— 2	1 1	3 4
35.3	Other and ill-defined causes in mother	M. F. N.S.	3 3 —	2 5 —	4 6 —	8 3 1	7 6 —	10 7 —	15 5 —	7 6 —	7 10 —	4 4 —
	Placental and cord conditions	M. F.	434 358	438 339	452 374	421 353	463 328	451 332	411 350	442 358	409 314	423 331
36.0a	Prolapse of cord	M. F.	55 42	60 41	55 39	58 49	71 51	71 43	74 53	79 51	65 45	69 50
36.0b	Torsion of cord	M. F.	55 57	55 52	56 62	49 59	65 56	63 53	65 62	73 62	62 46	57 46
36.1, 36.3	Placenta prævia	M. F.	13 10	12 3	11 8	4 14	18 19	19 13	17 14	33 29	38 34	40 36
32.2	Accidental hæmorrhage	M. F.	206 145	176 119	M218		192	203	197	158	161	169
36.2, 36.4	Other hæmorrhage	M. F.	15 12	14 19	F161		129	120	141	124	130	117
36.5	Placental infarct	M. F.	36 44	55 47	53 48	57 57	52 46	61 46	69 58	66 57	47 43	57 53
36.6	Others of placenta and cord	M. F.	54 48	66 58	59 56	61 45	54 36	40 36	28 39	30 29	28 29	32 22

Table 21A—continued

Inter- national Nos (30-Y39)	Cause of Death	Sex	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
	Birth injury	M. F.	45 19	51 16	47 18	55 38	55 34	57 39	43 30	47 31	62 42	61 48
37a	Birth injury with immaturity	M. F.	2 1	2 2	2 2	3 2	3 2	1 6	— —	5 1	4 3	6 4
37b	Birth injury without immaturity	M. F.	43 18	49 14	45 16	52 36	52 32	56 33	43 30	42 30	58 39	55 44
	Congenital malformation of fetus	M. F. N.S.	176 318 1	178 359 1	171 342	170 331 2	193 306 3	172 309 1	181 295 3	191 327 1	167 309	174 286 1
38.0	Anencephalus	M. F.	92 215	93 237	70 219	71 205	77 189	69 207	70 181	68 193	61 181	63 161
38.1	Hydrocephalus	M. F. N.S.	53 43 —	43 71 —	63 61 —	55 71 —	72 69 1	52 54 —	70 64 —	73 60 —	71 66 —	64 71 —
38.2	Spina bifida	M. F. N.S.	5 20 —	6 19 —	9 26 —	7 18 —	9 15 —	11 11 —	8 17 1	7 28 —	10 22 —	10 17 —
38.3	Other malformations of the central nervous system	M. F.	5 16	4 9	8 10	11 12	6 10	7 9	9 8	12 12	6 7	5 8
38.4	Malformation of the cardiovascular system	M. F.	5 4	3 2	— 4	5 1	3 1	5 4	6 1	3 4	3 2	7 5
38.5	Malformation of other specified system	M. F. N.S.	4 7 1	16 5 —	7 11 —	9 9 —	10 8 1	11 11 —	7 3 —	8 13 —	8 11 —	10 8 1
38.6	Monster	M. F. N.K.	1 2 —	2 1 —	1 1 —	— 2 —	1 — —	1 4 —	1 1 —	2 1 —	— 2 —	1 — —
38.7	Other and unspecified malformations	M. F. N.S.	11 11 —	11 15 1	13 10 —	12 14 —	15 14 1	16 9 1	10 17 1	18 16 1	8 18 —	14 16 —
	Diseases of fetus and ill-defined causes	M. F. N.S.	214 209 1	268 229	237 212	249 183 —	233 218 —	227 217	237 192	253 197	240 228 1	262 247 —
39.2	Erythroblastosis (Rhesus factor)	M. F.	49 46	57 43	48 38	54 34	35 31	46 45	44 37	40 36	38 38	35 27
39.0 39.1, 39.3	Other diseases of fetus	M. F.	— 1	— —	— 2	1 —	— —	2 1	1 1	2 6	2 1	3 —
39.4	Maceration	M. F. N.S.	41 34 —	35 42 —	63 34 —	37 42 —	53 58 —	41 50 —	47 45 —	38 39 —	42 48 1	61 44 —
39.5a	Premature birth (cause not stated)	M. F.	17 13	22 25	15 19	30 14	21 21	22 17	24 17	35 16	16 25	35 30
39.5b	Debility	M. F.	1 2	1 3	1 1	2 1	4 2	1 3	9 5	7 8	11 4	6 2
39.5c	Asphyxia	M. F.	63 58	61 54	47 58	24 18	36 22	24 15	40 21	50 31	38 45	39 62
39.5d	Atelectasis*	M. F.	11 11	31 27	— —	— —	— —	— —	— —	— —	— —	— —
39.5e	Other ill-defined†	M. F.	4 6	8 6	53 45	90 68	77 75	71 73	53 53	40 38	46 40	31 35
39.6	Cause unknown	M. F. N.S.	28 38 1	53 29 —	10 15 —	11 6 —	7 9 —	20 13 —	19 13 —	41 23 —	47 27 —	52 47 —

*During the period 1950-1957 "Atelectasis" (unqualified) was classified to "Other ill-defined".

†During the period 1950-1957 "Death in utero" was classified to "Other ill-defined", but is now allocated to "Cause unknown."

Table 22. Stillbirths—Cause, by Order of Birth, including Children by any Previous Husband, Scotland, 1959.

Inter- national Nos. (Y30-Y39)	Cause of Death	Legitimate Births	No. of Previous Children (present or any previous husband)											Not stated
			None	1	2	3	4	5	6	7	8	9	10 and over	
	ALL CAUSES . . .	2,111	754	420	354	212	137	110	57	31	16	6	14	—
	Chronic Disease in Mother . . .	60	17	11	18	5	4	3	—	1	—	—	1	—
30.0	Syphilis	1	—	—	1	—	—	—	—	—	—	—	—	—
30.1	Tuberculosis	1	1	—	—	—	—	—	—	—	—	—	—	—
30.2	Diabetes	11	2	2	5	—	1	—	—	1	—	—	—	—
30.3	Chronic disease of circulatory system	36	13	6	9	1	3	3	—	—	—	—	1	—
30.4	Chronic disease of genito-urinary system	1	—	—	1	—	—	—	—	—	—	—	—	—
30.5	Other chronic disease	10	1	3	2	4	—	—	—	—	—	—	—	—
	Acute Disease in Mother . . .	7	5	1	—	—	—	—	1	—	—	—	—	—
31.1	Influenza	4	3	—	—	—	—	—	1	—	—	—	—	—
31.2	Pneumonia	2	1	1	—	—	—	—	—	—	—	—	—	—
31.3	Other acute respiratory disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—
31.0, 31.4	Other acute disease or condition .	1	1	—	—	—	—	—	—	—	—	—	—	—
	Diseases and Conditions of Preg- nancy and Childbirth . . .	176	109	25	21	6	8	4	1	2	—	—	—	—
32.1	Ectopic gestation	—	—	—	—	—	—	—	—	—	—	—	—	—
32.3a	Eclampsia	161	103	23	17	6	6	3	1	2	—	—	—	—
32.3b	Nephritic toxæmia	3	—	1	1	—	1	—	—	—	—	—	—	—
32.3c	Toxæmia not stated	5	2	1	1	—	—	1	—	—	—	—	—	—
32.4a	Acute yellow atrophy of liver . .	—	—	—	—	—	—	—	—	—	—	—	—	—
32.4b	Hyperemesis gravidarum	1	1	—	—	—	—	—	—	—	—	—	—	—
32.5a	Pylitis	—	—	—	—	—	—	—	—	—	—	—	—	—
32.5b	Infection	6	3	—	2	—	1	—	—	—	—	—	—	—
33	Absorption of Toxic Substance from Mother	—	—	—	—	—	—	—	—	—	—	—	—	—
	Difficult Labour	195	59	48	33	21	11	12	5	3	1	—	2	—
34.0a	Abnormality of bones of pelvis with immaturity	—	—	—	—	—	—	—	—	—	—	—	—	—
34.0b	Abnormality of bones of pelvis without immaturity	3	1	1	—	1	—	—	—	—	—	—	—	—
34.1a	Disproportion with immaturity .	22	10	3	4	1	2	1	—	1	—	—	—	—
34.1b	Disproportion without immatur- ity	30	8	9	7	3	—	2	1	—	—	—	—	—
34.2a	Malposition of fœtus, with im- maturity	15	2	4	4	—	1	2	2	—	—	—	—	—
34.2b	Malposition of fœtus, without immaturity	65	14	17	12	9	7	4	—	—	1	—	1	—
34.3a	Abnormality of forces of labour, with immaturity	3	—	1	1	1	—	—	—	—	—	—	—	—
34.3b	Abnormality of forces of labour, without immaturity	23	8	3	4	2	—	3	—	2	—	—	1	—
34.4a	Operative delivery, with imma- turity	—	—	—	—	—	—	—	—	—	—	—	—	—
34.4b	Operative delivery, without im- maturity	5	5	—	—	—	—	—	—	—	—	—	—	—
34.5a	Abnormality of organs or tissues of pelvis with immaturity . . .	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 22—continued.

International Nos. Y30-Y39)	Cause of Death	Legitimate Births	No. of Previous Children (present or any previous husband)											Not stated	Illegitimate Births
			None	1	2	3	4	5	6	7	8	9	10 and over		
	Difficult Labour—continued														
34.5b	Abnormality of organs or tissues of pelvis, without immaturity	3	1	2	—	—	—	—	—	—	—	—	—	—	1
34.6a	Difficult labour without mention of condition, but with immaturity	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34.6b	Difficult labour without mention of condition, and without immaturity	26	10	8	1	4	1	—	2	—	—	—	—	—	3
	Other Causes in Mother	9	4	1	1	1	—	1	1	—	—	—	—	—	1
35.0	Fall	3	2	—	1	—	—	—	—	—	—	—	—	—	—
32.0, 35.1	Other accident or violence	1	—	—	—	—	—	1	—	—	—	—	—	—	—
35.2	Over-exertion	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35.3	Other and ill-defined causes in mother	5	2	1	—	1	—	—	1	—	—	—	—	—	1
	Placental and Cord Conditions	745	221	140	126	93	58	45	31	10	10	4	7	—	47
36.0a	Prolapse of cord	92	23	19	12	10	11	3	6	3	1	1	3	—	5
36.0b	Torsion of cord	107	36	19	19	12	9	4	3	3	1	—	1	—	5
36.1, 36.3	Placenta prævia	21	5	2	4	3	1	2	4	—	—	—	—	—	2
32.2	Accidental hæmorrhage	329	91	53	63	41	25	30	13	3	5	2	3	—	22
36.2, 36.4	Other hæmorrhage	25	8	4	5	4	2	1	—	—	1	—	—	—	2
36.5	Placental infarct	74	23	22	9	10	5	3	1	—	—	1	—	—	6
36.6	Others of placenta and cord	97	35	21	14	13	5	2	4	1	2	—	—	—	5
	Birth injury	58	22	15	7	5	2	3	2	—	—	—	2	—	6
37a	Birth injury with immaturity	3	1	1	—	1	—	—	—	—	—	—	—	—	—
37b	Birth injury without immaturity	55	21	14	7	4	2	3	2	—	—	—	2	—	6
	Congenital Malformation of Fetus	463	187	98	82	37	26	20	4	6	1	2	—	—	32
38.0	Anencephalus	285	107	61	60	19	18	14	3	1	1	1	—	—	22
38.1	Hydrocephalus	92	46	20	8	7	8	1	—	1	—	1	—	—	4
38.2	Spina bifida	25	9	5	3	5	—	1	1	1	—	—	—	—	—
38.3	Other malformations of the central nervous system	21	11	5	1	3	—	1	—	—	—	—	—	—	—
38.4	Malformation of the cardiovascular system	8	1	2	2	1	—	1	—	1	—	—	—	—	1
38.5	Malformation of other specified system	9	4	1	2	1	—	—	—	1	—	—	—	—	3
38.6	Monster	2	—	1	1	—	—	—	—	—	—	—	—	—	1
38.7	Other and unspecified malformations	21	9	3	5	1	—	2	—	1	—	—	—	—	1
	Diseases of Fetus and Ill-Defined Causes	398	130	81	66	44	28	22	12	9	4	—	2	—	26
39.2	Erythroblastosis (Rhesus factor)	94	3	24	18	20	17	9	1	1	1	—	—	—	1
39.0	Other diseases of fetus	1	1	—	—	—	—	—	—	—	—	—	—	—	—
39.1, 39.3 }															
39.4	Maceration	70	26	21	10	4	2	2	2	2	1	—	—	—	5
39.5a	Premature birth (cause not stated)	28	12	4	5	—	1	—	—	—	—	—	—	—	2
39.5b	Debility	3	1	—	1	—	—	—	—	—	—	—	—	—	—
39.5c	Asphyxia	111	48	18	15	10	5	6	6	2	1	—	—	—	10
39.5d	Atelectasis	22	11	1	3	2	—	3	—	—	1	—	—	—	—
39.5e	Other ill-defined	9	2	2	4	—	—	—	—	—	—	—	1	—	1
39.6	Cause unknown	60	26	11	10	3	3	1	3	3	—	—	—	—	7

Table 23. Stillbirths—Cause by Month of Registration, Scotland, 1959

Inter- national Nos. (Y30-Y39)	Cause of Death	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
	ALL CAUSES	2,252	213	171	189	197	175	196	198	179	177	189	192	176
	Legitimate	2,111	193	164	175	189	161	181	188	169	169	174	178	170
	Illegitimate	141	20	7	14	8	14	15	10	10	8	15	14	6
	Rates per 1,000 total births	22	23	21	21	22	20	23	23	22	22	21	26	22
	Chronic Disease in Mother	63	4	7	4	4	4	9	6	8	4	3	3	7
30.0	Syphilis	1	—	—	—	—	—	—	—	—	—	—	1	—
30.1	Tuberculosis	1	—	—	—	—	—	—	—	1	—	—	—	—
30.2	Diabetes	12	1	3	1	1	1	1	1	1	—	—	—	—
30.3	Chronic disease of circulatory system	36	2	2	2	3	2	8	4	3	2	2	2	4
30.4	Chronic disease of genito-urinary system	2	—	1	—	—	—	—	1	—	—	—	—	—
30.5	Other chronic disease	11	1	2	—	—	1	—	—	3	2	1	—	1
	Acute Disease in Mother	7	2	1	2	2	—	—	—	—	—	—	—	—
31.1	Influenza	4	—	1	1	2	—	—	—	—	—	—	—	—
31.2	Pneumonia	2	1	—	1	—	—	—	—	—	—	—	—	—
31.3	Other acute respiratory disease	—	—	—	—	—	—	—	—	—	—	—	—	—
31.0, 31.4	Other acute disease or condition	1	1	—	—	—	—	—	—	—	—	—	—	—
	Diseases and Conditions of Pregnancy and Childbirth	188	22	17	15	15	14	15	16	25	13	18	11	7
32.1	Ectopic gestation	—	—	—	—	—	—	—	—	—	—	—	—	—
32.3a	Eclampsia	172	22	14	14	13	13	14	15	23	13	16	8	7
32.3b	Nephritic toxæmia	3	—	—	1	—	—	—	—	—	—	—	1	—
32.3c	Toxæmia not stated	5	—	—	—	1	—	1	1	1	—	—	1	—
32.4a	Acute yellow atrophy of liver	—	—	—	—	—	—	—	—	—	—	—	—	—
32.4b	Hyperemesis gravidarum	1	—	1	—	—	—	—	—	—	—	—	—	—
32.5a	Pyelitis	1	—	1	—	—	—	—	—	—	—	—	—	—
32.5b	Infection	6	—	1	—	1	1	—	—	—	—	2	1	—
33	Absorption of toxic substance from Mother	—	—	—	—	—	—	—	—	—	—	—	—	—
	Difficult Labour	209	21	8	15	17	20	20	20	16	25	13	19	15
34.0a	Abnormality of bones of pelvis with immaturity	—	—	—	—	—	—	—	—	—	—	—	—	—
34.0b	Abnormality of bones of pelvis with- out immaturity	3	—	—	1	—	1	1	—	—	—	—	—	—
34.1a	Disproportion with immaturity	24	4	2	2	—	3	1	1	—	—	7	1	2
34.1b	Disproportion without immaturity	34	6	—	1	2	7	3	3	—	4	2	3	3
34.2a	Malposition of fœtus, with immatur- ity	15	1	1	—	2	—	2	1	4	1	—	3	—
34.2b	Malposition of fœtus, without im- maturity	68	4	2	5	7	5	5	9	6	7	4	7	7
34.3a	Abnormality of forces of labour, with immaturity	3	1	—	—	—	1	—	—	1	—	—	—	—
34.3b	Abnormality of forces of labour, with- out immaturity	23	4	2	1	2	1	4	1	4	—	2	2	—
34.4a	Operative delivery, with immaturity	—	—	—	—	—	—	—	—	—	—	—	—	—
34.4b	Operative delivery, without immaturity	6	—	—	1	1	—	—	2	1	—	1	—	—
34.5a	Abnormality of organs or tissues of pelvis with immaturity	—	—	—	—	—	—	—	—	—	—	—	—	—
34.5b	Abnormality of organs or tissues of pelvis, without immaturity	4	—	—	—	—	—	—	1	—	1	1	—	1
34.6a	Difficult labour without mention of condition, but with immaturity	—	—	—	—	—	—	—	—	—	—	—	—	—
34.6b	Difficult labour without mention of condition, and without immaturity	29	1	1	4	3	2	4	2	—	5	2	2	3

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 23—continued

ter- minal os. -Y39)	Cause of Death.	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
	Other Causes in Mother	10	3	-	1	-	1	-	-	-	3	1	1	-
5.0	Fall	3	2	-	-	-	1	-	-	-	-	-	-	-
35.1	Other accident or violence	1	-	-	-	-	-	-	-	-	-	1	-	-
5.2	Over-exertion	-	-	-	-	-	-	-	-	-	-	-	-	-
5.3	Other and ill-defined causes in mother	6	1	-	1	-	-	-	-	-	3	-	1	-
	Placental and Cord Conditions	792	69	49	68	63	63	67	68	67	65	70	76	67
6.0a	Prolapse of cord	97	9	5	10	5	11	8	7	11	8	11	5	7
6.0b	Torsion of cord	112	13	3	9	7	9	14	8	8	10	10	12	9
36.3	Placenta prævia	23	1	-	4	2	1	1	2	4	3	3	1	1
2.2	Accidental hæmorrhage	351	28	30	31	34	22	26	30	28	27	27	36	32
36.4	Other hæmorrhage	27	1	1	2	3	5	3	3	1	4	2	1	1
6.5	Placental infarct	80	5	3	5	5	7	6	12	8	6	6	12	5
6.6	Others of placenta and cord	102	12	7	7	7	8	9	6	7	7	11	9	12
	Birth Injury	64	5	4	3	4	4	13	3	6	8	1	5	8
7a	Birth injury with immaturity	3	-	-	-	-	-	2	-	-	-	-	-	1
7b	Birth injury without immaturity	61	5	4	3	4	4	11	3	6	8	1	5	7
	Congenital Malformation of Fetus	495	46	52	37	49	39	39	50	24	31	40	48	40
8.0	Anencephalus	307	31	31	18	30	27	27	32	16	17	25	29	24
8.1	Hydrocephalus	96	7	11	13	8	5	7	7	5	11	8	6	8
8.2	Spina bifida	25	1	3	2	4	-	2	3	1	-	4	4	1
8.3	Other malformations of the central nervous system	21	1	2	2	1	5	1	5	-	1	-	3	-
8.4	Malformation of the cardiovascular system	9	1	1	-	1	2	-	1	1	-	1	1	-
8.5	Malformation of other specified system	12	3	1	-	-	-	2	-	-	2	1	2	1
8.6	Monster	3	1	-	1	-	-	-	-	-	-	-	1	-
8.7	Other and unspecified malformations	22	1	3	1	5	-	-	2	1	-	1	2	6
	Diseases of Fetus and Ill-Defined Causes	424	41	33	44	43	30	33	35	33	28	43	29	32
9.2	Erythroblastosis (Rhesus factor)	95	7	11	12	11	5	4	6	10	6	8	7	8
9.0	Other diseases of fetus	1	-	-	-	-	-	-	-	-	-	1	-	-
39.3}														
9.4	Maceration	75	5	1	6	10	6	7	3	10	3	10	6	8
9.5a	Premature birth (cause not stated)	30	4	1	2	2	6	4	2	6	-	1	-	2
9.5b	Debility	3	-	2	-	-	-	-	1	-	-	-	-	-
9.5c	Asphyxia	121	11	7	13	11	6	14	14	4	15	12	8	6
9.5d	Atelectasis	22	1	1	3	1	-	2	2	-	2	5	3	2
9.5e	Other ill-defined	10	-	1	2	1	1	-	1	2	-	1	-	1
9.6	Cause unknown	67	13	9	6	7	6	2	6	1	2	5	5	5

Table 23A. Place of occurrence of Stillbirths by Cause, Scotland, 1959.

International Nos. (Y30-Y39)	Cause of Death	Total	At Home	In Institutions
	ALL CAUSES	2,252	329	1,923
	Chronic Disease in Mother	63	4	59
30.0	Syphilis	1	—	1
30.1	Tuberculosis	1	—	1
30.2	Diabetes	12	—	12
30.3	Chronic disease of circulatory system	36	1	35
30.4	Chronic disease of genito-urinary system	2	1	1
30.5	Other chronic disease	11	2	9
	Acute Disease in Mother	7	1	6
31.1	Influenza	4	1	3
31.2	Pneumonia	2	—	2
31.3	Other acute respiratory disease	—	—	—
31.0, 31.4	Other acute disease or condition	1	—	1
	Diseases and Conditions of Pregnancy and Childbirth	188	11	177
32.1	Ectopic gestation	—	—	—
32.3a	Eclampsia	172	5	167
32.3b	Nephritic toxæmia	3	3	—
32.3c	Toxæmia not stated	5	2	3
32.4a	Acute yellow atrophy of liver	—	—	—
32.4b	Hyperemesis gravidarum	1	—	1
32.5a	Pyelitis	1	1	—
32.5b	Infection	6	—	6
33	Absorption of Toxic Substance from Mother	—	—	—
	Difficult Labour	209	59	150
34.0a	Abnormality of bones of pelvis with immaturity	—	—	—
34.0b	Abnormality of bones of pelvis without immaturity	3	1	2
34.1a	Disproportion with immaturity	24	5	19
34.1b	Disproportion without immaturity	34	7	27
34.2a	Malposition of fœtus, with immaturity	15	4	11
34.2b	Malposition of fœtus, without immaturity	68	26	42
34.3a	Abnormality of forces of labour, with immaturity	3	3	—
34.3b	Abnormality of forces of labour, without immaturity	23	8	15
34.4a	Operative delivery, with immaturity	—	—	—
34.4b	Operative delivery, without immaturity	6	1	5
34.5a	Abnormality of organs or tissues of pelvis with immaturity	—	—	—
34.5b	Abnormality of organs or tissues of pelvis, without immaturity	4	—	4
34.6a	Difficult labour without mention of condition, but with immaturity	—	—	—
34.6b	Difficult labour without mention of condition, and without immaturity	29	4	25
	Other Causes in Mother	10	5	5
35.0	Fall	3	2	1
32.0, 35.1	Other accident or violence	1	—	1
35.2	Over-exertion	—	—	—
35.3	Other and ill-defined causes in mother	6	3	3
	Placental and Cord Conditions	792	103	689
36.0a	Prolapse of cord	97	14	83
36.0b	Torsion of cord	112	32	80
36.1, 36.3	Placenta prævia	23	1	22
32.2	Accidental hæmorrhage	351	12	339
36.2, 36.4	Other hæmorrhage	27	5	22
36.5	Placental infarct	80	27	53
36.6	Others of placenta and cord	102	12	90
	Birth Injury	64	8	56
37a	Birth injury with immaturity	3	—	3
37b	Birth injury without immaturity	61	8	53
	Congenital Malformation of Fœtus	495	59	436
38.0	Anencephalus	307	26	281
38.1	Hydrocephalus	96	14	82
38.2	Spina bifida	25	5	20
38.3	Other malformations of the central nervous system	21	5	16
38.4	Malformation of the cardiovascular system	9	3	6
38.5	Malformation of other specified system	12	2	10
38.6	Monster	3	1	2
38.7	Other and unspecified malformations	22	3	19
	Diseases of Foetus and Ill-Defined Causes	424	79	345
39.2	Erythroblastosis (Rhesus factor)	95	6	89
39.0, 39.1, 39.3	Other diseases of fœtus	1	1	—
39.4	Maceration	75	17	58
39.5a	Premature birth (cause not stated)	30	2	18
39.5b	Debility	3	2	1
39.5c	Asphyxia	121	11	110
39.5d	Atelectasis	22	7	15
39.5e	Other ill-defined	10	3	7
39.6	Cause unknown	67	20	47

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only

Inter- national Nos. (Y 30-Y 39)	Scotland	Aberdeen Co. of C.	Aberdeen Remainder of C.	Dundee Co. of C.	Arroath Burgh	Remainder Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Cathness Co.	Clackmann Co.	Dumfries Burgh	Dumfries Co.	Clydebank Burgh	Dumbarrow Burgh	Remainder Dunbarton Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder Fife Co.	Inverness Burgh	Remainder Inverness Co.	Kincardine Co.	Kinross Co.	Kirkcudbright Co.
ALL CAUSES	2,252	61	40	73	9	31	18	14	16	117	21	8	3	11	22	19	33	22	17	32	14	16	23	83	14	24	11	1	13
Chronic Disease in Mother																													
Syphilis	63	1	4				1		2	1			1	1	1		2	1			1								
Tuberculosis	1									1																			
Diabetes	12						1		1				1				1												
Chronic disease of circulatory system	36	1	2																										
Chronic disease of genito-urinary system																													
Other chronic disease	11													1				1									1	1	
Acute Disease in Mother																													
Influenza	7	1	1								1																		
Pneumonia	4	1									1																		
Other acute respiratory disease	2																												
Other acute disease or condition	1																												
Diseases and Conditions of Pregnancy and Childbirth	188	5	4	8	3	1	1			10	3			3	1		4	2	2	2		1	4	10				2	1
Ectopic gestation																													
Clampia	172	5	4	8	3	1	1			9	3			2	1		3	2	2	2		1	2	8				2	1
Nephritic toxæmia																													
Toxæmia not stated	5																												
Acute yellow atrophy of liver	3																												
Hyperemesis gravidarum	1																												
Pyelitis	1									1																			
Infection	6																												
Absorption of toxic substance from Mother																													
Difficult Labour	209	3	4	2			3		3	7	3	1		1	4	2	3	1	3	5	1	2	1	5				3	1
Abnormality of bones of pelvis with immaturity																													
Abnormality of bones of pelvis without immaturity																													
Disproportion with immaturity	3																												
Disproportion without immaturity	24	2	1							1					1				1	1									
Malposition of fetus, with immaturity	34								1					1	1		1		2			2		2				3	
Malposition of fetus, without immaturity	15		1						1						1														
Malposition of forces of labour, with immaturity	68		2	1			1		1	4	3			1	1	1	1	1		3	1								
Abnormality of forces of labour, without immaturity	3																												
Operative delivery, with immaturity	23									1																			
Operative delivery, without immaturity	6																												
Abnormality of organs or tissues of pelvis with immaturity																													
Abnormality of organs or tissues of pelvis, without immaturity	4																												

NOTE.—Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Inter-national Nos. (Y30-Y39)	ALL CAUSES	Glasgow Co. of C.	Airdrie Burgh	Coatbridge Burgh	Hamilton Burgh	Motherwell & Wishaw B.	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling Burgh	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.
		613	12	23	17	27	12	133	161	47	23	3	6	4	9	29	44	52	11	54	24	17	7	13	14	56	11	46	15	3
	Chronic Disease in Mother	29	-	-	1	1	-	5	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	1	2	-	-	-
30.0	Syphilis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30.1	Tuberculosis	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30.2	Diabetes	17	-	-	-	-	-	3	5	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-
30.3	Chronic disease of circulatory system	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30.4	Chronic disease of genito-urinary system	5	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
30.5	Other chronic disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31.1	Acute Disease in Mother	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
31.2	Influenza	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
31.3	Pneumonia	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31.0, 31.4	Other acute respiratory disease Other acute disease or condition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Diseases and Conditions of Pregnancy and Childbirth	50	3	2	-	2	-	10	9	4	3	1	-	1	4	4	5	5	1	4	3	-	1	-	1	3	-	2	1	-
32.1	Ectopic gestation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32.3a	Eclampsia	45	2	2	-	2	-	10	9	4	3	-	-	1	4	5	4	4	1	4	3	-	1	-	1	3	-	2	1	-
32.3b	Nephritic toxæmia	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32.3c	Toxæmia not stated	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
32.4a	Acute yellow atrophy of liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32.4b	Hyperemesis gravidarum	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32.5a	Pyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32.5b	Infection	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Absorption of toxic substance from Mother	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Difficult Labour	61	4	1	1	5	2	8	9	3	3	-	3	1	1	5	10	6	1	5	1	4	-	1	-	4	2	5	1	-
34.0a	Abnormality of bones of pelvis with immaturity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34.0b	Abnormality of bones of pelvis without immaturity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34.1a	Disproportion with immaturity	11	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34.1b	Disproportion without immaturity	10	-	-	-	3	-	-	-	-	1	-	-	-	-	2	2	3	-	-	-	2	-	-	-	1	2	1	-	-
34.2a	Malposition of fetus, with immaturity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34.2b	Malposition of fetus, without immaturity	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	1	-	1	-	1	-	-
34.3a	Abnormality of forces of labour, with immaturity	19	-	-	-	2	1	3	5	1	1	-	2	-	1	1	1	-	-	4	1	1	-	-	-	-	-	1	1	-
34.3b	Abnormality of forces of labour, without immaturity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34.4a	Operative delivery, with immaturity	4	1	-	1	-	-	-	-	1	1	-	-	-	-	-	5	2	1	1	-	-	-	-	-	1	-	1	-	-
34.4b	Operative delivery, without immaturity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34.5a	Abnormality of organs or tissues of pelvis with immaturity	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34.5b	Abnormality of organs or tissues of pelvis, without immaturity	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24. Causes of Stillbirths in the Public Health Districts of Scotland, 1959—continued.

[illegible]

Table 25.—Legitimate Stillbirths by Cause and Social Classification, 1959.

Inter- national Nos. Y30-Y39)	CAUSE OF DEATH	All Classes	Social Class I	Social Class II	Social Class III	Social ClassIV	Social Class V	Social Class not stated
	ALL CAUSES	2,111	53	135	1,184	461	278	—
	Chronic Diseases in Mother	60	1	5	33	10	11	—
30.0	Syphilis	1	—	—	—	—	1	—
30.1	Tuberculosis	1	—	—	1	—	—	—
30.2	Diabetes	11	1	1	7	1	1	—
30.3	Chronic disease of circulatory system	36	—	4	20	4	8	—
30.4	Chronic disease of genito-urinary system	1	—	—	—	1	—	—
30.5	Other chronic disease	10	—	—	5	4	1	—
	Acute Disease in Mother	7	—	—	4	1	2	—
31.1	Influenza	4	—	—	2	—	2	—
31.2	Pneumonia	2	—	—	2	—	—	—
31.3	Other acute respiratory disease	—	—	—	—	—	—	—
31.0, 31.4	Other acute disease or condition	1	—	—	—	1	—	—
	Diseases and Conditions of Pregnancy and Childbirth	176	5	12	99	38	22	—
32.1	Ectopic gestation	—	—	—	—	—	—	—
32.3a	Eclampsia	161	5	11	92	35	18	—
32.3b	Nephritic toxæmia	3	—	—	2	1	—	—
32.3c	Toxæmia not stated	5	—	1	2	—	2	—
32.4a	Acute yellow atrophy of liver	—	—	—	—	—	—	—
32.4b	Hyperemesis gravidarum	1	—	—	—	—	1	—
32.5a	Pyelitis	—	—	—	—	—	—	—
32.5b	Infection	6	—	—	3	2	1	—
33	Absorption of Toxic Substance from Mother	—	—	—	—	—	—	—
	Difficult Labour	195	3	11	117	42	22	—
34.0a	Abnormality of bones of pelvis with immaturity	—	—	—	—	—	—	—
34.0b	Abnormality of bones of pelvis without immaturity	3	1	—	1	1	—	—
34.1a	Disproportion with immaturity	22	—	1	13	6	2	—
34.1b	Disproportion without immaturity	30	1	2	15	9	3	—
34.2a	Malposition of foetus, with immaturity	15	—	—	8	5	2	—
34.2b	Malposition of foetus, without immaturity	65	1	3	37	14	10	—
34.3a	Abnormality of forces of labour, with immaturity	3	—	—	2	1	—	—
34.3b	Abnormality of forces of labour, without immaturity	23	—	1	18	3	1	—
34.4a	Operative delivery, with immaturity	—	—	—	—	—	—	—
34.4b	Operative delivery, without immaturity	5	—	—	3	—	2	—
34.5a	Abnormality of organs or tissues of pelvis with immaturity	—	—	—	—	—	—	—
34.5b	Abnormality of organs or tissues of pelvis, without immaturity	3	—	—	3	—	—	—
34.6a	Difficult labour without mention of con- dition, but with immaturity	—	—	—	—	—	—	—
34.6b	Difficult labour without mention of con- dition, and without immaturity	26	—	4	17	3	2	—

NOTE.—Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 25.—continued

Inter- national Nos. (Y30-Y39)	CAUSE OF DEATH	All Classes	Social Class I	Social Class II	Social Class III	Social Class IV	Social Class V	Social Class not stated
	Other Causes in Mother . . .	9	1	—	6	—	2	—
35.0	Fall	3	1	—	2	—	—	—
32.0, 35.1	Other accident or violence . . .	1	—	—	1	—	—	—
35.2	Over-exertion	—	—	—	—	—	—	—
35.3	Other and ill-defined causes in mother .	5	—	—	3	—	2	—
	Placental and Cord Conditions . . .	745	20	51	402	170	102	—
36.0a	Prolapse of cord	92	2	5	50	20	15	—
36.0b	Torsion of cord	107	2	8	54	27	16	—
36.1, 36.3	Placenta prævia	21	—	1	15	4	1	—
32.2	Accidental hæmorrhage	329	8	18	174	76	53	—
36.2, 36.4	Other hæmorrhage	25	2	3	17	2	1	—
36.5	Placental infarct	74	3	5	45	14	7	—
36.6	Others of placenta and cord . . .	97	3	11	47	27	9	—
	Birth Injury	58	—	5	37	9	7	—
37a	Birth injury with immaturity . . .	3	—	—	1	—	2	—
37b	Birth injury without immaturity . .	55	—	5	36	9	5	—
	Congenital Malformation of Fetus . .	463	11	28	273	89	62	—
38.0	Anencephalus	285	7	18	167	56	37	—
38.1	Hydrocephalus	92	1	3	57	13	18	—
38.2	Spina bifida	25	—	2	15	6	2	—
38.3	Other malformations of the central nervous system	21	—	—	12	7	2	—
38.4	Malformation of the cardiovascular system	8	1	—	4	2	1	—
38.5	Malformation of other specified system .	9	1	2	6	—	—	—
38.6	Monster	2	—	—	1	1	—	—
38.7	Other and unspecified malformations .	21	1	3	11	4	2	—
	Diseases of Fetus and Ill-Defined Causes	398	12	23	213	102	48	—
39.2	Erythroblastosis (Rhesus factor) . .	94	—	5	50	27	12	—
39.0, 39.1, 39.3	Other diseases of fetus	1	—	—	—	1	—	—
39.4	Maceration	70	5	5	35	21	4	—
39.5a	Premature birth (cause not stated) . .	28	—	1	17	6	4	—
39.5b	Debility	3	—	—	2	—	1	—
39.5c	Asphyxia	111	4	5	61	27	14	—
39.5d	Atelectasis	22	—	1	13	4	4	—
39.5e	Other ill-defined	9	—	1	7	—	1	—
39.6	Cause unknown	60	3	5	28	16	8	—

Table 26. Deaths of Legitimate Children under one year from Selected Causes by Social Classification, 1959

International Nos. Detailed List	Cause of Death	All Classes	Social Class I	Social Class II	Social Class III	Social Class IV	Social Class V	Social Class not stated
010	Tuberculous meningitis .	—	—	—	—	—	—	—
011	Abdominal tuberculosis .	—	—	—	—	—	—	—
001-008, 012-019	Other tuberculous diseases . . .	2	—	—	1	—	1	—
020-029	Syphilis . . .	—	—	—	—	—	—	—
055	Diphtheria . . .	—	—	—	—	—	—	—
056	Whooping cough .	7	—	1	3	1	2	—
057	Meningococcal infections	11	—	1	5	3	2	—
085	Measles . . .	4	—	—	2	—	2	—
340	Meningitis (not meningococcal or tuberculous)	16	—	1	10	5	—	—
490-493	Pneumonia (excluding newborn) . .	267	—	10	144	58	53	2
500-502	Bronchitis . . .	29	—	—	20	5	4	—
470-483, 510-527	Other respiratory diseases	26	—	4	10	8	4	—
543, 571, 572	Diarrhœa (excluding newborn) gastritis and duodenitis . . .	80	—	—	33	22	25	—
530-542, 544-570, 573-587	Other digestive diseases .	48	—	2	33	7	6	—
750-759	Congenital malformations	532	14	45	274	132	67	—
760-761	Birth injuries . . .	269	10	19	148	51	40	1
762	Asphyxia and atelectasis	539	14	35	310	111	69	—
763	Pneumonia of newborn .	92	2	6	48	18	18	—
764	Diarrhœa of newborn .	18	—	—	13	3	2	—
765-776	Other infantile diseases .	501	13	56	271	92	67	2
780a	Convulsions . . .	15	—	1	7	5	2	—
Remainder	All other natural causes .	72	4	5	38	11	14	—
E921, E922, E924, E925	Accidental mechanical suffocation . . .	127	5	7	64	28	23	—
E800-E920, E923, E926-E999	Other violence . . .	5	—	—	5	—	—	—
	TOTAL . . .	2,660	62	193	1,439	560	401	5

Table 27. Stillbirths by Social Classification, Age of Mother and Number of Previous Children, Scotland 1959

[illegible]

No. of Previous Children	All Ages	Age of Mother						No. of Previous Children	Age of Mother	50 and over	Not stated
		Under 20	20-24	25-29	30-34	35-39	40-44	45-49			
Social Class I None 1 2 3 4 5 6 7 8 9 10 and over Not stated TOTAL Illegitimate	1,556	39	551	669	235	48	14	—	—	—	—
	1,256	4	118	573	436	109	16	—	—	—	—
	671	—	17	185	301	142	25	1	—	—	—
	253	—	5	35	119	77	17	1	—	—	—
	69	—	3	8	22	26	9	—	—	—	—
	24	—	—	3	10	11	3	—	—	—	—
	11	—	—	—	2	6	—	—	—	—	—
	5	—	—	1	2	2	1	—	—	—	—
	2	—	—	—	1	1	1	—	—	—	—
	1	—	—	—	—	—	—	—	—	—	—
3,850	43	694	1,474	1,127	423	87	2	—	—	—	—
16	5	9	1	1	—	—	—	—	—	—	—
TOTAL	3,850	43	694	1,474	1,127	423	87	2	—	—	—
Illegitimate	16	5	9	1	—	—	—	—	—	—	—
Social Class II None 1 2 3 4 5 6 7 8 9 10 and over Not stated TOTAL Illegitimate	2,957	94	1,057	1,131	476	175	24	—	—	—	—
	2,786	15	479	1,183	759	309	48	3	—	—	—
	1,633	—	106	508	628	328	58	—	—	—	—
	720	—	25	161	283	220	62	5	—	—	—
	325	—	5	49	108	119	39	5	—	—	—
	147	—	—	12	43	63	25	2	—	—	—
	59	—	—	8	13	29	4	1	—	—	—
	29	—	—	1	19	14	5	—	—	—	—
	17	—	—	2	3	7	2	—	—	—	—
	4	—	—	—	—	2	3	—	—	—	—
8,688	109	1,672	3,055	2,275	1,268	277	26	—	—	—	—
170	27	88	32	15	8	—	—	—	—	—	—
TOTAL	8,688	109	1,672	3,055	2,275	1,268	277	26	—	—	—
Illegitimate	170	27	88	32	15	8	—	—	—	—	—
Social Class III None 1 2 3 4 5 6 7 8 9 10 and over Not stated TOTAL Illegitimate	19,778	2,350	9,953	5,033	1,724	614	95	9	—	—	—
	15,775	371	5,325	6,143	2,788	994	147	7	—	—	—
	8,716	20	1,628	3,492	2,322	1,088	177	9	—	—	—
	4,305	—	376	1,510	1,357	877	176	8	—	—	—
	2,341	—	1	514	832	604	155	2	—	—	—
	1,295	—	18	654	463	445	102	12	—	—	—
	733	—	3	115	255	277	80	3	—	—	—
	383	—	—	31	124	169	56	3	—	—	—
	213	—	—	3	58	103	47	2	—	—	—
	105	—	—	—	—	22	34	2	—	—	—
53,794	2,742	17,397	9,957	5,274	1,111	61	—	—	—	—	—
907	299	345	146	41	7	1	—	—	—	—	—
TOTAL	53,794	2,742	17,397	9,957	5,274	1,111	61	—	—	—	—
Illegitimate	907	299	345	146	41	7	—	—	—	—	—

Table 29. Deaths in Scotland from Selected Causes of Children aged under One Year, 1959

International Nos. Detailed List	Cause of Death	Total (All Ages)	Illegitimate only	Age									
				Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days - 2 mths.	3-5 months	6-8 months	9-11 months	
010	Tuberculous meningitis . . . { M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
011	Abdominal tuberculosis . . . { M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
001-008 012-019	Other tuberculous diseases . . { M. F.	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1
020-029	Syphilis { M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
055	Diphtheria { M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
056	Whooping cough . . . { M. F.	3 4	- -	- -	- -	- -	- -	- -	1 1	2 2	1 1	- -	
057	Meningococcal infections . . { M. F.	5 6	- -	- -	- -	- -	- -	- -	2 2	1 1	2 2	2 3	
085	Measles { M. F.	1 3	- -	- -	- -	- -	- -	- -	- -	1 1	1 1	1 1	
340	Meningitis, not meningococcal or tuberculous . . . { M. F.	7 10	- 1	- -	2 2	2 2	- 2	- 1	- -	2 1	1 1	- 1	
490-493	Pneumonia (excluding newborn) . { M. F.	160 123	9 7	- -	- -	- -	- -	- -	52 49	68 47	27 14	13 13	
500-502	Bronchitis { M. F.	20 10	1 -	- -	- -	1 1	- -	- -	6 2	5 6	4 1	4 -	
470-483 510-527	Other respiratory diseases . . { M. F.	15 13	2 -	- -	- -	1 1	1 -	- -	4 6	7 6	1 1	1 -	
543, 571, 572	Diarrhoea (excluding newborn), gastritis and duodenitis . { M. F.	48 34	- 2	- -	- -	- -	- -	29 14	12 9	3 11	4 -	4 -	
530-542, 544-570, 573-587	Other digestive diseases . . . { M. F.	23 26	1 -	4 7	2 1	2 -	- -	1 1	2 6	9 3	1 5	4 1	
750-759	Congenital malformations . . { M. F.	291 270	16 13	62 57	78 58	33 24	20 13	12 12	36 34	27 43	17 14	6 15	
760-761	Birth injuries { M. F.	175 109	6 9	93 55	78 48	1 5	1 -	2 -	1 -	- -	- -	- -	
762	Asphyxia and atelectasis . . . { M. F.	355 207	18 5	226 130	114 71	7 4	4 -	1 1	1 -	2 -	- -	1 -	
763	Pneumonia of newborn . . . { M. F.	58 39	2 3	4 2	28 14	7 11	11 8	8 4	- -	- -	- -	- -	
764	Diarrhoea of newborn . . . { M. F.	14 6	- 2	- -	- 1	4 3	7 1	3 1	- -	- -	- -	- -	
765-776	Other infantile diseases . . . { M. F.	319 220	21 17	195 144	94 57	13 9	8 4	3 2	6 1	- 2	- 1	- -	
780a	Convulsions { M. F.	11 8	1 3	- -	- -	- -	- -	- -	3 3	5 2	3 3	- -	
Remainder	All other natural causes . . { M. F.	39 38	- 5	1 3	4 1	1 -	- 1	1 2	11 12	12 7	4 7	5 5	
E921, E922, E924, E925	Accidental mechanical suffocation { M. F.	86 48	6 1	1 -	2 3	1 -	- 2	2 2	37 17	27 21	8 3	8 -	
E800-E920, E923 E926-E999	Other violence { M. F.	6 4	4 1	4 2	- -	- -	- -	- -	- -	2 -	- 2	- -	
TOTAL—Both Sexes . . .		2,816	-	990	658	131	84	59	335	331	138	90	
Male		1,637	-	590	402	70	53	33	187	180	73	49	
Females		1,179	-	400	256	61	31	26	148	151	65	41	
Illegitimate only—Both Sexes . . .		-	156	59	34	8	4	4	16	19	5	7	
Males		-	87	37	20	3	3	-	7	12	-	5	
Females		-	69	22	14	5	1	4	9	7	-	2	

Table 30. Month of Registration of Children aged under One Year dying from Selected Causes in Scotland, in 1959

International Nos. Detailed List	Cause of Death	Total	Month of Registration of Death											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
010	Tuberculous meningitis .	-	-	-	-	-	-	-	-	-	-	-	-	-
011	Abdominal tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008, 012-019	Other tuberculous diseases	2	1	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough .	7	-	-	-	-	-	-	2	1	1	-	1	2
057	Meningococcal infections	11	1	-	1	2	2	-	1	2	1	-	-	1
085	Measles . . .	4	-	1	-	-	-	-	1	1	-	-	-	1
340	Meningitis, not meningococcal or tuberculous .	17	2	2	1	3	2	3	-	-	-	-	3	1
490-493	Pneumonia (excluding newborn) . .	283	41	45	22	23	26	19	15	14	14	15	23	26
500-502	Bronchitis . . .	30	4	6	3	2	2	1	1	-	2	4	3	2
470-483, 510-527	Other respiratory diseases	28	4	9	5	4	-	1	1	1	-	-	3	-
543, 571, 572	Diarrhoea (excluding newborn), gastritis and duodenitis . .	82	5	9	7	11	8	7	4	9	4	7	6	5
530-542, 544-570, 573-587	Other digestive diseases .	49	7	1	4	5	3	5	5	4	3	2	6	4
750-759	Congenital malformations	561	47	47	46	49	41	39	45	47	42	48	53	57
760-761	Birth injuries . . .	284	32	23	27	30	27	20	21	24	16	23	24	17
762	Asphyxia and atelectasis	562	50	50	58	50	36	48	49	42	42	41	39	57
763	Pneumonia of newborn .	97	20	10	12	8	11	2	7	4	4	9	5	5
764	Diarrhoea of newborn .	20	2	2	3	3	2	1	-	1	1	2	2	1
765-776	Other infantile diseases .	539	45	49	54	57	36	37	63	36	38	47	40	37
780a	Convulsions . . .	19	2	-	3	1	1	1	2	2	-	2	3	2
Remainder	All other natural causes .	77	8	8	9	7	4	8	12	2	3	3	4	9
E921, E922, E924, E925	Accidental mechanical suffocation . .	134	17	17	16	9	8	11	7	6	7	10	13	13
E800-E920, E923, E926-E999	Other violence . . .	10	1	1	-	1	1	3	-	-	-	2	1	-
	TOTAL .	2,816	289	281	271	265	210	206	236	196	178	215	229	240
	Illegitimate .	156	18	20	9	17	11	15	10	9	10	12	16	9

Table 31. Births, Deaths under one year by Age-Periods, and Death-Rates per 1,000 Births in Scotland, 1959

	Number of Births (Living Children)	NUMBERS										RATES													
		Under 1 yr. Total	Under 1 yr. Illegitimate	Under 28 days	Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days-2 months	3-5 months	6-8 months	9-11 months	Under 1 yr.	Under 1 yr.* Illegitimate	Under 28 days	Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days-2 months	3-5 months	6-8 months	9-11 months
SCOTLAND	99,251	2,816	—	1,922	990	658	131	84	59	335	331	138	90	28.4	—	19.4	10.0	6.6	1.3	0.8	0.6	3.4	3.3	1.4	0.9
Countries of Cities	1,156	1,156	—	785	403	259	63	39	21	152	129	54	36	30.7	—	20.8	10.7	6.9	1.7	1.0	0.6	4.0	3.4	1.4	1.0
Large Burghs	37,670	511	—	342	170	129	16	11	16	59	66	24	20	28.7	—	19.2	9.6	7.3	0.9	0.6	0.9	3.3	3.7	1.3	1.1
Countries (ex. Co. of C. and L.B.)	43,797	1,149	—	795	417	270	52	34	22	124	136	60	34	26.2	—	18.2	9.5	6.2	1.2	0.8	0.5	2.8	3.1	1.4	0.8
LEGITIMATE BIRTHS																									
Scotland	95,117	2,660	—	1,813	931	624	123	80	55	319	312	133	83	28.0	—	19.1	9.8	6.6	1.3	0.8	0.6	3.4	3.3	1.4	0.9
Countries of Cities	35,815	1,077	—	733	375	244	58	37	19	144	115	52	33	30.1	—	20.5	10.5	6.8	1.6	1.0	0.5	4.0	3.2	1.5	0.9
Large Burghs	17,150	489	—	326	161	125	16	10	14	56	64	23	20	28.5	—	19.0	9.4	7.3	0.9	0.6	0.8	3.3	3.7	1.3	1.2
Countries (ex. Co. of C. and L.B.)	42,152	1,094	—	754	395	255	49	33	22	119	133	58	30	26.0	—	17.9	9.4	6.0	1.2	0.8	0.5	2.8	3.2	1.4	0.7
ILLEGITIMATE BIRTHS																									
Scotland	4,134	—	156	109	59	34	8	4	4	16	19	5	7	—	37.7	26.4	14.3	8.2	1.9	1.0	1.0	3.9	4.6	1.2	1.7
Countries of Cities	1,859	—	79	52	28	15	5	2	2	8	14	2	3	—	42.5	28.0	15.1	8.1	2.7	1.1	1.1	4.3	7.5	1.7	1.6
Large Burghs	630	—	22	16	9	4	3	1	1	3	2	1	—	—	34.9	25.4	14.3	6.3	1.6	1.6	—	4.8	3.2	1.6	—
Countries (ex. Co. of C. and L.B.)	1,645	—	55	41	22	15	3	1	—	5	3	2	4	—	33.4	24.9	13.4	9.1	1.8	0.6	—	3.0	1.8	1.2	2.4
ABERDEEN COUNTY																									
Aberdeen County of City	5,730	129	10	89	56	23	4	4	2	15	11	4	8	22.5	32.7	15.5	9.8	4.0	0.7	0.3	0.3	2.6	1.9	0.7	1.7
Remainder of County	3,345	76	9	47	29	13	1	3	1	11	7	3	10	22.7	50.6	14.1	8.7	3.9	0.3	0.9	0.3	3.3	2.1	0.9	2.4
Remainder of County	2,385	53	1	42	27	10	3	1	1	4	4	1	2	22.2	7.8	17.6	11.3	4.2	1.3	0.4	0.4	1.7	1.7	0.4	0.8
ANGUS COUNTY																									
Dundee County of City	5,171	119	6	84	28	43	5	4	4	8	14	7	6	23.0	23.4	16.2	5.4	8.3	1.0	0.8	0.8	1.5	2.7	1.4	1.2
Arbroath Burgh	3,581	83	4	57	20	26	5	3	3	6	10	6	4	23.2	20.5	15.9	5.6	7.3	1.4	0.8	0.8	1.7	2.8	1.7	1.1
Arbroath Burgh	379	6	—	4	1	2	—	—	1	—	—	—	—	15.8	—	10.6	2.6	5.3	—	2.6	—	—	—	2.6	0.6
Remainder of County	1,211	30	2	23	7	15	—	—	1	2	4	1	1	24.8	46.5	19.0	5.8	12.4	—	0.8	0.8	1.7	3.3	—	2.8
ARGYLL COUNTY																									
Argyll County	875	33	2	16	6	6	2	—	2	9	4	2	2	37.7	37.7	18.3	6.9	6.9	2.3	—	2.3	10.3	4.6	2.3	2.3
AYR COUNTY																									
Ayr Burgh	6,517	173	8	113	57	40	4	5	7	15	25	16	4	26.5	33.2	17.3	8.7	6.1	0.6	0.8	1.1	2.3	3.8	2.5	0.6
Kilmarnock Burgh	831	15	1	7	5	2	—	—	3	3	3	1	1	18.1	27.8	8.4	6.0	2.4	—	—	—	3.6	3.6	1.2	1.2
Remainder of County	996	33	1	25	9	11	—	1	4	3	9	21	12	33.1	25.1	9.0	11.0	—	—	1.0	4.0	3.0	3.0	1.0	1.0
Remainder of County	4,690	125	6	81	43	27	4	4	3	9	21	12	2	26.7	35.5	17.3	9.2	5.8	0.9	0.9	0.6	1.9	4.5	2.6	0.4
BANFF COUNTY																									
Banff County	856	26	3	15	7	4	2	1	1	3	4	3	1	30.4	66.7	17.5	8.2	4.7	2.3	1.2	1.2	3.5	4.7	3.5	1.2
BERWICK COUNTY																									
Berwick County	287	9	—	6	4	2	—	—	—	—	1	2	—	31.4	—	20.9	13.9	7.0	—	—	—	—	3.5	7.0	—
BUTE COUNTY																									
Bute County	214	8	—	5	3	1	1	—	—	—	—	2	1	37.4	—	23.4	14.0	4.7	4.7	—	—	—	—	9.3	4.7
CAITHNESS COUNTY																									
Caithness County	575	11	—	8	3	3	—	1	1	—	3	—	—	19.1	—	13.9	5.2	5.2	—	1.7	1.7	—	5.2	—	—
CLACKMANNAN COUNTY																									
Clackmannan County	856	26	—	17	5	9	2	1	—	6	1	1	1	30.4	—	19.9	5.8	10.5	2.3	1.2	1.2	7.0	1.2	1.2	1.2
DUMFRIES COUNTY.																									
Dumfries Burgh	1,654	49	34	16	12	4	—	—	2	4	6	4	1	29.6	22.5	20.6	9.7	7.3	2.4	—	1.2	2.4	3.6	2.4	0.6
Remainder of County	524	16	2	11	5	7	—	—	1	1	1	2	1	30.5	64.5	21.0	9.5	9.5	—	—	1.9	1.9	3.8	1.9	—
Remainder of County	1,130	33	—	23	11	7	4	—	1	3	5	2	—	29.2	—	20.4	9.7	6.2	3.5	—	0.9	2.7	4.4	1.8	—
DUNBARTON COUNTY																									
Clydebank Burgh	3,578	89	2	57	21	26	6	3	1	11	14	6	1	24.9	17.4	15.9	5.9	7.3	1.7	0.8	0.3	3.1	3.9	1.7	0.3
Dumbarton Burgh	1,137	22	—	14	6	5	—	—	—	2	2	—	—	19.3	—	12.3	5.3	6.2	—	—	0.9	1.8	3.5	1.8	—
Remainder of County	579	15	—	10	5	5	—	—	—	2	2	—	—	25.9	—	17.3	8.6	7.5	—	—	—	3.5	3.5	1.7	—
Remainder of County	1,862	52	2	33	10	14	6	3	—	7	8	1	1	27.9	31.7	17.7	5.4	7.5	3.2	—	—	—	—	—	—

Dumfriesshire & Galloway	988	15	6	8	4	4	4	4	7	1	12	3	1	2	157	84	42	42	09	16	02	197	37	19	21	41
Kirkcaldy Burgh	4,385	111	2	34	37	25	4	4	4	1	1	12	11	2	253	368	169	84	57	09	16	20	27	27	25	
Remainder of County																										
INVERNESS COUNTY	1,441	38	2	70	17	6	4	1	1	2	3	2	3	—	264	278	208	118	42	28	07	14	14	21	—	
Inverness Burgh	510	16	2	13	5	3	3	1	1	1	1	1	1	—	314	909	98	59	59	20	20	20	20	20		
Remainder of County	931	22	—	17	12	3	1	—	—	—	2	2	2	—	236	—	183	129	32	11	—	11	21	21	—	
KINCARDINE COUNTY	413	7	—	7	5	2	—	—	—	—	—	—	—	—	169	—	169	121	48	—	—	—	—	—	—	
KINROSS COUNTY	108	1	—	—	—	—	—	—	—	—	1	1	—	—	93	—	—	—	—	—	—	—	—	—	—	
KIRKCUDBRIGHT COUNTY	558	7	—	4	3	1	—	—	—	—	2	1	—	—	125	—	72	54	18	—	—	36	18	—	93	
LANARK COUNTY	34,224	1,178	66	786	418	242	63	41	22	166	145	54	54	27	344	466	230	122	71	18	12	06	49	42	16	08
Glasgow County of City	22,598	798	49	538	265	176	52	30	15	115	88	39	39	18	353	445	238	117	78	23	13	07	51	39	17	08
Airdrie Burgh	768	19	4	10	6	2	2	2	—	4	4	1	1	1	247	2000	130	78	26	08	—	—	52	51	13	—
Coatbridge Burgh	1,325	31	—	18	12	4	1	1	—	2	9	4	4	—	234	—	136	91	30	08	—	—	15	68	08	08
Hamilton Burgh	898	34	1	21	15	5	—	—	—	7	4	2	2	1	379	345	234	167	56	—	—	—	15	68	08	08
Motherwell and Wishaw Burgh	1,481	48	1	31	13	14	2	—	2	6	8	2	2	1	324	250	209	88	95	14	—	—	78	45	22	—
Rutherglen Burgh	508	13	—	10	7	2	1	—	1	1	1	1	1	6	256	—	197	138	39	—	—	—	41	54	14	07
Remainder of County	6,646	235	11	158	100	39	8	7	4	31	31	9	9	1	354	640	238	150	59	12	10	06	20	20	14	09
MIDLOTHIAN COUNTY	10,410	249	19	183	110	60	6	3	4	24	28	6	6	8	239	424	176	106	58	06	03	04	23	27	06	08
Edinburgh County of City	8,150	199	17	143	89	44	5	3	2	20	24	6	6	6	224	442	175	109	54	06	04	02	25	29	07	09
Remainder of County	2,260	50	2	40	21	16	1	—	2	4	4	—	—	—	221	317	177	93	71	04	—	09	18	18	—	—
MORAY COUNTY	979	21	1	15	7	7	—	—	1	3	2	—	—	1	215	256	153	72	72	—	—	10	31	20	—	10
NAIRN COUNTY	150	5	—	3	2	1	—	—	—	—	1	1	1	—	333	—	200	133	67	—	—	—	67	67	—	—
ORKNEY COUNTY	312	8	1	5	3	2	—	—	—	1	1	1	1	—	256	1250	160	96	64	—	—	32	32	32	—	—
PEEBLES COUNTY	202	5	—	5	2	1	1	1	—	—	—	—	—	—	248	—	248	99	50	50	50	—	—	—	—	—
PERTH COUNTY	2,041	54	7	45	19	20	4	2	—	1	6	1	1	1	265	673	220	93	98	20	10	—	05	29	05	05
Perth Burgh	711	24	2	17	7	8	1	1	—	1	4	1	—	1	338	556	239	98	113	14	14	—	14	56	14	14
Remainder of County	1,330	30	5	28	12	12	3	1	—	—	2	—	—	—	226	735	211	90	90	23	08	—	—	—	—	—
RENEWAY COUNTY	6,596	207	12	136	61	59	5	6	5	27	24	7	7	13	314	556	206	92	89	08	09	08	41	35	11	20
Greenock Burgh	1,635	57	3	39	17	18	1	1	2	9	4	1	1	4	349	577	239	104	110	06	06	12	55	24	06	24
Paisley Burgh	1,935	74	4	51	22	22	3	2	2	7	11	3	3	2	382	615	264	114	114	16	10	10	36	57	16	10
Port Glasgow Burgh	524	16	1	8	4	4	—	—	2	5	2	—	—	1	305	153	76	76	76	—	—	10	95	38	19	19
Remainder of County	2,502	60	4	38	18	15	1	3	1	6	7	3	3	6	240	482	152	72	60	04	12	04	24	28	12	24
ROSS AND CROMARTY COUNTY	924	20	1	15	10	3	2	—	—	3	—	1	1	1	216	244	162	108	32	22	—	—	32	—	11	11
ROXBURGH COUNTY	732	11	—	9	5	3	1	—	—	1	1	1	—	—	150	—	123	68	41	14	—	—	14	14	—	—
SILKIRK COUNTY	318	8	—	4	2	2	—	—	—	1	1	1	—	2	252	—	126	63	63	—	—	—	31	31	—	63
STIRLING COUNTY	3,510	77	1	53	27	17	5	1	3	7	11	4	4	2	219	97	151	77	48	14	03	09	20	31	11	06
Falkirk Burgh	639	18	—	13	7	3	2	—	1	2	3	—	—	—	282	—	203	110	47	31	—	16	31	47	—	—
Stirling Burgh	552	10	—	7	5	—	1	1	1	1	1	1	1	1	181	127	91	18	18	—	—	16	31	47	—	18
Remainder of County	2,319	49	—	33	15	14	2	1	1	4	8	3	3	1	211	156	142	65	60	09	04	04	17	34	13	04
SUTHERLAND COUNTY	216	6	—	6	3	2	—	1	—	—	—	—	—	—	278	—	278	139	93	—	46	—	—	—	—	—
WEST LOTHIAN COUNTY	1,830	46	5	34	16	14	3	1	—	7	4	—	—	1	251	806	186	87	77	16	05	—	38	22	—	05
WIGTOWN COUNTY	562	15	—	12	6	5	—	1	—	1	2	—	—	—	267	—	214	107	89	—	18	—	18	36	—	—
ZETLAND COUNTY	245	5	1	4	4	—	—	—	—	—	—	1	1	—	204	909	163	163	—	—	—	—	—	—	—	—

NOTE.—Some of the above rates are based on very few observations and are therefore of limited value.

Table 32. Deaths in Scotland of Children aged under One Year by Selected Age-groups, 1959

Age	Total	Males	Females
Under 1 day	990	590	400
1 day	254	160	94
2 days	173	100	73
3 „	85	56	29
4 „	51	26	25
5 „	47	32	15
6 „	48	28	20
7-13 „	131	70	61
14-20 „	84	53	31
21-27 „	59	33	26
28 days—Under 2 months	173	104	69
2 „	162	83	79
3 „	168	98	70
4 „	101	54	47
5 „	62	28	34
6 „	65	36	29
7 „	42	23	19
8 „	31	14	17
9 „	31	18	13
10 „	36	15	21
11 „	23	16	7
TOTAL	2,816	1,637	1,179

Table 33. Ages at Death in 1959

Age Groups	Number of Deaths					
	Scotland	Counties of Cities	Large Burghs	Counties <i>ex.</i> Counties of Cities and Large Burghs but including Small Burghs and Landward	Small Burghs	Landward
Under 1	2,816	1,156	511	1,149	402	747
1-	432	179	64	189	65	124
5-	161	64	23	74	26	48
10-	169	52	35	82	22	60
15-	497	164	84	249	80	169
25-	784	303	122	359	135	224
35-	1,804	708	309	787	269	518
45-	4,951	2,036	819	2,096	806	1,290
55-	10,577	4,407	1,792	4,378	1,744	2,634
65-	16,347	6,278	2,645	7,424	3,044	4,380
75-	18,219	6,826	2,808	8,585	3,520	5,065
85 and over	6,304	2,170	881	3,253	1,348	1,905
Not stated	—	—	—	—	—	—
ALL AGES	63,061	24,343	10,093	28,625	11,461	17,164

Table 34. Deaths, Male and Female, at each year of age

MALES													
Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated	Ages	All Conditions	Single	Married	Widowed	Divorced	
0	1,637	1,637	-	-	-	-	50	323	39	272	8	4	
1	107	107	-	-	-	-	51	336	47	269	17	3	
2	53	53	-	-	-	-	52	376	58	297	18	3	
3	55	55	-	-	-	-	53	425	57	341	25	2	
4	30	30	-	-	-	-	54	464	72	355	28	9	
0-4	1,882	1,882	-	-	-	-	50-54	1,924	273	1,534	96	27	
5	32	32	-	-	-	-	55	488	84	369	32	3	
6	19	19	-	-	-	-	56	547	91	414	37	4	
7	18	18	-	-	-	-	57	602	76	479	41	6	
8	21	21	-	-	-	-	58	652	99	502	45	6	
9	10	10	-	-	-	-	59	631	92	466	63	9	
5-9	100	100	-	-	-	-	55-59	2,920	442	2,230	218	28	
10	19	19	-	-	-	-	60	607	84	470	48	4	
11	22	22	-	-	-	-	61	682	78	530	69	3	
12	18	18	-	-	-	-	62	691	81	528	77	5	
13	24	24	-	-	-	-	63	715	91	534	87	3	
14	26	26	-	-	-	-	64	765	94	566	98	6	
10-14	109	109	-	-	-	-	60-64	3,460	428	2,628	379	27	
15	9	9	-	-	-	-	65	793	102	574	114	3	
16	31	31	-	-	-	-	66	807	120	574	112	1	
17	27	27	-	-	-	-	67	831	94	588	145	3	
18	35	35	-	-	-	-	68	834	117	555	156	6	
19	40	40	-	-	-	-	69	877	117	575	179	3	
15-19	142	142	-	-	-	-	65-69	4,142	550	2,866	706	16	
20	28	25	3	-	-	-	70	820	100	517	199	4	
21	30	25	4	-	-	1	71	875	122	522	226	4	
22	47	36	11	-	-	-	72	914	127	529	252	5	
23	34	26	8	-	-	-	73	904	131	531	240	-	
24	35	17	18	-	-	-	74	933	129	497	305	1	
20-24	174	129	44	-	-	1	70-74	4,446	609	2,596	1,222	14	
25	34	15	19	-	-	-	75	852	108	433	304	4	
26	34	20	14	-	-	-	76	963	129	471	358	2	
27	44	23	21	-	-	-	77	895	127	431	334	3	
28	38	20	18	-	-	-	78	951	134	404	408	3	
29	43	18	24	-	1	-	79	913	122	358	430	-	
25-29	193	96	96	-	1	-	75-79	4,574	620	2,097	1,834	12	
30	42	18	23	1	-	-	80	830	129	300	400	1	
31	40	13	26	-	-	1	81	793	95	288	409	-	
32	61	15	46	-	-	-	82	775	92	261	421	-	
33	51	12	38	-	-	1	83	683	85	218	380	-	
34	73	27	46	-	-	-	84	622	89	156	376	1	
30-34	267	85	179	1	-	2	80-84	3,703	490	1,223	1,986	2	
35	72	25	43	3	1	-	85	541	77	133	330	1	
36	81	22	58	-	1	-	86	409	38	89	282	-	
37	84	21	60	-	3	-	87	328	34	67	226	-	
38	91	31	58	2	-	-	88	273	21	65	186	1	
39	92	32	57	1	2	-	89	223	24	46	153	-	
35-39	420	131	276	6	7	-	85-89	1,774	194	400	1,177	2	
40	93	18	72	1	2	-	90	149	14	21	113	1	
41	104	29	72	1	2	-	91	97	10	16	71	-	
42	114	17	91	5	1	-	92	80	12	15	53	-	
43	127	26	95	2	3	1	93	54	4	13	37	-	
44	149	29	115	5	-	-	94	40	3	3	34	-	
40-44	587	119	445	14	8	1	90-94	420	43	68	308	1	
45	183	25	150	5	3	-	95	20	-	5	15	-	
46	193	38	146	6	3	-	96	14	2	2	10	-	
47	227	37	184	6	-	-	97	12	-	1	11	-	
48	262	45	203	11	2	1	98	6	1	-	5	-	
49	290	51	224	15	-	-	99	6	-	2	4	-	
45-49	1,155	196	907	43	8	1	95-99	58	3	10	45	-	
							100 and over	4	-	-	4	-	
							Not stated	-	-	-	-	-	
All Ages								32,454	6,641	17,599	8,039	141	

FEMALES

Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated	Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated
	1,179	1,179	-	-	-	-	50 . . .	195	52	124	16	3	-
	87	87	-	-	-	-	51 . . .	188	30	134	20	4	-
	43	43	-	-	-	-	52 . . .	241	46	157	37	1	-
	28	28	-	-	-	-	53 . . .	209	38	141	30	-	-
	29	29	-	-	-	-	54 . . .	277	59	161	53	3	1
	1,366	1,366	-	-	-	-	50-54 . . .	1,110	225	717	156	11	1
	21	21	-	-	-	-	55 . . .	313	60	206	45	2	-
	11	11	-	-	-	-	56 . . .	324	68	201	52	3	-
	14	14	-	-	-	-	57 . . .	342	81	182	74	5	-
	7	7	-	-	-	-	58 . . .	362	56	206	96	4	-
	8	8	-	-	-	-	59 . . .	409	71	227	107	4	-
	61	61	-	-	-	-	55-59 . . .	1,750	336	1,022	374	18	-
	11	11	-	-	-	-	60 . . .	424	86	214	118	5	1
	13	13	-	-	-	-	61 . . .	461	86	251	123	1	-
	15	15	-	-	-	-	62 . . .	485	101	256	124	4	-
	11	11	-	-	-	-	63 . . .	495	94	245	154	2	-
	10	10	-	-	-	-	64 . . .	582	118	270	191	3	-
4	60	60	-	-	-	-	60-64 . . .	2,447	485	1,236	710	15	1
	13	13	-	-	-	-	65 . . .	585	121	252	207	5	-
	12	12	-	-	-	-	66 . . .	655	135	288	231	1	-
	19	19	-	-	-	-	67 . . .	631	117	261	252	1	-
	14	12	2	-	-	-	68 . . .	686	147	235	301	2	1
	23	23	-	-	-	-	69 . . .	746	138	278	326	4	-
9	81	79	2	-	-	-	65-69 . . .	3,303	658	1,314	1,317	13	1
	17	7	10	-	-	-	70 . . .	788	186	240	358	4	-
	17	14	3	-	-	-	71 . . .	828	154	259	412	3	-
	25	16	9	-	-	-	72 . . .	877	180	262	434	1	-
	17	9	8	-	-	-	73 . . .	939	185	251	498	5	-
	24	5	19	-	-	-	74 . . .	1,024	194	270	559	1	-
4	100	51	49	-	-	-	70-74 . . .	4,456	899	1,282	2,261	14	-
	24	10	14	-	-	-	75 . . .	980	217	224	538	1	-
	27	15	12	-	-	-	76 . . .	965	236	187	538	4	-
	21	10	11	-	-	-	77 . . .	1,015	220	210	583	2	-
	36	6	30	-	-	-	78 . . .	1,056	244	168	642	2	-
	33	9	24	-	-	-	79 . . .	1,093	206	191	695	1	-
9	141	50	91	-	-	-	75-79 . . .	5,109	1,123	980	2,996	10	-
	33	9	24	-	-	-	80 . . .	1,047	245	139	662	1	-
	33	8	24	1	-	-	81 . . .	1,029	224	120	685	-	-
	26	8	18	-	-	-	82 . . .	959	173	110	676	-	-
	46	10	34	-	2	-	83 . . .	932	220	84	624	4	-
	45	10	34	1	-	-	84 . . .	866	212	57	596	1	-
4	183	45	134	2	2	-	80-84 . . .	4,833	1,074	510	3,243	6	-
	58	15	41	1	1	-	85 . . .	778	190	50	537	1	-
	50	11	35	1	3	-	86 . . .	651	144	39	468	-	-
	76	13	57	2	4	-	87 . . .	509	114	22	373	-	-
	62	8	53	-	1	-	88 . . .	479	117	14	348	-	-
	78	17	59	2	-	-	89 . . .	368	83	7	277	1	-
9	324	64	245	6	9	-	85-89 . . .	2,785	648	132	2,003	2	-
	73	20	50	2	1	-	90 . . .	339	89	5	245	-	-
	75	16	58	-	1	-	91 . . .	275	64	9	200	2	-
	80	15	57	4	4	-	92 . . .	195	53	4	138	-	-
	105	22	74	7	2	-	93 . . .	145	35	1	108	1	-
	140	25	104	9	1	1	94 . . .	95	27	-	68	-	-
4	473	98	343	22	9	1	90-94 . . .	1,049	268	19	759	3	-
	124	23	92	6	3	-	95 . . .	71	16	1	54	-	-
	141	20	110	10	1	-	96 . . .	45	4	-	41	-	-
	154	22	117	10	5	-	97 . . .	42	8	-	34	-	-
	169	36	114	16	3	-	98 . . .	21	4	-	17	-	-
	174	42	116	14	2	-	99 . . .	17	4	-	13	-	-
9	762	143	549	56	14	-	95-99 . . .	196	36	1	159	-	-
							100 and over	18	2	-	16	-	-
							Not stated	-	-	-	-	-	-
							All Ages .	30,607	7,771	8,626	14,080	126	4

Table 35. Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1959

International Nos.		Causes of Death	Sex	Numbers Aged													Death-rate per 100,000 at Ages										
				Not Stated													All Ages										
Detailed List	Abbreviated List 'B'		All Ages	-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	All Ages	-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	
001-008	1	Tuberculosis of respiratory system	{ M. F. }	344 169	1 1	2 1	- -	2 5	20 31	46 37	62 33	99 28	80 21	30 12	2 -	14 6	2 2	1 0	- -	1 1	6 9	14 11	18 9	40 9	56 10	48 12	23 -
010-019	2	Tuberculosis, other forms	{ M. F. }	35 28	- 6	2 1	2 5	3 3	5 4	7 7	3 4	7 4	4 -	- -	1 1	1 -	3 1	- -	1 1	1 1	2 2	2 1	2 2	1 3	3 4	- -	
020-029	3	Syphilis and its sequelæ	{ M. F. }	54 25	- -	- -	- -	2 1	7 2	19 6	16 10	9 4	2 -	- -	2 1	1 -	- -	- -	- -	1 0	2 1	8 1	14 4	13 -	- -		
045-048	6	Dysentery, all forms	{ M. F. }	3 8	4 1	1 -	- -	- -	- -	- -	- -	1 1	1 2	- -	0 0	8 1	- -	0 -	- -	- -	- -	- -	0 0	2 2	- -		
056	9	Whooping cough	{ M. F. }	3 5	3 4	1 -	- -	- -	- -	- -	- -	- -	- -	- -	0 0	6 8	1 -	- -	- -	- -	- -	- -	- -	- -	- -		
057	10	Meningococcal infections	{ M. F. }	14 9	5 6	1 3	1 -	1 -	1 -	1 -	1 -	1 -	- -	- -	1 0	10 13	3 2	0 -	0 0	- -	- -	- -	1 -	- -	- -		
080	12	Acute poliomyelitis	{ M. F. }	- 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	0 0	2 4	0 3	- -	- 0	- -	- -	- -	- -	- -	- -	
085	14	Measles	{ M. F. }	9 9	1 3	7 6	- -	- -	- -	- -	- -	- -	- -	- -	0 0	2 6	3 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	{ M. F. }	56 57	5 4	4 3	3 2	1 4	6 7	10 14	11 8	6 3	- -	- -	2 2	10 8	2 2	1 1	1 1	2 2	3 2	4 5	7 4	10 3	- -		
	18	Malignant neoplasms Total	{ M. F. }	5878 5154	3 3	24 24	18 6	64 12	193 31	617 258	1773 1484	1165 1154	181 252	- -	236 191	6 13	8 14	3 6	7 8	19 19	59 74	243 193	640 385	1244 709	1855 1162	2079 1598	
160-165	-	Malignant neoplasms of respiratory system	{ M. F. }	2042 409	- -	- -	1 2	5 5	29 64	112 120	67 9	18 9	15 -	- -	82 15	- -	- -	0 1	1 1	3 8	17 18	105 37	311 57	444 67	207 57		
200-205	-	Malignant neoplasms of lymphatic and hæmato-poietic tissues	{ M. F. }	304 280	1 1	13 3	8 5	10 20	16 11	24 15	62 39	70 48	25 1	3 -	12 142	2 4	7 6	4 1	2 5	5 3	7 11	18 17	26 34	49 48	40 19		
140-159, 170-199	-	Other malignant neoplasms	{ M. F. }	3532 4465	2 2	11 13	6 9	16 52	39 214	112 588	401 1006	758 1293	162 240	- -	142 166	4 6	5 1	3 3	5 2	11 15	34 62	119 164	303 331	752 618	1503 1522		
210-239	19	Benign and unspecified neoplasms	{ M. F. }	63 70	1 2	1 2	1 1	3 8	4 9	9 7	12 15	7 10	1 -	- -	3 3	2 4	1 1	0 -	0 0	1 1	1 3	2 2	9 8	11 7	6 10		

240-254, 270-289, 294-299	46.0	Other general diseases	{ M. 148 F. 234	2	2	2	2	1	3	8	10	20	38	40	17	4	—	6	4	1	1	1	1	2	3	6	15	28	37	46	
				2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
330-334	22	Vascular lesions affecting central nervous system	{ M. 4049 F. 5813	2	1	—	3	8	8	40	167	570	1215	1615	420	—	162	4	1	—	1	2	2	12	50	228	853	2572	4825	237	44
				2	—	—	3	10	13	65	230	726	1638	2348	778	—	216	4	—	—	—	—	1	3	4	19	64	239	783	2365	4935
340	23	Non-meningococcal meningitis	{ M. 24 F. 22	7	2	—	2	—	2	1	2	2	4	2	—	—	1	14	1	—	1	—	1	0	0	1	1	3	3	—	—
				10	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	{ M. 396 F. 482	12	16	8	10	19	30	20	60	87	63	11	—	16	24	9	4	4	5	9	6	18	24	61	100	126	100	126	
				7	13	3	4	10	12	38	48	95	126	90	36	—	18	15	7	1	2	3	3	11	13	31	60	91	228	91	228
400-402	24	Rheumatic fever	{ M. 9 F. 12	—	—	—	1	2	1	3	1	1	—	—	—	—	0	—	—	—	1	2	0	1	0	0	—	1	—	—	—
				—	2	4	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	{ M. 258 F. 558	—	—	—	—	8	23	36	66	55	43	23	4	10	—	—	—	—	—	—	2	7	11	20	22	30	37	46	65
				—	—	—	—	16	32	75	126	136	98	65	10	—	21	—	—	—	—	—	—	—	4	9	22	35	45	47	65
420-422	26	Arteriosclerotic and degener- ative heart disease	{ M. 9762 F. 8602	—	—	—	3	28	232	946	2084	2861	2767	841	—	391	—	—	—	0	—	1	8	71	282	834	2008	4406	9661	10681	
				—	1	—	1	8	65	221	922	2246	3454	1684	—	319	—	—	—	—	—	—	—	—	0	2	19	62	303	1073	3479
430-434	27	Other diseases of heart	{ M. 334 F. 482	—	1	—	2	—	1	3	6	19	46	127	200	78	13	—	1	—	—	—	0	—	2	6	22	67	188	425	201
				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443	28	Hypertensive heart disease	{ M. 468 F. 658	—	—	—	—	—	1	16	82	153	175	41	—	19	—	—	—	—	—	—	0	5	33	107	279	471	108	261	457
				—	—	—	—	2	3	20	75	227	259	72	—	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
444-447	29	Other hypertensive disease	{ M. 258 F. 297	—	—	—	2	5	11	37	57	49	81	16	10	—	—	—	—	—	—	1	1	3	11	23	34	129	184	114	203
				—	—	—	4	4	6	21	45	72	113	32	—	11	—	—	—	—	—	—	—	1	1	2	6	15	34	114	203
450-468	46.2	Other circulatory disease	{ M. 863 F. 969	—	—	—	1	6	9	20	95	184	381	167	—	35	—	—	—	0	—	2	3	6	38	129	607	1918	421	1630	
				—	—	—	3	7	12	25	58	188	418	257	—	36	—	—	—	—	—	—	—	1	2	3	7	19	90	421	1630
480-483	30	Influenza	{ M. 290 F. 293	7	7	1	1	3	6	4	16	53	65	92	35	—	12	14	4	0	0	1	2	1	5	21	46	146	402	91	362
				10	4	1	2	4	7	11	38	62	90	57	—	11	21	2	0	1	1	2	2	3	12	30	91	362	91	362	
490-493	31	Pneumonia (except of new- born)	{ M. 1342 F. 1215	160	39	7	2	5	10	28	68	181	340	377	125	—	54	324	21	3	1	1	3	9	20	72	239	600	1436	300	1230
				123	28	3	5	7	13	47	106	280	402	194	—	45	259	16	1	2	2	4	13	35	134	405	1230	600	1436	300	1230
500-502	32	Bronchitis	{ M. 1765 F. 791	20	6	1	4	6	33	186	504	586	353	66	—	71	40	3	—	0	1	2	10	55	202	411	562	758	263	590	116
				10	9	1	2	4	11	41	116	243	261	93	—	29	21	5	0	—	1	1	3	11	38	116	263	590	116	263	590
470-475, 510-527	46.3	Other respiratory diseases	{ M. 446 F. 131	8	3	—	2	8	35	113	156	99	14	—	18	16	2	—	1	2	2	10	45	109	158	161	161	7	13	26	63
				3	3	1	2	—	13	23	22	28	26	10	—	5	6	2	0	—	—	—	—	—	—	—	—	—	—	—	—
540, 541	33	Ulcer of stomach and duo- denum	{ M. 358 F. 149	—	—	—	2	6	16	53	76	104	85	16	—	14	—	—	—	—	1	2	5	16	30	73	135	184	39	101	
				—	—	—	2	1	2	21	28	41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
 *Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 35. Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1959—continued.

International Nos.			Causes of Death	Sex	Numbers Aged										Death-rate per 100,000 at Ages													
Detailed List	Abbreviated List 'B'	All Ages			1-	5-	10-	15-25-	35-45-	55-	65-	75-	85 and over	Not Stated	All Ages	1-	5-	10-	15-25-	35-45-	55-	65-	75-	85 and over				
34	550-553		Appendicitis	{ M. F. }	61 33	5 2	3 1	4 1	8 2	2 2	3 1	6 2	12 5	6 6	12 7	4	-	2	3	1	0	1	1	2	5	4	19	85 and over
			Intestinal obstruction and hernia	{ M. F. }	165 174	11 14	3 1	-	2 2	3 4	16 11	31 24	42 50	46 53	16	7	7	7	6	22	29	2	0	1	1	5	12	29
36.0	543		Gastritis and duodenitis	{ M. F. }	8 8	1 -	-	1 -	-	-	-	2 -	2 -	3 4	1	0	0	2	-	-	-	1	1	-	1	4	5	11
36.1	571, 572		Diarrhoea (except of newborn)	{ M. F. }	144 152	47 34	11 9	-	1 4	3 7	6 7	16 26	27 35	26 27	25 38	2	6	95	6	72	5	0	1	2	2	6	18	40
37	581		Cirrhosis of liver	{ M. F. }	114 99	-	-	-	1 4	12 17	25 37	29 25	34 13	27 10	2	5	4	-	-	-	-	0	1	5	12	12	13	23
46.4	580, 582-586		Other diseases of liver	{ M. F. }	77 149	-	1	1	1	2	1	6	14	25	24	4	3	-	1	-	-	0	0	0	3	8	22	39
46.5	530-539, 542, 544 545, 573-578, 587		Other digestive diseases	{ M. F. }	113 111	12 14	9 3	1 3	2 6	4 17	22 21	20 16	23 9	25 13	2	5	24	5	24	5	8	1	1	5	9	15	32	23
38	590-594		Nephritis and nephrosis	{ M. F. }	205 206	3	1	4	6	12	17	25	33	48	40	17	8	6	-	-	1	0	2	3	5	7	11	23
39	610		Hyperplasia of prostate	M	362	-	-	-	-	-	2	19	111	168	62	15	-	-	-	-	-	-	-	-	1	8	78	268
46.6	600-609, 611-637		Other diseases of genito-urinary system	{ M. F. }	211 218	5 3	2 1	2 7	3 13	8 23	29 39	56 60	77 51	16	15	8	10	6	1	0	1	2	1	4	6	13	29	51
40.0	640, 641, 651, 681, 682, 684		Puerperal sepsis including abortion with sepsis	F.	11	-	-	-	1	6	4	-	-	-	-	0	-	0	2	1	-	-	-	-	-	-	-	-
40.1	642-650, 652-680 683, 685-689		Other puerperal causes	F.	25	-	-	-	5	14	6	-	-	-	-	1	-	-	-	-	-	1	4	2	-	-	-	-
46.7	690-749		Diseases of skin and organs of locomotion	{ M. F. }	118 210	2 3	2	1	4	2	7	6	30	33	25	6	5	4	1	-	-	0	1	1	2	2	12	23
41	750-759		Congenital malformations	{ M. F. }	377 341	291 270	30 24	6 4	9 5	8 6	2 11	9 10	3 1	2	2	15	589	16	13	568	14	2	2	1	3	4	2	3
42	760-762		Birth injuries, postnatal asphyxia and atelectasis	{ M. F. }	530 316	-	-	-	-	-	-	-	-	-	-	21	1072	-	-	-	-	-	-	-	-	-	-	-
43.0	763		Pneumonia of newborn	{ M. F. }	58 39	58 39	-	-	-	-	-	-	-	-	-	2	117	-	-	-	-	-	-	-	-	-	-	-

765-768	43.2	Other infections of the new-born	{ M. F.	13 4	13 4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
---------	------	----------------------------------	---------------	---------	---------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--

Note — Nos in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 36. Deaths and Death-Rates from Selected Causes in Scotland, 1959

International Nos.		Causes of Death		Numbers					Death-rate per 100,000 of Population				
Detailed List	Abbreviated List	Scotland	Counties of Cities	Large Burghs	Counties ex Counties of Cities and Large Burghs†	Small Burghs	Land-ward	Scotland	Counties of Cities	Large Burghs	Counties ex Counties of Cities and Large Burghs†	Small Burghs	Land-ward
001-008	B1	513	255	98	160	60	100	10	13	11	7	7	7
010-019	B2	63	27	11	25	7	18	1	1	1	1	1	1
020-029	B3	79	31	17	31	8	23	2	2	2	1	1	2
045-048	B6	11	6	2	3	—	3	0	0	0	—	—	0
056	B9	8	7	1	—	—	—	0	0	0	—	—	—
057	B10	23	8	6	9	4	5	0	0	0	—	—	—
080	B12	1	—	1	—	—	—	0	0	0	—	—	—
085	B14	18	7	4	7	3	4	0	0	0	—	—	0
030-044, 049-055, 058-074, 081-084, 086-138	B17	113	40	18	55	23	32	2	2	2	2	3	2
140-205	B18	11,032	4,534	1,760	4,738	1,987	2,751	212	237	201	197	227	180
160-165	—	2,451	1,196	403	852	390	462	47	62	46	35	45	30
200-205	—	584	211	110	263	90	173	11	11	13	11	10	11
140-159, 170-199	—	7,997	3,127	1,247	3,623	1,507	2,116	154	163	143	151	172	138
210-239	B19	133	46	21	66	28	38	3	2	2	3	3	2
260	B20	550	199	93	258	107	151	11	10	11	11	12	10
290-293	B21	245	83	43	119	49	70	5	4	5	5	6	5
240-254, 270-289, 294-299	B46.0	382	143	64	175	80	95	7	7	7	7	9	6
330-334	B22	9,862	3,662	1,587	4,613	1,898	2,715	190	191	181	192	217	178
340	B23	46	26	4	16	3	13	1	1	0	1	0	1
300-326, 341-398	B46.1	878	360	117	401	157	244	17	19	13	17	18	16
400-402	B24	21	7	5	9	4	5	0	0	1	0	0	0
410-416	B25	816	374	133	309	127	182	16	20	15	13	15	12
420-422	B26	18,364	6,586	2,973	8,805	3,658	5,147	354	344	340	366	418	337
430-434	B27	816	293	127	396	161	235	16	15	15	16	18	15
440-443	B28	1,126	397	181	548	217	331	22	21	21	23	25	22
444-447	B29	555	194	93	268	108	160	11	10	11	11	12	10
450-459	B46.2	—	—	—	—	—	—	—	—	—	—	—	—

B32 500-502 470-475, 510-527	Bronchitis	1,363	412	781	307	474	49	71	47	33	35	31
B46.3	Other respiratory diseases	2,556	156	331	76	255	11	8	10	14	9	17
B33	Ulcer of stomach and duodenum	577	90	331	76	255	11	8	10	14	9	17
B34	Appendicitis	507	191	68	84	164	10	10	10	10	10	11
B35	Intestinal obstruction and hernia	94	31	19	44	21	2	2	2	2	2	2
B36.0	Gastritis and duodenitis	339	125	60	58	96	7	7	7	6	7	6
B36.1	Diarrhoea (except of newborn)	16	3	10	3	7	0	0	0	0	0	0
B37	Cirrhosis of liver	104	49	143	50	93	6	5	6	6	6	6
B46.4	Other diseases of liver	213	30	86	28	58	4	5	3	4	3	4
B46.5	Other digestive diseases	226	76	122	41	81	4	4	3	5	5	5
B38	Nephritis and nephrosis	89	41	94	38	56	4	5	5	4	4	4
B39	Hyperplasia of prostate	126	72	213	88	125	8	7	8	9	10	8
B46.6	Other diseases of genito-urinary system	115	51	196	77	119	7	6	6	8	9	8
B40.0	Puerperal sepsis including abortion with sepsis	177	74	178	72	106	8	9	8	7	8	7
B40.1	Other puerperal causes	3	5	3	1	2	0	0	1	0	0	0
B46.7	Diseases of skin and organs of locomotion	7	5	13	6	7	0	0	1	1	1	0
B41	Congenital malformations	328	108	49	79	92	6	6	6	7	9	6
B42	Birth injuries, postnatal asphyxia and atelectasis	718	277	315	115	200	14	14	14	13	13	13
B43.0	Pneumonia of newborn	372	144	330	104	226	16	19	16	14	12	15
B43.1	Diarrhoea of newborn	31	20	46	18	28	2	2	2	2	2	2
B43.2	Other infections of the newborn	12	3	5	1	4	0	1	0	0	0	0
B44	Other diseases peculiar to early infancy and immaturity unqualified	17	8	8	4	4	0	0	0	0	0	0
B45.0	Senility without mention of psychosis	522	96	234	82	152	10	10	11	10	9	10
B45.1	Ill-defined and unknown causes	483	80	318	110	208	9	4	9	13	13	14
E49	Suicide and self-inflicted injury	257	81	136	50	86	5	4	5	6	6	6
E47	Motor vehicle accidents	442	208	162	75	87	9	11	8	7	9	6
E48.0	Other road vehicle accidents	612	200	331	104	227	12	10	9	14	12	15
E870-E936 (part)	Accidents in the home	8	1	12	1	11	0	0	0	0	0	1
E961 (part) E962 (part)	Accidents in the home	477	190	419	176	243	21	25	22	17	20	16
Remainder of E800-E999	Other violence (BE50)	217	105	377	123	254	13	11	12	16	14	17
E48.2	ALL CAUSES	24,343	10,093	28,625	11,461	17,164	1,215	1,272	1,153	1,191	1,310	1,123
		63,061										

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

†Including Small Burghs and Landward.

See footnote Table 35 (Page 145).

Table 37. Deaths from Selected Causes and in Age-Groups in Scotland 1951-1959

International Classification		Causes of Death										1959	1958	1957	1956	1955	1954	1953	1952	1951	
Detailed List Nos.		Abbreviated List											1959	1958	1957	1956	1955	1954	1953	1952	1951
001-008	B1	Tuberculosis of respiratory system	513	638	664	715	860	1,010	1,159	1,409	1,886										
010-019	B2	Tuberculosis, other forms	63	49	59	86	122	118	182	203	293										
020-029	B3	Syphilis and its sequelæ	79	58	94	88	97	109	96	110	149										
045-048	B6	Dysentery, all forms	11	2	8	3	15	7	13	6	15										
056	B9	Whooping cough	8	4	21	14	10	25	41	26	98										
057	B10	Meningococcal infections	23	25	21	27	29	41	37	45	44										
080	B12	Acute poliomyelitis	1	16	11	9	22	21	13	12	24										
085	B14	Measles	18	4	16	10	20	8	29	22	25										
030-044, 049-055, 058-074, 081-084, 086-138	B17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	113	119	108	112	118	126	132	165	186										
140-159, 170-199	B18	Malignant neoplasms	11,032	10,831	10,747	10,754	10,585	10,505	10,125	10,119	9,840										
200-205	—	Malignant neoplasms of respiratory system	2,451	2,373	2,220	2,129	1,948	1,965	1,927	1,664	1,556										
	—	Malignant neoplasms of lymphatic and hæmato- topoietic tissues	584	560	531	542	530	502	460	463	446										
	—	Other malignant neoplasms	7,997	7,898	7,996	8,083	8,107	8,038	7,738	7,992	7,838										
B19	B19	Benign and unspecified neoplasms	133	94	133	146	114	123	106	145	169										
B20	B20	Diabetes mellitus,	550	528	505	473	459	445	439	477	559										
260	B21	Anæmias	245	239	214	245	216	248	220	269	345										
290-293	B21	Other general diseases	382	409	415	434	475	480	426	526	614										
240-254, 270-289, 294-299	B46.0	Vascular lesions affecting central nervous system	9,862	9,982	9,566	9,680	9,607	9,562	8,895	9,087	9,122										
330-334	B22	Non-meningococcal meningitis	46	58	59	45	48	59	49	72	59										
340	B23	Other diseases of nervous system	878	898	817	858	905	894	918	960	1,167										
300-326, 341-398	B46.1	Rheumatic fever	21	17	45	48	54	49	45	44	49										
400-402	B24	Chronic rheumatic heart disease	816	815	907	819	847	860	807	878	900										
410-416	B25	Arteriosclerotic and degenerative heart disease	18,364	18,507	17,840	18,442	18,014	17,254	16,362	17,307	18,447										
420-422	B26	Other diseases of heart	816	786	636	608	722	1,208	1,195	1,139	1,324										
430-434	B27	Hypertensive heart disease	1,126	1,238	1,182	1,282	1,307	1,068	990	891	831										
440-443	B28	Other hypertensive disease	555	637	624	709	710	833	753	835	648										
444-447	B29	Other circulatory disease	1,832	1,696	1,645	1,795	1,662	1,654	1,460	1,424	1,219										
450-468	B46.2	Influenza	583	143	680	262	212	176	272	316	958										
480-483	B30	Pneumonia (except of newborn)	2,557	2,108	2,042	1,916	1,828	1,728	1,694	1,881	2,297										
490-493	B31	Bronchitis	2,556	2,294	2,013	2,077	2,086	1,843	1,752	2,025	2,488										
500-502	B32	Other respiratory diseases	577	610	539	594	587	583	587	534	657										
470-475, 510-527	B46.3	Ulcer of stomach and duodenum	507	534	564	608	666	656	561	639	619										
540-541	B33	Appendicitis	94	85	103	91	87	106	114	118	118										
550-553	B34	Intestinal obstruction and hernia	339	355	423	408	399	408	397	424	394										
560, 561, 570	B35		—	—	—	—	—	—	—	—	—										

371, 372	213	243	221	243	213	167	182	170	166	169
581	213	226	226	226	226	246	240	253	253	265
580, 582-586	224	167	167	180	196	165	177	167	173	225
530-539, 542, 544, 545, 573-578, 587	411	511	417	511	528	530	570	580	568	650
590-594	362	389	362	389	421	431	430	395	453	425
610	429	372	372	339	379	333	346	333	310	376
600-609, 611-637	11	15	15	16	15	11	15	20	22	28
640, 641, 651, 681, 682, 684	25	38	38	30	36	32	55	66	70	71
642-650, 652-680, 683, 685-689	328	307	324	320	320	307	332	260	233	246
690-749	718	648	718	662	662	622	676	618	610	602
750-759	846	808	762	727	697	710	655	670	628	628
760-762	97	99	95	111	117	122	94	113	166	166
763	20	10	18	15	11	6	16	24	34	34
764	17	17	23	18	19	21	12	10	9	9
765-768	522	575	630	601	659	690	682	829	884	884
769-776	483	558	580	747	839	925	852	1,025	1,292	1,292
794	257	252	273	250	290	709	765	898	1,071	1,071
780-793, 795	442	439	420	403	394	302	281	281	276	276
E963, E970-E979	612	598	563	558	597	526	563	451	516	516
E810-E835	21	34	22	30	38	35	37	32	49	49
E840-E845	1,086	1,108	1,060	1,006	1,120	1,106	1,134	1,023	1,039	1,039
E870-E936 (part)	699	671	736	645	771	703	751	748	704	704
E961 (part) E962 (part)	63,061	62,065	61,143	61,792	61,645	61,380	58,878	61,510	65,778	65,778
Remainder of E800-E999	2,816	2,758	2,802	2,727	2,811	2,861	2,800	3,181	3,391	3,391
	432	338	364	371	411	435	499	539	664	664
	161	190	236	189	252	229	286	282	309	309
	169	158	193	154	176	152	189	162	200	200
	497	517	505	503	576	633	709	787	895	895
	784	862	899	943	1,068	1,138	1,172	1,213	1,432	1,432
	1,804	1,910	1,919	1,829	1,949	1,978	2,118	2,188	2,426	2,426
	4,951	4,997	5,121	5,054	5,138	5,340	5,078	5,224	5,444	5,444
	10,577	10,188	10,174	9,924	9,773	9,811	9,171	9,500	9,942	9,942
	55-64	16,200	15,822	16,189	16,038	15,705	15,461	16,274	17,282	17,282
	65-74	16,347	16,200	16,189	16,038	15,705	15,461	16,274	17,282	17,282
	75-84	17,912	17,240	18,048	17,727	17,614	16,446	17,002	18,197	18,197
	85 and over	6,035	5,868	5,861	5,726	5,484	4,947	5,158	5,596	5,596
Not stated	—	—	—	—	—	—	—	—	—	—
ALL AGES	63,061	62,065	61,143	61,792	61,645	61,380	58,878	61,510	65,778	65,778

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis. See footnote Table 35 (page 145).

Table 38. Death-Rates from Selected Causes and in Age-Groups in Scotland 1951-1959

International Classification		Causes of Death									
Detailed List Nos.	Abbreviated List	1951	1952	1953	1954	1955	1956	1957	1958	1959	
001-008	B1										Tuberculosis of respiratory system
010-019	B2										Tuberculosis, other forms
020-029	B3										Syphilis and its sequelæ
045-048	B6										Dysentery, all forms
056	B9										Whooping cough
057	B10										Meningococcal infections
080	B12										Acute poliomyelitis
085	B14										Measles
086	B17										Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*
030-044, 049-055, 058-074, 081-084, 086-138	B18										Malignant neoplasms
140-205											Malignant neoplasms of respiratory system
160-165	—										Malignant neoplasms of lymphatic and hæmatopoietic tissues
200-205	—										Other malignant neoplasms
140-159, 170-199	B19										Benign and unspecified neoplasms
210-239	B20										Diabetes mellitus
260	B21										Anæmias
290-293	B26.0										Other general diseases
240-254, 270-289, 294-299	B22										Vascular lesions affecting central nervous system
330-334	B23										Non-meningococcal meningitis
340	B46.1										Other diseases of nervous system
300-326, 341-398	B24										Rheumatic fever
400-402	B25										Chronic rheumatic heart disease
410-416	B26										Arteriosclerotic and degenerative heart disease
420-422	B27										Other diseases of heart
430-434	B28										Hypertensive heart disease
440-443	B29										Other hypertensive disease
444-447	B46.2										Other circulatory disease
450-468	B30										Influenza
480-483	B31										Pneumonia (except of newborn)
490-493	B32										Bronchitis
500-502	B33										Other respiratory diseases
470-475, 510-527	B34										Ulcer of stomach and duodenum
540-541	B35										Appendicitis
550-553	B36.0										Intestinal obstruction and hernia
560, 561, 570	(a)										Gastritis and duodenitis
543	(b)										

[illegible]

Table 39. Deaths in Scotland from Principal Epidemic and certain other Diseases, 1855-1959.
Quinquennial Averages

Year	Number of Deaths from													
	Typhoid Fever	Typhus Fever	Smallpox	Measles	Scarlet Fever	Whooping cough	Diphtheria	Tuberculosis		Cancer	Bronchitis*	Pneumonia*	All Diarrheal Diseases†	Violence
								All Forms	Respira- tory					
1855-60	2,573		995	1,223	2,766	2,035	1,226	10,140	7,194	953	3,538	2,104	2,976	2,034
1861-65	3,633		992	1,377	2,423	2,193	2,549	11,171	7,914	1,207	5,768	2,071	2,604	2,216
1866-70	1,346	1,799	99	1,206	3,472	2,064	1,587	11,983	8,472	1,348	7,095	2,284	3,212	2,273
1871-75	1,406	779	1,268	1,311	591	2,015	2,090	12,262	8,535	1,569	8,680	3,072	3,202	2,756
1876-80	1,341	276	20	1,166	1,873	2,347	1,733	12,213	8,338	1,792	8,762	3,135	3,061	2,686
1881-85	1,029	162	17	1,359	1,340	2,273	1,680	11,099	7,998	2,058	7,916	4,075	2,766	2,725
1886-90	765	91	10	1,628	882	2,425	1,623	10,192	7,436	2,441	7,509	4,270	2,734	2,628
1891-95	761	57	51	2,110	811	2,151	1,513	9,935	7,169	2,831	7,600	5,229	3,215	2,842
1896-1900	716	39	14	1,857	756	2,206	921	10,149	7,151	3,351	6,238	5,656	3,825	3,128
1901-05	521	25	118	1,470	403	2,222	770	9,790	6,618	3,845	5,570	6,578	3,166	3,084
1906-10	322	14	2	1,647	399	1,841	839	9,464	6,079	4,663	5,017	6,717	2,697	2,941
1911-15	207	8	5	1,583	649	1,951	857	8,011	5,214	5,207	5,046	6,132	2,502	3,105
1916-20	109	10	31	1,264	287	1,330	734	7,073	4,781	5,574	4,999	8,545	1,820	3,014
1921	87	4	24	269	270	1,478	611	5,737	3,970	5,962	4,135	5,393	1,991	2,702
1922	65	7	—	2,695	247	1,408	536	5,818	4,061	6,133	5,730	8,265	1,244	2,444
1923	67	1	—	1,118	352	989	492	5,790	3,996	6,376	3,635	4,840	1,159	2,469
1924	34	—	—	1,592	410	1,625	442	5,653	3,887	6,498	4,843	7,691	1,147	2,599
1925	52	4	—	512	404	1,737	505	5,390	3,734	6,675	4,191	5,821	1,168	2,817
1921-25	61	3	5	1,237	337	1,447	517	5,678	3,930	6,329	4,507	6,402	1,342	2,606
1926	39	3	—	928	343	506	490	4,861	3,384	6,640	3,771	5,844	1,084	2,657
1927	41	2	—	660	200	850	485	4,868	3,466	6,919	4,231	6,642	976	2,957
1928	29	—	—	1,005	140	1,072	488	4,722	3,318	6,901	3,585	6,098	1,016	2,914
1929	18	—	—	149	109	901	471	4,580	3,288	7,108	5,344	8,778	959	2,994
1930	24	1	2	792	127	628	460	4,286	3,024	7,120	3,869	5,958	854	3,060
1926-30	30	1	0	707	184	791	479	4,663	3,296	6,938	4,160	6,664	978	2,916
1931	20	1	—	641	161	957	356	4,205	3,004	7,158	3,879	5,417	885	2,730
1932	24	—	—	892	250	459	368	4,123	2,991	7,458	3,645	6,163	1,129	2,811
1933	17	—	—	36	310	762	356	3,910	2,930	7,520	3,629	5,435	1,067	2,836
1934	16	1	—	1,014	345	383	583	3,702	2,794	7,561	2,804	4,749	847	2,823
1935	31	—	—	141	199	567	513	3,646	2,812	7,793	3,239	5,222	875	2,705
1931-35	22	0	—	545	253	626	435	3,917	2,906	7,498	3,439	5,397	961	2,781
1936	27	—	—	610	172	411	387	3,665	2,753	7,909	3,411	5,093	1,209	2,826
1937	11	—	—	119	123	717	426	3,663	2,791	7,810	3,650	6,131	1,038	3,020
1938	23	—	—	549	98	219	430	3,432	2,581	8,072	2,494	4,002	960	2,878
1939	19	—	—	15	47	397	395	3,526	2,717	8,045	2,775	3,275	1,005	3,412
1940	14	—	—	262	35	197	676	4,003	3,037	8,260	4,693	4,832	926	4,251
1936-40	19	—	—	311	95	388	463	3,658	2,776	8,019	3,405	4,667	1,028	3,277
1941	7	—	—	103	26	720	517	4,175	3,117	8,436	3,246	3,822	1,118	6,627
1942	20	—	25	144	24	92	290	3,998	3,043	8,557	2,489	2,889	1,058	4,405
1943	14	—	—	88	22	305	231	3,959	2,976	8,659	2,900	3,594	873	4,191
1944	4	—	—	46	18	179	183	3,936	2,978	8,742	2,311	2,745	1,278	3,593
1945	6	—	—	89	15	120	126	3,803	2,932	9,045	2,450	2,233	1,058	2,944
1941-45	10	—	5	94	21	283	269	3,974	3,009	8,688	2,679	3,057	1,077	4,352
1946	8	—	—	85	5	103	91	3,984	3,231	8,873	2,711	3,011	807	2,686
1947	5	—	—	57	8	223	45	4,095	3,390	9,069	2,563	2,874	1,281	2,636
1948	1	—	—	74	7	63	31	3,901	3,415	9,361	1,939	2,174	748	2,610
1949	—	—	—	22	5	96	14	3,484	3,084	9,587	2,344	2,570	528	2,572
1950	—	1	6	38	1	61	3	2,775	2,439	10,029	2,342	2,415	401	2,598
1946-50§	3	0	1	55	5	109	37	3,649	3,111	9,323	2,402	2,609	756	2,620
1951	1	—	—	25	1	98	5	2,179	1,886	9,840	2,711	2,814	354	2,584
1952	1	1	—	22	1	26	8	1,612	1,409	10,119	2,094	2,102	229	2,535
1953	2	—	—	29	—	41	2	1,341	1,159	10,125	1,815	1,881	209	2,766
1954	1	—	—	8	—	25	1	1,128	1,010	10,505	1,869	1,925	143	2,672
1955	1	—	—	20	1	10	—	982	860	10,585	2,126	2,025	214	2,920
1951-55	1	0	—	21	1	40	3	1,448	1,265	10,235	2,123	2,149	230	2,695
1956	2	1	—	10	1	14	2	801	715	10,754	2,135	2,122	166	2,642
1957	—	—	—	16	—	21	—	723	664	10,747	2,108	2,543	124	2,801
1958	1	—	—	4	—	4	—	687	638	10,831	2,312	2,275	126	2,850
1959	—	—	—	18	—	8	1	576	513	11,032	2,637	2,958	189	2,860

NOTE.—For comparability with previous years deaths from pneumonia from 1950 onwards, include International Rubric 763.

* Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given. For 1941 and subsequent years those from Bronchitis include "Influenza with other respiratory complications" (481a, page 179).

† Including Dysentery but excluding ulcerative colitis. From 1950 and subsequent years it excludes "Chronic enteritis".

§ Deaths for year 1950 are classified to the Sixth Revision but the averages for 1946-50 are calculated on the Fifth Revision.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years.

ble 40. Death-rate per 100,000 of Population in Scotland from the Principal Epidemic and certain other Diseases, 1855-1959. Quinquennial Averages

Year	Typhoid Fever		Typhus Fever	Smallpox	Measles	Scarlet Fever	Whooping cough	Diphtheria	Tuberculosis		Cancer	Bronchitis*	Pneumonia*	All Diarrhoeal Diseases†	Violence
									All Forms	Respira- tory					
1855-60	92			36	44	98	72	43	360	255	34	125	75	106	72
1861-65	122			33	46	81	73	85	375	266	40	194	70	88	74
1866-70	43	57		3	38	109	66	51	382	270	43	226	73	102	72
1871-75	42	23		38	39	106	60	62	365	254	47	258	91	95	82
1876-80	38	8		0	33	52	66	49	343	234	50	246	88	86	76
1881-85	27	4		0	36	61	45	45	296	213	55	211	109	74	73
1886-90	20	2		0	41	23	62	41	261	190	62	192	109	70	67
1891-95	17	1		0	51	20	53	37	243	175	69	186	128	79	70
1896-1900	19	1		0	43	18	51	22	235	166	78	145	131	89	73
1901-05	11	0		3	32	9	49	17	218	148	86	124	146	71	69
1906-10	7	0		0	35	9	40	18	204	131	100	108	144	58	63
1911-15	5	0		0	33	13	41	18	169	110	110	106	129	53	65
1916-20	2	0		1	26	6	28	15	147	99	116	104	177	38	63
1921	2	0		0	6	6	30	13	118	81	122	85	110	41	55
1922	1	0		—	55	5	29	11	119	83	125	117	169	25	50
1923	1	0		—	23	7	20	10	118	82	130	74	99	24	51
1924	1	—		—	33	8	33	9	116	80	134	100	158	24	53
1925	1	0		—	11	8	36	10	111	77	137	86	120	24	58
1921-25	1	0		0	26	7	30	11	117	81	130	92	131	28	53
1926	1	0		—	19	7	10	10	100	70	137	78	120	22	55
1927	1	0		—	14	4	18	10	100	71	143	87	137	20	61
1928	1	—		—	21	3	22	10	97	68	142	74	126	21	60
1929	0	—		—	3	2	19	10	95	68	147	111	182	20	62
1930	0	0		0	16	3	13	10	89	63	147	80	123	18	63
1926-30	1	0		—	15	4	16	10	96	68	143	86	137	20	60
1931	0	0		—	13	3	20	7	87	62	148	80	112	18	56
1932	0	—		—	18	5	9	8	84	61	153	75	126	23	58
1933	0	—		—	1	6	16	7	80	60	153	74	111	22	58
1934	0	0		—	21	7	8	12	75	57	153	57	96	17	57
1935	1	—		—	3	4	11	10	74	57	157	65	105	18	55
1931-35	0	0		—	11	5	13	9	80	59	153	70	110	20	57
1936	1	—		—	12	3	8	8	74	55	159	69	103	24	57
1937	0	—		—	2	2	14	9	74	56	157	73	123	21	61
1938	0	—		—	11	2	4	9	69	52	162	50	80	19	58
1939	0	—		—	0	1	8	8	70	54	161	55	65	20	68
†1940	0	—		—	5	1	4	14	82	62	170	97	99	19	77
1936-40	0	—		—	6	2	8	10	74	56	162	69	94	21	64
†1941	0	—		—	2	1	15	11	85	63	174	67	79	23	115
†1942	0	—		1	3	1	2	6	82	62	179	52	60	22	69
†1943	0	—		—	2	0	7	5	83	62	185	62	76	19	67
†1944	0	—		—	1	0	4	4	82	62	186	50	59	27	57
†1945	0	—		—	2	0	3	3	79	60	192	52	47	23	53
1941-45	0	—		0	2	0	6	6	82	62	183	57	64	23	72
†1946	0	—		—	2	0	2	2	79	64	180	55	61	16	51
†1947	0	—		—	1	0	4	1	81	67	178	50	57	25	52
1948	0	—		—	1	0	1	1	77	67	184	38	43	15	51
1949	—	—		—	0	0	2	0	68	60	188	46	50	10	50
1950	—	0		0	1	0	1	0	54	48	196	46	47	8	51
1946-50§	0	0		0	1	0	2	1	72	61	184	47	52	15	52
1951	0	—		—	0	0	2	0	43	37	192	53	55	7	51
1952	0	0		—	0	0	1	0	32	28	198	41	41	4	50
1953	0	—		—	1	0	1	0	26	23	198	35	37	4	54
1954	0	—		—	0	—	0	0	22	20	205	36	38	3	52
1955	0	—		—	0	0	0	—	19	17	206	41	39	4	57
1951-55	0	0		—	0	0	1	0	28	25	200	41	42	4	53
1956	0	—		—	0	0	0	0	16	14	209	42	41	3	51
1957	—	—		—	0	—	0	—	14	13	209	41	49	2	54
1958	0	—		—	0	—	0	—	13	12	210	45	44	2	55
1959	—	—		—	0	—	0	0	11	10	212	51	57	4	55

*, †, §. See footnotes, Table 39. ‡ Civilians only.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years.

Table 41A. Deaths in Scotland from Non-Transport Accidents, by Place of Occurrence, Age and Sex, 1959.

International Detailed List Nos.	Cause of Death	Age Group	Total		Home		Residential Institution	Mines and Quarries	Farm and Forestry	Other place
			M.	F.	M.	F.	M.	F.	M.	F.
E870-E888	Accidental poisoning by solid and liquid substances	0- . . .	1	3	1	3	-	-	-	-
		5- . . .	1	-	1	-	-	-	-	-
		15- . . .	10	9	9	8	1	-	-	1
		45- . . .	12	15	11	15	-	-	-	1
		65 and over	4	7	4	7	-	-	-	-
		ALL AGES	28	34	26	33	-	1	-	2
E890-E895	Accidental poisoning by gases and vapours	0- . . .	2	1	2	1	-	-	-	-
		5- . . .	1	-	1	-	-	-	-	-
		15- . . .	16	10	15	10	-	-	-	1
		45- . . .	46	25	42	25	1	-	-	2
		65 and over	43	73	42	73	-	-	-	1
		ALL AGES	108	109	102	109	1	-	1	4
E900-E904	Accidental falls	0- . . .	5	-	5	-	-	-	-	-
		5- . . .	11	1	1	-	-	-	-	10
		15- . . .	41	7	5	4	1	2	2	32
		45- . . .	44	16	21	12	-	-	1	22
		65 and over	181	386	134	331	16	35	-	31
		ALL AGES	282	410	166	347	16	36	2	95
E910	Blow from falling or projected object or missile	0- . . .	1	-	-	-	-	-	-	1
		5- . . .	1	1	-	-	-	-	-	1
		15- . . .	29	-	-	-	21	-	2	6
		45- . . .	18	1	-	-	14	-	-	4
		65 and over	3	1	-	-	-	-	1	2
		ALL AGES	52	3	-	-	35	-	3	14
E911	Accident caused by vehicle	0- . . .	-	-	-	-	-	-	-	-
		5- . . .	-	-	-	-	-	-	-	-
		15- . . .	1	-	-	-	-	-	-	1
		45- . . .	2	-	-	-	2	-	-	-
		65 and over	2	-	-	-	2	-	-	-
		ALL AGES	5	-	-	-	4	-	-	1
E912	Accident caused by machinery	0- . . .	-	-	-	-	-	-	-	-
		5- . . .	1	-	-	-	-	-	-	1
		15- . . .	9	-	-	-	2	-	-	7
		45- . . .	13	-	-	-	3	-	-	10
		65 and over	1	-	-	-	-	-	-	1
		ALL AGES	24	-	-	-	5	-	-	19
E914	Accident caused by electric current	0- . . .	1	-	1	-	-	-	-	-
		5- . . .	1	-	-	-	-	-	-	1
		15- . . .	10	2	1	1	-	-	1	8
		45- . . .	5	-	2	-	-	-	2	1
		65 and over	-	1	-	1	-	-	-	-
		ALL AGES	17	3	4	2	-	-	3	10

Table 41A. Deaths in Scotland from Non-Transport Accidents, by Place of Occurrence, Age and Sex, 1959—continued

International Detailed List Nos.	Cause of Death	Age Group	Total	Home	Residen- tial Institu- tion	Mines and Quarries	Farm and Forestry	Other place
			M. F.	M. F.	M. F.	M. F.	M. F.	M. F.
916-E918	Accident caused by fire, explosion of combustible material, hot substance, etc.	0- . . .	4 2	4 2	- -	- -	- -	- -
		5- . . .	4 5	1 5	- -	- -	- -	3 -
		15- . . .	36 3	3 3	- -	27 -	- -	6 -
		45- . . .	35 13	13 13	- -	20 -	- -	2 -
		65 and over	30 41	30 40	- 1	- -	- -	- -
		ALL AGES	109 64	51 63	- 1	47 -	- -	11 -
E919	Accident caused by firearm	0- . . .	- -	- -	- -	- -	- -	- -
		5- . . .	2 -	1 -	- -	- -	- -	1 -
		15- . . .	2 -	- -	- -	- -	- -	2 -
		45- . . .	5 -	2 -	- -	- -	1 -	2 -
		65 and over	- -	- -	- -	- -	- -	- -
		ALL AGES	9 -	3 -	- -	- -	1 -	5 -
21, E922, 924, E925	Accidental mechanical suffocation	0- . . .	90 50	88 49	1 1	- -	- -	1 -
		5- . . .	4 -	2 -	1 -	- -	1 -	- -
		15- . . .	9 4	7 3	- 1	1 -	- -	1 -
		45- . . .	9 5	8 4	- 1	- -	- -	1 -
		65 and over	2 1	2 1	- -	- -	- -	- -
		ALL AGES	114 60	107 57	2 3	1 -	1 -	3 -
E928	Accidents caused by animals (excluding bites and stings of venomous animals and insects)	0- . . .	- -	- -	- -	- -	- -	- -
		5- . . .	- -	- -	- -	- -	- -	- -
		15- . . .	1 -	- -	- -	- -	1 -	- -
		45- . . .	- -	- -	- -	- -	- -	- -
		65 and over	1 -	- -	- -	- -	1 -	- -
		ALL AGES	2 -	- -	- -	- -	2 -	- -
E929	Accidental drowning and submersion	0- . . .	13 1	- -	- -	- -	2 -	11 1
		5- . . .	30 3	- -	- -	- -	- -	30 3
		15- . . .	43 6	- -	- -	- -	- -	43 6
		45- . . .	43 14	- 2	1 -	- -	- -	42 12
		65 and over	23 9	- 2	- -	- -	- -	23 7
		ALL AGES	152 33	- 4	1 -	- -	2 -	149 29
Remainder of 913-E936 961, E962	Other	0- . . .	4 3	3 3	- -	- -	- -	1 -
		5- . . .	2 -	- -	- -	- -	- -	2 -
		15- . . .	11 1	- -	- -	- -	- -	11 1
		45- . . .	17 1	2 -	- -	1 -	1 -	13 1
		65 and over	4 7	1 3	- -	- -	- -	3 4
		ALL AGES	38 12	6 6	- -	1 -	1 -	30 6
9370-E936 961, E962	Total	0- . . .	121 60	104 58	1 1	- -	2 -	14 1
		5- . . .	58 10	7 5	1 -	- -	1 -	49 5
		15- . . .	218 42	40 29	- 3	53 -	6 -	119 10
		45- . . .	249 90	101 71	2 1	41 -	5 -	100 18
		65 and over	294 526	213 458	16 36	2 -	2 -	61 32
		ALL AGES	940 728	465 621	20 41	96 -	16 -	343 66

Table 41B. Deaths from Poisoning in Scotland in 1959

ACCIDENTAL POISONING

<i>Inter- national Detailed List Nos.</i>		Both Sexes	M.	F.	<i>Inter- national Detailed List Nos.</i>		Both Sexes	M.	F.
E871	Barbituric acid and derivatives:					Brought forward	48	22	26
	Amylobarbitone	1	1	—	E874	Analgesic and soporific drugs:			
	Amytal	2	1	1		Carbromal and bromvaletone	1	—	1
	Barbituric acid	1	—	1		Chloral hydrate	1	—	1
	Carbital	4	2	2		Chloral hydrate and potassium bromide	1	—	1
	Epanutin and barbiturate	1	—	1		Paraldehyde	1	—	1
	Luminal	1	1	—		Persomnia	3	1	2
	Medinal	1	1	—	E876	Strychnine	1	—	1
	Nembutal	5	2	3	E880	Alcohol:			
	Pentobarbitone	1	1	—		Alcohol	2	2	—
	Phenobarbitone	4	1	3		Alcohol ethyl	1	1	—
	Sodium amytal	2	—	2	E883	Corrosive aromatics, acids and caustic alkalis:			
	Sodium amytal and nembutal	2	—	2		Ammonia	1	—	1
	Sodium barbitone	2	—	2		Phenol	1	1	—
	Sonalgin	1	1	—	E886	Arsenic and antimony and their compounds:			
	Soneryl	1	—	1		Arsenic	1	1	—
	Tuinal	3	1	2	E890	Utility (illuminating) gas	208	102	106
	Barbiturate (unspecified)	9	6	3	E891	Motor vehicle exhaust gas	2	2	—
	Sleeping tablets (unspecified)	1	1	—	E892	Other carbon monoxide gas	3	—	3
E872	Aspirin and salicylates:				E893	Cyanide gas	1	1	—
	Aspirin	2	2	—	E894	Other specified gases and vapours:			
	Methyl salicylate	1	1	—		Carbon dioxide	1	1	—
	Methyl salicylate, capsicum, camphor, menthol and chloral hydrate	1	—	1		Paraffin	1	1	—
	Salicylate	2	—	2	E895	Unspecified gases and vapours	1	1	—
						Total	279	136	143
	Carried forward	48	22	26					

SUICIDAL AND SELF-INFLICTED POISONING

	Both Sexes	M.	F.		Both Sexes	M.	F.	
E970 Analgesic and soporific sub- stances:					Brought forward	54	19	35
Amytal	1	1	—	E971 Other solid and liquid sub- stances:				
Aspirin	7	3	4	Ferricyanide	1	1	—	
Aspirin, amytal, carbital, didial and oblvion	1	—	1	Hydrocyanic acid	1	1	—	
Aspirin and carbital	1	—	1	Iodine	1	1	—	
Barbitone	1	—	1	Lyso	3	1	2	
Carbital	3	2	1	Paraffin floor wax	1	1	—	
Chloral hydrate	4	1	3	Potassium cyanide	1	1	—	
Narcotic	1	—	1	E972 Gases in domestic use	226	142	84	
Nembutal	5	2	3	E973 Other gases:				
Nembutal and sodium amytal	1	1	—	Carbon monoxide gas	3	3	—	
Phenobarbitone	2	—	2					
Salicylate	1	—	1					
Seconal	4	1	3					
Sodium amytal	7	3	4					
Sodium amytal and seconal	1	—	1					
Sodium amytal and tuinal	1	1	—					
Sodium seconal	3	—	3					
Tuinal	2	—	2					
Barbiturate (unspecified)	8	4	4					
Carried forward	54	19	35	Total	291	170	121	

Table 41C. Deaths in Anæsthesia and Deaths connected with administration of Anæsthetics, Scotland, 1959

International Detailed List No. E.945

Complications of Anæsthesia for Non-therapeutic purposes
NIL.

International Detailed List No. E.954

Therapeutic misadventure in anæsthesia
NIL.

Deaths connected with Administration of Anæsthetic

Mention of anæsthetic other than as primary cause.

Name of Anæsthetic	Both Sexes	M.	F.
Chloroform	1	1	-
Ether	1	1	-
Ether and nitrous oxide	16	9	7
Ether, nitrous oxide and curare	2	1	1
Ether, nitrous oxide and cyclopropane	2	-	2
Ether, nitrous oxide, flaxedil and scoline	1	-	1
Ether, nitrous oxide and thiopentone*	1	-	1
Ether, nitrous oxide, thiopentone and trichlorethylene	1	-	1
Ether, nitrous oxide and scoline	1	-	1
Nitrous oxide	2	-	2
Nitrous oxide, chloride and tubo- curarine	1	-	1
Nitrous oxide, curare and pethilorfan	1	-	1
Nitrous oxide and cyclopropane	2	2	-
Nitrous oxide and flaxedil	1	-	-
Nitrous oxide, flaxedil and fluothane	1	1	-
Nitrous oxide, flaxedil and tri- chlorethylene	1	1	-
Nitrous oxide and fluothane	2	1	1
Nitrous oxide and halothane	1	-	1
Nitrous oxide, halothane and pethidine	1	-	1
Nitrous oxide and thiopentone	8	3	5
Nitrous oxide, thiopentone and brevidil	3	2	1
Nitrous oxide, thiopentone, brevidil, flaxedil and pethidine	1	1	-
Nitrous oxide, thiopentone, brevidil, flaxedil and trichlorethylene	1	-	1
Nitrous oxide, thiopentone and curare	3	3	-
Nitrous oxide, thiopentone, curare and pethidine	1	1	-
Nitrous oxide, thiopentone, cyclo- propane, flaxedil and scoline	1	1	-
Nitrous oxide, thiopentone, cyclo- propane, atropine, hydrochloride, neostigmin and tubocurarine	1	1	-
Nitrous oxide, thiopentone, cyclo- propane and tubarine	1	-	1
Nitrous oxide, thiopentone and flaxedil	3	1	2
Nitrous oxide, thiopentone, flaxedil and pethidine	1	1	-
Nitrous oxide, thiopentone, flaxedil and trichlorethylene	1	-	1
Nitrous oxide, thiopentone and fluothane	1	-	1
Nitrous oxide, thiopentone, galla- mine, atropine and prostigmin	1	1	-
Carried forward	66	32	34

Name of Anæsthetic	Both Sexes	M.	F.
Brought forward	66	32	34
Nitrous oxide, thiopentone, galla- mine and auramine	1	1	-
Nitrous oxide, thiopentone, galla- mine, pethidine and scoline	1	1	-
Nitrous oxide, thiopentone and hexamethonium	1	1	-
Nitrous oxide, thiopentone, hexa- methonium, pethidine and tubarine	1	-	1
Nitrous oxide, thiopentone, hexa- methonium and tubarine	1	-	1
Nitrous oxide, thiopentone, pethidine and tubarine	3	3	-
Nitrous oxide, thiopentone and scoline	2	-	2
Nitrous oxide, thiopentone, scoline and tubarine	1	1	-
Nitrous oxide, thiopentone and trichlorethylene	1	-	1
Nitrous oxide, thiopentone, trichlo- rethylene and tubarine	1	-	1
Nitrous oxide, thiopentone and tubarine	1	-	1
Nitrous oxide, thiopentone and tubocurarine	1	-	1
Nitrous oxide and tubarine	1	1	-
Thiopentone	2	1	1
Thiopentone and cyclopropane	1	-	1
Thiopentone, cyclopropane, atropine and flaxedil	1	1	-
Thiopentone, cyclopropane and flaxedil	2	1	1
Thiopentone, cyclopropane, flaxedil and scoline	1	1	-
Thiopentone, cyclopropane, galla- mine and triethiodide	2	1	1
Thiopentone, cyclopropane and tubocurarine	2	1	1
Thiopentone and flaxedil	2	-	2
Thiopentone, hexamethonium and tubarine	1	1	-
Thiopentone and pethidine	1	1	-
Thiopentone and scoline	1	-	1
Cyclopropane	8	5	3
Cyclopropane, brevidil and procaine	1	-	1
Cyclopropane and gallamine	1	-	1
Cyclopropane and hexamethonium	1	1	-
Cyclopropane and scoline	1	-	1
Fluothane	1	1	-
Nupercaine	1	-	1
Procaine	1	1	-
Xylotox and adrenaline	1	-	1
Anæsthetic not stated	10	9	1
Total	124	65	59

*All cases of "pentothal" and "sodium pentothal" where they have been so described are listed under "thiopentone."

Table 42. Causes of Death by Age-groups—Scotland, 1959 (Males and Females)—continued

Inter- national Detailed List Numbers	Causes of Death	All Ages	Ages														85 and over	Not Stated							
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-			50-	55-	60-	65-	70-	75-	80-
I. INFECTIVE AND PARASITIC DISEASES (001-138)—continued																									
	<i>Infectious diseases commonly arising in intestinal tract (040-049)</i>	M. F.	5	11																					
040	Typhoid fever	M. F.	4	1				1													2	1		1	2
041	Paratyphoid fever	M. F.																							
042	Other Salmonella infections	M. F.	2																		2	1			
043	Cholera	M. F.	3																		1	1			
044	Brucellosis (undulant fever)	M. F.																							
045	Bacillary dysentery	M. F.	1																						
046	Amoebiasis	M. F.	5																		1			1	1
047	Other protozoal dysentery	M. F.																							
048	Unspecified forms of dysentery	M. F.	2																						
049	Food poisoning (infection and intoxication)	M. F.	3	1				1																1	
	<i>Other bacterial diseases (050-064)</i>	M. F.	31	22				1	2	1				2	1	1					3				
050	Scarlet fever	M. F.																							
051	Streptococcal sore throat	M. F.																							
052	Erysipelas	M. F.	1																						
053	Septicemia and pyemia	M. F.	10	4																					
054	Bacterial toxemia	M. F.	7	2																	1	1			
055	Diphtheria	M. F.																							
056	Whooping cough	M. F.	3																						
057	Meningococcal infections	M. F.	14	5																					
	Plague	M. F.	9	6																					
(a)																									

[illegible]

Table 42. Causes of Death by Age-groups—Scotland, 1959 (Males and Females)—continued

Inter-national Detailed List Numbers	Causes of Death	All Ages	Ages																85 and over	Not Stated				
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-			60-	65-	70-	75-
093	I. INFECTIVE AND PARASITIC DISEASES (001-138)—continued																							
	Diseases attributable to viruses (080-096)—continued																							
	Glandular fever (infectious mononucleosis)																							
	Rabies																							
	Trachoma																							
095																								
096	Other diseases attributable to viruses																							
100-108																								
	Typhus and other rickettsial diseases																							
110-117																								
	Malaria																							
120-138																								
	Other infective and parasitic diseases																							
	II. NEOPLASMS (140-239)																							
	MALIGNANT NEOPLASMS (140-205)																							
	Malignant neoplasm of buccal cavity and pharynx (140-148)																							
140	Lip																							
141	Tongue																							
142	Salivary gland																							
143	Floor of mouth																							
144	Other parts of mouth, and of mouth unspecified																							
144a	Palate upper alveoli																							
144b	Cheek internal																							

Table 42. Causes of Death by Age-groups—Scotland, 1959 (Males and Females)—continued

Inter- national Detailed List Numbers	Causes of Death	All Ages	Ages														85 and over	Not Stated						
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-			50-	55-	60-	65-	70-	75-
II. NEOPLASMS (140-239)—continued																								
154	Rectum	M. 293	-	-	-	-	-	-	-	-	-	-	5	2	17	21	20	38	50	42	44	33	20	-
155	Biliary passages and of liver (stated to be primary site)	F. 256	-	-	-	-	-	-	-	-	-	1	3	4	13	16	25	45	45	40	40	17	7	-
155.0	Liver	M. 129	-	-	-	-	-	-	-	-	-	-	1	1	3	7	11	11	14	14	14	19	4	-
155.1a	Gallbladder	F. 44	-	-	-	-	-	-	-	-	-	-	-	-	5	3	7	24	19	23	30	11	2	-
155.1b	Bile ducts	M. 31	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	7	4	5	5	3	3	-
155.8	Multiple sites	M. 24	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	4	4	7	6	1	1	-
156	Liver (secondary and unspecified)	F. 76	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	16	13	11	20	7	2	-
157	Pancreas	M. 22	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	2	5	4	1	-	-
158	Peritoneum	M. 37	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	6	7	8	1	3	1	-
159	Unspecified digestive organs	F. 41	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	9	6	7	4	3	-
160	Malignant neoplasm of respiratory system (160-165)	M. 233	-	-	-	-	-	-	-	-	-	-	3	5	8	26	33	37	31	34	33	15	8	-
161	Nose, nasal cavities, middle ear, and accessory sinuses	F. 224	-	-	-	-	-	-	-	-	-	-	1	1	3	15	19	25	35	43	38	25	14	-
162	Larynx	M. 20	-	-	-	-	-	-	-	-	-	-	-	1	2	12	11	6	5	2	2	1	-	-
162.0	Bronchus and trachea, and of lung specified as primary	F. 20	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	6	4	2	2	-	-
162.1	Trachea	M. 9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	2	1	-
162.2	Bronchus and lung	M. 2042	-	-	-	-	-	-	-	-	5	4	11	46	112	242	318	458	370	262	142	54	18	-
162.8	Pleura	F. 409	-	-	-	-	-	-	-	2	1	4	12	17	25	39	47	65	56	64	41	26	9	-
163	Multiple sites	M. 11	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	3	1	1	3	1	-
	Lung, unspecified as to whether primary or secondary	F. 16	-	-	-	-	-	-	-	-	1	1	-	1	2	5	7	10	8	14	8	4	2	-
		M. 1958	-	-	-	-	-	-	-	4	4	10	46	109	237	309	444	357	245	130	245	49	14	-
		F. 372	-	-	-	-	-	-	-	2	1	4	12	14	25	35	44	58	53	60	34	22	8	-
		M. 4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	1	-	-	-
		F. 1952	-	-	-	-	-	-	-	4	4	10	45	108	237	307	443	357	245	129	49	14	-	-
		M. 372	-	-	-	-	-	-	-	2	1	4	12	14	25	35	44	58	53	60	34	22	8	-
		F. 2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		M. 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F. 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 42. Causes of Death by Age-groups—Scotland, 1959 (Males and Females)—continued

Inter-national Detailed List Numbers	Causes of Death	All Ages	Ages														85 and over	Not Stated					
			-1	1- 2	2- 3	3- 4	5- 9	10- 14	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	50- 54			55- 59	60- 64	65- 69	70- 74	75- 79
II. NEOPLASMS (140-239)—continued																							
Malignant neoplasms of other and unspecified sites (190-199)—continued																							
193	Brain and other parts of nervous system	117	1	2	1	4	2	6	3	3	1	1	1	7	2	3	10	13	19	15	6	2	1
193.0	Brain	83	1	1	3	1	2	2	3	1	1	1	1	1	1	1	10	14	18	8	2	2	1
193.1	Brain	92	1	1	1	1	1	1	1	1	1	1	1	1	1	1	11	17	14	7	1	1	1
193.9	Spinal cord and meninges (193.2)	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other specified, multiple and un-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	specified sites (193.3,4,8)	19	1	1	4	1	4	1	1	1	1	1	1	1	1	2	3	3	4	1	2	5	2
194	Thyroid gland	14	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195	Other endocrine glands	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196	Bone (including jaw bone)	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196a	Skull and face (excluding maxilla superior)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196b	Jaw	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196.2	Vertebral column (excluding sacrum and coccyx)	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196.9	Other specified, multiple and un-	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	specified sites (196.3-8)	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	Connective tissue	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	Secondary and unspecified of lymph nodes	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199	Other and unspecified sites	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199a	Other sites	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199b	Unspecified site	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Neoplasms of lymphatic and hematopoietic tissues (200-205)	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200	Lymphosarcoma and reticulosarcoma	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
201	Hodgkin's disease	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
202	Other forms of lymphoma (reticulosarcoma)	304	1	2	6	3	8	8	10	5	9	15	24	20	38	37	29	37	33	22	3	1	-
	Neoplasms of lymphatic and hematopoietic tissues (200-205)	280	1	4	3	1	3	3	5	5	5	13	13	19	19	32	21	39	32	19	3	1	-
	Lymphosarcoma and reticulosarcoma	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Hodgkin's disease	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other forms of lymphoma (reticulosarcoma)	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 42. Causes of Death by Age-groups—Scotland, 1959 (Males and Females)—continued

Inter-national Detailed List Numbers	Causes of Death	All Ages	Ages														85 and over	Not Stated
			-1	1- 2-	3-	4-	5-	10- 15-	20- 25-	30- 35-	40- 45-	50- 55-	60- 65-	70- 75-	80-			
II. NEOPLASMS (140-239)—continued																		
Benign neoplasm (210-229)—continued																		
227	Other muscular and connective tissue	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
228	Hemangioma and lymphangioma	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
229	Other and unspecified organs and tissues	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Neoplasm of unspecified nature (230-239)																		
230	Digestive organs	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
231	Respiratory organs	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
232	Breast	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
233	Uterus	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
234	Ovary	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
235	Other female genital organs	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
236	Other genito-urinary organs	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
236a	Bladder	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
236b	Other genito-urinary organs	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
237	Brain and other parts of nervous system	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
238	Skin and musculoskeletal system	M.	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
239	Other unspecified organs	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES (240-289)																		
240	Allergic disorders (240-245)	M.	286	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	611	1	1	-	-	1	3	4	7	5	8	11	13	29	54	
241	Hay fever	M.	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
241	Asthma	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 42. Causes of Death by Age-groups—Scotland, 1959 (Males and Females)—continued

Inter- national Detailed List Numbers	Causes of Death	All Ages	Ages																	85 and over	
			-1	1-2	3-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74		75-79
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES (240-289)—continued																					
A vitaminoses and other metabolic diseases— (280-289)—continued																					
284	Late effects of rickets	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M. F.																				
285	Osteomalacia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M. F.																				
286	Other avitaminoses and nutritional deficiency states	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M. F.																				
287	Obesity, not specified as of endocrine origin	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M. F.																				
288	Gout	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M. F.																				
289	Other metabolic diseases	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M. F.																				
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS (290- 299)																					
290	Pernicious and other hyperchromic anemias	106	1	1	-	1	-	1	1	-	-	-	1	1	3	8	12	15	20	18	17
	M. F.																				
290a	Pernicious and other hyperchromic anemias	83	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	10	8	10	4
	M. F.																				
290b	Subacute combined degeneration of spinal cord without mention of pernicious anemia	46	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	10	15	13	4
	M. F.																				
291	Iron deficiency anemias (hypochromic anemias)	82	-	-	-	-	-	-	-	-	-	-	-	-	1	2	9	10	8	10	4
	M. F.																				
292	Other anemias of specified type	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M. F.																				
292.4	Aplastic anemia	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M. F.																				
292.7	Other anemias included under 292 (292.0-3, 5-7)	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M. F.																				
293	Anemia of unspecified type	24	1	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	5	6	3
	M. F.																				
294	Polycythemia	43	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1
	M. F.																				
295	Hemophilia	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M. F.																				
296	Purpura and other hemorrhagic con- ditions	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M. F.																				

Table 42. Causes of Death by Age-Groups—Scotland, 1959 (Males and Females)—continued

Inter-national Detailed List Numbers	Causes of Death	All Ages	Ages																85 and over	Not Stated				
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-			60-	65-	70-	75-
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (330-398)	4406 6218	18 15	5 8	5 4	3 2	3 1	7 1	14 7	18 7	8 11	12 12	25 14	26 41	34 59	81 92	138 182	247 315	377 495	519 726	777 1014	913 1282	749 1135	427 796
	<i>Vascular lesions affecting central nervous system (330-334)</i>	4049 5813	2	-	-	-	1	-	3	7	8	4	6	20	20	57	110	222	348	487	728	880	735	420
330	Subarachnoid hemorrhage	98 142	-	-	-	-	-	-	3	2	1	2	9	26	39	74	156	280	446	679	959	1232	1116	778
331	Cerebral hemorrhage	1586 2333	-	-	-	-	-	-	1	6	1	5	8	11	14	13	11	14	17	19	15	4	4	2
332	Cerebral embolism and thrombosis	1968 2835	-	-	-	-	-	-	2	1	-	3	3	11	19	42	63	124	211	279	315	223	117	4
333	Spasm of cerebral arteries	-	-	-	-	-	-	-	-	-	-	-	-	6	11	15	15	40	75	165	287	472	622	470
334	Other and ill-defined vascular lesions affecting central nervous system	397 503	-	-	-	-	-	-	-	-	1	-	-	1	1	3	4	10	24	37	72	109	132	109
	<i>Inflammatory diseases of central nervous system (340-345)</i>	117 130	10 11	2 3	1 1	1	1	1	7	2	3	2	12	2	7	11	14	10	9	15	12	6	5	1
340	Meningitis, except meningococcal and tuberculous	24 22	7 10	1 1	1	-	-	-	2	-	-	1	2	1	-	2	-	4	-	4	1	1	1	-
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	3 13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
342	Intracranial and intraspinal abscess	7	1	-	-	-	-	-	1	-	-	2	3	1	3	1	2	1	1	1	1	2	-	-
343	Encephalitis, myelitis, and encephalo- myelitis (except acute infectious)	13 11	1	1	-	-	-	-	3	1	2	1	-	1	1	2	1	1	-	3	1	1	-	-
344	Late effects of intracranial abscess or pyogenic infection	5 1	-	1	-	-	-	-	1	1	1	-	-	1	-	-	-	0	6	4	6	1	-	2
345	Multiple sclerosis	59 89	-	-	-	-	-	-	-	-	-	-	7	9	12	7	13	9	15	8	4	1	1	-
	<i>Other diseases of central nervous system (350-357)</i>	232 261	5 1	3 4	2 2	2	6	4	9	4	4	8	6	4	7	13	14	14	18	22	42	27	13	5
350	Paralysis agitans	80 104	-	-	-	-	-	-	3	4	3	5	2	4	5	4	10	20	31	34	44	44	13	17
351	Cerebral spastic infantile paralysis	17	3	1	1	2	1	2	1	2	1	1	-	1	1	2	1	5	1	13	29	26	9	3
352	Other cerebral paralysis	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	3	6	2
353	Epilepsy	56 33	-	2	2	1	1	3	3	5	3	7	3	3	3	8	5	4	5	2	9	10	1	1
354	Migraine	-	-	1	-	-	-	-	1	2	1	3	2	-	1	1	2	5	3	1	2	1	1	-
355	Other diseases of brain	28 39	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	3	1

Table 42. Causes of Death by Age-groups—Scotland, 1959 (Males and Females)—continued

Inter-national Detailed List Numbers	Causes of Death	All Ages	Ages																85 and over					
			-1	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55		60	65	70	75	80
	VII. DISEASES OF THE CIRCULATORY SYSTEM (400-468)	M. 11952 F. 11578	-	-	-	-	-	-	1 6	5 8	12 17	20 18	43 40	111 56	188 112	402 177	705 256	1135 501	1293 782	1669 1179	1717 1779	1898 2190	1647 2319	1106 2133
400	<i>Rheumatic fever</i> (400-402)	M. 9 F. 12	-	-	-	-	-	-	1 4	1 -	2 -	1 2	-	1 1	2 -	-	1 -	-	-	-	1 -	-	-	-
401	Rheumatic fever without mention of heart involvement	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
401	Rheumatic fever with heart involvement	M. 8 F. 11	-	-	-	-	-	-	-	-	2 -	2 -	-	1 1	2 -	-	1 -	-	-	-	1 -	-	-	-
402	Chorea	M. 1 F. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	HEART DISEASE (410-443)	M. 10822 F. 10300	-	-	-	-	-	-	2 -	4 5	8 12	12 33	39 33	99 51	177 98	379 155	670 231	1068 451	1208 728	1579 1083	1573 1615	1684 1935	1399 2043	923 1844
	<i>Chronic rheumatic heart disease</i> (410-416)	M. 258 F. 358	-	-	-	-	-	-	-	2 4	6 12	9 8	14 24	14 27	22 48	35 61	31 65	23 75	32 52	20 46	23 46	11 36	12 29	4 10
410	Diseases of mitral valve	M. 168 F. 168	-	-	-	-	-	-	-	1 1	4 5	10 10	17 17	22 18	15 18	15 18	15 18	15 18	15 18	15 18	12 9	9 9	3 3	-
411	Diseases of aortic valve specified as rheumatic	M. 440 F. 440	-	-	-	-	-	-	-	3 1	11 1	6 1	18 25	36 48	47 2	56 41	47 1	56 1	47 1	41 1	37 -	30 -	27 -	8 -
412	Diseases of tricuspid valve	M. 4 F. 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
413	Diseases of pulmonary valve specified as rheumatic	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
414	Other endocarditis specified as rheumatic	M. 27 F. 42	-	-	-	-	-	-	-	-	-	-	1 2	1 2	2 4	6 4	5 2	7 1	4 1	6 4	2 4	2 2	2 1	-
415	Other myocarditis specified as rheumatic	M. 9 F. 10	-	-	-	-	-	-	-	-	-	-	-	-	-	2 1	1 4	1 7	1 3	1 3	1 3	1 2	2 1	-
416	Other heart disease specified as rheumatic	M. 46 F. 61	-	-	-	-	-	-	-	1 -	1 -	3 2	4 4	2 3	3 8	5 11	11 11	7 9	7 9	3 6	2 3	1 2	1 1	-
	<i>Arteriosclerotic and degenerative heart diseases</i> (420-422)	M. 9762 F. 8602	-	-	-	-	-	-	-	2 1	1 -	3 3	25 23	82 23	150 42	330 79	616 142	987 330	1097 592	1440 901	1421 1345	1497 1665	1270 1789	841 1684
420	Arteriosclerotic heart disease including coronary disease	M. 6641 F. 3982	-	-	-	-	-	-	-	2 -	-	3 3	3 3	17 17	137 31	315 57	565 110	901 235	939 446	1160 614	1345 815	1789 763	1684 528	191 293
420.0	Arteriosclerotic heart disease so described	M. 230 F. 304	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420.1	Coronary thrombosis (420.2)	M. 6411 F. 3678	-	-	-	-	-	-	-	-	-	3 3	23 17	79 31	136 38	314 56	558 107	887 250	925 437	1135 593	949 765	769 495	877 154	154 217
421	Chronic endocarditis not specified as rheumatic	M. 149 F. 185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
422	Other myocardial degeneration	M. 2972 F. 4435	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
422.0	Fatty degeneration of heart	M. 4 F. 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 42. Causes of Death by Age-groups—Scotland, 1959 (Males and Females)—*continued*

Inter-national Detailed List Numbers	Causes of Death	All Ages	Ages																85 and over	Not Stated						
			1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-		
VII. DISEASES OF THE CIRCULATORY SYSTEM (400-468)—continued																										
	<i>Diseases of arteries (450-456)</i>	759	-	-	-	-	1	-	-	-	-	2	2	4	3	4	19	48	49	99	162	202	163	-		
450	General arteriosclerosis	807	-	-	-	-	-	-	-	-	1	2	3	2	4	2	16	14	39	90	172	209	248	-		
451	Aortic aneurysm, non-syphilitic and dissecting aneurysm	618	-	-	-	-	-	-	-	-	-	-	-	-	-	2	29	29	73	142	193	154	-			
452	Other aneurysm, except of heart and aorta	77	-	-	-	-	-	-	-	-	-	1	-	-	-	1	8	9	14	74	158	195	239			
		46	-	-	-	-	-	-	-	-	-	-	2	-	-	2	9	17	18	9	5	2	-			
453	Peripheral vascular disease	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	11	10	9	4			
		14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
454	Arterial embolism and thrombosis	13	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	4	2	2	2	1	1	2		
		12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
455	Gangrene of unspecified cause	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	1	2	2	3		
		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
456	Other diseases of arteries	17	-	-	-	-	1	-	-	-	1	2	1	2	-	1	3	2	1	2	2	2	1	-		
	<i>Diseases of veins and other diseases of circulatory system (460-468)</i>	104	-	-	-	-	-	-	1	1	1	-	2	4	8	9	19	9	19	17	12	5	4	-		
		162	-	-	-	-	-	-	-	-	-	-	1	-	-	11	10	18	29	30	18	19	9	-		
460	Varicose veins of lower extremities	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	-	-		
461	Hæmorrhoids	10	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-		
462	Varicose veins of other specified sites	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
463	Phlebitis and thrombophlebitis of lower extremities	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	2	1	1	-		
464	Phlebitis and thrombophlebitis of other sites	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	4	2	1	1	-		
465	Pulmonary embolism and infarction	19	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	2	5	1	2	3	3	-		
466	Other venous embolism and thrombosis	14	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	4	6	5	6	3	-		
467	Other diseases of circulatory system	24	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	10	4	6	3	3	-		
468	Certain diseases of lymph nodes and lymph channels	47	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	13	15	17	9	12	5	-		
		88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-		
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	VIII. DISEASES OF THE RESPIRATORY SYSTEM (470-527)	3843	195	35	9	5	6	8	4	5	15	15	22	51	93	212	371	480	571	576	524	397	240	-		
		240	146	28	9	1	6	7	7	8	10	8	18	26	49	73	108	174	233	381	389	390	354	-		

[illegible]

Table 42. Causes of Death by Age-groups—Scotland, 1959 (Males and Females)—continued

Inter- national Detailed List Numbers	Causes of Death	All Ages	Ages																	85 and over	Not Stated			
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-
VIII. DISEASES OF THE RESPIRATORY SYSTEM (470-527)—continued																								
	<i>Other diseases of respiratory system (510-527)</i>	438 122	5	1	1	1	1	1	1	2	3	5	3	4	7	28 16	42 6	70 14	83 15	73 12	67 15	32 11	13 10	-
510	Hypertrophy of tonsils and adenoids	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
511	Peritonsillar abscess (quinsy)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
512	Chronic pharyngitis and nasopharyn- gitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
513	Chronic sinusitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
514	Deflected nasal septum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
515	Nasal polyp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
516	Chronic laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
517	Other diseases of upper respiratory tract.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
518	Empyema	13	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	3	1	1	-	-
519	Pleurisy	9	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	2	1	1	2	1	-	-
520	Spontaneous pneumothorax	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	3	-	
521	Abscess of lung	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	1	-	-	
522	Pulmonary congestion and hypostasis	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	3	-	
523	Pneumoconiosis due to silica and silicates (occupational)	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	2	2	-	
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	225	-	-	-	-	-	-	-	-	-	-	-	-	-	6	14	37	51	45	42	23	5	
525	Other chronic interstitial pneumonia	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	
526	Bronchiectasis	19	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	4	1	4	-	-	
527	Other diseases of lung and pleural cavity	87 51 14	-	-	-	-	-	-	-	1	3	3	3	4	4	8 7 1	11 3 8	11 18 14	12 7 4	10 7 7	11 9 6	6 1 1	4 2 1	-

Table 42. Causes of Death by Age-groups—Scotland, 1959 (Males and Females)—continued

Inter-national Detailed List Numbers	Causes of Death	All Ages	Ages															85 and over	Not Stated					
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-			55-	60-	65-	70-	75-
IX. DISEASES OF THE DIGESTIVE SYSTEM (530-587)—continued																								
560	<i>Hernia of abdominal cavity (560-561)</i>	M. 66	5	11	2	1	1	1	1	1	2	1	1	1	3	1	7	7	2	10	13	7	6	
	<i>Hernia of abdominal cavity without mention of obstruction</i>	F. 80	9	3	5	1	1	1	1	2	2	1	1	1	3	1	9	9	11	16	11	9	5	
	<i>Hernia of abdominal cavity with obstruction</i>	M. 31	9	1	1	1	1	1	1	1	1	1	1	1	1	1	4	3	6	5	4	2	1	
561	<i>Hernia of abdominal cavity with obstruction</i>	M. 36	—	—	—	—	—	—	—	—	—	—	—	—	2	1	3	2	1	6	7	5	6	
		F. 49	—	—	—	—	—	—	—	—	—	—	—	—	3	1	5	6	5	11	7	4		
	<i>Other diseases of intestines and peritoneum (570-578)</i>	M. 274	55	11	2	1	1	1	1	1	1	4	2	5	4	9	13	26	17	35	27	36	17	
570	<i>Intestinal obstruction without mention of hernia</i>	F. 279	39	3	5	1	1	1	1	1	1	1	5	5	7	12	20	17	30	27	39	36	22	
	<i>Gastro-enteritis and colitis, except ulcerative, ages between 4 weeks and 2 years</i>	M. 94	5	—	—	—	—	—	—	—	—	—	2	3	4	8	9	8	16	14	16	10		
	<i>Gastro-enteritis and colitis, except ulcerative, ages 2 years and over</i>	F. 37	—	—	—	—	—	—	—	—	—	—	—	1	1	4	3	7	7	16	16	17	11	
571.0	<i>Chronic enteritis and ulcerative colitis</i>	M. 60	—	—	—	—	—	—	—	—	—	—	1	2	4	3	9	3	11	8	6	5	3	
	<i>Functional disorders of intestines</i>	F. 78	—	—	—	—	—	—	—	—	—	1	3	3	1	4	7	5	14	5	13	11	5	
	<i>Anal fissure and fistula</i>	M. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
571.1	<i>Abscess of anal and rectal regions</i>	F. 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Peritonitis</i>	M. 11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Peritoneal adhesion</i>	F. 14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
572	<i>Other diseases of intestines and peritoneum</i>	M. 16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F. 19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Diseases of liver, gallbladder, and pancreas (580-587)</i>	M. 235	10	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
573	<i>Acute and subacute yellow atrophy of liver</i>	F. 303	10	5	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		M. 7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F. 303	10	5	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
574		M. 235	10	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F. 303	10	5	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		M. 7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
575		F. 303	10	5	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		M. 235	10	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F. 303	10	5	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
576		M. 7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F. 303	10	5	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		M. 235	10	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
577		F. 303	10	5	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		M. 7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F. 303	10	5	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
578		M. 235	10	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F. 303	10	5	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		M. 7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
580		F. 303	10	5	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		M. 235	10	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F. 303	10	5	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Table 42. Causes of Death by Age-groups—Scotland, 1959 (Males and Females)—continued

Inter-national Detailed List Numbers	Causes of Death	All Ages	Ages																	85 and over	Not Stated		
			1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-			70-	75-
X. DISEASES OF THE GENITO-URINARY SYSTEM (590-637)—continued																							
	<i>Diseases of male genital organs (610-617)</i>																						
610	Hyperplasia of prostate	M. 376	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	16	46	70	88	83	65
611	Prostatitis	M. 362	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	15	43	68	87	81	62
612	Other diseases of prostate	M. 5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1
613	Hydrocele	M. 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1
614	Orchitis and epididymitis	M. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
615	Redundant prepuce and phimosis	M. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
616	Sterility, male	M. 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
617	Other diseases of male genital organs	M. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	<i>Diseases of breast, ovary, Fallopian tube and parametrium (620-626)</i>																						
620	Chronic cystic disease of breast	F. 7	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	2	-	-	1
621	Other diseases of breast	F. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
622	Acute salpingitis and oophoritis	F. 1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
623	Chronic salpingitis and oophoritis	F. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
624	Salpingitis and oophoritis, unqualified	F. 1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
625	Other diseases of ovary and Fallopian tube	F. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
626	Diseases of parametrium and pelvic peritoneum (female)	F. 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-
	<i>Diseases of uterus and other female genital organs (630-637)</i>																						
630	Infective disease of uterus, vagina and vulva	F. 13	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	1	4	2	-	-	1
631	Uterovaginal prolapse	F. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
632	Malposition of uterus	F. 12	-	-	-	-	-	-	-	-	-	-	2	-	-	-	3	1	3	2	-	-	1
633	Other diseases of uterus	F. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
634	Disorders of menstruation	F. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
635	Menopausal symptoms	F. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
636	Sterility, female	F. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
637	Other diseases of female genital organs	F. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD-BIRTH, AND THE PUERPERIUM (640-689)																						
	<i>Complications of pregnancy (640-648)</i>																						
640	Pylitis and pyelonephritis of pregnancy	F. 36	-	-	-	-	-	-	1	5	14	6	7	3	-	-	-	-	-	-	-	-	-
641	Other infections of genito-urinary tract during pregnancy	F. 13	-	-	-	-	-	-	-	3	6	1	3	-	-	-	-	-	-	-	-	-	-
642		F. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 42. Causes of Death by Age-groups—Scotland, 1959 (Males and Females)—continued

Inter-national Detailed List Numbers	Causes of Death	All Ages	Ages																85 and over	Not over Stated							
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-			60-	65-	70-	75-	80-		
	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT (720-749)— continued																										
	<i>Osteomyelitis and other diseases of bone and joint (730-738)</i>	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-
730	<i>Osteomyelitis</i>	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-
731	<i>Periostitis</i>	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
732	<i>Osteitis deformans</i>	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
733	<i>Osteochondrosis</i>	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	<i>Other diseases of bone</i>	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
734	<i>Internal derangement of knee joint</i>	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
735	<i>Displacement of intervertebral disc</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
736	<i>Affection of sacro-iliac joint</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
737	<i>Ankylosis of joint</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
738	<i>Other diseases of joint</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Other diseases of musculoskeletal system (740-749)</i>	19	2	-	-	-	-	-	1	2	2	-	1	2	-	1	1	2	2	2	1	3	1	-	-	-	-
740	<i>Bunion</i>	12	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
741	<i>Synovitis, bursitis, and tenosynovitis without mention of occupational origin</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742	<i>Synovitis, bursitis, and tenosynovitis of occupational origin</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
743	<i>Infective myositis and other inflam- matory diseases of tendon and fascia</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
744	<i>Other diseases of muscle, tendon and fascia</i>	16	1	-	-	-	-	-	1	2	2	1	-	2	-	1	1	2	2	2	3	1	-	-	-	-	-
745	<i>Curvature of spine</i>	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
746	<i>Flat foot</i>	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
747	<i>Hallux valgus and varus</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748	<i>Clubfoot</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
749	<i>Other deformities</i>	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Table 42. Causes of Death by Age-Groups—Scotland, 1959 (Males and Females)—continued

Inter- national Detailed List Numbers	Causes of Death	All Ages	Ages														85 and over	Not Stated							
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-			50-	55-	60-	65-	70-	75-	80-
	XV. CERTAIN DISEASES OF EARLY INFANCY (760-776)—continued																								
	<i>Birth injuries, asphyxia, and infections of newborn (760-769)—continued</i>																								
764.0	Diarrhea of newborn, without mention of immaturity	12	12																						
764.5	Diarrhea of newborn, with immaturity { M.	2	2																						
765.0	Ophthalmia neonatorum, without mention of immaturity { M.	4	4																						
765.5	Ophthalmia neonatorum, with immaturity { M.	-	-																						
766.0	Peripneumonia neonatorum, without mention of immaturity { F.	2	2																						
766.5	Peripneumonia neonatorum, with immaturity { M.	1	1																						
767.0	Umbilical sepsis, without mention of immaturity { M.	2	2																						
767.5	Umbilical sepsis, with immaturity { M.	1	1																						
768.0	Other sepsis of newborn, without mention of immaturity { F.	7	7																						
768.5	Other sepsis of newborn, with immaturity { M.	2	2																						
769.4	Neonatal disorders arising from certain diseases of the mother during pregnancy, without mention of immaturity (769.0-3) { F.	1	1																						
769.9	Neonatal disorders arising from certain diseases of the mother during pregnancy, with immaturity (769.5-8) { M.	2	2																						
		1	1																						
		10	10																						
		3	3																						
	<i>Other diseases peculiar to early infancy (770-776)</i>																								
770.2	Hemolytic disease of newborn (erythroblastosis), without mention of immaturity (770.0.1) { M.	294	294																						
		212	212																						
770.7	Hemolytic disease of newborn (erythroblastosis), with immaturity (770.5.6) { F.	15	15																						
		19	19																						
771.0	Hemorrhagic disease of newborn, without mention of immaturity { M.	1	1																						
		3	3																						
771.5	Hemorrhagic disease of newborn, with immaturity { M.	23	23																						
		10	10																						
		12	12																						

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E810	Motor vehicle traffic accidents (E810-E825)	M.	432	1	3	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
E811	Collision with railway train	F.	161	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E812	Collision with street car	M.	183	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E813	Pedestrian	F.	102	30	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
E814	Pedestrian cyclist	F.	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
E815	Rider or passenger of motorcycle in collision with non-motor vehicle or object	M.	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
E816	Rider or passenger of motorcycle in collision with other motor vehicle	F.	41	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
E817	Two or more motor vehicles	F.	51	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26
E818	Occupant of motor vehicle in collision with pedestrian or pedal cycle	F.	25	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E819	Collision with animal or animal-drawn vehicle	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E820	Collision with fixed or unspecified object	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E821	While boarding and alighting	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E822	Rider of motorcycle without antecedent collision	F.	34	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
E823	Overtaking in roadway	F.	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E824	Running off roadway	F.	21	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
E825	Other non-collision motor vehicle traffic accident	F.	14	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
	Unspecified nature	F.	20	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	Motor vehicle non-traffic accidents (E830-E835)	M.	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
E830	Pedestrian	F.	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
E831	Pedestrian cyclist	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E832	Rider or passenger of motorcycle	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E833	Two or more motor vehicles	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E834	While boarding and alighting	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E835	Other and unspecified nature	F.	11	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Table 42. Causes of Death by Age-groups—Scotland, 1959 (Males and Females)—*continued*

Inter-national Detailed List Numbers	Causes of Death	All Ages	Ages																85 and over	Not Stated					
			1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-	
E. XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)— <i>continued</i>																									
	<i>Other road vehicle accidents (E840-E845)</i>	13	-	-	-	-	-	1	-	1	-	1	-	1	2	1	3	1	-	-	-	-			
E840	Street car accident to pedestrian	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-				
E841	Other street car accident, except collision with motor vehicle	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-				
E842	Accident to pedestrian caused by pedal cyclist	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-				
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
E844	Accident to pedestrian caused by other non-motor road vehicle	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	1	-	-	-				
E845	Other non-motor road vehicle accident, ^s	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	<i>Water transport accidents (E850-E858)</i>	52	-	-	-	-	-	-	4	2	4	7	5	4	7	7	9	3	1	-	-				
E850	Submersion of occupant of small boat	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
E851	Other water transport injury by sub- mersion	7	-	-	-	-	-	1	-	1	1	1	1	-	-	2	1	1	-	-	-				
E852	Fall on stairs and ladders in water transport	33	-	-	-	-	-	-	2	2	2	5	3	4	5	4	5	1	1	-	-				
E853	Other falls from one level to another in water transport	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
E854	Falls on same level in water transport	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
E855	Unspecified falls in water transport	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-				
E856	Machinery accident in water transport	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
E857	Other specified accidents in water transport	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-				
E858	Water transport accident of unspecified cause	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	<i>Aircraft accidents (E860-E866)</i>	3	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-				
E860	Accident to personnel in military air- craft	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-				
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

Table 42. Causes of Death by Age-groups—Scotland, 1959 (Males and Females)—*continued*

Inter- national Detained List Numbers	Causes of Death	All Ages	Ages														85 and over	Not Stated								
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-			50-	55-	60-	65-	70-	75-	80-	
E. XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999) — <i>continued</i>																										
	<i>Accidental poisoning by gases and vapours</i> (E890-E895)	108	-	1	1	-	-	1	-	2	-	2	3	8	1	12	16	8	10	8	11	11	10	3	-	
E890	Utility (illuminating) gas	109	-	1	1	-	-	1	-	3	-	1	1	3	2	7	5	6	7	3	15	27	18	10	-	
E890a	Utility (illuminating) gas	102	-	1	1	-	-	1	-	2	-	2	3	7	1	11	13	8	10	8	10	11	10	3	-	
E890b	Utility (illuminating) gas, accidental	106	-	1	1	-	-	1	-	-	-	1	1	3	2	7	5	6	7	3	15	27	18	10	-	
	Utility (illuminating) gas, unspecified	53	-	1	1	-	-	1	-	1	-	2	1	1	1	2	6	5	4	5	6	8	6	3	-	
	as to whether accidental or	67	-	1	1	-	-	1	-	-	-	1	1	1	1	3	2	5	5	-	13	17	16	7	-	
E891	Motor vehicle exhaust gas	49	-	-	-	-	-	-	1	-	-	1	2	6	1	9	7	3	6	3	4	3	4	4	-	
E892	Other carbon monoxide gas	39	-	-	-	-	-	-	-	-	-	1	-	2	1	4	3	6	2	3	2	10	2	3	-	
E893	Cyanide gas	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E894	Other specified gases and vapours	3	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
E895	Unspecified gases and vapours	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	
	<i>Accidental falls</i> (E900-E904)	282	-	2	3	-	-	4	7	3	6	7	8	6	11	7	7	10	20	15	35	29	55	47	-	
E900	Fall on stairs	410	-	-	-	-	-	1	-	2	1	-	1	1	2	2	4	4	6	20	43	73	115	135	-	
E901	Fall from ladders	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	4	1	8	4	-	
E902	Other falls from one level to another	6	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	2	4	1	1	1	-	
E903	Fall on same level	79	-	2	3	-	-	4	6	2	5	6	8	4	5	2	3	5	6	1	9	3	2	3	-	
E904	Unspecified falls	20	-	-	-	-	-	-	-	2	-	1	1	2	1	1	1	-	3	2	4	5	7	8	3	-
	Other accidents (E910-E936)	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	5	7	10	6	-
E910	Blow from falling or projected object	135	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	3	2	5	7	10	6	-	
E911	Accident caused by vehicle	335	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	4	5	3	14	31	64	93	120	-
	Other accidents (E910-E936)	517	89	8	7	8	1	21	24	12	26	15	28	37	33	37	47	45	13	18	11	11	14	17	6	-
E910	Blow from falling or projected object	172	49	3	2	2	6	3	3	1	3	2	6	9	10	6	8	9	10	11	9	16	15	7	-	-
E911	Accident caused by vehicle	5	-	-	-	-	-	1	1	-	-	2	6	9	3	1	7	6	2	3	3	1	7	-	-	-
	Accident caused by vehicle	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	-	-	-	-

Table 42. Causes of Death by Age-groups—Scotland, 1959 (Males and Females)—continued

Inter- national Detailed List Numbers	Causes of Death	All Ages	Ages														85 and over	Not Stated							
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-			50-	55-	60-	65-	70-	75-	80-
	E. XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)—continued																								
	<i>Complications due to non-therapeutic medical and surgical procedures (E940- E946)</i>	M. F.	1	1																					
E940	Generalized vaccinia following vac- cination	M. F.	1	1																					
E941	Postvaccinal encephalitis	M. F.	1	1																					
E942	Other complications of smallpox vaccination	M. F.	1	1																					
E943	Post-immunization jaundice and hepa- titis	M. F.																							
E944	Other complications of prophylactic inoculation	M. F.																							
E945	Complications of anesthesia for non- therapeutic purpose	M. F.																							
E946	Other complications due to non- therapeutic medical and surgical procedures	M. F.																							
	<i>Therapeutic misadventure and late com- plications of therapeutic procedures (E950-E959)</i>	M. F.																							
E950	Therapeutic misadventure in surgical treatment	M. F.																							
E951	Therapeutic misadventure in infusion or transfusion	M. F.																							
E952	Therapeutic misadventure in local applications	M. F.																							
E953	Therapeutic misadventure in adminis- tration of drugs or biologicals	M. F.																							
E954	Therapeutic misadventure in anes- thesia	M. F.																							
E955	Other and unspecified therapeutic misadventure	M. F.																							
E956	Late complication of surgical opera- tion	M. F.																							
E957	Late complication of amputation stump	M. F.																							

Table 42. Causes of Death by Age-groups—Scotland, 1959 (Males and Females)—*continued*

Inter- national Detailed List Numbers	Causes of Death	All Ages	Ages																85 and over	Not Stated					
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-			60-	65-	70-	75-	80-
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	EXVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)—<i>continued</i>																								
	<i>Homicide and injury purposely inflicted by other persons (not in war) (E980- E985)</i>																								
	Non-accidental poisoning by another person	10 M. 14 F.	1	-	-	-	-	-	1	-	-	1	1	3	1	2	-	1	-	1	1	1	-	-	-
	Assault by firearm and explosive	2 M. 1 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Assault by cutting and piercing instru- ments	1 M. 1 F.	1	-	-	-	-	-	1	-	-	1	1	1	1	-	1	-	-	1	-	-	-	-	-
	Assault by other means	2 M. 2 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Injury by intervention of police	5 M. 10 F.	1	-	-	-	-	-	1	-	1	-	2	1	-	-	1	2	-	-	1	1	-	-	-
	Execution	1 M. 1 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Injury resulting from operations of war</i>	- M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980- E999		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E990, Injury due to war operations by gas and chemicals, --	E991, Injury due to war operations by gunshot, --	E992, Injury due to war operations by grenade and landmine, --	E993, Injury due to war operations by bomb, --	E994, Injury due to war operations by marine mine, depth charge and torpedo, --	E995, Injury due to war operations by explosions of artillery shell, --	E996, Injury due to war operations by explosion of undetermined origin, --	E997, Injury due to war operations by aircraft destruction, --	E998, Injury due to war operations by other undetermined means --	E999, Injury due to war operations but occurring after cessation of hostilities --																

E990, Injury due to war operations by gas and chemicals, --.
E991, Injury due to war operations by gunshot, --.
E992, Injury due to war operations by grenade and landmine, --.
E993, Injury due to war operations by bomb, --.
E994, Injury due to war operations by marine mine, depth charge and torpedo, --.
E995, Injury due to war operations by explosions of artillery shell, --.
E996, Injury due to war operations by explosion of undetermined origin, --.
E997, Injury due to war operations by aircraft destruction, --.
E998, Injury due to war operations by other and unspecified means, --.
E999, Injury due to war operations but occurring after cessation of hostilities, --.

Table 42A. Causes of Death by Sex—Scotland, 1950-1959

NOTES: (1) Deaths registered during 1950-1957 have been classified in accordance with the Sixth Revision of the International Statistical Classification of Causes of Death (1948) and those in 1958 and 1959 with the Seventh Revision (1955).

(2) A separate line has not been devoted to a number of those rubrics to which very few deaths are assigned each year and the practice has been to amalgamate them, for example, 004-008. In order to have the record complete details of any deaths registered from these causes are shown in footnotes; figures in roman type indicating the number of male deaths while those in italics the female deaths. Thus 008, Tuberculosis, unspecified site, 1955, 1', denotes 1 female death in 1955 and 1 male death in 1956.

(3) In accordance with the Sixth and Seventh Revisions of the International Statistical Classification of Causes of Death, rubrics 306, 308, 649 and 775 have been omitted from this table as they are not applicable to primary death classification.

Inter-national Detailed List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
	ALL CAUSES—Both Sexes	63,061	62,065	61,143	61,792	61,645	61,380	59,878	61,510	65,778	63,996
	Males	32,454	31,765	31,622	31,651	31,329	31,493	30,326	31,401	33,116	32,191
	Females	30,607	30,300	29,521	30,141	30,316	29,887	29,552	30,109	32,662	31,805
	I. INFECTIVE AND PARASITIC DISEASES (001-138)	518 311	588 327	650 352	687 377	802 491	889 576	1,017 685	1,162 836	1,544 1,176	1,820 1,519
	TUBERCULOSIS, all forms (001-019)	379 197	459 228	484 239	525 276	619 363	688 440	811 530	941 671	1,256 923	1,469 1,306
001	<i>Tuberculosis of respiratory system</i> (001-008)	344 169	431 207	452 212	478 237	555 305	617 393	724 435	847 562	1,106 780	1,306 1,133
	Respiratory tuberculosis with mention of occupational disease of lung	— —	26 —	25 —	— —	17 —	21 —	31 —	— —	14 —	15 —
002	Pulmonary tuberculosis	324 169	403 205	426 211	467 237	533 302	595 393	691 435	821 555	1,086 778	1,283 1,125
003	Pleural tuberculosis	— —	1 —	1 —	— —	4 2	1 —	2 —	6 4	3 2	5 6
004-008	Other respiratory tuberculosis and tuberculosis, unspecified site	1 —	1 2	— —	2 —	1 —	— —	— —	3 3	— —	3 2
010	<i>Tuberculosis, other forms</i> (010-019)	35 28	28 21	32 27	47 39	64 58	71 56	87 95	94 109	150 143	163 173
011	Tuberculosis of meninges and central nervous system	9 2	7 6	8 4	10 3	20 17	26 18	30 34	47 53	78 83	89 102
012	Tuberculosis of intestines, peritoneum and mesenteric glands	12 6	4 3	4 7	3 4	5 15	10 8	3 14	8 12	12 16	12 16
012.0	Tuberculosis of bones and joints, active or unspecified	3 3	1 4	5 4	7 5	10 12	2 2	13 18	12 18	23 20	18 19
012.0	Vertebral column	6 3	4 1	5 1	5 7	12 6	2 2	13 12	18 15	20 12	23 15
012.3	Other bones and joints (012.1.2)	— —	1 —	1 —	7 3	3 4	1 —	4 1	3 —	3 —	6 —
013	Tuberculosis of bones and joints, late	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter-national Detailed List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
	I. INFECTIVE AND PARASITIC DISEASES (001-138)—continued in Infectious diseases commonly arising in intestinal tract (040-049)										
040	Typhoid fever	5 11	2 5	5 7	2 4 1 1	13 11 1	4 9	14 11 1 1 1	3 8 1	17 10 1	11 7
041	Paratyphoid fever	—	1	—	—	2	1	1	1	—	—
042	Other Salmonella infections	2	—	1	—	2	2	4	2	5	4
043	Cholera	3	4	2	—	2	—	5	—	4	—
044	Brucellosis (undulant fever)	—	—	1	—	—	—	—	—	—	—
045	Bacillary dysentery	1	2	2	1	4	1	4	4	4	4
046	Amoebiasis	5	—	3	—	7	4	4	4	2	1
047	Other protozoal dysentery	—	—	—	—	1	—	—	1	—	—
048	Unspecified forms of dysentery	—	—	1	—	—	—	—	—	4	2
049	Food poisoning (infection and intoxication)	2	—	2	2	1	1	4	1	4	3
		3	—	—	—	—	—	1	—	2	—
050	Other bacterial diseases (050-064)	31	27	42	42	35	67	56	72	100	91
051	Scarlet fever	22	28	27	26	32	35	39	67	95	69
052	Streptococcal sore throat	—	—	—	1	1	—	—	1	1	1
053	Erysipelas	1	—	1	1	2	1	2	3	—	2
054	Septicæmia and pyæmia	10	1	14	11	8	2	1	1	4	3
055	Bacterial toxæmia	7	8	6	4	11	17	9	25	19	24
056	Diphtheria	1	—	—	1	—	—	—	16	14	20
057	Whooping cough	3	1	10	7	3	1	1	5	3	2
058	Meningococcal infections	5	3	11	7	18	14	15	10	50	35
		14	13	11	17	7	29	26	16	48	26
		9	12	7	10	11	12	17	20	21	15
059	Plague	—	—	—	—	—	—	—	25	—	—
(a)	(b)										

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter-national Detailed List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
II. NEOPLASMS (140-239)—continued											
154	Rectum	293	331	352	311	335	323	332	334	348	351
155	Biliary passages and of liver (stated to be primary site)	256	239	267	251	242	242	207	228	237	235
155.0	Liver	90	85	91	90	89	74	75	86	115	85
155.1a	Gallbladder	129	100	129	129	138	124	100	130	173	133
155.1b	Bile ducts	44	41	50	49	48	33	36	51	84	51
155.8	Multiple sites*	31	30	21	33	41	32	34	53	79	66
156	Liver (secondary and unspecified)	24	25	21	19	16	19	22	18	17	22
157	Pancreas	76	53	64	69	76	74	44	56	70	46
158	Peritoneum	22	18	20	22	25	22	17	17	14	12
159	Unspecified digestive organs	22	17	19	27	21	18	22	21	24	21
	Multiple sites*	1	1								
	Liver (secondary and unspecified)	37	43	38	45	35	36	51	21	19	45
	Pancreas	41	41	58	29	39	36	36	40	24	45
	Peritoneum	233	251	228	189	197	190	197	197	178	178
	Unspecified digestive organs	224	205	193	216	193	176	175	188	156	155
	Malignant neoplasm of respiratory system (160-165)	20	15	19	17	18	23	11	11	20	24
	Nose, nasal cavities, middle ear, and accessory sinuses	9	6	28	44	32	31	35	23	25	38
	Larynx	9	6	9	4	2	2	2	—	4	9
	Bronchus and trachea, and of lung specified as primary	9	6	7	5	4	1	2	2	2	21
	Trachea	2,042	1,989	1,880	1,780	1,612	1,626	1,580	1,374	1,240	1,220
160	Malignant neoplasm of respiratory system (160-165)	409	384	340	349	336	339	347	290	316	347
161	Nose, nasal cavities, middle ear, and accessory sinuses	8	11	13	13	11	12	15	9	14	14
162	Larynx	11	12	12	12	12	12	15	7	12	10
162.0	Bronchus and trachea, and of lung specified as primary	16	70	67	70	64	74	75	79	55	80
162.1	Trachea	372	339	304	306	287	295	301	242	1,101	938
162.2	Bronchus and lung	4	1	—	1	—	3	2	3	2	4
162.8	Pleura	1,952	1,879	1,775	1,674	1,514	1,514	1,463	1,228	1,098	932
162.8	Multiple sites*	372	335	303	304	285	295	299	241	266	248
163	Lung, unspecified as to whether	2	5	2	2	1	—	3	2	1	1
	Multiple sites*	—	2	1	2	1	—	1	1	1	1

[illegible]

*During 1950-1957 any "multiple sites" cases would have been classified to site first named on death certificate.

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter- national Detailed List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
II. NEOPLASMS (140-239)—continued											
<i>Malignant neoplasms of other and unspecified sites (190-199)—continued</i>											
193	Brain and other parts of nervous system	117	109	90	110	111	122	93	86	87	91
193.0	Brain	83	75	89	77	64	62	79	83	83	56
193.1	Brain	92	91	83	100	99	117	85	78	81	79
193.9	Brain	6	4	87	70	59	58	70	77	44	52
	Spinal cord and meninges† (193.2)	1	1	—	—	4	3	5	6	4	5
	Other specified, multiple* and unspecified sites (193.3-4.8)	19	14	—	—	1	3	8	5	4	4
194	Thyroid gland	11	11	1	6	4	2	1	2	2	7
195	Other endocrine glands	11	11	11	22	10	10	13	11	1	—
196	Bone (including jaw bone)	31	39	45	39	35	36	36	43	42	15
196a	Skull and face (excluding maxilla superior)*	5	3	9	4	5	3	11	7	8	35
196b	Jaw	3	9	7	5	8	5	11	10	8	6
196.2	Vertebral column (excluding sacrum and coccyx)	47	56	61	67	90	62	55	60	86	68
196.9	Other specified, multiple* and unspecified sites (196.3-8)	34	43	42	40	50	63	42	53	56	44
197	Connective tissue	8	5	—	—	—	—	—	—	—	—
198	Secondary and unspecified of lymph nodes	12	10	—	—	—	—	—	—	—	—
199	Other and unspecified sites	7	5	3	14	19	11	12	11	26	10
199a	Other sites	8	5	12	16	8	13	6	2	6	3
199b	Unspecified site	8	9	11	11	8	13	10	11	14	8
	Neoplasms of lymphatic and hematopoietic tissues (200-205)	19	36	37	37	63	39	34	38	46	50
200	Lymphosarcoma and reticulosarcoma	13	25	28	27	34	37	26	40	33	34
201	Hodgkin's disease	12	13	17	14	8	12	17	12	8	10
		6	6	15	14	6	12	11	11	8	13
		11	11	3	8	5	8	7	5	9	12
		4	4	3	6	2	8	5	4	7	10
		44	44	27	18	26	28	32	45	51	39
		80	54	52	21	34	34	41	43	65	38
		6	18	20	12	23	23	25	34	42	33
		30	19	23	19	28	28	34	35	54	35
		38	26	7	7	3	5	9	11	9	6
		50	35	9	2	6	6	7	8	11	3
		304	306	284	298	307	292	264	262	238	241
		280	244	247	244	223	210	196	201	208	167
		55	66	47	47	67	51	58	50	41	50
		63	50	49	49	36	46	37	30	28	23
		53	50	50	61	60	45	51	68	55	55
		33	50	50	50	50	50	50	50	50	50

203	Multiple myeloma (plasmocytoma)	F.	46	28	39	27	24	47	118	108	109	113
204	Leukemia and aleukemia	M.	137	137	109	138	149	78	87	104	111	87
204.0	Lymphatic leukemia	M.	127	122	109	111	98	59	41	41	47	41
204.1	Myeloid leukemia	M.	35	34	56	62	50	43	31	27	36	31
204.2	Monocytic leukemia	M.	17	26	40	41	31	32	23	27	36	30
204.3	Acute leukemia	M.	18	26	42	28	43	39	24	25	34	23
204.4	Other and unspecified leukemia	M.	31	29	23	36	40	27	32	32	34	23
205	Mycosis fungoides	M.	6	5	44	40	59	36	42	42	38	42
		F.	58	45	46	34	36	28	33	45	41	33
		F.	20	14	4	2	3	1	4	4	2	2
		F.	22	2	4	2	1	3	1	1	2	1
		F.	1	3	4	—	—	—	—	—	—	—
		F.	41	26	40	45	26	34	24	43	32	48
210	Buccal cavity and pharynx	M.	47	39	55	72	55	52	50	61	66	1
211	Other parts of digestive system	M.	5	1	—	—	1	—	1	1	—	4
212	Respiratory system	M.	2	2	3	3	2	3	4	5	2	4
213	Breast	M.	2	3	2	1	6	2	3	1	3	4
214	Uterine fibromyoma	M.	—	—	—	—	—	—	—	—	—	2
215	Other uterus	F.	4	3	8	10	11	8	12	6	8	24
216	Ovary	F.	1	10	12	21	13	3	10	19	21	1
217	Other female genital organs	F.	6	1	1	—	—	—	—	—	—	24
218	Male genital organs	M.	12	6	1	10	1	6	6	9	14	17
219	Kidney and other urinary organs	M.	5	6	4	8	9	5	1	5	5	16
219a	Bladder	F.	11	6	6	3	3	3	1	4	5	6
219b	Kidney and other urinary organs	M.	4	1	3	2	1	1	1	1	—	1
220	Benign melanoma of skin	M.	1	—	1	—	—	—	—	—	—	—
221	Pilonidal cyst	M.	—	—	—	—	—	—	—	—	—	1
222	Other skin	M.	—	—	—	1	—	—	—	—	—	—
223	Brain and other parts of nervous system	M.	14	12	17	20	6	14	9	16	9	12
224	Endocrine glands	M.	15	15	20	14	15	3	16	15	14	22
225	Bone and cartilage	M.	3	2	2	6	3	3	4	3	7	6
226	Lipoma	M.	2	2	1	3	3	1	3	1	2	1
		F.	1	—	1	2	3	1	1	1	1	—

† During 1950-1957 malignant neoplasm of meninges was allocated to "193c other parts of nervous system."

* During 1950-1957 any "multiple sites" cases would have been classified to site first named on death certificate.

** 196, Fourth-digit subdivision of this rubric was introduced in Seventh Revision, but prior to 1958 there was a Scottish subdivision: a. Jaw (including maxilla, inferior, superior)

b. Spine; c. Others. In order to preserve the Scottish series of these deaths the Seventh Revision subdivision 'J' Skull and face (including maxilla superior) and 'I' Lower jaw-bone, have not been altered. During 1950-1957 rubrics 204.2, 3.4 were amalgamated and designated "204.4(2.3) Other and unspecified leukaemia."

†† During 1950-1957 rubrics 204.2, 3.4 were amalgamated and designated "204.4(2.3) Other and unspecified leukaemia."

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter-national Detailed List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
II. NEOPLASMS (140-239)—continued											
<i>Benign neoplasm (210-229)—continued</i>											
227	Other muscular and connective tissue	4	3	1	2	1	1	—	—	—	—
228	Hamangioma and lymphangioma	4	2	3	2	2	2	—	5	1	4
229	Other and unspecified organs and tissues	3	—	1	—	1	—	—	1	2	1
<i>Neoplasm of unspecified nature (230-239)</i>											
230	Digestive organs	22	12	19	10	15	16	14	18	31	37
231	Respiratory organs	23	17	19	19	18	21	18	23	40	41
232	Breast	1	1	2	1	1	1	3	—	2	6
233	Uterus	—	—	—	1	1	1	1	—	8	10
234	Ovary	—	—	—	—	—	—	—	1	8	11
235	Other female genital organs	—	—	—	—	—	—	—	1	2	1
236	Other genito-urinary organs	1	1	—	4	—	3	2	—	—	—
236a	Bladder	1	1	—	1	1	1	—	—	1	—
236b	Other genito-urinary organs	1	—	—	—	—	—	—	—	—	—
237	Brain and other parts of nervous system	20	9	15	10	12	12	10	12	17	17
238	Skin and musculoskeletal system	18	13	17	12	12	13	13	19	23	26
239	Other unspecified organs	—	1	1	—	2	1	3	1	1	—
III. ALLERGIC, ENDOCRINE, SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES (240-289)											
240	Allergic disorders (240-245)	77	94	106	117	110	113	114	150	187	174
241	Hay fever	91	75	95	132	117	146	117	155	186	167
	Asthma	76	93	106	116	109	112	113	149	185	174
		90	75	85	131	132	112	113	149	185	174
		286	305	306	299	312	292	289	337	411	377
		611	594	570	566	579	575	522	612	705	698
		77	94	106	117	110	113	114	150	187	174
		91	75	95	132	117	146	117	155	186	167
		—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—
		1	2	2	—	1	2	—	2	2	1

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter- national Detailed List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES (240-289)—continued											
<i>Avitaminoses and other metabolic diseases—(280-289)—continued</i>											
284	Late effects of rickets	M. 1	—	—	—	1	—	—	—	—	—
285	Osteomalacia	F. 1	—	—	—	1	—	—	—	—	—
286	Other avitaminoses and nutritional deficiency states	M. 18	19	12	1	14	1	11	11	1	1
287	Obesity, not specified as of endocrine origin	F. 13	22	10	4	20	11	13	6	16	7
288	Gout	M. 4	5	2	1	2	2	1	1	1	8
289	Other metabolic diseases	M. 8	14	2	—	1	1	—	—	—	2
		F. 8	10	11	3	9	8	11	11	8	6
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS (290-299)											
290	Pernicious and other hyperchromic anemias	M. 47	85	40	106	98	99	95	114	136	174
290a	Pernicious and other hyperchromic anemias	F. 83	119	80	48	36	46	46	61	74	242
290b	Subacute combined degeneration of spinal cord without mention of pernicious anemia	M. 46	42	40	101	85	104	90	106	160	133
291	Iron deficiency anemias (hypochromic anemias)	F. 82	118	78	97	81	99	87	58	70	133
292	Other anemias of specified type	M. 1	1	2	4	4	5	5	3	4	128
292.4	Aplastic anemia	F. 6	—	3	5	3	4	5	4	7	5
292.7	Other anemias included under (292.0-3, 5-7)	M. 7	10	6	13	9	3	6	7	12	6
293	Anemia of unspecified type	F. 24	16	19	21	23	3	14	21	24	15
294	Polycythemia	M. 43	23	29	29	20	36	30	42	31	26
295	Hemophilia	F. 8	10	9	12	15	13	7	16	18	34
296	Purpura and other hemorrhagic conditions	M. 19	12	16	23	18	21	18	27	24	16
		F. 16	6	10	9	8	7	7	5	6	10
		M. 24	11	13	6	2	15	12	15	7	18
		F. 11	11	10	14	17	9	9	6	11	14
		M. 24	18	27	14	23	26	20	22	26	31
		F. 8	5	4	2	6	1	2	2	1	4
		M. 4	3	7	5	5	4	2	3	4	3
		F. 4	1	1	1	—	2	1	4	1	5
		M. 3	4	—	—	—	2	—	—	—	—
		F. 3	—	5	11	9	9	9	6	6	—
		M. 4	6	10	11	5	10	7	13	11	11

298	Diseases of spleen	4	7	6	7	18	16	15	14
299	Other diseases of blood-forming organs	1	1	1	1	—	2	—	1
	V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS (300-326)								
		63	92	73	67	57	55	61	78
		99	79	80	91	67	76	93	117
	<i>Psychoses (300-309)</i>								
		37	65	48	37	34	25	37	58
300	Schizophrenic disorders (dementia praecox)	76	59	63	66	54	59	82	98
		1	2	8	6	2	1	3	2
301	Manic-depressive reaction	2	3	4	8	7	1	4	5
		1	1	4	8	2	4	4	2
302	Involuntional melancholia	2	3	4	8	5	4	11	12
		2	2	3	8	1	4	13	1
303	Paranoia and paranoid states	1	1	3	—	—	—	3	—
		—	—	—	—	—	—	—	—
304	Senile psychosis	24	42	17	19	22	10	2	39
		52	40	42	27	31	33	20	56
305	Presenile psychosis	3	3	8	2	5	4	3	5
		18	8	5	17	5	8	7	9
307	Alcoholic psychosis	2	2	4	1	3	1	2	—
		—	—	—	—	—	—	—	—
309	Other and unspecified psychoses	1	13	7	1	1	4	5	1
		4	4	3	4	6	12	9	11
		3	3	1	4	2	1	3	14
		3	2	5	7	3	3	4	3
310-318	<i>Psychoneurotic disorders</i>								6
	<i>Disorders of character, behaviour and intelligence (320-326)</i>								
		23	24	24	26	21	29	21	17
		20	18	12	21	12	14	7	13
320	Pathological personality	—	—	1	—	—	—	—	—
321	Immature personality	—	—	—	—	—	—	—	—
322	Alcoholism	10	13	11	10	11	16	11	10
		6	7	5	7	5	4	4	3
323	Other drug addiction	—	—	—	—	1	1	—	—
		—	—	—	—	—	—	—	—
324	Primary childhood behaviour disorders	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—
325	Mental deficiency	13	11	13	16	10	13	10	7
		14	11	6	14	6	7	7	10
326	Other and unspecified character, behaviour, and intelligence disorders	—	—	—	—	—	—	—	—

system, 1950, 1.

316, Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system, 1950, 1, 2; 1951, 1; 1955, 1, 1; 1956, 1, 1; 1957, 2, 1; 1959, 1.

317, Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems, 1950, 1, 1; 1955, 1; 1956, 1; 1958, 1; 1959, 1.

318, Psychoneurotic disorders, other, mixed and unspecified types, 1950, 1, 1; 1951, 2, 1; 1952, 1; 1955, 2; 1957, 5.

310, Anxiety reaction without mention of somatic symptoms, 1952, 1, 1; 1953, 1; 1954, 1; 1958, 2, 1.

311, Hysterical reaction without mention of anxiety reaction, 1950, 1; 1951, 1, 2; 1952, 1, 3; 1953, 2; 1954, 1, 1; 1955, 1, 5; 1956, 3; 1957, 2; 1958, 1; 1959, 2, 2.

312, Phobic reaction, —.

313, Obsessive-compulsive reaction, 1957, 1.

314, Neurotic-depressive reaction, 1953, 1.

315, Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter- national Detailed List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (330-398)										
	<i>VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (330-398)</i>	<i>M. F.</i>	<i>M. F.</i>	<i>M. F.</i>	<i>M. F.</i>	<i>M. F.</i>	<i>M. F.</i>	<i>M. F.</i>	<i>M. F.</i>	<i>M. F.</i>	<i>M. F.</i>
	<i>Vascular lesions affecting central nervous system (330-334)</i>	4,406 6,218	4,485 6,282	4,377 5,933	4,435 5,995	4,396 6,006	4,373 6,018	4,198 5,533	4,311 5,676	4,364 5,830	4,111 5,604
330	Subarachnoid hemorrhage	4,049 5,813	4,111 5,871	4,030 5,536	4,076 5,609	4,020 5,587	3,953 5,609	3,781 5,114	3,859 5,228	3,863 5,259	3,635 5,097
331	Cerebral hemorrhage	142 1,586	108 1,566	137 1,566	118 1,740	94 1,730	82 2,614	77 2,475	69 1,813	72 1,856	45 1,811
332	Cerebral embolism and thrombosis	2,333 1,968	2,403 2,039	2,293 2,056	2,428 1,882	2,431 1,888	2,614 1,826	2,475 1,640	2,553 1,705	2,661 1,708	2,713 1,626
333	Spasm of cerebral arteries	2,835 —	2,834 —	2,726 —	2,659 —	2,655 —	2,503 —	2,211 —	2,319 —	2,278 —	2,095 —
334	Other and ill-defined vascular lesions affecting central nervous system	397 503	369 469	325 380	336 391	306 362	313 369	301 322	271 254	226 227	152 206
	<i>Inflammatory diseases of central nervous system (340-345)</i>	<i>M. F.</i>	<i>M. F.</i>	<i>M. F.</i>	<i>M. F.</i>	<i>M. F.</i>	<i>M. F.</i>	<i>M. F.</i>	<i>M. F.</i>	<i>M. F.</i>	<i>M. F.</i>
340	Meningitis, except meningococcal and tuberculous	117 130	135 140	124 141	103 129	117 145	145 150	139 138	149 144	138 171	116 139
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	24 22	26 31	33 26	27 18	30 18	36 23	30 19	44 28	31 28	31 27
342	Intracranial and intraspinal abscess	7 13	7 14	7 12	6 7	4 4	— 5	— 14	2 11	7 12	2 13
343	Encephalitis, myelitis, and encephalo- myelitis (except acute infectious) Late effects of intracranial abscess or pyogenic infection	11 5	10 2	9 4	11 3	17 16	22 14	17 16	7 20	7 20	17 16
344	Multiple sclerosis	1 59	2 85	5 60	3 56	5 62	3 76	5 70	2 72	3 68	— 52
345	Other diseases of central nervous system (350-357)	89 232	84 215	93 208	93 236	97 241	104 251	86 257	85 277	106 337	90 330
350	Paralysis agitans	261 80	258 78	243 70	265 83	245 72	245 71	261 87	285 77	376 80	347 80
351	Cerebral spastic infantile paralysis	104 17	99 14	89 16	90 12	98 13	89 16	97 9	82 14	101 11	105 17
352	Other cerebral paralysis	11 26	12 31	13 21	9 11	11 36	11 39	8 35	12 42	12 93	12 82
353	Epilepsy	40 33	32 52	43 41	29 54	49 53	39 65	46 61	62 66	137 73	118 60
354	Migraine	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter-national Detailed List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
	VII. DISEASES OF THE CIRCULATORY SYSTEM (400-448)	{ M. F. }									
	Rheumatic fever (400-402)	{ M. F. }									
400	Rheumatic fever without mention of heart involvement	{ M. F. }	9 12	7 10	26 19	27 27	20 29	23 22	21 23	21 28	16 41
401	Rheumatic fever with heart involvement	{ M. F. }	— —	— —	1 1	1 1	1 1	4 1	— —	3 1	2 7
402	Chorea	{ M. F. }	8 11	7 10	23 19	26 26	17 28	19 21	21 22	15 24	14 33
			1 1	— —	2 —	— —	2 —	— —	— —	3 3	— 1
	HEART DISEASE (410-443)	{ M. F. }									
			10,822 10,300	10,824 10,522	10,685 9,880	10,815 10,336	10,540 10,350	9,945 9,409	10,371 9,844	10,787 10,715	10,086 10,217
	Chronic rheumatic heart disease (410-416)	{ M. F. }									
410	Diseases of mitral valve	{ M. F. }	258 558	243 572	303 604	292 554	293 554	274 533	291 587	332 568	347 595
411	Diseases of aortic valve specified as rheumatic	{ M. F. }	168 440	164 447	218 473	207 406	229 441	215 438	205 466	241 443	237 436
412	Diseases of tricuspid valve	{ M. F. }	8 4	6 4	9 3	12 6	2 1	4 —	9 5	10 9	49 30
413	Diseases of pulmonary valve specified as rheumatic	{ M. F. }	— —	— —	1 —	— —	— —	— —	— —	— —	— —
414	Other endocarditis specified as rheumatic	{ M. F. }	27 42	29 44	26 41	29 43	28 45	24 40	28 38	35 40	23 33
415	Other myocarditis specified as rheumatic	{ M. F. }	9 10	14 12	12 17	14 18	9 23	8 16	18 21	12 25	13 28
416	Other heart disease specified as rheumatic	{ M. F. }	10 61	12 65	38 69	30 54	23 49	26 39	31 52	37 51	23 40
	Arteriosclerotic and degenerative heart diseases (420-422)	{ M. F. }									
420	Arteriosclerotic heart disease including coronary disease	{ M. F. }	9,762 8,602	9,740 8,767	9,573 8,267	9,686 8,756	9,367 8,647	8,664 7,698	9,192 8,115	9,478 8,969	8,915 8,747
420.0	Arteriosclerotic heart disease so described	{ M. F. }	6,641 3,982	6,359 3,958	5,942 3,571	5,819 3,611	5,458 3,281	5,416 2,995	5,416 2,866	5,416 2,660	4,275 2,502
420.1	Coronary thrombosis (420.2)	{ M. F. }	230 304	183 211	180 155	134 148	162 151	77 69	68 51	26 14	11 9
421	Chronic endocarditis not specified as rheumatic	{ M. F. }	6,411 3,678	6,176 3,747	5,762 3,416	5,685 3,455	5,296 3,133	4,842 2,726	4,923 2,423	4,775 2,646	4,264 2,493
422	Other myocardial degeneration	{ M. F. }	149 185	140 175	168 189	168 191	169 193	168 193	233 247	271 343	271 329
			2,972 4,435	3,241 4,634	3,463 4,507	3,711 4,954	3,740 5,173	3,551 4,710	5,002 5,002	4,387 5,966	4,369 5,916

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter-national Detailed List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
	VII. DISEASES OF THE CIRCULATORY SYSTEM (400-468)—continued										
	<i>Diseases of arteries (450-456) . . .</i> { M. F. }										
450	General arteriosclerosis . . .	759	695	651	751	720	726	627	595	519	539
451	Aortic aneurysm, non-syphilitic and dissecting aneurysm . . .	807	574	720	806	706	696	604	598	489	484
452	Other aneurysm, except of heart and aorta . . .	710	663	622	784	653	594	538	512	427	437
453	Peripheral vascular disease . . .	46	54	42	48	37	46	39	21	397	398
454	Arterial embolism and thrombosis . . .	8	7	10	4	1	11	22	15	8	2
455	Gangrene of unspecified cause . . .	14	10	11	6	6	14	6	10	6	20
456	Other diseases of arteries . . .	18	10	11	7	1	17	2	15	12	15
	<i>Diseases of veins and other diseases of circulatory system (460-468) . . .</i> { M. F. }										
460	Varicose veins of lower extremities . . .	104	95	118	93	99	95	100	99	99	86
461	Hemorrhoids . . .	162	141	156	142	137	137	129	132	112	148
462	Varicose veins of other specified sites . . .	3	6	4	1	17	3	—	2	2	3
463	Phlebitis and thrombophlebitis of lower extremities . . .	10	7	9	5	1	7	2	9	3	9
464	Phlebitis and thrombophlebitis of other sites . . .	1	1	1	—	1	—	—	—	2	1
465	Pulmonary embolism and infarction . . .	3	2	10	3	11	7	5	3	2	1
466	Other venous embolism and thrombosis . . .	6	1	3	4	3	2	4	6	6	3
467	Certain diseases of circulatory system . . .	13	8	4	10	11	7	4	7	4	10
468	Other diseases of lymph nodes and lymph channels . . .	19	21	12	13	16	19	14	14	7	26
	VIII. DISEASES OF THE RESPIRATORY SYSTEM (470-527) . . . { M. F. }										
	<i>Acute upper respiratory infections . . .</i> { M. F. }										
	<i>Diseases of arteries (450-456) . . .</i> { M. F. }										
450	General arteriosclerosis . . .	759	695	651	751	720	726	627	595	519	539
451	Aortic aneurysm, non-syphilitic and dissecting aneurysm . . .	807	574	720	806	706	696	604	598	489	484
452	Other aneurysm, except of heart and aorta . . .	710	663	622	784	653	594	538	512	427	437
453	Peripheral vascular disease . . .	46	54	42	48	37	46	39	21	397	398
454	Arterial embolism and thrombosis . . .	8	7	10	4	1	11	22	15	8	2
455	Gangrene of unspecified cause . . .	14	10	11	6	6	14	6	10	6	20
456	Other diseases of arteries . . .	18	10	11	7	1	17	2	15	12	15
	<i>Diseases of veins and other diseases of circulatory system (460-468) . . .</i> { M. F. }										
460	Varicose veins of lower extremities . . .	104	95	118	93	99	95	100	99	99	86
461	Hemorrhoids . . .	162	141	156	142	137	137	129	132	112	148
462	Varicose veins of other specified sites . . .	3	6	4	1	17	3	—	2	2	3
463	Phlebitis and thrombophlebitis of lower extremities . . .	10	7	9	5	1	7	2	9	3	9
464	Phlebitis and thrombophlebitis of other sites . . .	1	1	1	—	1	—	—	—	2	1
465	Pulmonary embolism and infarction . . .	3	2	10	3	11	7	5	3	2	1
466	Other venous embolism and thrombosis . . .	6	1	3	4	3	2	4	6	6	3
467	Certain diseases of circulatory system . . .	13	8	4	10	11	7	4	7	4	10
468	Other diseases of lymph nodes and lymph channels . . .	19	21	12	13	16	19	14	14	7	26
	<i>Diseases of arteries (450-456) . . .</i> { M. F. }										
450	General arteriosclerosis . . .	759	695	651	751	720	726	627	595	519	539
451											

[illegible]

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter-national Detailed List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
VIII. DISEASES OF THE RESPIRATORY SYSTEM (470-527)—continued											
	<i>Other diseases of respiratory system (510-527)</i>	438 122	456 128	423 107	452 111	427 133	402 160	391 171	380 226	419 214	368 235
510	Hypertrophy of tonsils and adenoids	—	1	—	4	1	—	1	2	1	2
511	Peritonsillar abscess (quinsy)	—	2	—	—	—	1	1	3	1	3
512	Chronic pharyngitis and nasopharyngitis	1	—	—	—	—	2	—	2	1	1
513	Chronic sinusitis	—	—	1	—	—	—	—	—	—	—
514	Deflected nasal septum	—	—	1	1	4	1	1	—	1	2
515	Nasal polyp	—	—	—	—	—	1	—	—	1	—
516	Chronic laryngitis	—	1	1	—	—	—	—	—	—	—
517	Other diseases of upper respiratory tract.	—	—	—	—	—	—	—	—	—	—
518	Empyema	1	—	6	—	1	—	—	5	3	—
519	Pleurisy	13	2	3	4	4	5	6	1	9	2
520	Spontaneous pneumothorax.	9	4	10	3	12	13	12	17	19	28
521	Abscess of lung	7	9	8	12	7	9	14	15	13	19
522	Pulmonary congestion and hypostasis	3	2	5	1	—	6	—	2	4	1
523	Pneumoconiosis due to silica and silicates (occupational)	8	3	6	5	8	7	4	7	1	10
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	7	13	21	15	13	23	3	4	10	10
525	Other chronic interstitial pneumonia	20	22	13	16	20	34	43	58	70	64
526	Bronchiectasis	225	259	229	244	225	180	160	129	106	117
527	Other diseases of lung and pleural cavity	—	—	—	1	—	—	—	—	1	103
		5	3	6	8	3	—	3	2	3	8
		19	22	22	7	18	15	19	16	15	21
		15	7	9	11	6	7	9	7	6	8
		87	82	56	75	69	88	80	84	95	67
		51	58	37	38	52	52	47	68	52	43
		59	48	64	67	65	56	60	51	78	50
		14	14	18	24	29	41	31	32	22	22

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter-national Detailed List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
IX. DISEASES OF THE DIGESTIVE SYSTEM (530-587)—continued											
560	<i>Hernia of abdominal cavity (560-561)</i> { M.	66	76	84	79	78	75	69	80	96	91
	<i>Hernia of abdominal cavity without mention of obstruction</i> { F.	80	82	105	105	99	87	88	104	88	87
	<i>Hernia of abdominal cavity with obstruction</i> { M.	30	29	24	23	23	17	22	25	37	24
561	<i>Hernia of abdominal cavity without obstruction</i> { F.	31	26	23	26	24	18	17	28	25	25
	<i>Hernia of abdominal cavity with obstruction</i> { M.	36	47	60	54	58	53	47	55	59	67
	<i>Hernia of abdominal cavity without obstruction</i> { F.	49	56	82	79	75	69	71	76	63	62
570	<i>Other diseases of intestines and peritoneum (570-578)</i> { M.	274	236	287	287	312	306	287	310	356	371
	<i>Intestinal obstruction without mention of hernia</i> { F.	279	286	256	284	305	265	270	315	384	376
	<i>Gastro-enteritis and colitis, except ulcerative, ages between 4 weeks and 2 years</i> { M.	94	99	135	121	103	137	119	127	107	100
571.0	<i>Gastro-enteritis and colitis, except ulcerative, ages 2 years and over</i> { F.	55	29	35	61	79	57	74	87	119	154
	<i>Gastro-enteritis and colitis, except ulcerative, ages 2 years and over</i> { M.	37	31	25	39	41	35	52	56	79	110
	<i>Chronic enteritis and ulcerative colitis</i> { F.	29	27	21	18	24	17	22	20	41	28
572	<i>Chronic enteritis and ulcerative colitis</i> { M.	37	27	17	30	44	21	32	36	46	60
	<i>Chronic enteritis and ulcerative colitis</i> { F.	60	56	75	57	55	62	40	39	47	52
	<i>Functional disorders of intestines</i> { M.	78	104	86	89	93	72	63	72	86	73
573	<i>Functional disorders of intestines</i> { F.	1	1	2	1	2	2	1	1	1	2
	<i>Anal fissure and fistula</i> { M.	—	—	1	—	—	2	1	1	1	—
	<i>Abscess of anal and rectal regions</i> { F.	—	—	1	1	2	2	—	1	—	—
574	<i>Abscess of anal and rectal regions</i> { M.	2	2	1	1	2	3	—	3	1	1
	<i>Peritonitis</i> { F.	11	7	8	6	5	7	10	22	25	19
	<i>Peritoneal adhesion</i> { M.	14	5	5	10	6	7	2	18	21	15
576	<i>Peritonitis</i> { F.	1	2	—	1	2	4	2	—	3	1
	<i>Other diseases of intestines and peritoneum</i> { M.	16	16	—	22	24	19	19	12	20	13
	<i>Other diseases of intestines and peritoneum</i> { F.	19	18	20	17	17	13	18	15	20	19
577	<i>Diseases of liver, gallbladder, and pancreas (580-587)</i> { M.	235	221	215	237	183	204	196	193	206	178
	<i>Acute and subacute yellow atrophy</i> { F.	303	335	344	304	270	307	276	280	318	291
	<i>Acute and subacute yellow atrophy</i> { M.	7	8	7	11	6	6	7	7	15	5
580											

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter-national Diseases Listed Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
X. DISEASES OF THE GENITO-URINARY SYSTEM (590-637)—continued											
<i>Diseases of male genital organs (610-617)</i>											
610	M. Diseases of male genital organs (610-617)	376	394	403	434	461	448	404	475	461	547
611	Hyperplasia of prostate	362	382	389	421	451	430	395	453	425	509
612	Prostatitis	3	9	11	8	6	12	8	18	13	14
613	Other diseases of prostate	4	1	3	3	3	4	1	2	20	20
614	Hydrocele	1	—	—	1	—	—	—	—	—	1
615	Orchitis and epididymitis	1	—	—	—	—	—	—	—	1	1
616	Redundant prepuce and phimosis	2	—	—	—	—	1	—	—	—	1
617	Sterility, male	1	2	—	1	1	1	—	2	2	—
	Other diseases of male genital organs	—	—	—	—	—	—	—	—	—	—
<i>Diseases of breast, ovary, Fallopian tube and parametrium (620-626)</i>											
620	F. Chronic cystic disease of breast	7	9	7	9	10	10	12	15	13	10
621	F. Other diseases of breast	—	—	—	—	—	—	—	—	—	—
622	F. Acute salpingitis and oophoritis	1	1	—	—	1	2	1	—	—	1
623	F. Chronic salpingitis and oophoritis	1	—	1	—	—	—	—	—	1	1
624	F. Salpingitis and oophoritis, unqualified	1	2	2	2	3	4	1	1	4	1
625	F. Other diseases of ovary and Fallopian tube	—	1	—	2	—	1	2	—	2	2
626	F. Diseases of parametrium and pelvic peritoneum (female)	4	5	4	5	6	3	8	13	5	5
<i>Diseases of uterus and other female genital organs (630-637)</i>											
630	F. Infective disease of uterus, vagina and vulva	13	22	20	23	22	16	20	22	25	29
631	F. Uterovaginal prolapse	1	15	3	3	2	—	—	—	—	1
632	F. Malposition of uterus	12	—	8	11	8	9	10	8	11	19
633	F. Other diseases of uterus	—	2	—	2	—	1	4	—	—	—
634	F. Disorders of menstruation	—	4	4	3	2	1	5	3	7	8
635	F. Menopausal symptoms	—	—	2	1	1	4	—	—	2	—
636	F. Sterility, female	—	—	1	1	—	—	—	—	—	—
637	F. Other diseases of female genital organs	—	1	2	2	9	2	1	3	5	1
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD-BIRTH, AND THE PUERPERIUM (640-648)											
640	F. Complications of pregnancy (640-648)	36	53	46	51	43	70	86	92	99	106
	F. Pylitis and pyelonephritis of pregnancy	13	13	13	15	13	27	20	17	22	28
	F. Other diseases of female genital organs	—	—	—	1	—	1	—	—	—	—

642	Toxæmia of pregnancy	F.	3	2	6	4	5	6	13	11	6	7	13
642.2	Eclampsia of pregnancy (642.3)	F.	3	2	6	4	5	6	13	11	6	7	13
642.4	Hyperemesis gravidarum	F.	—	—	1	1	1	1	—	—	1	4	9
642.5	Other toxæmia of pregnancy (642.0.1)	F.	—	—	3	4	—	4	6	2	2	4	—
643	Placenta prævia	F.	4	1	—	3	2	1	1	1	3	5	1
644	Other hæmorrhage of pregnancy	F.	—	—	—	1	2	—	3	3	—	2	3
645	Ectopic pregnancy	F.	1	—	—	—	1	—	—	—	—	—	—
646	Anæmia of pregnancy	F.	—	—	—	—	—	—	—	—	—	—	—
647	Pregnancy with malposition of fetus in uterus	F.	—	—	—	—	—	—	—	—	—	—	—
648	Other complications arising from pregnancy	F.	3	1	1	—	2	—	—	2	2	3	—
650	Abortion (650-652)	F.	5	10	6	6	3	5	3	14	13	19	15
651	Abortion without mention of sepsis or toxæmia	F.	1	6	2	2	2	3	2	9	7	6	5
652	Abortion with sepsis	F.	4	4	4	4	1	2	1	5	3	11	8
660	Abortion with toxæmia, without mention of sepsis	F.	—	—	—	—	—	—	—	—	3	2	2
660	Delivery without mention of complication	F.	—	—	—	—	—	—	—	—	—	—	—
670	Delivery with specified complication (670-678)	F.	8	18	8	16	11	21	24	27	32	36	36
670a	Delivery complicated by placenta prævia or antepartum hæmorrhage	F.	1	1	3	5	2	5	3	5	3	3	2
670b	Placenta prævia	F.	1	1	2	3	1	3	1	2	1	1	2
671	Other hæmorrhage of pregnancy	F.	—	—	—	3	1	3	1	2	2	7	2
672	Delivery complicated by retained placenta	F.	—	1	—	2	1	1	2	1	1	7	2
673	Delivery complicated by other post-partum hæmorrhage	F.	2	4	—	4	5	5	12	11	5	5	8
674	Delivery complicated by abnormality of bony pelvis	F.	—	—	—	1	—	2	—	1	1	—	3
675	Delivery complicated by disproportion or malposition of fetus	F.	—	—	1	1	2	—	—	1	1	4	5
676	Delivery complicated by prolonged labour of other origin	F.	3	4	2	—	—	2	3	1	1	1	4
677	Delivery with laceration of perineum, without mention of other laceration	F.	1	2	1	1	—	3	2	—	3	3	5
678	Delivery with other trauma	F.	6	6	1	2	1	3	2	2	4	9	7
680	Delivery with other complications of childbirth	F.	1	1	1	—	—	—	—	—	—	—	—
680	Complications of the puerperium (680-689)	F.	10	12	19	17	14	19	28	35	26	27	27
681	Puerperal urinary infection without other sepsis	F.	—	4	—	—	1	1	—	—	1	1	—
682	Sepsis of childbirth and the puerperium	F.	1	—	3	2	1	2	2	3	3	3	3
683	Puerperal phlebitis and thrombosis	F.	1	—	3	6	2	4	4	1	5	5	6
684	Pyrexia of unknown origin during the puerperium	F.	—	—	3	—	—	4	—	—	—	—	—
684	Puerperal pulmonary embolism	F.	5	6	6	5	6	7	8	14	8	8	6

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter-national Detailed List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-689)—continued										
	<i>Complications of the puerperium (680-689)— continued</i>										
685	Puerperal eclampsia F.	1	—	3	1	2	1	9	8	3	2
686	Other forms of puerperal toxæmia F.	—	1	—	2	—	—	—	4	1	—
687	Cerebral hæmorrhage in the puerperium F.	1	1	3	1	1	1	3	4	2	4
688	Other and unspecified complications of the puerperium F.	1	—	1	—	2	3	1	—	3	6
689	Mastitis and other disorders of lacta- tion F.	—	—	—	—	—	—	—	—	—	—
	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE (690-716) {	32	22	20	29	28	31	25	33	34	40
	<i>Infections of skin and subcutaneous tissue (690-698) {</i>	21	24	28	31	25	30	35	30	36	39
690	Boil and carbuncle { M. F.	11	11	12	15	10	10	8	9	14	19
691	Cellulitis of finger and toe { M. F.	9	7	7	12	9	13	13	10	9	12
692	Other cellulitis and abscess without infection of lymphatics { M. F.	—	2	1	3	—	3	1	1	1	5
693	Other cellulitis and abscess with lym- phangitis { M. F.	1	1	1	2	3	1	1	1	2	1
694	Acute lymphadenitis { M. F.	—	—	—	—	—	—	—	—	—	—
695	Impetigo { M. F.	11	7	10	11	9	6	7	7	12	11
696	Infectious warts { M. F.	5	6	5	1	5	11	12	7	7	7
697	Molluscum contagiosum { M. F.	—	—	—	—	—	1	—	1	—	2
698	Other local infections of skin and sub- cutaneous tissue { M. F.	—	—	—	—	—	—	—	—	—	—
	<i>Other diseases of skin and subcutaneous tissue (700-716) {</i>	3	2	1	1	—	1	—	1	1	2
700	Seborrhæic dermatitis { M. F.	21	11	8	14	18	21	17	24	20	21
701	Eczema { M. F.	12	17	21	19	16	17	22	20	27	27
(a)		—	—	—	—	—	—	—	—	—	—
		—	—	1	—	1	2	1	—	2	2
	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)

750	XIV. CONGENITAL MALFORMATIONS (750-759)	M.	F.	377	310	390	345	289	353	321	299	332	319
750	Monstrosity	377	310	390	345	289	353	321	299	332	319	319	
751	Spina bifida and meningocele	341	333	333	317	333	323	297	311	270	297	297	
752	Congenital hydrocephalus	16	16	21	12	11	6	7	6	5	6	5	
753	Other congenital malformations of nervous system and sense organs	52	74	71	65	49	61	51	56	52	41	41	
754	Congenital malformations of circulatory system	37	32	34	35	30	34	29	34	37	27	27	
755	Cleft palate and harelip	41	46	36	27	37	30	31	27	32	28	28	
756	Congenital malformations of digestive system	10	10	6	6	9	6	12	11	12	9	9	
756.0	Congenital hypertrophic pyloric stenosis	11	10	3	17	9	14	14	9	4	9	9	
756.2	Other congenital malformations of digestive system (756.1)	146	116	127	125	106	124	105	105	115	120	120	
757	Congenital malformations of genitourinary system	109	113	113	101	103	95	89	91	89	96	96	
758	Congenital malformations of bone and cartilage	3	—	2	—	3	—	2	3	2	2	3	
759	Other and unspecified congenital malformations, not elsewhere classified	50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	30	27	26	38	27	30	30	44	44	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	
		50	27	66	49	37	51	59	38	62	68	68	
		44	27	30	27	26	38	27	30	30	44	44	

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter-national Detailed List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
	XV. CERTAIN DISEASES OF EARLY INFANCY (760-776)—continued										
	<i>Birth injuries, asphyxia, and infections of newborn (760-769)—continued</i>										
764.0	Diarrhea of newborn, without mention of immaturity* { M. F. }	12	4	8	11	8	4	8	14	22	17
764.5	Diarrhea of newborn, with immaturity* { M. F. }	2	4	10	4	3	2	8	10	12	18
765.0	Ophthalmia neonatorum, without mention of immaturity* { M. F. }	4	2	—	—	—	—	—	—	—	—
765.5	Ophthalmia neonatorum, with immaturity* { M. F. }	—	—	—	—	—	—	—	—	—	—
766.0	Pemphigus neonatorum, without mention of immaturity* { M. F. }	2	1	1	2	2	1	1	1	1	—
766.5	Pemphigus neonatorum, with immaturity* { M. F. }	1	—	—	1	—	1	1	—	1	—
767.0	Umbilical sepsis, without mention of immaturity* { M. F. }	2	1	1	2	1	1	2	1	3	1
767.5	Umbilical sepsis, with immaturity* { M. F. }	1	—	—	—	1	—	—	1	—	1
768.0	Other sepsis of newborn, without mention of immaturity* { M. F. }	7	5	—	—	—	—	—	—	—	—
768.5	Other sepsis of newborn, with immaturity* { M. F. }	2	8	14	10	9	11	4	5	2	8
769.4	Neonatal disorders arising from certain diseases of the mother during pregnancy, without mention of immaturity (769.0-3)* { F. }	1	2	7	3	6	7	4	2	3	4
769.9	Neonatal disorders arising from certain diseases of the mother during pregnancy, with immaturity (769.5-8)* { M. F. }	10	11	—	—	—	—	—	—	—	—
	<i>Other diseases peculiar to early infancy (770-776)</i>										
770.2	Hemolytic disease of newborn (erythroblastosis), without mention of immaturity (770.0.1)* { M. F. }	294	342	358	342	358	384	398	456	474	518
		212	209	250	235	274	276	256	322	362	386
770.7	Hemolytic disease of newborn (erythroblastosis), with immaturity (770.5.6)* { M. F. }	15	26	35	41	36	35	48	39	46	39
		19	15	29	25	19	31	27	28	28	34
771.0	Hemorrhagic disease of newborn, without mention of immaturity* { M. F. }	1	10	—	—	—	—	—	—	—	—
		3	30	—	—	—	—	—	—	—	—
771.5	Hemorrhagic disease of newborn, with immaturity* { M. F. }	23	15	28	30	17	20	25	29	25	15
		10	13	17	14	13	11	17	11	14	14
		12	7	—	—	—	—	—	—	—	—

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter-national Detailed List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
	XVI. SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS (780-795)— continued										
	<i>Senility and ill-defined diseases (790-795)</i>										
790	Nervousness and debility	273 372	286 424	281 446	362 516	406 600	642 704	584 668	591 785	673 907	666 888
791	Headache	—	—	1	—	2	—	1	1	—	1
792	Uræmia	—	—	—	—	—	—	—	—	—	—
793	Observation, without need for further medical care	5	6	5	2	6	7	14	30	62	61
794	Senility without mention of psychosis	1	—	7	2	6	5	8	22	27	28
795	Ill-defined and unknown causes of mortality	—	—	—	—	—	—	—	—	—	—
795.1	Other ill-defined (795.0)	161 322 107	196 362 84	189 397 86	270 477 90	302 537 96	355 570 280	332 520 237	368 657 192	488 804 123	481 802 122
795.5	Unknown or unspecified (795.2-4)	106 47 1 2	70 53 14 4	82 43 4 4	79 35 11 2	57 35 12 6	128 123 17 5	140 136 4	105 174 18 16	76 96 27 20	57 2 120 57
	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)										
	<i>Railway accidents (E800-E802)</i>	1,774 1,086	1,725 1,125	1,763 1,038	1,645 997	1,801 1,119	1,659 1,013	1,747 1,019	1,554 981	1,587 997	1,593 1,005
E800	Railroad employee	29	30	48	37	52	50	60	43	64	59
E801	Passenger	5	6	6	1	3	3	2	7	3	7
E802	Other and unspecified person	18	19	30	18	22	26	29	18	21	27
		—	—	—	—	—	—	—	—	—	—
		—	1	2	2	8	3	2	3	5	5
		1	1	1	1	22	1	1	1	—	3
		11	10	16	17	3	21	29	22	38	27
		4	5	5	—	—	2	1	6	3	4
	MOTOR VEHICLE ACCIDENTS (E810-E835)										
		447	442	436	431	456	383	421	326	386	367
		165	156	127	127	141	143	142	125	130	122

235

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter-national List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
	E. XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)—continued										
	<i>Accidental poisoning by gases and vapours (E890-E895)</i>										
E890	Utility (illuminating) gas	108	111	97	76	89	112	98	96	91	85
E890a	Utility (illuminating) gas, accidental	109	131	104	98	109	101	125	99	80	103
E890b	Utility (illuminating) gas, unspecified as to whether accidental or suicidal	102	106	92	74	86	109	95	91	86	79
	Motor vehicle exhaust gas	106	131	103	97	109	101	125	98	80	102
E891	Other carbon monoxide gas	53	37	37	{ 88 }	Prior to 1956 not classified according to whether "accidental" or "unspecified" and for year 1956 sex breakdown is not available					
E892	Cyanide gas	67	69	56	{ 83 }						
E893	Other specified gases and vapours	49	69	55	—	—	1	—	—	—	—
E894	Unspecified gases and vapours	39	62	47	—	2	—	1	2	5	4
E895		2	1	2	1	—	2	1	1	—	1
		—	—	3	—	—	—	1	2	—	2
		3	—	1	—	1	—	—	—	—	—
		—	—	—	1	—	—	—	—	—	—
		2	2	—	1	—	—	—	—	—	—
		1	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—
	<i>Accidental falls (E900-E904)</i>	282	319	256	269	283	273	304	252	257	253
E900	Fall on stairs	410	402	399	363	414	370	392	396	410	388
E901	Fall from ladders	31	45	42	35	39	33	13	29	26	22
E902	Other falls from one level to another	20	20	16	15	22	21	13	13	22	21
E903	Fall on same level	6	7	4	9	9	4	—	5	3	7
E904	Unspecified falls	79	100	83	76	—	—	96	78	77	83
		20	34	25	21	98	96	24	30	20	22
		31	35	23	36	37	26	29	27	18	22
		35	39	29	37	53	24	45	45	21	51
		135	132	104	113	59	111	137	113	133	119
		335	320	327	289	302	299	323	308	345	294
		517	414	512	437	544	470	500	430	455	420

E911	or missile	F.	3	5	9	1	2	2	19	2	8	13	11	9
E912	Accident caused by vehicle	M.	—	—	—	7	10	12	15	—	33	20	27	35
E913	Accident caused by machinery	F.	24	—	19	25	30	32	—	—	4	1	4	5
E914	Accident caused by cutting and piercing instruments	M.	2	—	3	3	1	2	2	—	—	5	2	2
E915	Accident caused by electric current	F.	17	3	15	14	11	11	14	—	13	6	8	19
E916	Accident caused by explosion of pressure vessel	F.	3	—	—	1	1	1	8	—	8	5	1	4
E917	Accident caused by fire and explosion of combustible material	M.	100	—	32	73	47	54	54	—	47	39	7	8
E918	Accident caused by hot substance, corrosive liquid, and steam	F.	58	—	68	52	69	69	69	—	48	45	11	15
E919	Accident caused by radiation	M.	9	6	9	6	12	10	11	—	13	27	36	28
E920	Accident caused by firearm	F.	—	—	—	—	—	—	—	—	19	27	67	58
E921	Foreign body entering eye and adnexa	M.	9	—	9	7	12	15	15	—	24	14	27	25
E922	Inhalation and ingestion of food causing obstruction or suffocation	F.	—	—	—	1	1	1	—	—	1	—	3	6
E923	Inhalation and ingestion of other object causing obstruction or suffocation	M.	64	34	56	76	70	83	83	—	51	68	64	36
E924	Foreign body entering other orifice	F.	3	2	2	2	1	2	5	—	1	3	3	33
E925	Accidental mechanical suffocation in bed and cradle	M.	—	—	1	—	2	2	1	—	—	2	—	4
E926	Accidental mechanical suffocation in other and unspecified circumstances	F.	37	17	32	26	27	30	30	—	35	41	23	34
E927	Lack of care of infants under 1 year of age	M.	10	10	21	17	21	21	21	—	19	25	26	31
E928	Accidents caused by bites and stings of venomous animals and insects	F.	7	3	7	16	13	13	13	—	18	12	26	44
E929	Other accidents caused by animals	M.	3	1	1	2	8	8	8	—	7	9	7	6
E930	Accidental drowning and submersion	F.	1	—	—	1	3	3	3	—	3	2	1	—
E931	High and low air pressure	M.	—	2	4	4	1	—	—	—	—	—	—	4
E932	Excessive heat and insolation	F.	132	33	164	161	126	174	174	—	129	156	138	174
E933	Excessive cold	M.	—	—	33	46	39	49	49	—	45	38	66	60
E934	Hunger, thirst, and exposure	F.	—	—	—	—	—	1	1	—	—	—	—	—
E935	Cataclysm	M.	6	—	—	—	4	6	6	—	9	3	—	1
E936	Lightning	F.	1	—	2	1	2	3	3	—	1	1	3	2
E937	Other and unspecified accidents	M.	—	—	1	—	—	—	—	—	—	—	—	—
E938	Other and unspecified accidents	F.	12	4	6	11	14	29	29	—	14	14	20	50
E939	Other and unspecified accidents	M.	—	—	3	9	16	7	7	—	2	3	3	6

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter-national Detailed List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)—continued										
	<i>Complications due to non-therapeutic medical and surgical procedures (E940-E946)</i>	1	1	1	1	2	1	—	—	1	2
E940	Generalized vaccinia following vaccination	1	—	—	1	—	1	—	—	1	2
E941	Postvaccinal encephalitis	1	—	—	—	—	—	—	—	1	2
E942	Other complications of smallpox vaccination	1	—	—	—	2	—	—	—	1	1
E943	Post-immunization jaundice and hepatitis	1	—	—	—	—	1	—	—	—	—
E944	Other complications of prophylactic inoculation	—	—	—	—	—	—	—	—	—	—
E945	Complications of anaesthesia for non-therapeutic purpose	—	—	—	—	—	—	—	—	—	1
E946	Other complications due to non-therapeutic medical and surgical procedures	—	1	—	—	—	—	—	—	—	1
	<i>Therapeutic misadventure and late complications of therapeutic procedures (E950-E959)</i>	—	1	7	1	1	6	2	1	2	3
E950	Therapeutic misadventure in surgical treatment	—	4	1	1	10	6	1	2	—	2
E951	Therapeutic misadventure in surgical or transfusion	—	1	3	—	—	2	1	—	—	—
E952	Therapeutic misadventure in local applications	—	—	—	—	3	—	—	—	—	—
E953	Therapeutic misadventure in administration of drugs or biologicals	—	1	—	—	—	1	—	—	—	—
E954	Therapeutic misadventure in anaesthesia	—	2	—	1	4	1	1	—	—	2
E955	Other and unspecified therapeutic misadventure	—	1	3	1	1	3	1	1	2	2
E956	Late complication of surgical operation	—	—	—	—	—	—	—	—	—	1

[illegible]

Table 42A. Causes of Death by Sex—Scotland, 1950-1959—continued

Inter-national Detailed List Numbers	Causes of Death	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950	(m)
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)
	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)—continued											
	<i>Homicide and injury purposely inflicted by other persons (not in war) (E980-E985)</i>	10	29	16	8	15	18	20	8	12	16	
E980	Non-accidental poisoning by another person { M. F. M. F. M. F. }	14	21	13	15	10	8	16	11	10	15	
E981	Assault by firearm and explosive { M. F. M. F. }	1	—	1	3	1	—	5	—	—	2	
E982	Assault by cutting and piercing instruments { M. F. M. F. }	1	4	2	4	—	2	—	1	2	—	
E983	Assault by other means { M. F. M. F. }	2	6	4	2	1	1	3	—	2	1	
E984	Injury by intervention of police { M. F. M. F. }	5	18	10	7	11	12	11	3	7	11	
E985	Execution { M. F. M. F. }	10	14	8	6	7	6	15	8	7	8	
E990-E999	<i>Injury resulting from operations of war { M. F. }</i>	—	—	—	—	—	—	—	—	—	—	
		—	—	—	1	—	2	1	2	1	2	
		—	—	—	—	—	—	—	—	—	—	

E990, Injury due to war operations by gas and chemicals, —.
E991, Injury due to war operations by gunshot, —.
E992, Injury due to war operations by grenade and landmine, —.
E993, Injury due to war operations by bomb, 1956, 1.
E994, Injury due to war operations by marine mine, depth charge and torpedo, —.
E995, Injury due to war operations by explosion of artillery shell, —.
E996, Injury due to war operations by explosion of undetermined origin, —.
E997, Injury due to war operations by aircraft destruction, —.
E998, Injury due to war operations by other and unspecified means, —.
E999, Injury due to war operations but occurring after cessation of hostilities, —.

Table 43. Cause of Death by Month of Registration and Sex—Scotland 1959

Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
			January	February	March	April	May	June	July	August	September	October	November	December
	ALL CAUSES—Both Sexes	63061	6952	7458	6638	5238	4711	4433	4416	4277	4207	4536	4795	5400
	Males	32454	3607	3785	3411	2678	2473	2324	2278	2148	2166	2316	2477	2791
	Females	30607	3345	3673	3227	2560	2238	2109	2138	2129	2041	2220	2318	2609
	<i>All Tuberculosis (Total 001-019)</i>	M. 379	60	51	41	33	28	31	15	28	24	18	25	25
		F. 197	27	33	22	21	11	6	15	18	10	9	14	11
1	Respiratory system	M. 344	59	49	39	26	26	27	12	26	21	15	22	22
		F. 169	25	31	17	21	11	4	11	15	8	6	11	9
2	Meninges and central nervous system	M. 9	—	1	1	—	—	1	2	1	1	—	1	—
		F. 2	—	—	—	—	—	—	1	—	—	—	1	—
3	Intestines, peritoneum, and mesenteric glands	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 12	2	2	2	—	—	—	1	3	1	—	—	1
4	Bones and joints	M. 8	1	—	1	1	2	—	—	1	1	1	1	—
		F. 4	—	—	1	—	—	—	—	—	—	—	—	—
5	All other forms	M. 17	—	1	—	6	—	2	1	—	1	2	2	2
		F. 10	—	—	2	—	—	2	2	—	—	2	1	1
	<i>Syphilis (Total 020-029)</i>	M. 54	4	8	3	5	5	5	4	5	3	5	1	6
		F. 25	3	1	1	2	1	2	3	1	2	2	5	2
6	Congenital syphilis	M. 1	—	—	—	1	—	—	—	—	—	—	—	—
		F. 3	—	—	—	—	—	1	—	—	—	—	2	—
7	Early syphilis	M. 4	—	—	—	—	—	—	—	—	—	—	—	—
		F. 2	—	—	—	—	—	—	—	—	—	—	—	—
8	Tabes dorsalis	M. 4	—	—	—	—	1	—	1	—	—	—	—	2
		F. 2	—	—	—	—	—	—	—	—	—	—	—	—
9	General paralysis of insane	M. 14	1	2	1	2	3	1	—	—	2	1	1	1
		F. 6	2	—	—	—	—	—	—	—	1	—	2	—
10	All other syphilis	M. 35	3	6	2	2	1	4	3	5	1	4	—	4
		F. 14	1	1	1	1	1	1	2	1	1	2	1	1
11	Gonococcal infection	M. 1	—	1	—	—	—	—	—	—	—	—	—	—
		F. 1	—	—	—	—	—	—	—	—	—	—	—	—
12	Typhoid fever	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 1	—	—	—	—	—	—	—	—	—	—	—	—
13	Paratyphoid fever and other salmonella infections	M. 2	1	1	—	—	—	—	—	—	—	—	—	—
		F. 3	—	—	—	—	—	—	1	—	1	—	—	—
14	Cholera	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 1	—	—	—	—	—	—	—	—	—	—	—	—
15	Brucellosis (undulant fever)	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 3	—	1	—	—	—	—	—	—	—	1	—	1
16	Dysentery, all forms	M. 8	—	—	1	—	—	—	—	—	—	—	—	2
		F. 1	—	—	—	—	—	—	—	—	—	—	—	—
17	Scarlet fever	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 1	—	—	—	—	—	—	—	—	—	—	—	—
18	Streptococcal sore throat	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 1	—	—	—	—	—	—	—	—	—	—	—	—
19	Erysipelas	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 1	—	—	—	—	—	—	—	—	—	—	—	—
20	Septicæmia and pyæmia	M. 10	1	—	—	1	—	1	2	—	3	2	—	3
		F. 7	—	1	1	—	—	—	1	1	—	—	—	1
21	Diphtheria	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 1	—	—	—	—	—	—	—	—	—	—	—	—
22	Whooping cough	M. 3	—	—	—	—	—	—	2	—	—	—	1	2
		F. 5	—	—	—	—	—	—	—	—	—	—	—	—
23	Meningococcal infections	M. 14	2	2	2	2	—	—	2	2	1	1	—	—
		F. 9	—	1	—	4	2	—	1	—	—	—	—	1
24	Plague	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 1	—	—	—	—	—	—	—	—	—	—	—	—
25	Leprosy	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 1	—	—	—	—	—	—	—	—	—	—	—	—
26	Tetanus	M. 1	—	—	—	—	—	—	—	—	1	—	—	—
		F. 1	—	—	—	—	—	—	—	—	—	—	—	—
27	Anthrax	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 1	—	—	—	—	—	—	—	—	—	—	—	—
28	Acute poliomyelitis	M. 1	—	1	—	—	—	—	—	—	—	—	—	—
		F. 6	1	1	—	—	2	1	—	—	1	—	—	—
29	Acute infectious encephalitis	M. 7	2	1	—	—	2	—	—	—	—	—	—	—
		F. 17	1	3	5	2	1	—	—	1	1	1	1	1
30	Late effects of acute poliomyelitis and acute infectious encephalitis	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 9	1	2	2	1	2	1	—	1	—	—	—	—
31	Smallpox	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 9	—	—	3	2	1	—	1	1	—	—	—	1
32	Measles	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 9	—	—	—	—	—	—	—	—	—	—	—	—
33	Yellow fever	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 6	—	—	1	1	—	1	—	3	—	—	—	—
34	Infectious hepatitis	M. 11	—	—	1	—	1	—	1	4	3	1	—	—
		F. 1	—	—	—	—	—	—	—	—	—	—	—	—
35	Rabies	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 1	—	—	—	—	—	—	—	—	—	—	—	—
36	Typhus and other rickettsial diseases	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
		F. 1	—	—	—	—	—	—	—	—	—	—	—	—
37	Malaria	M. 1	—	1	—	—	—	—	—	—	—	—	—	—
		F. 9	—	—	1	—	1	—	3	1	—	—	2	1
43	All other diseases classified as infective and parasitic (A38-A42)	M. 10	—	2	—	2	3	—	3	—	—	—	—	—
		F. 10	—	—	—	—	—	—	—	—	—	—	—	—

NOTE. Sub-headings indicated by letters (a, b, c etc.,) apply to the Scottish List only.

Table 43—continued

International Classification		Causes of Death	Total	January	February	March	April	May	June	July	August	September	October
Detailed List	Inter-mediate List "A"												
		<i>Malignant neoplasms (Total 140-205)</i>	M. 5878	527	489	480	459	494	476	501	498	456	508
140-148	44	Buccal cavity and pharynx	F. 5154	432	426	421	459	424	406	426	449	417	421
			M. 148	13	16	10	7	14	13	14	9	13	14
150	45	Œsophagus	F. 87	6	5	10	10	10	5	10	3	6	7
			M. 179	16	16	14	14	19	17	13	14	11	17
151	46	Stomach	F. 136	9	12	13	11	15	13	10	12	7	67
			M. 944	87	83	68	77	86	89	74	96	62	50
152, 153	47	Intestine, except rectum	F. 746	71	68	69	76	66	49	53	68	57	47
			M. 502	50	35	48	32	40	34	48	45	41	68
154	48	Rectum	F. 715	59	48	63	73	45	54	65	60	63	68
			M. 293	29	21	27	28	29	19	25	22	25	21
161	49	Larynx	F. 256	17	20	20	16	14	27	25	16	24	4
			M. 61	3	3	2	8	7	2	3	7	4	
162, 163	50	Trachea, bronchus, and lung, not specified as secondary	F. 16	—	—	—	—	—	—	—	—	—	—
			M. 1958	158	161	163	153	141	155	178	180	155	185
170	51	Breast	F. 372	34	31	26	24	34	32	30	35	31	27
171	52	Cervix uteri	M. 8	—	2	—	1	—	—	—	—	—	—
172-174	53	Other and unspecified parts of uterus	F. 892	70	76	73	88	67	73	83	63	76	70
177	54	Prostate	F. 220	17	20	22	13	29	15	18	22	17	9
190, 191	55	Skin	M. 196	17	18	13	11	13	13	15	22	16	21
			F. 363	41	28	36	32	35	32	27	23	30	24
196, 197	56	Bone and connective tissue	M. 63	3	9	5	6	5	4	4	3	2	6
			F. 59	4	6	6	5	6	6	1	8	4	2
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M. 44	5	4	3	—	4	4	4	1	5	4
			F. 996	92	82	77	77	78	81	85	76	82	92
204	58	Leukæmia and aleukæmia	M. 1141	94	89	83	101	94	96	95	106	95	113
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M. 137	13	15	8	11	8	8	17	8	8	14
			F. 127	12	10	11	14	11	12	5	8	11	11
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M. 167	18	12	16	11	23	19	8	8	11	14
			F. 153	19	16	9	12	19	6	8	21	9	11
250, 251	61	Non-toxic goitre	M. 63	4	8	8	9	2	4	6	3	6	7
			F. 70	4	7	5	7	6	4	10	6	2	6
252	62	Thyroidosis with or without goitre	M. —	—	—	—	—	—	—	—	—	—	—
			F. 1	—	—	—	—	—	—	—	—	—	—
260	63	Diabetes mellitus	M. 5	1	—	1	—	1	1	—	1	—	—
			F. 22	1	—	3	1	3	1	—	3	1	4
280-286	64	Avitaminosis and other deficiency states	M. 156	17	12	16	9	18	11	11	13	9	8
			F. 394	36	33	50	25	24	29	32	32	28	28
290	65a	Pernicious and other hyperchromic anæmias	M. 20	4	1	3	2	5	—	—	2	—	—
			F. 14	1	2	2	1	—	2	—	3	1	—
291-293	65b	Other anæmias	M. 47	5	6	5	4	8	2	2	3	2	4
			F. 83	10	15	6	3	8	5	9	8	4	5
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M. 41	5	1	2	2	7	3	7	—	6	2
			F. 74	9	4	4	3	8	5	7	6	6	8
300-309	67	Psychoses	M. 123	15	17	9	15	9	8	7	12	7	4
			F. 197	25	19	27	14	17	14	10	14	12	14
310-324, 326	68	Psychoneuroses and disorders of personality	M. 37	6	3	5	3	1	2	1	1	4	4
			F. 76	3	9	12	13	7	5	9	3	3	4
325	69	Mental deficiency	M. 13	2	—	1	2	—	2	1	1	1	2
			F. 9	1	—	1	—	—	2	1	2	—	1
			M. 13	3	2	2	1	1	—	—	—	—	1
			F. 14	4	1	1	2	1	—	1	2	—	1
330	70a	Subarachnoid hæmorrhage	M. 4049	457	442	409	356	309	312	287	267	269	288
			F. 5813	667	633	600	504	436	416	441	433	368	404
331	70b	Cerebral hæmorrhage	M. 98	14	5	9	9	5	7	10	7	7	11
			F. 142	18	12	16	13	8	17	9	7	6	14
332	70c	Cerebral embolism and thrombosis	M. 1586	171	168	152	137	129	116	113	100	112	121
			F. 2333	245	243	247	192	189	164	184	171	148	162
333, 334	70d	Other vascular lesions affecting central nervous system	M. 1968	232	226	204	171	149	158	139	138	116	126
			F. 2835	347	325	273	253	208	203	207	212	183	192
			M. 397	40	43	44	39	26	31	25	22	34	30
			F. 503	57	53	64	46	31	32	41	43	31	36

NOTE. Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 43—continued

International classification	Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
140	71	Non-meningococcal meningitis	M. 24 F. 22	3	4	3	1	2	—	1	2	2	1	2	3
145	72	Multiple sclerosis	M. 59 F. 59	2	10	3	9	3	4	5	3	2	7	9	3
153	73	Epilepsy	M. 86 F. 33	6	7	9	7	8	6	8	11	8	6	8	4
393	77	Otitis media and mastoiditis	M. 33 F. 3	2	1	2	2	5	1	3	2	2	3	3	4
350	78a	Paralysis agitans	M. 3 F. 80	—	1	—	1	—	—	—	—	1	—	—	1
344, 352, 390, 398	78b	All other diseases of the nervous system and sense organs (A74, A75, A76)	M. 80 F. 104	2	11	11	6	9	5	5	5	4	5	9	8
402	79	Rheumatic fever	M. 9 F. 12	1	—	3	1	—	—	1	1	—	—	1	1
		Heart Disease (Total 410-443)	M. 10822 F. 10300	1219	1141	1075	893	845	819	765	688	750	759	869	999
416	80	Chronic rheumatic heart disease	M. 258 F. 558	26	27	25	26	23	17	21	17	18	16	14	28
420	81a	Arteriosclerotic heart disease, including coronary disease	M. 6641 F. 3982	727	586	612	550	550	503	473	462	480	504	559	635
421	81b	Chronic endocarditis not specified as rheumatic	M. 149 F. 185	20	14	11	10	16	10	11	11	10	13	12	11
422.0	81c	Fatty degeneration of heart	M. 4 F. 15	—	—	1	—	—	—	—	—	1	—	—	—
422.1	81d	Myocardial degeneration with arteriosclerosis	M. 1674 F. 2711	211	244	194	142	112	128	109	76	105	87	121	145
422.2	81e	Other myocardial degeneration	M. 1294 F. 1709	150	171	149	102	82	89	152	161	151	180	192	240
432	82a	Acute non-rheumatic heart disease	M. 41 F. 41	6	4	3	2	6	5	11	10	2	2	3	7
434	82b	Other and unspecified diseases of heart	M. 293 F. 441	24	33	42	27	23	25	27	17	22	19	19	25
443	83	Hypertensive heart disease	M. 468 F. 658	55	62	48	35	32	30	30	26	36	30	42	35
447	84	Other hypertensive disease	M. 258 F. 297	30	36	28	15	24	19	25	15	13	14	16	23
450	85a	General arteriosclerosis	M. 618 F. 710	70	76	84	56	63	46	43	33	19	39	36	50
456	85b	Other diseases of arteries	M. 141 F. 97	20	14	11	8	15	17	6	10	6	9	13	12
468	86	Other diseases of circulatory system	M. 104 F. 162	12	8	15	10	6	6	8	6	5	14	7	7
475	87	Acute upper respiratory infections	M. 9 F. 9	1	1	—	1	—	1	—	1	—	—	—	2
483	88	Influenza	M. 290 F. 293	15	106	133	18	1	1	—	2	2	3	4	5
		Pneumonia (Total 490-493)	M. 1342 F. 1215	162	298	214	105	78	56	62	58	73	75	99	99
490	89	Lobar pneumonia	M. 224 F. 159	26	50	33	15	16	10	11	13	16	9	14	11
491	90	Bronchopneumonia	M. 973 F. 954	121	213	156	82	55	38	42	41	52	53	77	99
493	91	Primary atypical, other and unspecified pneumonia	M. 145 F. 102	15	35	25	8	7	8	4	6	5	5	8	8
		Bronchitis (Total 500-502)	M. 1765 F. 791	334	441	229	123	88	63	54	56	63	67	112	135
500	92	Acute bronchitis	M. 128 F. 146	23	37	18	11	4	4	2	2	6	3	11	7
51b, 52b	93a	Chronic and unqualified bronchitis with heart disease secondary	M. 1025 F. 374	218	132	67	57	42	32	41	35	34	61	88	25
501a, 502a, 510	93b	Chronic and unqualified bronchitis otherwise defined	M. 612 F. 271	93	186	79	45	27	17	20	13	22	30	40	40
521	94	Hypertrophy of tonsils and adenoids	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—
519	95	Empyema and abscess of lung	M. 21 F. 12	1	—	2	4	—	3	1	—	2	3	3	1
524	96	Pleurisy	M. 9 F. 7	—	—	—	2	—	2	—	1	—	—	—	1
517, 522, 527	97a	Pneumoconiosis	M. 230 F. —	43	36	33	19	12	12	15	5	9	12	12	22
	97b	All other respiratory diseases	M. 178 F. 103	27	33	27	10	13	6	5	3	8	14	9	18

NOTE. Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 43—continued

International Classification		Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November
Detailed List	Intermediate List "A"													
530-535	98	Diseases of teeth and supporting structures	M. 1 F. 1	—	—	—	—	—	1	—	—	—	—	—
540	99	Ulcer of stomach	M. 137 F. 87	21	17	15	8	10	7	7	6	8	12	8
541	100	Ulcer of duodenum	M. 221 F. 62	31	23	21	14	21	13	15	19	13	13	15
543	101	Gastritis and duodenitis	M. 8 F. 8	1	1	2	1	1	1	1	—	9	7	8
550-553	102	Appendicitis	M. 61 F. 33	6	4	8	5	6	3	3	3	5	2	5
560, 561, 570	103	Intestinal obstruction and hernia	M. 165 F. 174	12	14	19	17	16	6	12	7	13	3	21
571.0	104a	Gastro-enteritis, ages between 4 weeks and 2 years	M. 55 F. 37	6	4	4	7	3	2	3	6	4	9	13
571.1	104b	Gastro-enteritis, ages 2 years and over	M. 29 F. 37	3	2	5	2	5	1	2	3	1	2	2
572	104c	Chronic enteritis and ulcerative colitis	M. 60 F. 78	8	5	6	5	2	7	4	2	2	3	2
581	105	Cirrhosis of liver	M. 114 F. 99	6	10	9	10	7	9	11	12	11	6	11
584, 585, 580, 582, 583, 586	106	Cholelithiasis and cholecystitis	M. 54 F. 126	3	5	3	8	3	5	4	3	8	9	5
536-539, 542, 544, 545, 573-578, 587	107a	Other diseases of liver	M. 23 F. 23	4	2	2	1	2	3	9	3	11	15	9
	107b	Other diseases of digestive system	M. 112 F. 110	11	14	9	8	10	11	5	7	10	10	12
590	108	Acute nephritis	M. 12 F. 17	1	1	3	2	1	2	—	4	—	1	—
591-594	109	Chronic, other and unspecified nephritis	M. 193 F. 189	29	20	18	17	17	12	12	14	18	17	8
600	110	Infections of kidney	M. 113 F. 145	10	8	12	7	13	9	3	13	11	5	11
602, 604	111	Calculi of urinary system	M. 17 F. 12	4	3	2	2	1	1	1	—	1	2	2
610	112	Hyperplasia of prostate	M. 362	35	35	41	30	21	25	36	24	31	19	33
620, 621	113	Diseases of breast	M. 1 F. 1	—	—	—	—	—	—	—	—	—	—	—
605, 606	114a	Diseases of bladder	M. 41 F. 24	6	7	4	5	2	1	2	2	2	1	5
601, 603, 607-609, 611-617, 622-637, 640, 641, 681, 682, 684	114b	Other diseases of genito-urinary system	M. 40 F. 36	6	3	5	3	2	6	5	3	1	3	5
642, 652, 685, 686	115	Sepsis of pregnancy, childbirth and the puerperium	F. 7	1	1	—	—	1	1	1	—	—	—	—
643, 644, 670	116	Toxæmias of pregnancy and the puerperium	F. 6	1	—	1	2	—	—	—	1	—	—	—
671, 672	117a	Hæmorrhage of pregnancy and childbirth	F. 5	—	—	—	—	1	—	1	—	2	1	—
650	117b	Postpartum hæmorrhage	F. 2	1	—	—	—	—	—	—	—	—	—	—
651	118	Abortion without mention of sepsis or toxæmia	F. 1	—	—	—	—	—	1	—	—	—	—	—
645-648, 660, 673-680, 683, 687-689	119	Abortion with sepsis	F. 4	—	—	—	—	—	—	—	—	—	1	2
690-698	120	Other complications of pregnancy, childbirth, and the puerperium. Delivery without mention of complication	F. 11	1	—	1	3	—	2	1	1	1	1	1
720-725	121	Infections of skin and subcutaneous tissue	M. 11 F. 9	—	—	3	2	1	—	1	1	—	1	—
726, 727	122	Arthritis and spondylitis	M. 58 F. 164	2	5	6	3	6	5	2	5	6	1	5
730	123	Muscular rheumatism and rheumatism unspecified	M. 2 F. 5	1	1	—	—	1	—	—	—	1	1	1
737, 745-749	124	Osteomyelitis and periostitis	M. 1 F. 3	—	—	—	—	1	—	—	—	—	—	—
700-716, 731-736, 738-744	125	Ankylosis and acquired musculoskeletal deformities	M. 2 F. 43	1	1	—	—	1	—	—	—	—	—	—
	126	All other diseases of skin and musculoskeletal system	M. 30 F. 30	8	5	5	3	2	1	1	1	1	5	2

NOTE. Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only

Table 43—continued

International classification		Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
ailed list	Inter- mediate List "A"														
		<i>Congenital malformations and certain diseases of early infancy (Total 750-776)</i>	M. 1298 F. 922	124 91	116 84	135 78	130 76	99 66	95 64	110 86	107 60	78 79	101 78	106 70	97 90
51	127	Spina bifida and meningocele	M. 55 F. 72	5 3	5 5	2 6	8 9	4 4	3 6	5 5	2 6	4 5	4 5	4 7	8 12
54	128	Congenital malformations of circulatory system	M. 146 F. 109	13 16	13 9	16 8	13 3	16 4	12 9	6 12	13 9	11 11	8 10	11 10	14 8
752, 53, 759	129	All other congenital malformations	M. 176 F. 160	11 18	18 16	19 8	12 13	14 11	15 8	11 16	17 13	13 14	16 15	19 11	17
761	130	Birth injuries	M. 175 F. 109	21 11	12 11	16 11	21 12	15 12	13 7	12 9	17 8	8 9	14 10	14 5	12
62	131	Postnatal asphyxia and atelectasis	M. 355 F. 207	34 16	35 15	40 18	37 17	19 23	25 14	35 16	26 19	23 16	25 16	27 22	29
63	132a	Pneumonia of newborn	M. 58 F. 39	12 8	5 5	7 5	7 5	6 5	3 2	4 4	2 4	5 2	3 2	4 2	4
64	132b	Diarrhœa of newborn	M. 14 F. 6	1 1	1 2	1 2	3 1	1 1	1 1	4 1	— 1	— 1	2 —	2 —	1
768	132c	Other infections of newborn	M. 13 F. 4	— —	3 1	— —	1 —	1 —	1 1	4 1	— —	— —	1 —	— —	1
70	133	Hæmolytic disease of newborn	M. 16 F. 22	1 3	1 2	2 3	3 3	1 1	1 2	1 3	2 4	1 4	2 1	1 1	1
771, 72, 776	134	All other defined diseases of early infancy	M. 47 F. 19	5 1	2 3	5 1	3 3	3 —	6 2	5 4	3 —	4 —	3 1	3 2	5
	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	M. 243 F. 175	21 14	21 16	26 22	20 22	18 20	18 11	28 10	18 14	21 16	22 18	12 11	15
94	136	Senility without mention of psychosis	M. 161 F. 322	26 47	12 37	13 31	20 32	8 25	11 17	10 23	6 18	18 29	9 20	17 25	19
793, 95	137	Ill-defined and unknown causes	M. 170 F. 87	13 14	18 8	12 9	14 8	13 7	21 3	20 5	7 7	10 6	11 10	17 8	14
		<i>Accidents, Poisonings and Violence (External Cause) (Total E800-E999)</i>	M. 1774 F. 1086	152 112	162 112	167 109	150 102	141 73	128 75	131 92	138 67	168 70	154 75	121 90	162
10- 35 40- 45 00- 02, 50- 66 70- 95 04 12 16	138	Motor vehicle accidents	M. 447 F. 165	27 6	27 15	39 9	36 24	46 13	32 8	49 10	36 17	39 11	45 11	28 3	43
	139a	Other road vehicle accidents	M. 13 F. 8	2 —	2 —	1 —	— —	1 —	— —	— —	— —	— —	1 —	2 —	—
	139b	Other transport accidents	M. 84 F. 6	7 —	6 —	6 —	4 2	11 2	6 2	2 2	6 —	3 —	9 —	4 20	
	140	Accidental poisoning	M. 136 F. 143	21 14	16 23	12 13	16 17	6 6	10 8	11 13	6 10	7 10	8 10	7 12	16
	141	Accidental falls	M. 282 F. 410	39 51	38 36	31 49	20 29	15 24	18 25	17 30	17 33	20 29	28 27	20 39	15
	142	Accident caused by machinery	M. 24 F. 9	4 —	2 —	4 —	2 —	3 —	2 —	2 —	1 —	1 —	1 —	1 —	1
	143	Accident caused by fire and explosion of combustible material	M. 100 F. 58	5 15	8 10	5 8	6 6	5 2	2 2	2 2	49 3	6 —	6 —	6 4	6
	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M. 9 F. 6	— —	— 2	2 2	1 2	1 —	— —	— —	1 —	— —	1 —	— —	2
	145	Accident caused by firearm	M. 9 F. 9	— —	— 1	— 2	— —	— 2	— —	— —	— —	— —	— —	— 2	2
	146	Accidental drowning and submersion	M. 152 F. 33	5 2	14 2	8 5	16 9	9 4	18 10	5 4	32 11	16 6	4 1	9 1	1
	147a	Accidental mechanical suffocation	M. 114 F. 60	15 6	16 6	14 7	9 3	9 5	5 7	5 5	7 2	6 2	6 6	12 5	10
	147b	All other accidental causes	M. 116 F. 19	8 2	14 —	11 2	12 4	11 1	8 —	3 2	7 —	8 1	11 7	12 —	11
	148	Suicide and self-inflicted injury	M. 278 F. 164	20 14	18 17	32 11	25 13	18 15	25 16	28 23	23 10	21 3	23 10	19 13	26
	149	Homicide and injury purposely inflicted by other persons (not in war)	M. 10 F. 14	— —	— 1	— 2	— 2	2 2	1 1	1 2	1 —	1 2	1 1	2 1	1
	150	Injury resulting from operations of war	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—

NOTE. Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 44A.—Deaths in Scotland by Sex and Age Groups—1959

[illegible]

Table 44A.—continued

International Classification		Causes of Death	All Ages	Ages								75 and over	Not Stated	
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-			55-
140-148	44	Malignant Neoplasms (Total 140-205)	M. 5,878 F. 5,154	3	24	18	16	24	64	193	817	1,600	1,773	1,346
150	45	Buccal cavity and pharynx	M. 148 F. 87	—	24	6	12	31	68	258	691	1,171	1,484	1,406
151	46	Esophagus	M. 179 F. 136	—	—	—	—	—	—	3	8	15	44	69
152, 153	47	Stomach	M. 944 F. 746	—	—	—	—	—	—	5	18	45	52	59
154	48	Intestine, except rectum	M. 502 F. 715	—	—	—	—	—	—	3	9	19	42	63
161	49	Rectum	M. 293 F. 256	—	—	—	—	—	—	28	117	245	288	264
162, 163	50	Larynx	M. 61 F. 16	—	—	—	—	—	—	12	51	140	253	283
170	51	Trachea, bronchus and lung, not specified as secondary	M. 1,958 F. 372	—	—	—	—	—	—	14	48	89	155	192
171	52	Breast	M. 892 F. 220	—	—	—	—	—	—	5	14	57	137	216
172-174	53	Cervix uteri	M. 892 F. 220	—	—	—	—	—	—	7	38	58	92	97
177	54	Other and unspecified parts of uterus	M. 196	—	—	—	—	—	—	1	7	29	70	85
190, 191	55	Prostate	M. 363	—	—	—	—	—	—	—	7	17	22	14
196, 197	56	Skin	M. 63 F. 53	—	—	—	—	—	—	1	3	4	4	4
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	Bone and connective tissue	M. 59 F. 44	—	—	—	—	—	—	8	188	215	602	193
200-203, 205	58	All other and unspecified sites	M. 141 F. 127	—	—	—	—	—	—	30	214	55	113	64
210-239	59	Leukemia and aleukemia	M. 137 F. 167	—	—	—	—	—	—	2	10	55	3	2
240, 251	60	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system	M. 153 F. 63	—	—	—	—	—	—	10	27	55	45	31
250, 251	61	Benign neoplasms and neoplasms of unspecified nature	M. 70 F. 1	—	—	—	—	—	—	1	6	36	61	40
252	62	Non-toxic goitre	M. 1 F. 5	—	—	—	—	—	—	1	6	36	126	194
260	63	Thyrototoxicosis with or without goitre	M. 22 F. 156	—	—	—	—	—	—	4	8	4	29	17
		Diabetes mellitus	M. 354	—	—	—	—	—	—	9	9	10	13	17

[illegible]

Table 44A.—continued

International Classification		Causes of Death	All Ages	Ages										75 and over	Not Stated
Detailed List	Intermediate List "A"			1-	5-	10-	15-	25-	35-	45-	55-	65-			
422.1	81d	Mycocardial degeneration with arteriosclerosis	M. 1,674	—	—	—	—	—	2	12	83	334	1,243		
422.2	81e	Other myocardial degeneration	F. 2,711	—	—	—	—	—	4	4	76	334	414		
430-432	82a	Acute non-rheumatic heart disease	M. 1,294	—	1	—	—	2	5	35	127	346	2,208		
433, 434	82b	Other and unspecified diseases of heart	F. 1,709	—	—	—	—	9	3	34	108	340	779		
440-443	83	Hypertensive heart disease	M. 41	—	—	—	—	—	1	8	10	9	1,217		
444-447	84	Other hypertensive disease	F. 293	—	—	1	—	—	3	3	10	8	11		
450	85a	General arteriosclerosis	M. 441	—	—	—	—	—	4	13	45	86	144		
451-456	85b	Other diseases of arteries	M. 468	—	—	1	—	2	3	16	36	119	263		
460-468	86	Other diseases of circulatory system	F. 658	—	—	—	—	2	3	16	82	153	216		
470-475	87	Acute upper respiratory infections	M. 258	—	—	2	—	5	3	20	75	227	331		
480-483	88	Influenza	F. 297	—	—	4	—	4	6	37	57	97	145		
		Pneumonia (Total 490-493)	M. 710	—	—	—	—	—	—	2	25	102	489		
490	89	Lobar pneumonia	F. 141	—	—	—	—	—	—	5	17	100	592		
491	90	Bronchopneumonia	M. 97	—	—	—	—	—	6	5	42	46	38		
492, 493	91	Primary atypical, other and unspecified pneumonia	F. 104	—	—	—	—	—	3	13	28	36	21		
500	92	Acute bronchitis	M. 162	—	—	—	—	—	2	6	19	59	46		
501b, 502b	93a	Chronic and unqualified bronchitis with heart disease	F. 8	—	—	—	—	—	—	—	1	1	1		
501a, 502a	93b	Chronic and unqualified bronchitis otherwise defined	M. 290	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	F. 293	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	M. 1,342	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	F. 1,215	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	M. 224	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	F. 159	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	M. 973	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	F. 954	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	M. 145	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	F. 102	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	M. 1763	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	F. 791	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	M. 128	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	F. 106	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	M. 1,025	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	F. 374	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	M. 612	—	—	—	—	—	—	—	1	2	—		
		Chronic and unqualified bronchitis otherwise defined	F. 271	—	—	—	—	—	—	—	1	2	—		

Table 44A.—continued

International Classification		Causes of Death	All Ages	Ages										75 and over	Not Stated
Detailed List	Intermediate List "A"			-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75		
601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system . . . { M. F.	40 36	—	2	—	2	2	—	—	4	6	11	15	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium . . . F.	7	—	—	—	1	4	2	—	—	—	12	5	—
642, 652, 685, 686	116	Toxemias of pregnancy and the puerperium . . . F.	6	—	—	—	3	3	—	—	—	—	—	—	—
643, 644, 670	117a	Hemorrhage of pregnancy and childbirth . . . F.	5	—	—	—	—	4	1	—	—	—	—	—	—
671, 672	117b	Postpartum hemorrhage . . . F.	2	—	—	—	—	2	—	—	—	—	—	—	—
680	118	Abortion without mention of sepsis or toxæmia . . . F.	1	—	—	—	—	1	—	—	—	—	—	—	—
681	119	Abortion with sepsis . . . F.	4	—	—	—	—	2	2	—	—	—	—	—	—
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication . . . F.	11	—	—	—	2	4	5	—	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue . . . { M. F.	11 9	—	1	—	—	—	—	—	1	6	3	4	—
720-725	122	Arthritis and spondylitis . . . F.	58 164	1	—	—	1	—	4	1	1	15	18	19	—
726, 727	123	Muscular rheumatism and rheumatism unspecified . . . M.	2	—	—	—	—	—	2	8	21	57	75	75	—
730	124	Osteomyelitis and periostitis . . . F.	5	—	—	—	—	—	1	—	1	3	3	2	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities . . . { M. F.	3 2	1	—	—	—	—	—	1	1	2	1	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system . . . { M. F. <i>Congenital malformations and certain diseases of early infancy</i> (Total 750-776)	43 30 1,298 922	1 2 1,212 851	— 6 30 24	1 6 5 5	4 2 9 5	2 1 8 6	3 2 2 4	3 2 11 11	8 3 9 10	11 8 9 10	10 9 3 1	—	—
751	127	Spina bifida and meningocele . . . M.	72	—	—	—	—	—	—	—	—	—	—	—	—

750, 752, 753, 755-759	129	All other congenital malformations	M.	176	128	19	2	3	2	3	7	5	3	2
760, 761	130	Birth injuries	F.	160	125	13					7	5		1
762	131	Postnatal asphyxia and atelectasis	F.	175	175									
763	132a	Pneumonia of newborn	M.	109	109									
764	132b	Diarrhoea of newborn	F.	355	355									
765-768	132c	Other infections of newborn	M.	207	207									
770	133	Haemolytic disease of newborn	F.	58	58									
769, 771, 772 773-776	134	All other defined diseases of early infancy	M.	39	39									
794	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	F.	14	14									
780-793, 795	136	Senility without mention of psychosis	F.	6	6									
E810-E835	137	Ill-defined and unknown causes	M.	13	13									
E840-E845	138	Accidents, Poisonings and Violence (External Cause) (Total E800-E999)	F.	4	4									
E800-E802, E850-E866 E870-E895	139a	Motor vehicle accidents	M.	16	16									
E900-E904	140	Other road vehicle accidents	F.	322	170									
E912	141	Other transport accidents	M.	87	92									
E916	142	Accidental poisoning	F.	1,774	92									
E917, E918	143	Accidental falls	M.	1,086	51									
E919	144	Accident caused by machinery	F.	447	1									
E921, E922, E924, E925 E910, E911 E913-E915, E920, E923, E926-E928, E930-E962	145	Accident caused by fire and explosion of combustible material	M.	165	1									
E970-E979	146	Accident caused by hot substance, corrosive liquid, steam and radiation	F.	13	1									
E964, E980-E985 E965, E990-E999	147a	Accident caused by firearm	M.	84	1									
	147b	Accidental drowning and submersion	F.	100	4									
	148	Accidental mechanical suffocation	M.	58	2									
	149	All other accidental causes	F.	9	2									
	150	Suicide and self-inflicted injury	M.	6	2									
		Homicide and injury purposely inflicted by other persons (not in war)	F.	9	2									
		Injury resulting from operations of war	M.	14	2									

Table 44B.—Deaths in Aggregate of Counties of Cities in Scotland by Sex and Age Groups
(Glasgow, Edinburgh, Aberdeen and Dundee)—1959

International Classification		Causes of Death	All Ages	Ages										75 and over	Not Stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
		ALL CAUSES—Both Sexes	24,343	1,156	179	64	52	164	303	708	2,036	4,407	6,278	8,996	
		Males	12,374	672	104	42	35	100	171	381	1,249	2,676	3,275	3,669	
		Females	11,969	484	75	22	17	64	132	327	787	1,731	3,003	5,327	
		<i>All Tuberculosis (Total 001-019)</i>	187	1	5	—	2	3	10	24	30	55	44	13	
001-008	1	Respiratory system	95	1	2	—	—	5	14	22	18	17	9	10	
010	2	Meninges and central nervous system	83	—	—	—	—	2	8	22	29	53	42	13	
011	3	Intestines, peritoneum, and mesenteric glands	4	—	2	—	1	3	14	22	17	14	6	7	
012, 013	4	Bones and joints	—	—	—	—	—	—	—	—	—	—	—	—	
014-019	5	All other forms	6	—	—	—	—	1	—	—	1	1	2	1	
		<i>Syphilis (Total 020-029)</i>	1	1	1	—	1	1	1	1	—	1	1	1	
020	6	Congenital syphilis	21	—	—	—	—	—	—	—	—	2	1	1	
021	7	Early syphilis	10	—	—	—	—	—	—	—	4	8	4	4	
024	8	Tabes dorsalis	1	—	—	—	—	—	—	—	1	—	—	—	
025	9	General paralysis of insane	1	—	—	—	—	—	—	—	—	—	—	—	
022, 023, 026-029, 030-035	10	All other syphilis	2	—	—	—	—	—	—	—	—	—	—	—	
	11	Gonococcal infection	7	—	—	—	—	—	—	—	—	—	—	—	
040	12	Typhoid fever	1	—	—	—	—	—	—	—	—	—	—	—	
041, 042	13	Paratyphoid fever and other salmonella infections	12	—	—	—	—	—	—	—	2	4	1	3	
043	14	Cholera	6	—	—	—	—	—	—	—	2	4	3	3	
044	15	Brucellosis (undulant fever)	1	—	—	—	—	—	—	—	—	—	—	—	
045-048	16	Dysentery, all forms	2	—	—	—	—	—	—	—	—	—	—	—	

Table 44B.—continued

International Classification		Causes of Death	All Ages	Ages										75 and over
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	
140-148	44	Malignant Neoplasms (Total 140-205)	M. 2,458 F. 2,076	3	8	7	6	8	23	72	350	750	720	511
150	45	Buccal cavity and pharynx	F. 28	—	10	3	2	1	25	110	302	466	604	544
151	46	Esophagus	M. 84 F. 366	—	—	—	—	—	—	1	2	11	17	24
152, 153	47	Stomach	M. 321 F. 366	—	—	—	—	—	—	1	9	19	26	11
154	48	Intestine, except rectum	M. 262 F. 197	—	—	—	—	—	—	1	4	8	10	11
161	49	Rectum	M. 105 F. 127	—	—	—	—	—	—	1	13	110	100	99
162, 163	50	Larynx	M. 952 F. 191	—	—	—	—	—	—	1	42	112	112	119
170	51	Trachea, bronchus and lung, not specified as secondary	M. 356 F. 98	—	—	—	—	—	—	5	21	37	53	69
171	52	Breast	M. 127 F. 69	—	—	—	—	—	—	1	19	52	95	87
172-174	53	Cervix uteri	M. 127 F. 69	—	—	—	—	—	—	1	19	29	31	32
177	54	Other and unspecified parts of uterus	M. 127 F. 69	—	—	—	—	—	—	1	19	29	29	24
190, 191	55	Prostate	M. 127 F. 69	—	—	—	—	—	—	—	1	2	3	6
196, 197	56	Skin	M. 22 F. 25	—	—	—	—	—	—	—	3	13	43	68
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	56	Bone and connective tissue	M. 15 F. 21	—	—	—	—	—	—	—	3	3	12	5
200-203, 205	57	All other and unspecified sites	M. 403 F. 441	2	4	4	2	4	9	16	53	121	119	69
210-239	58	Leukemia and aleukemia	M. 44 F. 53	1	6	2	1	3	6	24	65	103	117	114
250, 251	59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system	M. 65 F. 49	—	2	1	1	1	2	4	8	9	12	15
252	60	Benign neoplasms and neoplasms of unspecified nature	M. 23 F. 23	1	1	1	2	1	2	5	11	12	13	16
260	61	Non-toxic goitre	M. 1 F. 7	—	—	—	—	—	—	1	4	3	3	7
	62	Thyrototoxicosis with or without goitre	M. 1 F. 7	—	—	—	—	—	—	—	—	—	—	1
	63	Diabetes mellitus	M. 59	1	1	—	—	—	1	—	—	1	2	2

Table 44B.—continued

International Classification		Causes of Death	All Ages	Ages										75 and over	Not Stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
422.0	81c	Fatty degeneration of heart	M. 2	—	—	—	—	—	—	—	1	1	—	—	—
422.1	81d	Myocardial degeneration with arteriosclerosis	F. 501	—	—	—	—	—	—	—	4	30	104	363	2
422.2	81e	Other myocardial degeneration	M. 893	—	—	—	—	—	—	—	—	22	122	748	—
430-432	82a	Acute non-rheumatic heart disease	M. 428	—	—	—	—	—	2	2	18	58	126	222	—
433, 434	82b	Other and unspecified diseases of heart	F. 585	—	—	—	—	—	4	4	15	43	113	410	—
440-443	83	Hypertensive heart disease	M. 11	—	—	—	—	—	—	—	2	3	—	—	—
444-447	84	Other hypertensive disease	M. 9	—	—	—	—	—	—	—	3	5	—	—	—
450	85a	General arteriosclerosis	M. 100	—	—	—	—	1	—	—	6	16	31	45	—
451-456	85b	Other diseases of arteries	F. 173	—	—	—	—	—	1	2	8	15	50	96	—
460-468	86	Other diseases of circulatory system	M. 169	—	—	—	—	—	—	—	7	35	48	79	—
470-475	87	Acute upper respiratory infections	F. 228	—	—	—	—	—	1	2	9	26	65	125	—
480-483	88	Influenza	M. 94	—	—	—	—	1	2	2	14	22	19	32	—
		Pneumonia (Total 490-493)	F. 100	—	—	—	—	1	2	2	15	20	19	51	—
490	89	Lobar pneumonia	M. 206	—	—	—	—	—	—	—	2	10	38	156	—
491	90	Bronchopneumonia	F. 274	—	—	—	—	—	—	—	1	7	36	230	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M. 45	—	—	—	—	—	—	—	1	15	10	9	—
		Bronchitis (Total 500-502)	F. 40	—	—	—	—	—	—	—	1	9	10	15	—
500	92	Acute bronchitis	M. 69	—	—	—	—	—	—	—	1	7	12	12	—
501b, 502b	93a	Chronic and unqualified bronchitis with heart disease secondary	F. 5	—	—	—	—	—	—	—	8	7	29	21	—
			M. 5	—	—	—	—	—	—	—	1	—	—	—	—
			F. 6	—	—	—	—	—	—	—	—	—	—	—	—
			M. 87	—	—	—	—	—	—	—	—	—	—	—	—
			F. 109	—	—	—	—	—	—	—	—	—	—	—	—
			M. 634	—	—	—	—	—	—	—	—	—	—	—	—
			F. 57	—	—	—	—	—	—	—	—	—	—	—	—
			M. 39	—	—	—	—	—	—	—	—	—	—	—	—
			F. 612	—	—	—	—	—	—	—	—	—	—	—	—
			M. 107	—	—	—	—	—	—	—	—	—	—	—	—
			F. 83	—	—	—	—	—	—	—	—	—	—	—	—
			M. 467	—	—	—	—	—	—	—	—	—	—	—	—
			F. 484	—	—	—	—	—	—	—	—	—	—	—	—
			M. 45	—	—	—	—	—	—	—	—	—	—	—	—
			F. 60	—	—	—	—	—	—	—	—	—	—	—	—
			M. 45	—	—	—	—	—	—	—	—	—	—	—	—
			F. 909	—	—	—	—	—	—	—	—	—	—	—	—
			M. 454	—	—	—	—	—	—	—	—	—	—	—	—
			F. 62	—	—	—	—	—	—	—	—	—	—	—	—
			M. 75	—	—	—	—	—	—	—	—	—	—	—	—
			F. 544	—	—	—	—	—	—	—	—	—	—	—	—
			M. 220	—	—	—	—	—	—	—	—	—	—	—	—

Table 44B.—continued

International Classification		Causes of Death	All Ages	Ages										75 and over
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	
605, 606	114a	Diseases of bladder	{ M. F.	—	—	—	—	—	—	—	—	—	—	7
601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system	{ M. F.	—	2	—	—	—	—	—	—	—	—	4
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	—	—	—	—	—	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	—	—	—	—	—	—	—	—	—	—	2
643, 644, 670	117a	Hæmorrhage of pregnancy and childbirth	F.	—	—	—	—	—	—	—	—	—	—	4
671, 672	117b	Postpartum hæmorrhage	F.	—	—	—	—	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	—	—	—	—	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	—	—	—	—	—	2	1	—	—	—	—
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	—	—	—	—	—	—	4	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	{ M. F.	—	—	—	—	—	—	—	—	—	—	—
720-725	122	Arthritis and spondylitis	{ M. F.	—	—	—	—	—	—	—	—	—	—	3
726, 727	123	Muscular rheumatism and rheumatism unspecified	{ M. F.	—	—	—	—	—	—	—	—	—	—	8
730	124	Osteomyelitis and periostitis	{ M. F.	—	—	—	—	—	—	—	—	—	—	25
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	{ M. F.	—	—	—	—	—	—	—	—	—	—	1
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	{ M. F.	1	—	—	2	—	—	—	—	—	—	—
		<i>Congenital malformations and certain diseases of early infancy</i> (Total 750-776)	{ M. F.	2	15	2	1	6	1	1	3	4	2	3
751	127	Spina bifida and meningocele	{ M. F.	14	7	2	2	4	1	5	2	2	1	—
754	128	Congenital malformations of circulatory system	{ M. F.	31	7	2	1	4	—	2	7	—	—	—
750, 752, 753			{ M. F.	49	3	2	2	—	—	4	3	4	—	—

Table 44C.—Deaths in Aggregate of Large Burghs in Scotland by Sex and Age Groups—1959

International Classification		Causes of Death	All Ages	Ages									65—	55—	45—	35—	25—	15—	10—	5—	1—	75 and over	Not Stated
Detailed List	Inter-mediate List "A"																						
001-008 010 011 012, 013 014-019	1 2 3 4 5	ALL CAUSES—Both Sexes	10,093	511	64	23	35	84	122	309	819	1,792	2,645	3,689									
		Males	5,283	299	26	14	21	53	74	167	518	1,096	1,403	1,612									
		Females	4,810	212	38	9	14	31	48	142	301	696	1,242	2,077									
		<i>All Tuberculosis (Total 001-019)</i>	81	—	1	—	—	3	4	12	15	20	16	10									
		Respiratory system	28	—	—	—	—	—	6	6	5	5	4	3									
		Meninges and central nervous system	75	—	—	—	—	—	4	12	14	20	15	10									
		Intestines, peritoneum, and mesenteric glands	23	—	1	—	—	1	6	4	5	1	3	3									
		Bones and joints	1	—	—	—	—	—	—	—	—	—	—	—									
		All other forms	1	—	—	—	—	—	—	—	—	—	—	—									
		<i>Syphilis (Total 020-029)</i>	11	—	—	—	—	—	1	—	1	1	—	—	3								
020 021 024 025 022, 023, 026-029 030-035 040 041, 042 043	6 7 8 9 10 11 12 13 14	Congenital syphilis	6	—	—	—	—	—	—	—	—	—	—	—									
		Early syphilis	—	—	—	—	—	—	—	—	—	—	—	—									
		Tabes dorsalis	—	—	—	—	—	—	—	—	—	—	—	—									
		General paralysis of insane	—	—	—	—	—	—	—	—	—	—	—	—									
		All other syphilis	—	—	—	—	—	—	—	—	—	—	—	—									
		Gonococcal infection	—	—	—	—	—	—	—	—	—	—	—	—									
		Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—									
		Paratyphoid fever and other salmonella infections	—	—	—	—	—	—	—	—	—	—	—	—									
		Cholera	—	—	—	—	—	—	—	—	—	—	—	—									
			—	—	—	—	—	—	—	—	—	—	—	—									

Table 44C.—continued

International Classification		Causes of Death	All Ages	Ages									75 and over	Not Stated
Detailed List	Intermediate List "A"			1-	5-	10-	15-	25-	35-	45-	55-	65-		
140-148	44	Malignant Neoplasms (Total 140-205)	939	1	3	4	2	9	34	137	257	291	197	—
150	45	Buccal cavity and pharynx	821	7	1	3	6	5	46	113	195	228	216	—
151	46	Cesophagus	26	—	—	—	—	—	1	3	3	10	9	—
152, 153	47	Stomach	11	—	—	—	—	—	1	1	10	7	4	—
154	48	Intestine, except rectum	25	—	—	—	—	—	1	1	1	9	7	—
161	49	Rectum	139	—	—	—	—	—	4	20	42	34	10	—
162, 163	50	Larynx	81	—	—	—	—	—	2	11	23	34	33	—
170	51	Trachea, bronchus and lung, not specified as secondary	108	—	—	—	—	1	4	6	11	32	53	—
171	52	Breast	56	—	—	—	—	—	3	10	28	30	36	—
172-174	53	Cervix uteri	41	—	—	—	—	—	1	12	9	18	15	—
177	54	Other and unspecified parts of uterus	12	—	—	—	—	—	1	3	1	17	13	—
190, 191	55	Prostate	2	—	—	—	—	—	—	1	1	3	5	—
196, 197	56	Skin	328	—	—	—	—	2	11	55	120	108	32	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	Bone and connective tissue	56	—	—	—	—	—	5	9	15	20	7	—
200-203, 205	58	All other and unspecified sites	140	—	—	—	—	—	15	31	33	33	26	—
210-239	59	Leukemia and aleukemia	38	—	—	—	—	1	4	11	5	8	9	—
250, 251	60	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system	11	—	—	—	—	—	2	4	10	11	4	—
252	61	Benign neoplasms and neoplasms of unspecified nature	10	—	—	—	—	—	—	—	—	—	—	—
	62	Non-toxic goitre	1	—	—	—	—	—	—	—	—	—	—	—
		Thyrototoxicosis with or without goitre	4	—	—	—	—	—	—	—	—	—	—	—

Table 44C.—continued

International Classification		Causes of Death	All Ages	Ages								75 and over	Not Stated		
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-			55-	65-
422.1	81d	Myocardial degeneration with arteriosclerosis	M. 239	—	—	—	—	—	—	—	5	14	53	167	—
422.2	81e	Other myocardial degeneration	F. 456	—	—	—	—	—	—	—	—	23	68	364	—
430-432	82a	Acute non-rheumatic heart disease	M. 221	—	—	—	—	—	—	—	4	22	54	140	—
433, 434	82b	Other and unspecified diseases of heart	M. 308	—	—	—	—	—	—	—	9	18	71	210	—
440-443	83	Hypertensive heart disease	F. 10	—	—	—	—	—	—	—	2	2	2	3	—
444-447	84	Other hypertensive disease	M. 14	—	—	—	—	—	—	—	—	7	4	6	—
450	85a	General arteriosclerosis	F. 44	—	—	—	—	—	—	—	1	13	13	22	—
451-456	85b	Other diseases of arteries	M. 59	—	—	—	—	—	—	—	5	6	13	33	—
460-468	86	Other diseases of circulatory system	F. 74	—	—	—	—	—	—	—	2	8	25	39	—
470-475	87	Acute upper respiratory infections	M. 107	—	—	—	—	—	—	—	3	11	43	50	—
480-483	88	Influenza	F. 44	—	—	—	—	—	—	—	2	12	14	13	—
490	89	Pneumonia (Total 490-493)	M. 111	—	—	—	—	—	—	—	6	5	10	20	—
491	90	Lobar pneumonia	F. 73	—	—	—	—	—	—	—	—	2	11	60	—
492, 493	91	Bronchopneumonia	F. 15	—	—	—	—	—	—	—	2	7	6	7	—
500	92	Primary atypical, other and unspecified pneumonia	M. 23	—	—	—	—	—	—	—	5	8	8	5	—
501b, 502b	93a	Bronchitis (Total 500-502)	F. 41	—	—	—	—	—	—	—	—	—	—	—	—
501a, 502a	93b	Acute bronchitis	M. 30	—	—	—	—	—	—	—	—	—	—	—	—
		Chronic and unqualified bronchitis with heart disease	F. 21	—	—	—	—	—	—	—	—	—	—	—	—
		Chronic and unqualified bronchitis otherwise defined	M. 305	—	—	—	—	—	—	—	—	—	—	—	—
			F. 107	—	—	—	—	—	—	—	—	—	—	—	—
			M. 18	—	—	—	—	—	—	—	—	—	—	—	—
			F. 22	—	—	—	—	—	—	—	—	—	—	—	—
			M. 178	—	—	—	—	—	—	—	—	—	—	—	—
			F. 51	—	—	—	—	—	—	—	—	—	—	—	—
			M. 109	—	—	—	—	—	—	—	—	—	—	—	—
			F. 34	—	—	—	—	—	—	—	—	—	—	—	—

Table 44C.—continued

International Classification	Detailed List	Intermediate List "A"	Causes of Death	All Ages	Ages									75 and over	Not Stated
					-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	
	601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system	{ M. F.	7	—	—	—	1	—	—	—	2	2	—
	640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	5	—	—	—	1	—	—	—	2	2	—
	642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	4	—	—	—	—	3	1	—	—	—	—
	643, 644, 670	117a	Hæmorrhage of pregnancy and childbirth	F.	1	—	—	—	1	—	—	—	—	—	—
	671, 672	117b	Postpartum hæmorrhage	F.	—	—	—	—	—	—	—	—	—	—	—
	650	118	Abortion without mention of sepsis or toxæmia	F.	1	—	—	—	—	1	—	—	—	—	—
	651	119	Abortion with sepsis	F.	1	—	—	—	—	—	1	—	—	—	—
	645-648, 660, 673-690, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	2	—	—	—	1	—	1	—	—	—	—
	690-698	121	Infections of skin and subcutaneous tissue	{ M. F.	1	1	—	—	1	—	—	—	1	—	—
	720-725	122	Arthritis and spondylitis	{ M. F.	2	—	—	—	—	—	—	—	3	2	—
	726, 727	123	Muscular rheumatism and rheumatism unspecified	{ M. F.	8	—	—	—	—	—	1	1	5	9	—
	730	124	Osteomyelitis and periostitis	{ M. F.	1	—	—	—	—	—	—	—	1	—	—
	737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	{ M. F.	—	—	—	—	—	—	—	—	—	—	—
	700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	{ M. F.	6	—	—	—	—	—	2	—	—	2	—
	751	127	Congenital malformations and certain diseases of early infancy (Total 750-776)	{ M. F.	5	215	2	1	2	1	1	2	3	3	2
	754	128	Spina bifida and meningocele	{ M. F.	13	148	6	—	2	1	1	2	1	—	—
			Congenital malformations of circulatory system	{ M. F.	7	13	—	—	2	1	—	—	1	—	—
					24	20	—	—	2	—	—	—	—	—	—
					17	13	—	1	1	—	—	—	—	—	—

Table 44D.—Deaths in Aggregate of Small Burghs in Scotland by Sex and Age Groups—1959

International Classification		Causes of Death	All Ages	Ages								75 and over	Not Stated	
Detailed List	Inter-mediate List "A"			-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55			55-65
		ALL CAUSES—Both Sexes	11,461	402	65	26	22	80	135	269	806	1,744	3,044	4,868
		Males	5,722	236	48	17	15	53	82	151	490	1,037	1,558	2,035
		Females	5,739	166	17	9	7	27	53	118	316	707	1,486	2,833
		<i>All Tuberculosis (Total 001-019)</i>	37	—	1	—	—	1	2	5	11	11	3	3
		Respiratory system	30	1	1	—	—	—	5	5	5	6	5	2
		Meninges and central nervous system	33	—	—	—	—	—	2	3	11	11	3	3
		Intestines, peritoneum, and mesenteric glands	27	1	1	—	—	—	5	4	5	6	4	2
		Bones and joints	—	—	—	—	—	—	—	—	—	—	—	—
		All other forms	—	—	—	—	—	1	—	2	—	—	1	—
		<i>Syphilis (Total 020-029)</i>	7	—	—	—	—	—	—	—	—	4	3	—
		Congenital syphilis	1	—	—	—	—	—	—	—	—	—	1	—
		Early syphilis	—	—	—	—	—	—	—	—	—	—	—	—
		Tabes dorsalis	—	—	—	—	—	—	—	—	—	1	—	—
		General paralysis of insane	3	—	—	—	—	—	—	—	—	—	2	—
		All other syphilis	3	1	—	—	—	—	1	1	—	1	1	—
		Gonococcal infection	—	—	—	—	—	—	—	—	—	—	—	—
		Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—
		Paratyphoid fever and other salmonella infections	1	—	—	—	—	—	—	—	—	—	1	—
		Cholera	—	—	—	—	—	—	—	—	—	—	—	—
		Brucellosis (undulant fever)	—	—	—	—	—	—	—	—	—	—	—	—

Table 44D.—continued

International Classification		Causes of Death	All Ages	Ages								75 and over	Not Stated		
Detailed List	Intermediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-			55-	65-
140-148	44	Malignant Neoplasms (Total 140-205)	1,009	—	6	—	2	4	15	28	129	261	306	258	—
150	45	Buccal cavity and pharynx	978	—	1	—	3	5	13	37	133	207	300	278	—
151	46	Esophagus	25	—	—	—	—	—	3	—	2	1	7	12	—
152, 153	47	Stomach	23	—	—	—	—	—	—	1	2	8	3	5	—
154	48	Intestine, except rectum	169	—	—	—	—	—	—	6	17	37	53	12	—
161	49	Rectum	130	—	—	—	—	—	1	4	9	19	50	49	—
162, 163	50	Larynx	87	—	—	—	—	—	—	1	6	9	42	70	—
170	51	Trachea, bronchus and lung, not specified as secondary	158	—	—	—	—	—	—	1	9	19	50	49	—
171	52	Breast	57	—	—	—	—	—	—	3	12	29	42	70	—
172-174	53	Cervix uteri	9	—	—	—	—	—	—	4	9	8	17	15	—
177	54	Other and unspecified parts of uterus	6	—	—	—	—	—	—	1	6	9	16	15	—
190, 191	55	Prostate	307	—	—	—	—	—	—	3	55	120	103	26	—
196, 197	56	Skin	59	—	—	—	—	—	1	2	8	17	20	11	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	Bone and connective tissue	169	—	—	—	—	—	5	8	35	37	48	36	—
200-203, 205	58	All other and unspecified sites	28	—	—	—	—	—	—	—	8	13	12	12	—
210-239	59	Leukemia and aleukemia	45	—	—	—	—	—	—	—	1	9	26	35	—
250, 251	60	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system	71	—	—	—	—	—	—	—	1	2	2	4	—
	61	Benign neoplasms and neoplasms of unspecified nature	11	—	—	—	—	—	1	1	2	3	2	2	—
		Non-toxic goitre	14	—	—	—	—	—	2	2	1	1	3	5	—
			9	—	—	—	—	—	—	—	—	—	—	—	—
			183	3	—	—	—	2	7	7	24	42	51	47	—
			229	—	—	—	—	1	4	7	31	55	75	54	—
			22	3	—	—	—	1	1	—	4	3	7	3	—
			17	1	—	—	—	—	—	—	4	3	4	3	—
			27	—	—	—	—	—	—	3	5	9	4	4	—
			24	—	—	—	—	2	1	1	2	4	10	4	—
			15	1	—	—	—	—	1	1	1	6	2	2	—
			13	1	—	—	—	—	2	2	1	3	5	1	—
			1	—	—	—	—	—	—	—	—	—	—	—	—
			1	—	—	—	—	—	—	—	—	—	—	—	—

Table 44D.—continued

International Classification		Causes of Death	All Ages	Ages								75 and over	Not Stated
Detailed List	Inter-mediate List "A"			1-	5-	10-	15-	25-	35-	45-	55-	65-	
422.1	81d	Myocardial degeneration with arteriosclerosis	M. 400	—	—	—	—	—	1	2	13	78	—
422.2	81e	Other myocardial degeneration	F. 574	—	—	—	—	—	—	3	16	99	—
430-432	82a	Acute non-rheumatic heart disease	M. 230	—	—	—	—	—	—	8	21	50	—
433, 434	82b	Other and unspecified diseases of heart	M. 321	—	1	—	—	—	1	4	13	66	—
440-443	83	Hypertensive heart disease	M. 5	—	—	—	—	—	1	2	—	1	—
444-447	84	Other hypertensive disease	M. 69	—	—	—	—	1	—	5	10	16	—
450	85a	General arteriosclerosis	M. 84	—	—	—	—	—	—	1	10	23	—
451-456	85b	Other diseases of arteries	M. 75	—	—	—	—	—	—	1	16	31	—
460-468	86	Other diseases of circulatory system	M. 142	—	—	—	2	—	2	5	15	53	—
470-475	87	Acute upper respiratory infections	M. 68	—	—	—	—	—	—	7	9	15	—
480-483	88	Influenza	M. 115	—	—	—	—	—	—	—	2	38	—
		Pneumonia (Total 490-493)	M. 137	—	—	—	—	—	—	—	9	19	—
490	89	Lobar pneumonia	M. 24	—	—	—	—	—	—	—	2	8	—
491	90	Bronchopneumonia	M. 1	—	—	—	—	—	—	—	3	1	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M. 60	—	—	—	—	—	—	—	—	—	—
		Bronchitis (Total 500-502)	M. 63	—	—	—	—	—	—	—	—	—	—
500	92	Acute bronchitis	M. 173	—	—	—	—	—	—	—	10	13	—
501b, 502b	93a	Chronic and unqualified bronchitis with heart disease	M. 160	—	—	—	—	—	—	—	16	41	—
501a, 502a	93b	Chronic and unqualified bronchitis otherwise defined	M. 31	—	—	—	—	—	—	—	13	40	—
			M. 17	—	—	—	—	—	—	—	3	8	—
			M. 130	—	—	—	—	—	—	—	2	4	—
			M. 15	—	—	—	—	—	—	—	11	30	—
			M. 13	—	—	—	—	—	—	—	32	66	—
			M. 219	—	—	—	—	—	—	—	4	4	—
			M. 88	—	—	—	—	—	—	—	13	51	—
			M. 23	—	—	—	—	—	—	—	3	66	—
			M. 19	—	—	—	—	—	—	—	2	4	—
			M. 121	—	—	—	—	—	—	—	62	73	—
			M. 33	—	—	—	—	—	—	—	55	23	—
			M. 75	—	—	—	—	—	—	—	1	3	—
			M. 36	—	—	—	—	—	—	—	36	46	—
				—	—	—	—	—	—	—	25	24	—
				—	—	—	—	—	—	—	4	8	—

Table 44D.—continued

International Classification		Causes of Death	All Ages	Ages										75 and over	Not Stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system . . . { M. F.	10 3	—	—	—	—	1	1	—	—	1	3	6	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium . . . F.	1	—	—	—	—	1	—	—	—	—	—	—	—
642, 652, 685, } 686	116	Toxæmia of pregnancy and the puerperium . . . F.	3	—	—	—	—	2	1	—	—	—	—	—	—
643, 644, 670	117a	Hæmorrhage of pregnancy and childbirth . . . F.	—	—	—	—	—	—	—	—	—	—	—	—	—
671, 672	117b	Postpartum hæmorrhage . . . F.	1	—	—	—	—	—	1	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia . . . F.	—	—	—	—	—	—	—	—	—	—	—	—	—
651	119	Abortion with sepsis . . . F.	—	—	—	—	—	—	—	—	—	—	—	—	—
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication . . . F.	2	—	—	—	—	1	1	—	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue . . . { M. F.	1 2	—	—	—	—	—	—	—	—	—	1	1	—
720-725	122	Arthritis and spondylitis . . . { M. F.	15 43	1	—	—	—	—	—	2	2	3	3	6	—
726, 727	123	Muscular rheumatism and rheumatism unspecified . . . { M. F.	1	—	—	—	—	—	—	1	1	7	17	16	—
730	124	Osteomyelitis and periostitis . . . { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities . . . { M. F.	1	—	—	—	—	—	—	—	1	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system . . . { M. F.	10 6	—	—	—	1	2	—	—	2	1	2	3	—
		<i>Congenital malformations and certain diseases of early infancy</i> (Total 750-776)	195 129	180 121	6 2	2 1	2 —	2 —	—	—	1 2	1 —	1 —	—	—
751	127	Spina bifida and meningocele . . . { M. F.	11 11	—	—	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system . . . { M. F.	20 13	11 2	1 1	2 —	1 —	1 —	—	—	1 —	—	—	—	—
750, 752, 753,			22	14	4	1	1	1	—	—	—	—	—	—	—

	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	43
051	Streptococcal sore throat
052	Erysipelas
053	Septicæmia and pyæmia
055	Diphtheria
056	Whooping cough
057	Meningococcal infections
058	Plague
060	Leprosy
061	Tetanus
062	Anthrax
080	Acute poliomyelitis
082	Acute infectious encephalitis
081, 083	Late effects of acute poliomyelitis and acute infectious encephalitis
084	Smallpox
085	Measles
091	Yellow fever
092	Infectious hepatitis
094	Rabies
100-108	Typhus and other rickettsial diseases
110-117	Malaria
036-039, 049, 054, 055, 063-074, 086-090, 093, 095, 096, 120-138	All other diseases classified as infective and parasitic (A38-A42)

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 44E.—continued

International Classification		Causes of Death	All Ages	Ages								65-	75 and over	Not Stated
Detailed List	Intermediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-			
140-148	44	Malignant Neoplasms (Total 140-205)	1,472	7	7	6	7	17	59	201	332	456	380	
150	45	Buccal cavity and pharynx	1,279	6	1	4	4	25	65	143	303	352	368	
151	46	Esophagus	40	—	—	—	—	—	2	4	—	10	24	
152, 153	47	Stomach	30	—	—	—	—	—	1	3	10	5	11	
154	48	Intestine, except rectum	47	—	—	—	—	—	1	7	10	11	18	
161	49	Rectum	39	—	—	—	—	—	1	1	5	12	20	
162, 163	50	Larynx	270	—	—	—	—	3	5	38	56	101	70	
170	51	Trachea, bronchus and lung, not specified as secondary	172	—	—	—	—	1	3	10	37	57	62	
171	52	Breast	145	—	—	—	—	1	4	11	22	46	61	
172-174	53	Cervix uteri	187	—	—	—	—	1	1	16	28	49	92	
177	54	Other and unspecified parts of uterus	61	—	—	—	—	1	—	6	22	26	31	
190, 191	55	Prostate	13	—	—	—	—	—	—	1	3	23	12	
196, 197	56	Skin	371	—	—	—	—	2	14	64	141	112	—	
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	Bone and connective tissue	66	—	—	—	—	2	5	10	22	14	13	
200-203, 205	58	All other and unspecified sites	227	—	—	—	—	5	26	45	59	46	—	
210-239	59	Leukemia and leukemia of lymphatic and hematopoietic system	56	—	—	—	—	1	9	10	16	11	9	
250, 251	60	Benign neoplasms and neoplasms of unspecified nature	51	1	—	—	—	1	5	5	16	15	8	
252	61	Non-toxic goitre	122	—	—	—	—	—	1	1	11	38	71	
	62	Thyrototoxicosis with or without goitre	24	—	—	—	—	—	2	2	1	13	6	
			11	—	—	—	—	—	1	1	1	3	9	
			20	—	—	—	—	3	—	3	3	2	1	
			9	—	—	—	—	—	—	—	—	—	—	
			248	2	3	2	2	3	19	46	54	68	49	
			292	2	1	3	3	6	10	29	68	95	75	
			43	3	3	1	1	2	3	4	7	10	2	
			36	5	3	1	1	3	1	4	4	7	6	
			52	—	—	1	1	5	8	10	12	17	9	
			42	—	—	—	—	3	3	3	11	13	5	
			14	—	—	—	—	1	1	1	8	1	2	
			24	1	2	—	—	1	4	2	8	5	1	
			—	—	—	—	—	—	—	—	—	—	—	
			2	—	—	—	—	—	—	—	—	1	—	
			8	—	—	—	—	—	1	2	—	1	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	
</														

Table 44F.—continued

International Classification		Causes of Death	All Ages	Ages										65—	75 and over	Not Stated
Detailed List	Inter-mediate List "A"			-1	1—	5—	10—	15—	25—	35—	45—	55—	65—			
422.1	81d	Myocardial degeneration with arteriosclerosis	M. 534	—	—	—	—	—	—	1	1	26	99	407	—	—
422.2	81e	Other myocardial degeneration	F. 788	—	—	—	—	—	—	2	5	15	125	641	—	—
430-432	82a	Acute non-rheumatic heart disease	M. 415	—	—	—	—	—	—	2	6	26	116	266	—	—
433, 434	82b	Other and unspecified diseases of heart	F. 15	—	—	1	—	—	—	1	2	3	90	361	—	—
440-443	83	Hypertensive heart disease	M. 80	—	—	—	—	—	—	2	—	12	5	5	—	—
444-447	84	Other hypertensive disease	F. 125	—	—	—	—	—	—	2	—	19	26	39	—	—
450	85a	General arteriosclerosis	M. 150	—	—	—	—	—	—	1	3	33	33	80	—	—
451-456	85b	Other diseases of arteries	F. 181	—	—	—	—	—	—	1	6	22	54	67	—	—
460-468	86	Other diseases of circulatory system	M. 75	—	—	—	—	—	—	2	12	23	66	88	—	—
470-475	87	Acute upper respiratory infections	F. 85	—	—	—	—	1	2	1	13	14	12	32	—	—
480-483	88	Influenza	M. 226	—	—	—	—	—	—	1	7	8	35	36	—	—
490	89	Lobar pneumonia	F. 186	—	—	—	—	—	—	—	—	14	35	143	—	—
491	90	Bronchopneumonia	M. 50	—	—	—	—	—	1	2	2	14	16	17	—	—
492, 493	91	Primary atypical, other and unspecified pneumonia	F. 26	—	—	—	—	—	1	3	1	11	12	12	—	—
500	92	Acute bronchitis	M. 46	—	—	—	—	—	—	3	5	12	14	12	—	—
501b, 502b	93a	Chronic and unqualified bronchitis with heart disease secondary	F. 102	—	—	—	—	—	—	—	—	1	—	—	—	—
501a, 502a	93b	Chronic and unqualified bronchitis otherwise defined	M. 87	—	—	—	—	—	—	—	—	1	—	—	—	—
			F. 324	—	—	—	—	—	—	—	—	6	25	47	—	—
			M. 48	—	—	—	—	—	—	—	—	4	24	43	—	—
			F. 279	—	—	—	—	—	—	—	—	15	79	115	—	—
			M. 45	—	—	—	—	—	—	—	—	9	62	136	—	—
			F. 33	—	—	—	—	—	—	—	—	1	12	16	—	—
			M. 239	—	—	—	—	—	—	—	—	7	3	17	—	—
			F. 223	—	—	—	—	—	—	—	—	25	56	88	—	—
			M. 40	—	—	—	—	—	—	—	—	18	54	110	—	—
			F. 23	—	—	—	—	—	—	—	—	6	11	11	—	—
			M. 332	—	—	—	—	—	—	—	—	2	5	9	—	—
			F. 142	—	—	—	—	—	—	—	—	89	101	66	—	—
			M. 30	—	—	—	—	—	—	—	—	4	47	7	—	—
			F. 182	—	—	—	—	—	—	—	—	3	6	15	—	—
			M. 70	—	—	—	—	—	—	—	—	51	63	43	—	—
			F. 125	—	—	—	—	—	—	—	—	10	30	27	—	—
			M. 42	—	—	—	—	—	—	—	—	34	33	39	—	—
			F. 42	—	—	—	—	—	—	—	—	4	11	24	—	—

[illegible]

Table 44E.—continued

International Classification		Causes of Death	All Ages	Ages									75 and over	Not Stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	
601, 603, 607, 609, 611, 617, 622-637	114b	Other diseases of genito-urinary system . . . { M. F.	11 8	—	—	—	1	—	—	1	2	3	1	5
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium . . . F.	2	—	—	—	—	—	1	1	—	—	—	1
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium . . . F.	1	—	—	—	—	—	1	—	—	—	—	—
643, 644, 670	117a	Hæmorrhage of pregnancy and childbirth . . . F.	3	—	—	—	—	—	2	1	—	—	—	—
671, 672	117b	Postpartum hæmorrhage . . . F.	—	—	—	—	—	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia . . . F.	—	—	—	—	—	—	—	—	—	—	—	—
651 645-648, 660, 673-680, 683, 687-689	119	Abortion with sepsis . . . F.	—	—	—	—	—	—	—	—	—	—	—	—
690-698	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication . . . F.	3	—	—	—	—	—	3	—	—	—	—	—
720-725	121	Infections of skin and subcutaneous tissue . . . { M. F.	4 1	1	—	—	—	—	—	—	—	2	1	—
726, 727	122	Arthritis and spondylitis . . . { M. F.	13 49	—	—	—	—	—	—	—	5	4	1	—
730	123	Muscular rheumatism and rheumatism unspecified . . . { M. F.	2	—	—	—	—	—	—	—	—	—	1	—
737, 745-749	124	Osteomyelitis and periostitis . . . { M. F.	1 2	—	—	—	—	—	—	—	—	—	1	—
700-716, 731-736, 738-744	125	Ankylosis and acquired musculoskeletal deformities . . . { M. F.	13 7	—	—	—	—	—	—	—	—	2	3	—
751	126	All other diseases of skin and musculoskeletal system . . . { M. F.	346 268	—	1	1	—	—	2	1	—	4	3	4
752, 753	127	Congenital malformations and certain diseases of early infancy (Total 750-776) . . . { M. F.	245 17	325 16	7 1	1 1	2 2	4 1	1 1	1	3	1	2	1
755-759	128	Spina bifida and meningocele . . . { M. F.	21 33	19 27	1 1	1 1	1 2	— 3	— 1	— 1	4 1	1 1	1 1	—
	129	Congenital malformations of circulatory system . . . { M. F.	28 36	43 42	3 5	3 5	2 2	1 1	1 1	— —	2 2	1 1	1 1	1
		All other congenital malformations . . . { M. F.	26 42	42 42	5 5	5 5	5 5	— —	— —	— —	— —	— —	— —	—

287

Table 44F.—Deaths in Central Clydeside Conurbation Area in Scotland by Sex and Age Groups—1959

International Classification		Causes of Death	All Ages	Ages										75 and over	Not Stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
		ALL CAUSES—Both Sexes	21,595	1,265	175	67	64	180	295	712	1,960	4,013	5,655	7,209	—
		Males	11,514	731	99	45	43	108	170	392	1,253	2,457	2,999	3,217	—
		Females	10,081	534	76	22	21	72	125	320	707	1,556	2,656	3,992	—
<i>All Tuberculosis (Total 001-019)</i>			225	—	5	—	1	5	16	31	37	62	52	16	—
001-008	1	Respiratory system	104	—	—	—	—	5	20	20	24	15	11	9	—
010	2	Meninges and central nervous system	94	—	—	—	—	2	15	29	36	60	49	16	—
011	3	Intestines, peritoneum, and mesenteric glands	3	—	—	—	—	—	20	20	24	12	9	6	—
012, 013	4	Bones and joints	4	—	—	—	—	—	—	—	—	—	—	—	—
014-019	5	All other forms	6	—	—	—	—	1	—	1	1	1	1	1	—
		<i>Syphilis (Total 020-029)</i>	18	—	—	—	—	1	—	1	3	8	5	1	—
020	6	Congenital syphilis	9	—	—	—	—	1	—	1	1	1	4	—	—
021	7	Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	6	—	—	—	—	—	—	—	—	—	—	—	—
022, 023, 026-029	10	All other syphilis	10	—	—	—	—	—	—	—	—	—	—	—	—
030-035	11	Gonococcal infection	1	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	1	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	1	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 44F.—continued

International Classification		Causes of Death	All Ages	Ages									75 and over	Not Stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	
		<i>Malignant Neoplasms (Total 140-205)</i>	M. 2,095 F. 1,723	2	7	8	6	9	18	82	306	644	605	408
140-148	44	Buccal cavity and pharynx	F. 57	1	7	2	3	12	17	105	262	403	504	407
150	45	Esophagus	M. 27	—	—	—	—	—	—	1	1	9	19	23
151	46	Stomach	M. 62	—	—	—	—	—	—	3	7	5	9	11
152, 153	47	Intestine, except rectum	M. 44	—	—	—	—	1	—	1	1	18	19	15
154	48	Rectum	M. 334	—	—	—	—	—	—	9	42	99	14	20
161	49	Larynx	M. 274	—	—	—	—	—	2	2	22	30	94	89
162, 163	50	Trachea, bronchus and lung, not specified as secondary	M. 149	—	—	—	—	—	—	7	16	30	51	91
170	51	Breast	M. 219	—	—	—	—	—	4	3	14	44	74	72
171	52	Cervix uteri	M. 78	—	—	—	—	—	—	2	15	22	21	18
172-174	53	Other and unspecified parts of uterus	M. 23	—	—	—	—	—	—	—	3	9	5	6
177	54	Prostate	M. 7	—	—	—	—	—	—	—	2	2	1	1
190, 191	55	Skin	M. 824	—	—	—	—	—	2	32	144	326	242	78
196, 197	56	Bone and connective tissue	M. 159	—	—	—	—	—	1	19	29	51	40	17
155-160, 164, 165, 175, 176, 178-181, 192, 195, 198, 199	57	All other and unspecified sites	M. 2	—	—	—	—	—	—	35	66	68	69	46
200-203, 205	58	Leukemia and aleukemia	F. 71	—	—	—	—	—	—	7	17	19	16	12
210-239	60	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system	M. 59	—	1	—	—	—	1	3	13	16	18	7
250, 251	61	Benign neoplasms and neoplasms of unspecified nature	M. 97	—	—	—	—	—	—	—	3	10	36	48
252	62	Non-toxic goitre	M. 19	—	—	—	—	—	—	1	5	—	11	2
		Thyrototoxicosis with or without goitre	M. 18	—	—	—	—	—	—	1	2	3	6	6
			F. 12	—	—	—	—	—	—	4	—	4	4	2
			F. 325	2	3	4	3	4	12	16	47	89	84	61
			F. 378	5	5	1	1	4	4	18	58	90	107	90
			M. 39	4	4	3	2	2	1	2	8	11	6	2
			F. 38	—	—	—	—	3	1	2	5	8	8	9
			M. 45	—	—	1	2	1	2	7	12	10	8	2
			F. 52	1	1	1	1	3	1	3	11	14	13	5
			M. 17	1	1	—	—	1	1	1	5	4	2	2
			F. 19	1	1	—	—	—	5	—	2	2	4	4
			M. 1	—	—	—	—	—	—	—	—	—	—	—
			F. 9	—	—	—	—	—	1	—	—	—	1	1

Table 44F.—continued

International Classification		Causes of Death	All Ages	Ages										75 and over	Not Stated
Detailed List	Intermediate List "A"			1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
422.1	81d	Myocardial degeneration with arteriosclerosis	M. 487 F. 725	—	—	—	—	—	—	—	3	118	339	—	—
422.2	81e	Other myocardial degeneration	M. 481 F. 586	—	—	—	—	—	—	—	—	27	567	—	—
430-432	82a	Acute non-rheumatic heart disease	M. 115 F. 111	—	—	—	—	—	—	—	19	139	251	—	—
433, 434	82b	Other and unspecified diseases of heart	M. 94 F. 147	—	—	—	—	—	—	—	3	132	379	—	—
440-443	83	Hypertensive heart disease	M. 222 F. 91	—	—	—	—	—	—	—	2	4	2	—	—
444-447	84	Other hypertensive disease	M. 89 F. 187	—	—	—	—	—	—	—	2	3	41	—	—
450	85a	General arteriosclerosis	M. 197 F. 42	—	—	—	—	—	—	—	6	15	70	—	—
451-456	85b	Other diseases of arteries	M. 25 F. 34	—	—	—	—	—	—	—	7	51	71	—	—
460-468	86	Other diseases of circulatory system	M. 37 F. 4	—	—	—	—	—	—	—	9	108	108	—	—
470-475	87	Acute upper respiratory infections	M. 4 F. 8	—	—	—	—	—	—	—	4	21	34	—	—
480-483	88	Influenza	M. 74 F. 68	—	—	—	—	—	—	—	1	36	142	—	—
		Pneumonia (Total 490-493)	M. 563 F. 442	—	—	—	—	—	—	—	1	8	157	—	—
490	89	Lobar pneumonia	M. 109 F. 76	—	—	—	—	—	—	—	4	10	12	—	—
491	90	Bronchopneumonia	M. 392 F. 333	—	—	—	—	—	—	—	1	9	11	—	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M. 62 F. 403	—	—	—	—	—	—	—	1	11	12	—	—
		Bronchitis (Total 500-502)	M. 892 F. 547	—	—	—	—	—	—	—	1	12	18	—	—
500	92	Acute bronchitis	M. 59 F. 56	—	—	—	—	—	—	—	1	285	188	—	—
501b, 502b	93a	Chronic and unqualified bronchitis with heart disease	M. 201 F. 286	—	—	—	—	—	—	—	1	188	191	—	—
501a, 502a	93b	Chronic and unqualified bronchitis otherwise defined	M. 146 F. 146	—	—	—	—	—	—	—	1	132	121	—	—
510	94	Mononucleosis, infectious, and adenoids	M. 146 F. 146	—	—	—	—	—	—	—	1	132	121	—	—

Table 44F.—continued

International Classification		Causes of Death	All Ages	Ages										75 and over	Not Stated
Detailed List	Intermediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system . . . { M. F.	13 17	—	—	—	—	1 1	—	—	2	3 3	4 8	3 3	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium . . . F	3	—	—	—	—	—	1	2	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium . . . F.	2	—	—	—	—	1	1	—	—	—	—	—	—
643, 644, 670	117a	Hæmorrhage of pregnancy and childbirth . . . F.	2	—	—	—	—	—	2	—	—	—	—	—	—
671, 672	117b	Postpartum hæmorrhage F.	—	—	—	—	—	—	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia . . . F.	1	—	—	—	—	—	1	—	—	—	—	—	—
651	119	Abortion with sepsis F.	2	—	—	—	—	—	1	1	—	—	—	—	—
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication . . . F.	6	—	—	—	—	—	1	5	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue . . . { M. F.	2 4	1	—	—	—	1	—	—	1	1	—	—	—
720-725	122	Arthritis and spondylitis { M. F.	15 38	—	—	—	—	—	—	1 1	1 1	7 7	3 12	3 17	—
726, 727	123	Muscular rheumatism and rheumatism unspecified . . . { M. F.	2 1	—	—	—	—	—	—	—	—	—	2	—	—
730	124	Osteomyelitis and periostitis { M. F.	1 1	—	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities . . . { M. F.	15 6	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system . . . { M. F.	156 399	530 372	11 9	5 —	1 4	4 2	5 3	2 1	1 2	4 3	3 1	2 1	—
751	127	<i>Congenital malformations and certain diseases of early infancy</i> (Total 750-776)	20 30	20 30	—	—	—	—	—	—	—	—	—	—	—
754	128	Spina bifida and meningocele { M. F.	57 39	36 25	7 4	3 —	—	4 1	5 1	—	1	1	—	—	—
750, 752, 753		Congenital malformations of circulatory system . . . { M. F.											1	—	—

Table 45.—Causes of Death in the Public Health Districts of Scotland, 1959

[illegible]

International Classification	Detailed List	Causes of Death																													
			Glasgow	Airdrie B.	Coatbridge B.	Hamilton B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	
		ALL CAUSES	13534	312	553	459	814	316	3758	6246	1189	505	94	279	192	520	1179	935	1185	227	1646	834	648	303	457	309	1378	209	907	380	242
		All Tuberculosis (Total 001-019)																													
		Respiratory system	232	2	5	3	9	2	42	23	2	2		2		4	6	15	17	7	19	6	4		5	6	1	3	1	1	
		Meninges and central nervous system	211	2	5	3	6	2	40	20	2	2		1		4	6	13	16	7	18	3	4		5	4	1	2	1	1	
		Intestines, peritoneum and mesenteric glands							1	1							1	1													
		Bones and joints	4						2					1					1	1	1	1									
		All other forms	11				2	1	1																						
		Syphilis (Total 020-029)																													
		Congenital syphilis	19		2	1			6	6	2					1	1	1	3		1										
		Early syphilis	2							1																					
		Tabes dorsalis	1						2	1									1												
		General paralysis of insane	6		2																										
		All other syphilis	10			1			4	5	1					1	1	1	2		1										
		Gonococcal infection	11																												
		Typhoid fever	12																												
		Paratyphoid fever & other Salmonella infections	13							1																					
		Cholera	14																												
		Brucellosis (undulant fever)	15																												
		Dysentery, all forms	16																												
		Scarlet fever	17																												
		Streptococcal sore throat	18																												
		Erysipelas	19																												
		Septicæmia and pyæmia	20							1																					
		Diphtheria	21							4																					
		Whooping cough	22						1	1																					
		Meningococcal infections	23							3	1						1		1	1	1										
		Plague	24																												
		Leprosy	25																												
		Tetanus	26																												
		Anthrax	27																												
		Acute poliomyelitis	28																												
		Acute infectious encephalitis	29																												
		Late effects of acute poliomyelitis and acute infectious encephalitis	30				2		2	2	2	1																			
		Smallpox	31				1																								
		Measles	32																												
		Yellow fever	33																												
		Infectious hepatitis	34																												
		Rabies	35																												
		Typhus and other rickettsial diseases	36																												
		Malaria	37																												

NOTE—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 45.—Causes of Death in the Public Health Districts of Scotland, 1959—continued

[illegible]

International Classification		Causes of Death	Glasgow Co. of C.																													
Detailed List	Inter-mediate "A"		Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley B.	Port Glasgow B.	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.		
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	43	All other diseases classified as infective and parasitic (A38-A42)							1	1	1						1									1						
140-148	44	Malignant Neoplasms (Total 140-205)	2443	45	88	71	145	59	605	1194	215	91	16	43	33	103	174	167	221	41	272	130	118	49	77	45	241	37	166	54	41	
150	45	Buccal cavity and pharynx	54	3	4	3	3	2	21	20	3	1	2	2	3	3	3	6	2	7	7	4	2	1	77	45	241	37	166	54	41	
151	46	Stomach	70	3	12	10	27	7	88	162	39	13	1	10	3	15	29	27	32	8	38	30	17	7	17	6	40	9	32	1	1	
152, 153	47	Intestine, except rectum	400	7	10	10	7	7	88	162	39	13	1	10	3	15	29	27	32	8	38	30	17	7	17	6	40	9	32	1	1	
154	48	Rectum	154	7	10	10	7	7	88	162	39	13	1	10	3	15	29	27	32	8	38	30	17	7	17	6	40	9	32	1	1	
161	49	Larynx	113	1	6	1	4	4	29	56	5	2	1	3	6	17	18	20	1	18	7	8	5	7	1	10	1	17	2	1		
162, 163	50	Trachea, bronchus and lung, not specified as secondary	21	1	1	1	1	1	3	9	1	1	1	1	1	1	3	2	2	2	1	1	1	1	1	1	1	1	1	1	1	
170	51	Breast	666	8	18	9	31	19	133	283	45	10	2	2	3	24	32	38	52	15	60	11	16	4	11	10	34	2	19	9	3	
171	52	Cervix uteri	188	1	9	3	12	5	39	106	25	9	2	2	4	10	14	7	16	2	25	17	3	8	9	5	21	2	13	10	4	
172-174	53	Other and unspecified parts of uterus	49	1	2	1	4	2	11	1	0	1	1	1	1	3	4	7	6	3	1	6	4	2	1	1	3	1	2	1	1	
177	54	Prostate	36	2	1	1	7	1	12	16	1	1	1	1	1	3	3	2	2	4	2	2	2	1	1	1	10	2	6	1	1	
190, 191	55	Skin	58	1	1	1	7	1	12	43	9	5	1	4	2	2	9	5	2	1	10	5	2	2	1	1	9	3	1	2	1	
196, 197	56	Bone and connective tissue	26	1	1	1	2	1	7	14	3	3	1	1	1	1	4	3	2	1	10	5	2	2	1	1	9	3	1	2	1	
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	17	1	1	1	1	1	4	10	1	1	1	1	1	1	4	1	1	2	2	2	2	2	1	1	2	1	1	1	1	
204	58	Leukemia and aleukemia	425	9	18	18	20	9	126	248	47	20	4	9	8	15	25	28	46	8	51	24	29	12	17	11	50	8	37	11	7	
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system	49	2	2	2	2	1	14	26	3	3	1	1	1	2	5	2	5	1	7	5	5	4	1	3	2	5	1	3	3	
210-239	60	Benign neoplasms and neoplasms of unspecified nature	53	4	4	4	7	2	25	37	5	3	1	1	4	2	6	5	7	6	6	1	5	4	2	10	1	4	1	3	3	
250, 251	61	Non-toxic goitre	19	2	1	1	1	1	10	19	1	1	1	1	1	1	1	3	4	2	2	2	1	1	2	7	1	1	1	1	1	
252	62	Thyroidosis with or without goitre	6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
260	63	Diabetes mellitus	6	2	4	7	10	5	40	47	13	5	2	1	1	3	11	10	10	3	17	7	5	1	2	5	14	2	5	2	2	
280-286	64	Avitaminosis and other deficiency states	103	2	4	7	10	5	40	47	13	5	2	1	1	3	11	10	10	3	17	7	5	1	2	5	14	2	5	2	2	
291-293	65a	Pernicious and other hyperchromic anemias	26	2	1	1	3	1	10	11	4	2	1	2	2	2	2	1	1	1	5	1	3	4	1	1	1	2	1	1	1	1
240-245, 253, 254, 270-277, 287-289, 294-299	65b	Other anemias	24	1	1	1	2	1	6	11	2	1	1	1	1	1	1	2	4	1	2	1	1	2	1	1	6	1	12	3	1	
	66	Allergic disorders; all other endocrine, metabolic and blood diseases	60	5	2	5	2	17	31	5	7	7	2	2	6	7	3	5	5	1	10	6	1	3	2	2	3	1	12	3	1	

Table 45.—Causes of Death in the Public Health Districts of Scotland, 1959—continued

International Classification	Detailed List	Causes of Death	SCOTLAND																										Kirkcaldy & Co.	Kirkcaldy & Co.	Kinross Co.
			Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Butte Co.	Caithness Co.	Clackmannan Co.	Dumfries B.	Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dumbarton Co.	Dunblon Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.			
67	300-309	Psychoses	113	12	2	5	—	1	3	6	—	—	—	1	—	—	—	1	1	1	1	1	1	2	3	11	—	—	—	—	
68	310-324	Psychoneuroses and disorders of personality	22	3	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
69	325	Mental deficiency	27	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
70a	330	<i>Vascular lesions affecting central nervous system (Total 330-334)</i>	9862	355	271	327	51	158	154	98	102	488	113	62	55	46	68	53	127	63	57	170	116	88	95	408	44	121	42	13	71
70b	331	Subarachnoid hemorrhage	240	10	13	9	5	3	6	1	1	9	2	2	2	1	1	1	2	1	1	5	1	1	1	1	1	1	1	1	27
70c	332	Cerebral hemorrhage	3919	106	89	93	16	48	80	54	186	49	36	34	26	40	21	42	29	19	66	47	36	50	159	15	49	14	5	27	
70d	333, 334	Cerebral embolism and thrombosis	4803	221	150	191	25	94	60	36	40	259	55	22	19	15	25	28	71	28	35	84	60	40	33	187	21	61	22	8	4
71	340	Other vascular lesions affecting central nervous system	900	18	19	34	5	13	8	7	7	34	7	2	2	4	2	3	12	6	2	15	8	11	11	49	6	10	5	1	1
72	345	Non-meningococcal meningitis	46	1	3	3	—	2	2	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
73	346	Multiple sclerosis	148	6	3	3	—	2	2	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
74	353	Epilepsy	89	5	3	3	—	2	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75	391-393	Otitis media and mastoiditis	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
76a	341-344, 345, 351, 352, 354-390, 394-398, 400-402	Paralysis agitans	184	6	4	8	2	2	3	2	4	6	2	1	1	—	5	—	3	1	—	1	1	2	1	8	—	2	—	—	2
78b	80	All other diseases of the nervous system and sense organs (A74, A75, A76)	289	8	7	10	1	5	12	2	3	12	3	2	4	—	2	—	3	2	2	3	2	3	2	12	—	3	—	—	—
79	81	Rheumatic fever	21	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80	410-416	<i>Heart Disease (Total 410-443)</i>	21122	815	578	695	84	308	326	232	199	1058	210	145	98	98	130	106	276	158	107	403	188	173	213	849	141	233	116	19	133
81a	420	Chronic rheumatic heart disease	816	30	19	33	4	8	10	3	3	36	5	5	1	2	5	2	11	7	2	11	5	3	7	31	2	11	1	—	2
81b	421	Arteriosclerotic heart disease, including coronary disease	10623	520	291	361	48	169	138	119	97	529	99	80	40	26	64	65	128	80	65	205	112	91	104	418	64	102	77	10	58
81c	422	Chronic endocarditis not specified as rheumatic	334	9	11	10	—	1	6	2	2	7	7	4	1	2	2	1	5	2	4	3	2	2	19	1	10	—	1	—	—
81d	422.0	Fatty degeneration of heart	19	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
81d	422.1	Mycocardial degeneration with arteriosclerosis	334	9	11	10	—	1	6	2	2	7	7	4	1	2	2	1	5	2	4	3	2	2	19	1	10	—	1	—	—
81e	422.2	Other myocardial degeneration	4385	158	160	119	12	57	69	47	43	235	56	26	19	36	28	13	66	25	13	92	22	11	47	181	47	46	24	2	36
82a	430-432	Acute non-rheumatic heart disease	3003	48	36	114	1	48	71	44	30	172	31	25	32	24	20	18	41	29	16	57	15	37	33	108	20	44	6	2	25
82b	433, 434	Other and unspecified diseases of heart	82	2	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
83	440-443	Hypertensive heart disease	734	14	19	31	4	13	15	4	9	28	6	1	3	3	3	2	9	6	4	13	15	7	13	25	3	5	2	2	8
84	444-447	Other hypertensive disease	1126	36	40	24	5	12	15	12	15	47	6	4	1	5	8	4	15	5	5	19	15	14	16	37	6	13	6	4	6
85a	450	General arteriosclerosis	555	16	23	7	1	5	8	5	5	30	10	3	4	7	12	3	12	9	1	28	14	7	14	81	4	12	15	—	8
85b	451-456	Other diseases of arteries	1328	34	41	34	4	18	24	14	12	58	12	3	4	7	12	3	12	9	1	9	5	6	4	11	2	4	12	—	2
86	460-468	Other diseases of circulatory system	238	6	9	10	2	9	2	3	2	3	1	1	1	1	2	4	3	1	—	5	2	3	4	11	2	4	1	—	2
87	470-475	Acute upper respiratory infections	266	20	6	15	—	2	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
88	480-483	Acute upper respiratory infections	17	12	20	45	—	1	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death

Inter- mediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Leamark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.		
67	Psychoses	30	—	—	—	1	—	—	12	—	84	25	52	33	85	192	121	186	4	—	4	—	3	—	—	1	—	1	2	—	1	
68	Psychoneuroses and disorders of personality	3	—	—	1	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	
69	Mental deficiency	9	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	2	—	1	—	—	
70a	<i>Vascular lesions affecting central nervous system (Total 330-334)</i>	2008	49	70	65	133	55	536	972	164	84	25	52	33	85	192	121	186	—	—	—	—	—	—	—	—	—	—	—	—	—	
70b	Subarachnoid hemorrhage	44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
70c	Cerebral hemorrhage	724	22	34	41	56	20	266	387	44	38	4	22	12	29	82	60	78	3	5	—	—	—	—	—	—	—	—	—	—	—	
70d	Cerebral embolism and thrombosis	962	23	25	23	60	23	227	437	81	43	13	26	20	45	93	60	91	11	113	78	44	45	55	20	95	16	61	27	18		
	Other vascular lesions affecting central nervous system	278	4	10	—	14	10	32	124	15	1	7	1	—	7	14	3	12	1	19	8	4	5	—	—	—	—	—	—	—	—	
71	Non-meningococcal meningitis	16	—	—	—	—	—	5	6	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
72	Multiple sclerosis	32	1	2	—	2	—	12	17	2	1	—	—	2	1	5	—	—	—	8	1	—	—	—	—	—	—	—	—	—	—	
73	Epilepsy	73	—	—	—	—	—	3	10	1	—	—	—	—	—	4	5	1	—	—	2	3	3	1	—	—	—	—	—	—	—	
77	Otitis media and mastoiditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
78a	Paralysis agitans	36	1	2	1	—	—	2	11	22	3	1	1	1	2	—	5	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
78b	All other diseases of the nervous system and sense organs (A74, A75, A76)	69	1	1	3	3	3	16	27	4	4	1	—	—	—	2	5	—	4	1	3	7	2	—	—	—	—	—	—	—	—	—
79	Rheumatic fever	2	—	—	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80	<i>Heart Disease (Total 410-443)</i>	4080	125	191	161	249	97	1258	2060	436	167	31	93	78	164	472	321	379	72	614	318	249	97	149	93	505	64	276	144	88	—	
81a	Chronic rheumatic heart disease	232	6	13	5	16	7	44	79	11	1	1	3	1	6	6	6	22	7	24	5	7	3	5	7	20	—	12	5	3	—	
81b	Arteriosclerotic heart disease, including coronary disease	2039	59	93	79	130	44	614	1113	225	83	14	43	37	97	219	127	181	33	296	143	101	36	75	50	230	21	169	77	35	—	
81c	Chronic endocarditis not specified as rheumatic	73	1	3	2	3	4	16	46	9	2	—	—	—	—	1	3	6	2	6	—	—	—	—	—	—	—	—	—	—	—	—
81d	Fatty degeneration of heart	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Myocardial degeneration with arteriosclerosis	635	31	49	31	42	21	257	482	113	35	5	20	22	29	145	95	89	14	151	74	78	22	28	8	123	8	40	25	23	—	
81e	Other myocardial degeneration	683	20	17	33	38	14	201	168	41	31	8	12	8	18	58	52	51	10	78	56	38	21	25	13	58	24	30	18	22	—	
82a	Acute non-rheumatic heart disease	158	4	5	—	2	1	13	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
82b	Other and unspecified diseases of heart	244	3	4	7	11	5	45	70	13	7	1	4	4	5	16	12	13	2	19	8	11	9	4	5	25	7	9	6	4	—	
83	Hypertensive heart disease	123	5	4	8	27	2	105	93	24	7	2	10	5	6	22	23	16	4	35	31	12	10	8	34	1	12	8	1	4	—	
84	Other hypertensive disease	240	5	5	4	18	4	87	172	19	4	—	6	3	8	24	16	18	2	26	25	31	6	9	15	12	13	47	6	6	—	
85a	General arteriosclerosis	36	1	1	3	4	1	8	31	5	1	—	—	—	—	2	3	8	4	1	3	3	3	3	1	4	2	6	1	—	—	—
85b	Other diseases of arteries	43	1	1	3	4	1	8	31	5	1	—	—	—	—	2	3	8	4	1	3	3	3	3	1	4	2	6	1	—	—	—
86	Acute diseases of circulatory system	89	1	2	5	7	4	27	49	6	11	2	1	1	6	13	9	5	—	7	—	—	—	—	—	—	—	—	—	—	—	—
87	Acute upper respiratory infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
88	Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 45.—Causes of Death in the Public Health Districts of Scotland, 1959—continued

International Classification	Detailed List	Causes of Death	SCOTLAND																													
			Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caitness Co.	Clackmannan Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarrow B.	Remainder of Dunbarton Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kintross Co.	Kirkcaldy B.		
89 90 91	490	Pneumonia (Total 490-493)	103	53	159	14	36	13	12	15	73	23	10	7	3	20	7	30	23	3	42	26	13	16	69	21	36	5	1	13	1	
	491	Lobar pneumonia	13	10	21	4	3	2	2	2	11	4	2	—	—	—	2	3	8	1	9	2	2	5	9	2	3	1	1	1	1	
	492, 493	Bronchopneumonia	83	40	127	10	30	12	6	9	52	18	7	7	3	15	3	24	14	2	26	23	9	9	46	16	27	4	1	12	1	
		Primary atypical, other and unspecified pneumonia	7	3	11	—	3	1	4	4	10	1	1	—	—	3	1	4	1	—	7	1	2	2	14	3	6	—	—	—	—	
		Bronchitis (Total 500-502)	2557	71	43	78	9	14	26	10	22	74	17	8	6	19	12	7	20	13	37	11	17	19	72	5	9	11	—	—	—	
	500	Acute bronchitis	274	11	8	6	3	1	6	2	3	9	5	2	1	—	2	1	3	6	—	6	—	1	9	1	1	—	—	—	—	
	501b, 502b	Chronic and unqualified bronchitis with heart disease secondary	1399	25	12	40	4	6	16	6	14	43	5	2	6	4	7	6	3	12	10	18	7	7	11	43	3	5	6	—	4	
	501a, 502a	Chronic and unqualified bronchitis otherwise defined	883	35	32	2	7	4	2	5	22	7	4	—	—	2	12	4	3	5	3	13	4	9	7	20	1	3	5	—	6	
	510	Hypertrophy of tonsils and adenoids	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	518, 521	Empyema and abscess of lung	33	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	519	Pleurisy	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
92 93a 93b 94 95 96 97a	523, 524	Pneumococcosis	230	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	511-517, 520, 522, 525-527	All other respiratory diseases	281	8	5	22	3	3	3	3	2	13	2	—	1	4	3	4	4	4	2	12	5	1	2	13	—	3	2	—	3	
	530-535	Diseases of teeth and supporting structures	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	540	Ulcer of stomach	224	8	8	11	—	5	4	1	2	9	2	2	2	4	—	2	1	1	—	—	—	—	—	7	3	2	1	—	1	1
	541	Ulcer of duodenum	283	16	11	8	—	1	9	1	2	11	4	—	—	—	5	1	4	1	1	7	1	2	2	8	—	2	1	—	2	2
	543	Gastritis and duodenitis	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	550-553	Gastritis and duodenitis	94	4	2	3	1	2	2	2	1	3	—	1	1	4	—	1	—	1	—	—	—	1	1	3	1	—	1	—	—	—
	560, 561, 570	Intestinal obstruction and hernia	339	12	7	17	3	4	6	7	3	22	5	1	5	2	1	3	—	1	—	8	7	3	2	11	1	4	1	1	1	1
	571.0	Gastro-enteritis, ages between 1 and 2 years	92	2	1	1	—	—	—	—	—	—	—	—	—	—	—	2	2	1	—	—	—	—	—	5	—	—	—	—	—	—
	571.1	Gastro-enteritis, ages 2 years and over	66	4	1	3	1	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	5	—	—	—	—	—	—
	104b 104c 105 106 107a	572	Chronic enteritis and ulcerative colitis	138	4	7	3	—	3	2	1	2	8	2	2	1	—	3	—	1	1	5	2	1	1	2	2	2	1	2	—	—
581		Cirrhosis of liver	213	8	3	5	1	3	5	3	6	12	4	1	2	—	2	3	1	2	1	2	3	1	2	3	8	1	4	2	—	3
584, 585		Cholelithiasis and cholecystitis	180	10	4	6	1	7	—	—	—	—	—	—	—	—	2	2	1	2	2	—	—	—	—	5	1	1	4	—	—	—
586, 587, 588, 589, 590		Other diseases of liver	46	1	3	—	2	—	2	—	—	4	1	1	—	—	3	—	2	—	—	1	—	—	—	—	1	—	—	—	—	—
591-594		Other diseases of digestive system	222	6	5	10	1	2	1	2	1	12	—	—	—	—	1	—	3	4	—	2	1	1	1	10	3	—	1	1	2	2
595		Acute nephritis	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
596		Chronic, other and unspecified nephritis	382	11	9	16	—	8	7	2	18	8	3	2	1	6	—	1	8	7	—	2	1	1	6	18	1	9	4	1	1	1
600		Infection of kidney	238	13	4	1	—	6	3	4	2	1	1	—	—	—	2	2	1	—	3	1	4	2	3	12	1	1	1	—	—	—
602, 604		Calculi of urinary system	29	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 45.—Causes of Death in the Public Health Districts of Scotland, 1959—continued

International Classification		Causes of Death	SCOTLAND																										Kirkcaldy Co.	
Detailed List	Inter- mediate List "A"		Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmann'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunbarton Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.		
113 114a	620, 621 605, 606 601, 603, 607-609, 611-617, 622-637 640, 641, 681, 682, 684	Diseases of breast . Diseases of bladder .	1 65	— —	2 —	5 —	— —	— —	— —	1 —	4 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	
114b		Other diseases of genito-urinary system .	76	3	2	4	—	1	—	—	2	—	—	—	—	—	—	—	—	2	—	1	3	—	6	—	1	—	—	
115		Sepsis of pregnancy, childbirth, and the puerperium .	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
116		Toxaemias of pregnancy and the puerperium .	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
117a		Haemorrhage of pregnancy and childbirth .	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
117b		Postpartum haemorrhage .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
118		Abortion without mention of sepsis or toxæmia .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
119		Abortion with sepsis .	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
120		Other complications of pregnancy, childbirth, and the puerperium. Delivery without mention of complication .	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
121		Infections of skin and subcutaneous tissue .	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
122		Arthritis and spondylitis .	222	11	8	8	2	5	7	2	12	2	1	2	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
123		Muscular rheumatism and rheumatism unspecified .	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
124		Osteomyelitis and periostitis .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
125		Ankylosis and acquired musculoskeletal deformities .	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
126		All other diseases of skin and musculoskeletal system .	73	4	4	2	—	—	6	—	2	3	—	1	—	1	1	—	—	—	—	—	1	2	1	4	1	—	—	
127		<i>Congenital malformations and certain diseases of early infancy (Total 750-776)</i> .	2220	55	48	66	4	29	25	10	29	97	17	6	7	9	19	13	28	16	13	44	18	26	9	94	16	18	9	6
128		Spina bifida and meningocele .	127	1	2	6	—	2	4	—	3	11	1	1	1	1	2	2	2	—	—	2	2	—	—	7	2	—	—	
		Congenital malformations of circulatory system .	255	7	4	13	—	5	5	1	4	7	3	1	—	1	2	2	2	—	—	6	—	—	1	15	2	—	—	
129		All other congenital malformations .	336	10	8	6	—	5	4	3	3	16	3	—	—	2	2	5	3	3	3	11	2	5	1	15	3	2	—	
130		Birth injuries .	284	11	9	10	—	1	3	1	2	7	1	—	—	1	3	7	3	1	2	3	3	12	1	5	3	2	—	
131		Postnatal asphyxia and atelectasis .	562	11	10	13	2	4	4	4	8	31	3	3	2	1	5	6	5	3	3	9	4	3	1	20	4	1	—	
132a		Pneumonia of newborn .	97	—	6	2	—	1	1	—	5	7	1	—	—	1	1	1	—	—	—	2	1	2	3	1	1	—	—	

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959

International Classification	Causes of Death	ABERDEEN Co. of C. (inc. part in Kincardine Co.)												ABERDEEN COUNTY (excluding County of City)												85 and over					
		ABERDEEN Co. of C. (inc. part in Kincardine Co.)												ABERDEEN COUNTY (excluding County of City)																	
		All Ages	under 4 weeks	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All Ages	under 4 weeks	1-4	5-14	15-24	35-44	45-54	55-64	65-74	75-84	85 and over							
Detailed List	Abbreviated List "B"	2296	47	29	10	4	9	12	28	60	180	422	587	673	235	1612	42	11	12	4	5	11	25	36	107	243	361	517	238		
		Males	27	17	7	2	5	7	17	36	118	243	301	284	76	794	27	8	9	1	1	8	18	18	70	142	175	231	86		
		Females	1156	20	12	3	4	5	11	24	62	179	286	389	159	818	15	3	3	3	3	4	7	18	37	101	186	286	152		
001-008	1	Tuberculosis of respiratory system	M. 7	1	1	1	1	1	1	2	2	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
010-019	2	Tuberculosis, other forms	F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
020-029	3	Syphilis and its sequelæ	M. 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
045-048	6	Dysentery, all forms	M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
056	9	Whooping cough	M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
057	10	Meningococcal infections	M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
080	12	Acute poliomyelitis	M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
085	14	Measles	M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	F. 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
140-205	18	Malignant neoplasms . Total	M. 234	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
160-165	—	Malignant neoplasms of respiratory system	F. 199	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
200-205	—	Malignant neoplasms of lymphatic and hematopoietic tissues	F. 20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
140-159, 170-199	—	Other malignant neoplasms	F. 14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
210-239	19	Benign and unspecified neoplasms	M. 144	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
260	20	Diabetes mellitus	F. 165	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
290-293	21	Anæmias	F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
240-254, 270-289, 294-299	46.0	Other general diseases	F. 13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
330-334	22	Vascular lesions affecting central nervous system	F. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
340	23	Non-meningococcal meningitis	F. 8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
300-326, 341-398	46.1	Other diseases of nervous system	F. 211	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
400-402	24	Rheumatic fever	F. 15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
410-416	25	Chronic rheumatic heart disease	F. 24	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
420-422	26	Arteriosclerotic and degenerative heart disease	F. 9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
430-434	27	Other diseases of heart	F. 21	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
440-443	28	Hypertensive heart disease	F. 387	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

480-483	Influenza	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
490-493	Pneumonia (except of newborn)	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
500-502	Bronchitis	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
470-475, 510-527	Other respiratory diseases	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
540, 541	Ulcer of stomach and duodenum	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
550-553	Appendicitis	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
560, 561, 570	Intestinal obstruction and hernia	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
543	Gastritis and duodenitis	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
571, 572	Diarrhea (except of newborn)	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
581	Cirrhosis of liver	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
580, 582-586	Other diseases of liver	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
530-539, 542, 544, 545, 573-578, 587	Other digestive diseases	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
590-594	Nephritis and nephrosis	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
610	Hyperplasia of prostate	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
600-609, 611-637	Other diseases of genito-urinary system	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
640, 641, 651, 681, 682, 684	Puerperal sepsis including abortion with sepsis	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
642-650, 652-680, 683, 685-689	Other puerperal causes	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
690-749	Diseases of skin and organs of locomotion	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
750-759	Congenital malformations	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
760-762	Birth injuries, postnatal asphyxia and atelectasis	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
763	Pneumonia of newborn	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
764	Diarrhoea of newborn	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
765-768	Other infections of the newborn	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
769-776	Other diseases peculiar to early infancy and immaturity unqualified	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
794	Senility without mention of psychosis	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
780-793, 795	Ill-defined and unknown causes	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
E963, E970-E979	Suicide and self-inflicted injury	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
E810-E835	Motor vehicle accidents	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
E840-E845	Other road vehicle accidents	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
E870-E936 (part)	Other road vehicle accidents	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
E961(m) E962(m)	Accidents in the home	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2
Remainder of E800-E999	Other violence (BE50)	30	31	32	33	34	35	36.0	36.1	37	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	45.1	E49	E47	E48.0	E48.1	E48.2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification		Causes of Death	ANGUS COUNTY (ex. Co. of City and Large Burgh)										ARGYLL COUNTY																	
			All Ages	under 4 weeks	1-4	5-10	15-25	35-45	55-65	75-85 and over	All Ages	under 4 weeks	1-4	5-10	15-25	35-45	55-65	75-85 and over												
Detailed List	Abbreviated List 'B'	ALL CAUSES—Both Sexes	913	23	7	5	2	3	4	15	22	45	123	234	281	149	942	16	17	1	1	3	10	9	26	52	132	229	318	128
		Males	418	10	3	2	1	5	14	27	69	110	108	66	472	11	11	1	1	2	7	5	15	35	81	121	130	53		
		Females	495	13	4	3	1	3	10	8	18	54	124	173	83	470	5	6	1	1	3	4	11	17	51	108	188	75		
001-008		Tuberculosis of respiratory system	3	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
010-019		Tuberculosis, other forms	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029		Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048		Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056		Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057		Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080		Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085		Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138		Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18		Malignant neoplasms . Total	74	—	—	—	—	—	—	—	—	—	—	—	—	74	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205		Malignant neoplasms of respiratory system	96	—	—	—	—	—	—	—	—	—	—	—	—	96	—	—	—	—	—	—	—	—	—	—	—	—	—	—
160-165		Malignant neoplasms of lymphatic and hæmatopoietic tissues	21	—	—	—	—	—	—	—	—	—	—	—	—	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—
200-205		Other malignant neoplasms	8	—	—	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-159, 170-199		Benign and unspecified neoplasms	49	—	—	—	—	—	—	—	—	—	—	—	—	49	—	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239		Diabetes mellitus	81	—	—	—	—	—	—	—	—	—	—	—	—	81	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260		Anæmias	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293		Other general diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2240-254, 270-289, 294-299		Vascular lesions affecting central nervous system	48	—	—	—	—	—	—	—	—	—	—	—	—	48	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Non-meningococcal meningitis	110	—	—	—	—	—	—	—	—	—	—	—	—	110	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340		Other diseases of nervous system	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398		Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402		Chronic rheumatic heart disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416		Arteriosclerotic and degenerative heart disease	140	—	—	—	—	—	—	—	—	—	—	—	—	140	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422		Other diseases of heart	135	—	—	—	—	—	—	—	—	—	—	—	—	135	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434		Hypertensive heart disease	8	—	—	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification		Causes of Death	AYR BURGH													KILMARNOCK BURGH														
			under 4 weeks w'ks—		1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over	under 4 weeks w'ks—		1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over		
Detailed List	Abbreviated List "B"		594	8	3	1	3	7	17	55	94	154	183	61	584	25	8	6	2	1	4	6	27	45	104	152	161	43		
		ALL CAUSES—Both Sexes	323	4	4	1	3	5	7	32	49	71	77	18	300	18	6	2	1	3	14	27	62	79	72	12	43	89	31	
		Males	271	4	4	1	3	5	7	32	49	71	77	18	300	18	6	2	1	3	14	27	62	79	72	12	43	89	31	
		Females	323	4	4	1	3	2	10	23	45	83	106	43	284	7	2	4	1	1	1	3	13	18	42	73	89	31		
001-008		Tuberculosis of respiratory system	M.	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
010-019		Tuberculosis, other forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
020-029		Syphilis and its sequelæ	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
045-048		Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
056		Whooping cough	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
057		Meningococcal infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
080		Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
085		Measles	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
030-044, 049-055, 058-074, 081-084, 086-138		Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
140-205		Malignant neoplasms . Total	M.	60	2	—	—	—	—	—	—	—	—	—	41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	50	1	—	—	—	—	—	—	—	—	—	4	48	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
160-165		Malignant neoplasms of respiratory system	M.	28	1	—	—	—	—	—	—	—	—	1	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	3	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
200-205		Malignant neoplasms of lymphatic and hematopoietic tissues	M.	4	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	4	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
140-159, 170-199		Other malignant neoplasms	M.	28	1	—	—	—	—	—	—	—	—	6	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	43	—	—	—	—	—	—	—	—	—	—	10	45	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
210-239		Benign and unspecified neoplasms	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
260		Diabetes mellitus	M.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
290-293		Anæmias	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
240-254, 270-289, 294-299		Other general diseases	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
330-334		Vascular lesions affecting central nervous system	M.	35	—	—	—	—	—	—	—	—	—	—	2	46	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	63	—	—	—	—	—	—	—	—	—	—	8	56	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
340		Non-meningococcal meningitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
300-326, 341-398		Other diseases of nervous system	M.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
400-402		Rheumatic fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
410-416		Chronic rheumatic heart disease	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
420-422		Arteriosclerotic and degenerative heart disease	M.	96	—	—	—	—	—	—	—	—	—	—	3	87	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	116	—	—	—	—	—	—	—	—	—	—	22	85	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
430-434		Other diseases of heart.	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
440-443		Hypertensive heart disease	M.	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification	Causes of Death	AYR COUNTY (excluding Large Burghs)										BANFF COUNTY																
		under 4 weeks		4 wks-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	under 4 weeks		4 wks-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over							
		All Ages	2872	44	23	10	7	19	37	76	221	473	801	808	272	615	11	5	2	1	11	7	13	35	87	137	215	76
Detailed List	Abbreviated List "B"	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	
001-008	1	2872	81	44	23	10	7	19	37	76	221	473	801	808	272	615	11	5	2	1	11	7	13	35	87	137	215	76
010-019	2	1494	49	18	15	8	3	10	21	46	143	269	432	392	88	326	9	7	3	2	6	6	8	18	50	72	117	28
020-029	3	1378	52	26	8	2	4	9	16	30	78	204	369	416	184	289	4	2	1	1	5	1	5	17	37	65	98	48
045-048	6																											
056	9																											
057	10																											
080	12																											
085	14																											
030-044, 049-055, 058-074, 081-084, 086-138	17																											
140-205	18	259	9	1	1	2	2	10	34	54	90	56	9	42	1	1	1	1	1	1	1	1	1	1	1	1	1	1
160-165	—	218	7	1	1	1	1	3	19	53	76	42	9	53	1	1	1	1	1	1	1	1	1	1	1	1	1	1
200-205	—	86	4	2	2	2	2	5	18	29	6	2	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1
140-159, 170-199	—	15	2	1	1	1	1	1	1	1	3	4	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
210-239	19	161	4	2	2	2	2	2	13	22	59	49	9	26	1	1	1	1	1	1	1	1	1	1	1	1	1	1
260	20	184	3	1	1	1	1	1	8	16	44	66	38	46	2	2	2	2	2	2	2	2	2	2	2	2	2	2
290-293	21	6	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
240-254, 270-289, 294-299, 330-334	46.0	20	1	1	1	1	1	1	1	1	5	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
340	22	7	1	1	1	1	1	1	1	1	3	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
300-326, 341-398	23	206	1	1	1	1	1	1	4	10	35	72	70	13	58	1	1	1	1	1	1	1	1	1	1	1	1	1
400-402	46.1	282	1	1	1	1	1	1	19	37	80	108	35	55	1	1	1	1	1	1	1	1	1	1	1	1	1	1
410-416	24	1	1	1	1	1	1	1	2	2	3	4	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
420-422	25	2	1	1	1	1	1	1	1	1	5	3	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
430-434	26	16	1	1	1	1	1	1	8	56	92	145	170	45	108	1	1	1	1	1	1	1	1	1	1	1	1	1
440-443	27	520	1	1	1	1	1	1	4	10	57	110	160	84	85	1	1	1	1	1	1	1	1	1	1	1	1	1
	28	425	1	1	1	1	1	1	1	1	2	2	6	5	4	1	1	1	1	1	1	1	1	1	1	1	1	1
		13	1	1	1	1	1	1	1	1	2	2	6	5	4	1	1	1	1	1	1	1	1	1	1	1	1	1
		17	1	1	1	1	1	1	1	1	2	2	6	5	4	1	1	1	1	1	1	1	1	1	1	1	1	1
		18	1	1	1	1	1	1	1	1	2	2	6	5	4	1	1	1	1	1	1	1	1	1	1	1	1	1

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued.

International Classification	Detailed List	Abbreviated List "B"	Causes of Death													BERWICK COUNTY													BUTE COUNTY												
			All Ages	under 4 weeks	1-4	5-10	15-25	35-45	55-65	75-85 and over	All Ages	under 4 weeks	1-4	5-10	15-25	35-45	55-65	75-85 and over	All Ages	under 4 weeks	1-4	5-10	15-25	35-45	55-65	75-85 and over															
			ALL CAUSES—Both Sexes	344		3	2	1	1	2	4	25	51	99	120	31	303	5	3	3	—	1	2	3	2	19	41	79	104	41											
			Males	173		3	1	—	—	1	3	17	29	54	50	10	131	5	2	2	—	—	—	—	—	9	22	38	35	15											
			Females	171		1	1	—	—	1	1	8	22	45	70	21	172	—	1	1	—	—	1	1	2	10	19	41	69	26											
			Tuberculosis of respiratory system	M.	1	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—											
			Tuberculosis, other forms	F.	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—											
			Syphilis and its sequelæ	F.	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
			Dysentery, all forms	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
			Whooping cough	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
			Meningococcal infections	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
			Acute poliomyelitis	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
			Measles	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
			Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
			Malignant neoplasms . Total	M.	24	—	—	—	—	1	3	5	10	4	1	38	—	—	—	—	—	—	—	—	—	4	9	12	10	3											
			Malignant neoplasms of respiratory system	F.	25	—	—	—	—	1	4	5	5	7	3	28	—	—	—	—	—	—	—	—	—	5	5	4	11	—											
			Malignant neoplasms of lymphatic and hematopoietic tissues	F.	6	—	—	—	—	1	1	1	2	1	1	9	—	—	—	—	—	—	—	—	—	2	2	3	2	—											
			Other malignant neoplasms	F.	1	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	1	1	1	—	—											
			Benign and unspecified neoplasms	F.	17	—	—	—	—	1	2	3	7	4	3	29	—	—	—	—	—	—	—	—	—	1	2	7	9	8	3										
			Diabetes mellitus	F.	23	—	—	—	—	1	4	4	5	6	3	24	—	—	—	—	—	—	—	—	—	4	3	3	11	1	—										
			Anæmias	F.	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
			Other general diseases .	F.	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
			Vascular lesions affecting central nervous system .	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
			Non-meningococcal meningitis	F.	20	—	—	—	—	—	1	2	9	5	16	—	—	—	—	—	—	—	—	—	—	—	5	4	6	—	—										
			Other diseases of nervous system	F.	42	—	—	—	—	—	1	7	11	22	3	39	—	—	—	—	—	—	—	—	—	3	2	10	18	6	—										
			Rheumatic fever	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
			Chronic rheumatic heart disease	F.	5	—	—	—	—	—	2	1	1	1	1	4	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—										
			Arteriosclerotic and degenerative heart disease	F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
			Other diseases of heart.	F.	77	—	—	—	—	1	10	16	23	24	4	40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
			Hypertensive heart disease	F.	58	—	—	—	—	—	1	4	15	27	11	52	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
				F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
				F.	2	—	—	—	—	—	2	2	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification		Causes of Death	CAITHNESS COUNTY										CLACKMANNAN COUNTY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			All Ages	under 4 weeks	1-5	10-15	25-35	45-55	65-75	85 and over	All Ages	under 4 weeks	1-5	10-15	25-35	45-55	65-75	85 and over																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	305	8	3	3	2	2	5	3	16	39	76	97	48	449	17	9	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification	Causes of Death	DUMFRIES BURGH														DUMFRIES COUNTY (excluding Large Burghs)														
		under 4 weeks		4 wks-1		1-5		5-10		10-15		15-25		25-35		35-45		45-55		55-65		65-75		75-85 and over						
		All Ages	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	All Ages	under 4 weeks				
Abbreviated List "B"	ALL CAUSES—Both Sexes	299	141	158	5	2	1	1	1	1	2	10	26	40	91	81	29	750	23	10	3	1	6	14	14	47	110	197	237	86
Detailed List	Males	141	8	1	1	1	1	1	1	1	7	15	26	45	23	13	397	19	5	2	1	6	7	8	33	70	103	106	37	
	Females	158	3	4	1	1	1	1	1	1	3	11	14	46	58	16	353	4	5	2	1	—	7	6	14	40	94	131	49	
001-008	Tuberculosis of respiratory system	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
010-019	Tuberculosis, other forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—
020-029	Syphilis and its sequelæ	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
045-048	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	Whooping cough	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	Meningococcal infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	Measles	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205	Malignant neoplasms . Total	M.	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	76	—	—	—	—	—	—	—	—	—	—	—
160-165	Malignant neoplasms of respiratory system	M.	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	61	—	—	—	—	—	—	—	—	—	—	—
200-205	Malignant neoplasms of lymphatic and hematopoietic tissues	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	17	—	—	—	—	—	—	—	—	—	—	—
140-159, 170-199	Other malignant neoplasms	M.	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	3	—	—	—	—	—	—	—	—	—	—	—
210-239	Benign and unspecified neoplasms	M.	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	53	—	—	—	—	—	—	—	—	—	—	—	—
260	Diabetes mellitus	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	55	—	—	—	—	—	—	—	—	—	—	—	—
290-293	Anæmias	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299	Other general diseases	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
330-334	Vascular lesions affecting central nervous system	M.	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340	Non-meningococcal meningitis	M.	32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	66	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	Other diseases of nervous system	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402	Rheumatic fever	M.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—
410-416	Chronic rheumatic heart disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422	Arteriosclerotic and degenerative heart disease	M.	42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
430-434	Other diseases of heart.	M.	55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443	Hypertensive heart disease	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification		Causes of Death	CLYDEBANK BURGH												DUMBARTON BURGH												
			All Ages	under 4 weeks w/ks—	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over	All Ages	under 4 weeks w/ks—	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	508	14	8	4	1	5	8	23	47	81	147	135	30	297	10	2	2	2	2	15	22	53	89	78	18
		Males	286	8	5	2	1	4	14	31	54	81	68	13	159	7	1	1	1	1	9	12	31	55	36	6	
		Females	222	6	3	2	1	4	9	16	27	66	67	17	138	3	1	1	1	1	6	10	22	34	42	12	
001-008		Tuberculosis of respiratory system	8	—	—	—	—	—	2	1	3	2	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
010-019		Tuberculosis, other forms	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
020-029		Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
045-048		Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
056		Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
057		Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
080		Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
085		Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
030-044, 049-055, 058-074, 081-084, 086-138		Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	1	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—	—	
140-205		Malignant neoplasms . Total	61	—	1	1	1	1	1	7	14	19	16	—	1	22	—	—	—	—	—	1	2	5	9	5	
160-165		Malignant neoplasms of respiratory system	21	—	—	—	—	—	—	3	7	8	3	—	10	—	—	—	—	—	—	2	2	5	3	—	
200-205		Malignant neoplasms of lymphatic and hæmatopoietic tissues	6	—	—	—	—	—	—	1	2	4	1	—	1	—	—	—	—	—	—	1	1	—	—	—	
140-159, 170-199		Other malignant neoplasms	34	—	—	—	—	—	—	2	7	11	12	—	1	6	—	—	—	—	—	1	5	3	2	1	
210-239		Benign and unspecified neoplasms	35	—	—	—	—	—	—	7	9	8	8	—	2	17	—	—	—	—	—	1	3	2	5	5	
260		Diabetes mellitus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
290-293		Anæmias	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
240-254, 270-289, 294-299, 330-334		Other general diseases .	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
340		Vascular lesions affecting central nervous system .	26	—	—	—	—	—	3	5	9	7	—	2	24	—	—	—	—	—	—	—	3	13	6	2	
300-326, 341-398		Non-meningococcal meningitis	37	—	—	—	—	—	1	2	4	16	12	2	33	—	—	—	—	—	—	1	3	7	10	5	
400-402		Other diseases of nervous system	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
410-416		Rheumatic fever	3	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	
420-422		Chronic rheumatic heart disease	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
430-434		Arteriosclerotic and degenerative heart disease	80	—	—	—	—	—	7	11	10	31	18	3	58	—	—	—	—	—	—	1	2	5	13	24	
440-443		Other diseases of heart.	59	—	—	—	—	—	1	3	4	18	26	7	38	—	—	—	—	—	—	1	—	8	13	10	
		Hypertensive heart disease	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	4	4	

[illegible]

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification			Causes of Death	DUNBARTON COUNTY (excluding Large Burghs)										EAST LOTHIAN COUNTY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Detailed List	Abbreviated List "B"	All Ages		under 4 weeks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over	under 4 weeks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		1205	33	19	8	4	7	12	25	44	91	202	323	315	122	611	15	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	

[illegible]

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification	Detailed List	Causes of Death	DUNFERMLINE BURGH										KIRKCALDY BURGH																					
			All Ages	under 4 weeks	4 w'ks—	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over	All Ages	under 4 weeks	4 w'ks—	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over				
	Abbreviated List "B"		524	284	25	14	11	3	2	3	6	5	1	1	10	37	93	136	157	47	568	8	7	1	1	3	2	8	15	46	89	176	166	46
		ALL CAUSES—Both Sexes	524	284	25	14	11	3	2	3	6	5	1	1	10	37	93	136	157	47	568	8	7	1	1	3	2	8	15	46	89	176	166	46
		Males	284	141	14	7	7	1	1	1	4	23	60	78	74	19	283	5	5	1	1	1	1	1	1	1	1	5	8	23	53	86	78	17
		Females	240	143	11	7	4	2	1	2	1	6	14	33	58	83	28	3	3	2	2	2	2	2	2	2	2	3	7	23	36	90	88	29
		Tuberculosis of respiratory system	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Tuberculosis, other forms	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Syphilis and its sequelæ	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Dysentery, all forms	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Whooping cough	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Meningococcal infections	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Acute poliomyelitis	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Measles	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Malignant neoplasms Total	55	36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Malignant neoplasms of respiratory system	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other malignant neoplasms	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Benign and unspecified neoplasms	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Diabetes mellitus	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Anæmias	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other general diseases	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Vascular lesions affecting central nervous system	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Non-meningococcal meningitis	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other diseases of nervous system	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Rheumatic fever	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Chronic rheumatic heart disease	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Arteriosclerotic and degenerative heart disease	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other diseases of heart.	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification			Causes of Death			FIFE COUNTY (excluding large burghs)										INVERNESS BURGH													
						All Ages	under 4 weeks	4 wks-15	15-25	25-35	35-45	45-55	55-65	65-75	75 and over	All Ages	under 4 weeks	4 wks-15	15-25	25-35	35-45	45-55	55-65	65-75	75 and over				
Detailed List	Abbreviated List "B"		2495	74	37	24	6	28	21	78	186	382	652	729	272	362	13	3	3	2	2	4	3	12	29	46	89	112	44
		ALL CAUSES—Both Sexes	1342	54	22	17	4	23	16	46	121	244	338	355	100	171	9	3	2	1	1	4	2	9	20	28	45	36	15
		Males	1153	20	15	7	4	2	5	32	65	138	314	374	172	191	4	2	1	1	1	1	3	9	18	44	76	29	
		Females																											
001-008	1	Tuberculosis of respiratory system	9	4	1	1	1	2	1	1	1	1	3	2	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
010-019	2	Tuberculosis, other forms	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelae	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms Total	231	2	2	2	2	5	34	59	66	52	9	29	8	26	—	—	—	—	—	—	—	—	—	—	—	—	—
160-165	—	Malignant neoplasms of respiratory system	173	1	1	1	1	11	28	33	56	35	8	26	3	8	—	—	—	—	—	—	—	—	—	—	—	—	—
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	13	1	1	1	1	3	2	5	2	1	1	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
140-159, 170-199	—	Other malignant neoplasms	144	1	1	1	1	3	22	28	36	44	9	18	8	24	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239	19	Benign and unspecified neoplasms	157	1	1	1	1	8	25	33	51	32	8	24	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293	21	Anæmias	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299	46.0	Other general diseases	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
330-334	22	Vascular lesions affecting central nervous system	189	1	1	1	1	3	8	27	52	79	20	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340	23	Non-meningococcal meningitis	219	1	1	1	1	2	8	23	67	91	28	30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402	24	Rheumatic fever	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434	27	Other diseases of heart.	394	1	1	1	1	8	37	81	119	109	40	56	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			352	1	1	1	1	2	31	30	84	126	78	76	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification		Causes of Death	INVERNESS COUNTY (excluding Large Burghs)															INSULAR PORTION OF INVERNESS COUNTY														
			All Ages	under 4 weeks w'ks-	4	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages	under 4 weeks w'ks-	4	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over		
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes Males Females	700 360 340	17 8 9	5 3 2	4 2 2	1 1 1	8 7 1	10 5 5	19 12 7	38 30 7	94 52 42	164 81 83	225 109 116	115 50 65	292 146 146	8 3 5	— — —	— — —	2 1 1	1 1 1	3 1 1	9 5 4	12 8 4	31 19 12	60 27 33	101 52 49	64 37 37				
001-008	1	Tuberculosis of respiratory system	M.	—	—	—	—	—	—	—	1	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—			
010-019	2	Tuberculosis, other forms	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
020-029	3	Syphilis and its sequelæ	F.	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—				
045-048	6	Dysentery, all forms	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
056	9	Whooping cough	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
057	10	Meningococcal infections	F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
080	12	Acute poliomyelitis	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
085	14	Measles	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
140-205	18	Malignant neoplasms . Total	M.	41	—	—	—	—	—	—	—	—	—	—	—	16	—	—	—	—	—	—	—	—	—	—	—	—				
160-165	—	Malignant neoplasms of respiratory system	F.	51	—	—	—	—	—	—	—	—	—	—	—	23	—	—	—	—	—	—	—	—	—	—	—	—				
200-205	—	Malignant neoplasms of lymphatic and hamatopoietic tissues	F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
140-159, 170-199	—	Other malignant neoplasms	F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
210-239	19	Benign and unspecified neoplasms	F.	37	—	—	—	—	—	—	—	—	—	—	—	16	—	—	—	—	—	—	—	—	—	—	—	—				
260	20	Diabetes mellitus	F.	46	—	—	—	—	—	—	—	—	—	—	—	23	—	—	—	—	—	—	—	—	—	—	—	—				
290-293	21	Anemias	F.	3	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—				
240-254, 270-289, 294-299	46.0	Other general diseases	F.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
330-334	22	Vascular lesions affecting central nervous system	F.	59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
340	23	Non-meningococcal meningitis	F.	62	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
300-326, 341-398	46.1	Other diseases of nervous system	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
400-402	24	Rheumatic fever	F.	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
410-416	25	Chronic rheumatic heart disease	F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
420-422	26	Arteriosclerotic and degenerative heart disease	F.	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
430-434	27	Other diseases of heart.	F.	115	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
440-443	28	Hyperaemic heart disease	F.	87	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification		Causes of Death	KINCARDINE COUNTY											KINROSS COUNTY																
			All Ages	under 4 weeks	1-4	5-10	15-25	35-45	55-65	75-85 and over	All Ages	under 4 weeks	1-4	5-10	15-25	35-45	55-65	75-85 and over												
Abbreviated List "B"	ALL CAUSES—Both Sexes	299	7	1	1	4	2	7	30	62	104	45	66	1	2	11	24	18	9	1	1	1	2	11	24	18	9	1	1	
	Males	142	3	1	1	2	2	4	17	20	32	51	23	1	1	4	9	7	1	1	1	1	2	4	9	7	1	1	1	
	Females	157	4	1	1	2	3	3	13	15	30	53	33	43	1	7	15	11	8	1	1	1	2	7	15	11	8	1	1	
	Tuberculosis of respiratory system	M.	2																											
	Tuberculosis, other forms	F.																												
	Syphilis and its sequelæ	F.												1																
	Dysentery, all forms	F.																												
	Whooping cough	F.																												
	Meningococcal infections	F.																												
	Acute poliomyelitis	F.																												
	Measles	M.																												
	Other infective and parasitic diseases (84, 5, 7, 8, 11, 13, 15, 16)*	M.	1																											
		F.																												
	18	Malignant neoplasms . . . Total	20				2	2	3	8	5	3	4	9							4									
	Detailed List	030-044, 049-055, 058-074, 081-084, 086-138	M.	22																	2									
		140-205	F.	4																	3									
		160-165	F.	2																	2									
200-205		M.	3			1	1	2	1	1	1	1								2										
140-159, 170-199		F.	13			1	2	1	5	4	3	2	9							2										
210-239		M.	19																	2										
260		F.																		1										
290-293		F.	3																	1										
240-254, 270-289, 294-299		M.																		1										
330-334		F.	17			1	1	1	1	4	8	3	6	7						1										
340		F.	25																	1										
300-326, 341-398		M.	3																	1										
400-402		F.																												
410-416		F.	1																	1										
420-422		F.	47				1	6	6	11	20	3	5	10						2										
430-434		F.	60				1	3	3	9	22	22	2	2						4										
		Other diseases of heart.	2																		1									

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification			KIRKCUDBRIGHT COUNTY													GLASGOW COUNTY OF CITY													
Causes of Death			All Ages	under 4 weeks	4 wks-	1-5	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	All Ages	under 4 weeks	4 wks-	1-5	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over			
Detailed List	Abbreviated List ("B")	ALL CAUSES—Both Sexes	401	3	—	—	2	6	4	12	36	50	101	129	54	13534	538	260	117	46	29	103	189	443	1268	2555	3528	3478	980
		Males	205	2	1	—	1	2	2	7	22	32	53	64	19	7136	325	142	67	32	21	62	106	239	792	1574	1853	1579	344
		Females	196	2	2	—	1	4	2	5	14	18	48	65	35	6398	213	118	50	14	8	41	83	204	476	981	1675	1899	636
001-008	1	Tuberculosis of respiratory system	1	—	—	—	—	—	—	—	1	—	—	—	—	142	—	—	1	—	—	2	8	19	24	41	37	9	1
010-019	2	Tuberculosis, other forms	1	—	—	—	—	—	—	—	—	—	—	—	—	69	—	—	3	—	—	3	13	17	16	10	4	6	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—	—	12	—	—	—	—	—	1	1	1	1	2	2	3	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	2	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	11	—	—	2	—	—	2	1	1	—	—	—	—	—
140-205	18	Malignant neoplasms . Total	41	—	—	—	—	—	—	—	8	12	9	10	2	1349	—	—	3	4	4	5	10	50	195	429	392	228	27
160-165	—	Malignant neoplasms of respiratory system	31	—	—	—	—	—	—	—	1	8	14	5	2	1094	—	—	6	2	—	4	11	71	177	247	332	204	39
200-205	—	Malignant neoplasms of lymphatic and hematopoietic tissues	1	—	—	—	—	—	—	—	—	—	—	—	—	583	—	—	—	—	—	—	22	97	230	172	58	3	
140-159, 170-199	—	Other malignant neoplasms	34	—	—	—	—	—	—	—	1	—	—	—	—	49	—	—	1	1	1	3	4	15	14	8	2	1	—
210-239	19	Benign and unspecified neoplasms	29	—	—	—	—	—	—	—	6	8	10	—	2	713	—	—	5	1	3	6	24	83	185	212	168	37	—
260	20	Diabetes mellitus	—	—	—	—	—	—	—	—	1	7	14	5	2	930	—	—	1	1	1	1	1	1	1	2	1	2	—
290-293	21	Anæmias	3	—	—	—	—	—	—	—	1	—	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289	46.0	Other general diseases	1	—	—	—	—	—	—	—	—	—	—	—	—	24	—	—	—	—	—	—	—	—	—	—	—	—	—
294-299	22	Vascular lesions affecting central nervous system	2	—	—	—	—	—	—	—	—	—	—	—	—	37	—	—	1	—	—	—	—	—	—	—	—	—	—
330-334	23	Non-meningococcal meningitis	28	—	—	—	—	—	—	—	—	—	—	—	—	55	—	—	1	—	—	—	—	—	—	—	—	—	—
340	23	Other diseases of nervous system	43	—	—	—	—	—	—	—	4	5	11	16	7	833	—	—	—	—	—	3	4	18	45	170	330	454	151
300-376, 341-398	46.1	Rheumatic fever	1	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—	1	—	—	—	—	—	—	—	—	—	—
400-402	24	Chronic rheumatic heart disease	1	—	—	—	—	—	—	—	—	—	—	—	—	80	—	—	6	1	1	2	5	10	15	17	11	2	—
410-416	25	Arteriosclerotic and degenerative heart disease	70	—	—	—	—	—	—	—	—	—	—	—	—	118	—	—	1	5	1	3	2	1	—	—	—	—	—
420-422	26	Other diseases of heart.	49	—	—	—	—	—	—	—	—	—	—	—	—	72	—	—	—	—	—	5	10	12	17	16	6	2	—
430-434	27		2	—	—	—	—	—	—	—	—	—	—	—	160	—	—	—	—	—	—	6	14	24	47	40	15	12	—
440-443	28		6	—	—	—	—	—	—	—	—	—	—	—	1876	—	—	—	—	—	—	1	3	48	229	469	545	476	105

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification		Causes of Death	AIRDRIE BURGH														COATBRIDGE BURGH													
			All Ages	under 4 weeks	4 wks—	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over	under 4 weeks	4 wks—	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over	
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	312	10	9	—	—	1	3	4	7	26	66	79	87	20	18	13	11	—	4	3	20	48	118	134	137	47		
		Males	170	6	5	—	—	1	2	4	3	16	36	43	47	7	10	7	4	—	2	1	12	33	63	84	73	19		
		Females	142	4	4	—	—	—	—	—	4	10	30	36	40	13	8	6	7	—	2	2	8	15	55	50	64	28		
001-008	1	Tuberculosis of respiratory system	M.	—	—	—	—	—	—	—	—	—	—	2	—	5	—	—	—	—	—	—	—	—	—	—	—	—		
	2	Tuberculosis, other forms	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
010-019	3	Syphilis and its sequelæ	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	6	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
045-048	9	Whooping cough	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	10	Meningococcal infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
056	12	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	14	Measles	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
057	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	18	Malignant neoplasms . Total	M.	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
140-205	—	Malignant neoplasms of respiratory system	F.	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	160-165	Malignant neoplasms of lymphatic and hematopoietic tissues	M.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
200-205	—	Other malignant neoplasms	F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	140-159, 170-199	Benign and unspecified neoplasms	M.	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
210-239	19	Diabetes mellitus	F.	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	260	Anæmias	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
290-293	21	Other general diseases	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	240-254, 270-289, 294-299, 330-334	Vascular lesions affecting central nervous system	M.	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
340	22	Non-meningococcal meningitis	F.	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	300-326, 341-398	Other diseases of nervous system	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
400-402	46.1	Rheumatic fever	F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	410-416	Chronic rheumatic heart disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
420-422	25	Arteriosclerotic and degenerative heart disease	F.	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	430-434	Other diseases of heart.	M.	59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F.	52	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			M.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification		Causes of Death	HAMILTON BURGH										MOTHERWELL AND WISHAW BURGH																	
			All Ages	under 4 weeks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All Ages	under 4 weeks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
Abbreviated List "B"	Detailed List	ALL CAUSES—Both Sexes	459	21	13	1	2	1	5	9	13	43	90	96	128	37	814	31	17	5	2	3	6	12	25	65	155	226	208	59
		Males	266	11	9	2	2	2	6	7	32	56	60	69	17	450	21	8	3	1	1	3	5	18	47	90	116	109	28	
		Females	193	10	4	1	1	1	3	7	11	34	36	59	20	364	10	9	2	1	2	3	7	7	18	65	110	99	31	
001-008		Tuberculosis of respiratory system	2	1	—	—	—	—	—	—	2	—	—	—	—	6	—	—	—	—	—	—	—	—	—	4	1	—	—	—
010-019		Tuberculosis, other forms	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029		Syphilis and its sequelæ	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048		Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056		Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057		Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080		Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085		Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138		Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205		Malignant neoplasms . Total	41	2	1	1	1	2	4	14	6	6	6	6	5	81	—	—	—	—	—	—	—	—	—	—	—	—	—	—
160-165		Malignant neoplasms of respiratory system	30	—	—	—	—	3	5	10	4	6	6	6	2	64	—	—	—	—	—	—	—	—	—	—	—	—	—	—
200-205		Malignant neoplasms of lymphatic and hematopoietic tissues	8	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-159, 170-199		Other malignant neoplasms	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239		Benign and unspecified neoplasms	32	1	1	1	1	4	8	5	5	5	5	5	52	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260		Diabetes mellitus	26	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293		Anæmias	3	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299, 330-334		Other general diseases	4	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340		Vascular lesions affecting central nervous system	23	1	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398		Non-meningococcal meningitis	42	—	—	—	—	—	—	—	—	—	—	—	61	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402		Other diseases of nervous system	3	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416		Rheumatic fever	2	—	—	—	—	—	2	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422		Chronic rheumatic heart disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434		Arteriosclerotic and degenerative heart disease	93	—	—	—	—	—	—	—	—	—	—	—	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443		Other diseases of heart.	52	—	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification			Causes of Death		RUTHERGLEN BURGH													LANARK CO. (ex County of City and Large Burghs)															
					All Ages	under 4 weeks	4 wks-1 yr	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	All Ages	under 4 weeks	4 wks-1 yr	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over			
Detailed List			Abbr- viated List "B"		316	10	3	2	1	3	4	5	6	21	57	89	84	31	3758	158	77	29	10	16	36	59	130	326	656	994	985	282	
					163	5	2	1	1	2	4	2	3	13	37	46	33	14	2079	90	45	16	5	8	19	42	70	217	410	533	510	114	
					153	5	1	1	1	1	3	3	8	20	43	51	17	1679	68	32	13	5	8	17	17	60	109	246	461	475	168		
001-008					1	1	1	1	1	1	1	1	1	1	1	1	1	1	26	1	1	1	1	1	1	1	1	1	1	1	1	1	
010-019					1	1	1	1	1	1	1	1	1	1	1	1	1	1	14	1	1	1	1	1	1	1	1	1	1	1	1	1	
020-029					1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	
045-048					1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	
056					1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	
057					1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	
080					1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	
085					1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	
030-044, 049-055, 058-074, 081-084, 086-138					1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1
140-205					34	1	1	1	1	1	1	1	1	1	1	1	1	1	37	1	1	1	1	1	1	1	1	1	1	1	1	1	
160-165					25	1	1	1	1	1	1	1	1	1	1	1	1	2	268	1	1	1	1	1	1	1	1	1	1	1	1	1	
200-205					18	1	1	1	1	1	1	1	1	1	1	1	1	19	65	71	59	13	1	1	1	1	1	1	1	1	1	1	
140-159, 170-199					1	1	1	1	1	1	1	1	1	1	1	1	1	15	24	8	1	1	1	1	1	1	1	1	1	1	1	1	
210-239					15	1	1	1	1	1	1	1	1	1	1	1	1	15	194	1	1	1	1	1	1	1	1	1	1	1	1	1	
260					22	1	1	1	1	1	1	1	1	1	1	1	1	224	4	1	1	1	1	1	1	1	1	1	1	1	1	1	
290-293					1	1	1	1	1	1	1	1	1	1	1	1	1	6	4	1	1	1	1	1	1	1	1	1	1	1	1	1	
240-254, 270-289, 294-299					4	1	1	1	1	1	1	1	1	1	1	1	1	7	33	2	2	2	2	2	2	2	2	2	2	2	2	2	
330-334					1	1	1	1	1	1	1	1	1	1	1	1	1	12	4	1	1	1	1	1	1	1	1	1	1	1	1	1	
340					1	1	1	1	1	1	1	1	1	1	1	1	1	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
300-326, 341-398					1	1	1	1	1	1	1	1	1	1	1	1	1	1	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1
400-402					1	1	1	1	1	1	1	1	1	1	1	1	1	1	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1
410-416					1	1	1	1	1	1	1	1	1	1	1	1	1	1	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1
420-422					1	1	1	1	1	1	1	1	1	1	1	1	1	1	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1
430-434					1	1	1	1	1	1	1	1	1	1	1	1	1	1	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1
440-443					1	1	1	1	1	1	1	1	1	1	1	1	1	1	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification		Causes of Death	EDINBURGH COUNTY OF CITY														MIDLOTHIAN COUNTY (excluding County of City)													
			All Ages	under 4 weeks	4 wks-1 yr	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	All Ages	under 4 weeks	4 wks-1 yr	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over		
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	6246	143	56	37	10	8	36	70	146	440	1039	1584	1961	716	1189	40	11	3	3	6	14	48	99	193	339	317	106	
		Males	3007	80	32	20	5	23	39	71	252	618	832	812	218	637	26	8	5	3	3	11	29	51	108	186	163	41	15	
		Females	3239	63	24	17	5	13	31	75	188	421	752	1149	498	552	14	2	6	—	—	—	—	—	—	—	—	—	—	
001-008	1	Tuberculosis of respiratory system	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
010-019	2	Tuberculosis, other forms	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
020-029	3	Syphilis and its sequelae	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
057	10	Meningococcal infections	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
080	12	Acute poliomyelitis	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
085	14	Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
140-205	18	Malignant neoplasms . Total	644	—	2	2	3	10	15	88	180	180	142	180	142	22	112	—	—	—	—	—	—	—	—	—	—	—	—	
160-165	—	Malignant neoplasms of respiratory system	550	—	2	1	2	9	21	75	110	152	143	152	143	34	103	—	—	—	—	—	—	—	—	—	—	—	—	
200-205	—	Malignant neoplasms of lymphatic and hematopoietic tissues	248	—	—	—	—	—	2	4	47	94	67	32	2	42	3	—	—	—	—	—	—	—	—	—	—	—	—	
140-159, 170-199	—	Other malignant neoplasms	35	—	2	1	1	1	3	7	8	6	22	10	2	3	5	—	—	—	—	—	—	—	—	—	—	—	—	
210-239	19	Benign and unspecified neoplasms	28	—	—	—	—	—	1	1	5	5	9	9	9	20	65	—	—	—	—	—	—	—	—	—	—	—	—	
260	20	Diabetes mellitus	361	—	1	1	3	5	11	34	78	105	104	125	32	97	—	—	—	—	—	—	—	—	—	—	—	—	—	
290-293	21	Anaemias	474	—	2	1	1	6	20	64	99	125	124	2	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
240-254, 270-289, 294-299, 330-334	46.0	Other general diseases	9	—	—	—	—	—	3	1	2	4	4	6	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
340	22	Vascular lesions affecting central nervous system	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
300-326, 341-398	23	Non-meningococcal meningitis	600	—	—	—	—	—	2	4	20	81	136	264	91	95	—	—	—	—	—	—	—	—	—	—	—	—	—	
400-402	46.1	Other diseases of nervous system	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
410-416	24	Rheumatic fever	44	—	—	—	—	—	4	8	10	4	8	10	4	8	—	—	—	—	—	—	—	—	—	—	—	—	—	
420-422	25	Chronic rheumatic heart disease	47	—	—	—	—	—	2	3	6	7	10	14	4	5	—	—	—	—	—	—	—	—	—	—	—	—	—	
430-434	26	Arteriosclerotic and degenerative heart disease	4	—	—	—	—	—	1	3	5	7	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
440-443	27	Other diseases of heart.	56	—	—	—	—	—	4	7	19	264	267	74	211	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			888	—	—	—	—	—	6	16	91	233	376	199	177	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			922	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			48	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

[illegible]

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings. Including total for each country, except where indicated.

*Including typhoid fever, scarlet fever streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification	Causes of Death	ORKNEY COUNTY													PEEBLES COUNTY												
		All Ages	under 4 weeks w'ks=	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over	All Ages	under 4 weeks w'ks=	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	279	3	1	—	—	4	2	6	22	22	66	94	54	192	5	—	—	—	3	4	13	30	47	65	25
		Males	135	3	1	—	—	3	2	11	11	39	39	25	104	3	—	—	—	—	3	2	8	20	28	30	10
		Females	144	2	1	—	—	1	2	4	11	11	27	55	29	88	2	—	—	—	—	2	5	10	19	35	15
001-008	1	Tuberculosis of respiratory system	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
010-019	2	Tuberculosis, other forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18	Malignant neoplasms . Total	F.	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205	—	Malignant neoplasms of respiratory system	M.	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
160-165	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
200-205	—	Other malignant neoplasms	M.	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-159, 170-199	—	Benign and unspecified neoplasms	M.	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239	19	Diabetes mellitus	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260	20	Anæmias	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293	21	Other general diseases	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299	46.0	Vascular lesions affecting central nervous system	M.	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	22	Non-meningococcal meningitis	M.	33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340	23	Other diseases of nervous system	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.1	Rheumatic fever	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402	24	Chronic rheumatic heart disease	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Arteriosclerotic and degenerative heart disease	M.	44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422	26	Other diseases of heart.	M.	32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434	27	Hypertensive heart disease	M.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443	28		M.	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification	Detailed List	Abbreviated List "B"	Causes of Death	PERTH BURGH										PERTH COUNTY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				All Ages	under 4 weeks	1-4	5-10	15-25	35-45	55-65	75-85 and over	All Ages	under 4 weeks	1-4	5-10	15-25	35-45	55-65	75-85 and over																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	ALL CAUSES—Both Sexes	520	7	3	—	3	11	11	40	101	111	153	63	1179	28	2	8	2	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—</

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification	Causes of Death	GREENOCK BURGH													PAISLEY BURGH														
		All Ages	under 4 weeks	4 wks-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over							
		4 wks-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over									
Detailed List	ALL CAUSES—Both Sexes	935	39	18	4	3	2	6	13	27	65	166	229	280	83	1185	51	23	9	1	5	13	12	39	94	222	326	289	101
	Males	498	21	10	1	1	1	5	8	17	41	102	123	131	37	615	29	11	5	1	2	9	8	18	61	135	162	134	40
	Females	437	18	8	3	2	1	1	5	10	24	64	106	149	46	570	22	12	4	—	3	4	4	21	33	87	164	155	61
001-008	Tuberculosis of respiratory system	M.	9	—	—	—	—	—	—	—	—	—	—	—	—	10	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—
010-019	Tuberculosis, other forms	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	Syphilis and its sequelæ	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	Whooping cough	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	Meningococcal infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	Measles	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205	Malignant neoplasms . Total	M.	90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	77	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
160-165	Malignant neoplasms of respiratory system	M.	36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
200-205	Malignant neoplasms of lymphatic and hematopoietic tissues	M.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-159, 170-199	Other malignant neoplasms	M.	50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	69	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239	Benign and unspecified neoplasms	M.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260	Diabetes mellitus	M.	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293	Anæmias	M.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299, 330-334	Other general diseases .	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Vascular lesions affecting central nervous system .	M.	57	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	64	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23	Non-meningococcal meningitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
46.1	Other diseases of nervous system	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	Rheumatic fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25	Chronic rheumatic heart disease	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26	Arteriosclerotic and degenerative heart disease	M.	144	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	132	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434	Other diseases of heart .	M.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443	Hypertensive heart disease	M.	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification	Causes of Death	ROSS & CROMARTY COUNTY													INSULAR PORTION OF ROSS AND CROMARTY														
		under 4 weeks w'ks-			1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	under 4 weeks w'ks-			1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
		All Ages	Males	Females												All Ages	Males	Females											
Detailed List "B",	ALL CAUSES—Both Sexes	834	447	2	3	2	2	5	12	16	52	92	198	270	159	356	10	2	1	2	1	2	4	7	22	37	76	113	79
	Males	387	208	2	3	2	2	4	8	30	50	98	123	49	153	5	5	1	1	1	1	1	5	13	19	32	55	18	55
	Females	447	239	3	2	1	—	1	4	8	22	42	100	147	110	203	5	1	1	—	—	—	3	2	9	18	44	58	61
001-008	Tuberculosis of respiratory system	3	—	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
010-019	Tuberculosis, other forms	2	—	—	—	—	—	—	—	—	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	Syphilis and its sequelæ	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18	Malignant neoplasms . Total	67	—	—	—	—	—	—	—	—	2	10	11	21	19	2	23	—	1	—	—	—	—	1	2	1	9	8	1
—	Malignant neoplasms of respiratory system	63	—	—	—	—	—	—	—	—	1	3	11	10	12	7	25	—	—	—	—	—	—	1	4	5	9	3	3
—	Malignant neoplasms of lymphatic and hematopoietic tissues	1	—	—	—	—	—	—	—	—	1	2	5	2	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—
—	Other malignant neoplasms	55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-159, 170-199	Benign and unspecified neoplasms	61	—	—	—	—	—	—	—	—	1	8	6	19	17	2	20	—	1	—	—	—	—	1	4	4	9	3	3
210-239	Diabetes mellitus	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260	Anæmias	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293	Other general diseases	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299	Vascular lesions affecting central nervous system	58	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
330-334	Non-meningococcal meningitis	70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340	Other diseases of nervous system	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	Rheumatic fever	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402	Chronic rheumatic heart disease	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	Arteriosclerotic and degenerative heart disease	123	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422	Other diseases of heart.	151	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434	Hypertensive heart disease	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443		9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification	Detailed List	Causes of Death	ROXBURGH COUNTY													SELKIRK COUNTY												
			All Ages	under 4 weeks	1	5	10	15	25	35	45	55	65	75	85 and over	All Ages	under 4 weeks	1	5	10	15	25	35	45	55	65	75	85 and over
	Abbreviated List "B"	ALL CAUSES—Both Sexes	648	9	2	2	1	2	4	13	39	81	190	229	74	303	4	4	—	2	—	—	9	22	49	89	97	27
		Males	302	3	2	2	1	1	9	21	45	97	194	25	142	4	2	—	—	1	—	—	5	11	27	39	49	27
		Females	346	6	2	—	—	—	3	4	18	36	93	135	49	161	3	2	—	1	—	—	4	11	22	50	48	20
		Tuberculosis of respiratory system	M. F.	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Tuberculosis, other forms	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Syphilis and its sequelæ	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Dysentery, all forms	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Whooping cough	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Meningococcal infections	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Acute poliomyelitis	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Measles	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Malignant neoplasms	M. F.	57	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Malignant neoplasms of respiratory system	M. F.	61	—	—	—	—	—	3	6	11	19	17	—	20	—	—	—	—	—	—	—	—	—	—	—	—
		Malignant neoplasms of lymphatic and hematopoietic tissues	M. F.	13	—	—	—	—	—	1	3	4	4	1	—	4	—	—	—	—	—	—	—	—	—	—	—	—
		Other malignant neoplasms	M. F.	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Benign and unspecified neoplasms	M. F.	37	—	—	—	—	—	1	1	1	1	1	—	16	—	—	—	—	—	—	—	—	—	—	—	—
		Diabetes mellitus	M. F.	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
		Anæmias	M. F.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other general diseases	M. F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Vascular lesions affecting central nervous system	M. F.	38	—	—	—	—	—	1	3	4	10	15	5	24	—	—	—	—	—	—	—	—	—	—	—	—
		Non-meningococcal meningitis	M. F.	61	—	—	—	—	—	2	3	20	32	4	40	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other diseases of nervous system	M. F.	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Rheumatic fever	M. F.	8	—	—	—	—	—	2	1	2	2	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—
		Chronic rheumatic heart disease	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Arteriosclerotic and degenerative heart disease	M. F.	106	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other diseases of heart	M. F.	112	—	—	—	—	—	1	10	9	24	25	11	45	—	—	—	—	—	—	—	—	—	—	—	—
		Hypertensive heart disease	M. F.	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

490-493	50	inuenza	F.	5	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
490-493	31	Pneumonia (except of newborn)	M.	6	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
500-502	32	Bronchitis	F.	10	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
510-527	46.3	Other respiratory diseases	F.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
540, 541	33	Ulcer of stomach and duodenum	M.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
550-553	34	Appendicitis	F.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
560, 561, 570	35	Intestinal obstruction and hernia	F.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
571, 572	36	Gastritis and duodenitis	F.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
581	37	Diarrhoea (except of newborn)	F.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
582-586	37	Cirrhosis of liver	F.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
582-586	46.4	Other diseases of liver	F.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	F.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
590-594	38	Nephritis and nephrosis	F.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
600-609, 611-637	39	Hyperplasia of prostate	F.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
640, 641, 651, 681, 682, 684	46.6	Other diseases of genito-urinary system	M.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
642-650, 652-680, 683, 685-689, 690-749	40.1	Puerperal sepsis including abortion with sepsis	F.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
750-759	46.7	Other puerperal causes	F.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57</																																											

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification		Detailed List	Abbr- viated List "B"	Causes of Death	FALKIRK BURGH										STIRLING BURGH																																																																																																																																																	
					All Ages	under 4 weeks	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over	All Ages	under 4 weeks	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over																																																																																																																																		
030-044, 049-055, 058-074, 081-084, 086-138 }	001-008 010-019 020-029 045-048 056 057 080 085 17	ALL CAUSES—Both Sexes Male Females	. .	457 254 203	5 1 4	4 — —	2 1 —	4 3 —	5 34 —	96 125 129	37 58 71	23 14 23	138 171 138	7 7 —	3 3 —	1 — —	2 6 3	7 11 29	3 14 34	14 36 51	14 36 51	15 9 39	43 36 43	75 94 94	34 34 34																																																																																																																																							
																										Tuberculosis of respiratory system Tuberculosis, other forms Syphilis and its sequelæ Dysentery, all forms Whooping cough Meningococcal infections Acute poliomyelitis Measles Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	3 2 — — — — — — — —	M. F. F. F. F. F. F. F. F. F.	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	— — — — — — — — — —	—<

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification			Causes of Death		STIRLING COUNTY (excluding Large Burghs)											SUTHERLAND COUNTY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
					All Ages	under 4 weeks w'ks-	4	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	under 4 weeks w'ks-	4	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Detailed List	Abbreviated List "B"																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification		Causes of Death	WEST LOTHIAN COUNTY														WIGTOWN COUNTY													
			All Ages	under 4 weeks	4 wks-1-	1-5-	5-10-	10-15-	15-25-	25-35-	35-45-	45-55-	55-65-	65-75-	75 and over	All Ages	under 4 weeks	4 wks-1-	1-5-	5-10-	10-15-	15-25-	25-35-	35-45-	45-55-	55-65-	65-75-	75 and over		
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	907	34	12	8	1	4	8	14	31	71	175	229	247	73	380	12	3	4	1	1	4	9	8	26	55	90	134	33
		Males	506	17	6	5	1	3	4	6	22	43	109	133	132	25	188	5	2	3	1	1	4	5	5	15	34	43	58	12
		Females	401	17	6	3	1	1	4	9	28	66	96	115	48	192	7	1	1	1	1	1	4	3	11	21	47	76	21	
001-008		Tuberculosis of respiratory system	M.	1																										
010-019		Tuberculosis, other forms	F.	1																										
020-029		Syphilis and its sequelæ	M.	1																										
045-048		Dysentery, all forms	M.																											
056		Whooping cough	M.																											
057		Meningococcal infections	F.																											
080		Acute poliomyelitis	M.																											
085		Measles	F.																											
030-044, 049-055, 058-074, 081-084, 086-138		Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.																											
140-205		Malignant neoplasms . Total	F.	100			1		2	4	13	20	34	20	6	24														
160-165		Malignant neoplasms of respiratory system	M.	19				1	1	1	4	5	8	2	1	30														
200-205		Malignant neoplasms of lymphatic and hæmatopoietic tissues	F.	5												2														
140-159, 170-199		Other malignant neoplasms	M.	76			1	1	1	4	9	14	23	18	6	15														
210-239		Benign and unspecified neoplasms	F.	61				1		8	23	14	14	1	26															
260		Diabetes mellitus	M.	2												1														
290-293		Anæmias	F.	3												1														
240-254, 270-289, 294-299 330-334		Other general diseases	M.	2												1														
340		Vascular lesions affecting central nervous system	F.	62					2	2	10	21	27	1	26															
300-326, 341-398		Non-meningococcal meningitis	M.	67				1	1	1	3	7	22	24	8	48														
400-402		Other diseases of nervous system	F.	5																										
410-416		Rheumatic fever	M.	12			1	1	1	1	3	5			3	1														
420-422		Chronic rheumatic heart disease	F.	6												2														
430-434		Arteriosclerotic and degenerative heart disease	M.	143			2	6	18	38	36	38	1	7	69															
440-443		Other diseases of heart	F.	100			1	1	4	9	29	41	16	56																
		Hypertensive heart disease	M.	5											2															
			F.	7											2															

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1959—continued

International Classification		Causes of Death		ZETLAND COUNTY										
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	Males	Females	All Ages	under 4 weeks	1-4	5-10	15-25	35-45	55-65	75-85 and over		
001-008	1	Tuberculosis of respiratory system	M.		1									
010-019	2	Tuberculosis, other forms	M.											
020-029	3	Syphilis and its sequelae	M.											
045-048	6	Dysentery, all forms	M.											
056	9	Whooping cough	M.											
057	10	Meningococcal infections	M.											
080	12	Acute poliomyelitis	M.											
085	14	Measles	M.											
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.											
140-205	18	Malignant neoplasms . Total	M.	20										
160-165	—	Malignant neoplasms of respiratory system	M.	21										
200-205	—	Malignant neoplasms of lymphatic and hematopoietic tissues	M.	3										
140-159, 170-199	—	Other malignant neoplasms	M.	5										
210-239	19	Benign and unspecified neoplasms	M.	12										
260	20	Diabetes mellitus	M.	20										
290-293	21	Anemias	M.	2										
240-254, 270-289, 294-299	46.0	Other general diseases	M.	1										
330-334	22	Vascular lesions affecting central nervous system	M.	15										
340	23	Non-meningococcal meningitis	M.	24										
300-326, 341-398	46.1	Other diseases of nervous system	M.	3										
400-402	24	Rheumatic fever	M.	3										
410-416	25	Chronic rheumatic heart disease	M.	—										
420-422	26	Arteriosclerotic and degenerative heart disease	M.	3										
430-434	27	Other diseases of heart.	M.	40										

480-483	30	Influenza	583	196	75	312	123	189	33	13
490-493	31	Pneumonia (except of newborn)	2,557	1,246	412	936	307	603	156	103
500-502	32	Bronchitis	2,556	1,246	375	936	307	474	114	71
470-475, 510-527	46.3	Other respiratory diseases	577	156	90	331	76	255	20	13
540, 541	33	Ulcer of stomach and duodenum	507	191	68	248	84	164	48	24
550-553	34	Appendicitis	94	31	19	44	21	23	6	4
560, 561, 570	35	Apical obstruction and hernia	339	125	60	154	58	96	19	12
560, 543	36.0	Gastritis and duodenitis	16	3	3	10	3	7	16	7
571, 572	36.1	Diarrhea (except of newborn)	296	104	49	143	50	93	11	8
581	37	Gastroenteritis	213	97	30	86	28	58	11	8
580, 582-586	46.4	Cirrhosis of liver	226	76	28	122	41	81	18	11
530-539, 542, 544, 545, 573-578, 587	46.5	Other diseases of liver	224	89	41	94	38	56	12	6
545, 573-578, 587		Other digestive diseases								
590-594										
610										
600-609, 611-637	38	Nephritis and nephrosis	411	126	72	213	88	125	27	16
640, 641, 651, 681, 682, 684	39	Hyperplasia of prostate	362	115	51	196	77	119	29	16
642-650, 652-680, 683, 685-689	40.0	Other diseases of genito-urinary system	429	177	74	178	72	106	32	20
683, 685-689	40.1	Puerperal sepsis including abortion with sepsis	11	3	5	3	1	2	1	1
	40.1	Other puerperal causes	25	7	5	13	6	7	2	—
46.7										
690-749	46.7	Diseases of skin and organs of locomotion	328	108	49	171	79	92	27	15
750-759	41	Congenital malformations	718	277	126	315	115	200	32	18
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	846	372	144	330	104	226	41	22
43.0		Pneumonia of newborn	97	31	20	46	18	28	6	—
43.1		Diarrhea of newborn	20	12	3	5	1	4	—	—
43.2		Other diseases of the newborn	17	8	1	8	4	4	1	—
44		Other diseases peculiar to early infancy and immaturity unqualified								
45.0		Senility with retention of psychosis	522	192	96	234	82	152	23	15
45.1		Ill-defined and unknown causes	483	85	80	318	110	208	17	2
E49		Suicide and self-inflicted injury	257	81	40	136	50	86	2	25
E47		Motor vehicle accidents	442	208	72	162	75	87	37	20
E48.0		Other road vehicle accidents	612	200	81	331	104	227	37	20
E48.1		Accidents in the home	21	8	1	12	11	11	1	47
E48.2		Other violence (BE50)	1,086	477	190	419	176	243	75	22
			699	217	105	377	123	254	46	
			63,061	24,343	10,093	28,625	11,461	17,164	3,908	2,296
		ALL CAUSES								
		AGES AT DEATH								
Under 1			2,816	1,156	511	1,149	402	747	129	76
1-4			432	179	64	189	65	124	22	10
5-9			161	64	23	74	26	48	8	4
10-14			169	52	35	82	22	60	14	9
15-24			497	164	84	249	80	169	23	12
25-34			784	303	122	359	135	224	53	28
35-44			1,804	708	309	787	269	518	96	60
45-54			4,951	2,036	819	2,096	806	1,290	287	180
55-64			10,577	4,407	1,792	4,378	1,744	2,634	665	422
65-74			16,347	6,278	2,645	7,424	3,044	4,380	948	587
75-84			18,219	6,826	2,808	8,585	3,520	5,065	1,190	673
85 and over			6,504	2,170	881	3,253	1,348	1,905	473	235
Not stated			—	—	—	—	—	—	—	—
		ALL AGES	63,061	24,343	10,093	28,625	11,461	17,164	3,908	2,296

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1959—continued

International Classification	Detailed List	Abbreviated List "B"	ANGUS COUNTY										ARGYLL COUNTY			
			Angus County	Dundee City	Arbroath Burgh	Brechin Burgh	Carnoustie Burgh	Forfar Burgh	Kirkcubright Burgh	Monifieth Burgh	Montrose Burgh	Landward	Argyll County	Campbelltown Burgh	Dunoon Burgh	
030-044, 049-055, 058-074, 081-084, 086-138	001-008 010-019 020-029 043-048 056 057 080 085 140-205 160-165 200-205 140-159, 170-199 210-239 260 290-293 240-254, 270-289, 294-299 330-334 340 300-326, 341-398 400-402 410-415 420-427	Population (Estimated), 30th June, 1959 Total Live Births Registered (including Illegitimate) Corr. for Mother's Resid. (c.) "														

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1959—continued

International Classification	Detailed List	Abbreviated List "B"	ARGYLL COUNTY—cont.					AYR COUNTY								
			Inveraray Burgh	Lochgilphead Burgh	Oban Burgh	Tobermory Burgh	Landward	Ayr County	Ardsossan Burgh	Ayr Burgh	Cumnock and Holmhead Burgh	Darvel Burgh	Galdston Burgh	Govan Burgh	Irvine Burgh	Kilmarnock Burgh
			501	1,163	6,064	652	31,852	343,697	9,744	44,440	5,346	3,341	4,570	6,073	16,418	45,776
			4	236	113	15	486	6,520	51	706	35	4	6	117	45	1,018
			6	18	113	9	15	486	190	831	109	57	76	96	340	996
			1	11	50	8	252	3,384	97	413	56	27	34	46	178	505
			5	7	63	7	234	3,133	93	418	53	30	42	50	162	491
			3	3	5	—	31	241	9	36	4	2	3	3	6	36
			—	—	2	—	4	149	2	4	—	—	—	—	—	4
			—	—	3	—	11	147	6	14	2	—	1	1	7	16
			7	8	61	4	121	2,593	59	439	76	18	55	46	141	380
			4	12	144	12	437	3,943	69	657	26	28	38	80	106	648
			6	18	98	15	521	4,050	107	594	51	46	50	86	167	584
			5	5	43	7	276	2,065	57	271	26	28	23	45	96	300
			1	11	55	8	245	1,985	50	323	25	18	27	41	71	284
			—	1	1	1	2	23	2	3	1	1	—	—	1	4
			—	—	—	—	—	5	1	2	—	—	—	—	—	2
			—	—	—	—	—	7	1	1	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	3	—	1	—	—	—	—	—	1
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—								

Cause	Disease	3	2	1	11	11	22	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316	1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331	1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361	1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376	1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391	1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406	1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421	1422	1423	1424	1425	1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436	1437	1438	1439	1440	1441	1442	1443	1444	1445	1446	1447	1448	1449	1450	1451	1452	1453	1454	1455	1456	1457	1458	1459	1460	1461	1462	1463	1464	1465	1466	1467	1468	1469	1470	1471	1472	1473	1474	1475	1476	1477	1478	1479	1480	1481	1482	1483	1484	1485	1486	1487	1488	1489	1490	1491	1492	1493
-------	---------	---	---	---	----	----	----	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1959—continued

[illegible]

480-483	30	Influenza	3	2	7	41	167	95	305	64	88	153	449	157	56	17	55	164
490-493	31	Pneumonia (except of newborn)	3	2	7	41	167	95	305	64	88	153	449	157	56	17	55	164
500-502	32	Bronchitis	6	1	6	3	5	2	11	2	3	6	26	6	3	—	2	15
470-475, 510-527	46.3	Other respiratory diseases	1	—	—	—	—	1	3	1	—	1	3	1	—	—	1	1
540, 541	33	Ulcer of stomach and duodenum	1	—	—	—	—	—	2	1	—	1	1	1	—	—	—	1
550-553	34	Appendicitis	1	—	—	—	—	—	5	1	—	1	1	1	—	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	1	—	—	—	—	—	4	1	—	1	3	4	1	1	—	2
571, 572	36.1	Gastritis and duodenitis	1	—	—	—	—	—	5	1	—	1	1	1	1	1	—	3
580, 582-586	37	Diarrhoea (except of newborn)	2	—	—	—	—	—	16	3	—	3	43	2	4	4	—	6
530-539, 542, 544, 545, 573-578, 587	46.4	Cirrhosis of liver	1	—	—	—	—	—	39	9	15	15	81	14	6	5	3	27
590-594	46.5	Other diseases of liver	1	—	—	—	—	—	76	10	25	41	110	28	4	12	38	38
600-609, 611-637	38	Nephritis and nephrosis	—	—	—	—	—	—	97	21	19	57	121	44	18	6	15	27
640, 641, 651, 681, 682, 684	39	Hyperplasia of prostate	—	—	—	—	—	—	48	11	14	23	47	18	10	1	7	11
642-650, 652-680, 683, 685-689	40.1	Other diseases of genito-urinary system	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
683, 685-689	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.7	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
750-759	41	Diseases of skin and organs of locomotion	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
760-762	42	Congenital malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
763	43.0	Birth injuries, postnatal asphyxia and atelectasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
764	43.1	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.2	Diarrhoea of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
794	45.0	Other diseases peculiar to early infancy and immaturity unqualified	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
780-793, 795	45.1	Senility without mention of psychosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E963, E970-E979	E49	Ill-defined and unknown causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E810-E835	E47	Suicide and self-inflicted injury	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E840-E845	E47	Motor vehicle accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E870-E936 (part)	E48.0	Other road vehicle accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E961 (part), E962 (part)	E48.1	Accidents in the home	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of E800-E999	E48.2	Other violence (BE50)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL CAUSES	303	41	167	95	305	64	88	153	449	157	56	17	55	164		
		AGES AT DEATH																
		Under 1	8	1	5	2	11	2	3	6	26	6	3	—	2	—	—	15
		1-4	3	—	2	1	3	1	1	1	3	1	1	—	1	—	—	1
		5-9	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	1
		10-14	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1
		15-24	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	2
		25-34	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	3
		35-44	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	2
		45-54	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	2
		55-64	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	3
		65-74	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	6
		75-84	—	—	—	—	16	—	—	—	—	—	—	—	—	—	—	27
		85 and over	—	—	—	—	39	—	—	—	—	—	—	—	—	—	—	38
		Not stated	104	18	56	30	76	10	25	15	81	14	6	5	3	15	27	27
			41	5	20	16	48	11	14	23	47	18	10	1	7	11	11	11
			303	41	167	95	305	64	88	153	449	157	56	17	55	164		
		ALL AGES																

[illegible]

[illegible]

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1959—continued

International Classification	Detailed List	Abbreviated List "B"	FIFE COUNTY—continued												
			Kirkcaldy Burgh	Ladybank Burgh	Leslie Burgh	Leven Burgh	Lochelly Burgh	Markinch Burgh	Newburgh Burgh	Newport-on-Tay Burgh	Pittenweem Burgh	St. Andrews Burgh	St. Monance Burgh	Tayport Burgh	Landward
			52,407	1,186	3,480	9,056	9,655	2,423	2,503	3,284	1,577	9,650	1,464	3,273	115,954
			1,576	8	33	46	68	12	13	392	4	28	13	53	2,780
			958	18	63	169	219	31	38	44	22	137	13	59	2,710
			493	12	36	86	125	16	22	15	11	69	8	26	1,214
			465	6	27	83	94	15	16	29	11	68	5	33	1,196
			53	3	3	4	6	1	1	1	1	10	—	4	31
			38	—	1	—	—	—	—	3	—	—	—	—	32
			23	1	1	3	5	2	13	—	—	1	—	—	43
			459	4	17	69	59	31	15	17	10	98	6	17	540
			652	14	24	71	42	28	21	44	20	110	20	30	981
			568	21	37	125	93	40	32	62	29	131	31	45	1,102
			283	8	24	70	58	23	17	23	16	63	13	20	688
			285	13	23	55	35	17	15	39	13	68	18	25	484
			1	—	1	1	1	—	—	—	—	—	—	—	7
			1	—	—	—	—	—	—	—	—	—	—	—	2
			2	—	—	—	—	—	—	—	—	—	—	—	—
			3	—	—	—	—	—	—	—	—	—	—	—	—
			6	—	—	—	—	—	—	—	—	—	—	—	—
			9	—	—	—	—	—	—	—	—	—	—	—	—
			10	—	—	—	—	—	—	—	—	—	—	—	—
			12	—	—	—	—	—	—	—	—	—	—	—	—
			14	—	—	—	—	—	—	—	—	—	—	—	—
			17	—	—	—	—	—	—	—	—	—	—	—	—
			18	—	—	—	—	—	—	—	—	—	—	—	—
			20	—	—	—	—	—	—	—	—	—	—	—	—
			21	—	—	—	—	—	—	—	—	—	—	—	—
			22	—	—	—	—	—	—	—	—	—	—	—	—
			23	—	—	—	—	—	—	—	—	—	—	—	—
			24	—	—	—	—	—	—	—	—	—	—	—	—
			25	—	—	—	—	—	—	—	—	—	—	—	—
			26	—	—	—	—	—	—	—	—	—	—	—	—
			27	—	—	—	—	—	—	—	—	—	—	—	—
			28	—	—	—	—	—	—	—	—	—	—	—	—
			29	—	—	—	—	—	—	—	—	—	—	—	—
			30	—	—	—	—	—	—	—	—	—	—	—	—
			31	—	—	—	—	—	—	—	—	—	—	—	—
			32	—	—	—	—	—	—	—	—	—	—	—	—
			33	—	—	—	—	—	—	—	—	—	—	—	—
			34	—	—	—	—	—	—	—	—	—	—	—	—
			35	—	—	—	—	—	—	—	—	—	—	—	—
			36	—	—	—	—	—	—	—	—	—	—	—	—
			37	—	—	—	—	—	—	—	—	—	—	—	—
			38	—	—	—	—	—	—	—	—	—	—	—	—
			39	—	—	—	—	—	—	—	—	—	—	—	—
			40	—	—	—	—	—	—	—	—	—	—	—	—
			41	—	—	—	—	—	—	—	—	—	—	—	—
			42	—	—	—	—	—	—	—	—	—	—	—	—
			43	—	—	—	—	—	—	—	—	—	—	—	—
			44	—	—	—	—	—	—	—	—	—	—	—	—
			45	—	—	—	—	—	—	—	—	—	—	—	—
			46	—	—	—	—	—	—	—	—	—	—	—	—
			47	—	—	—	—	—	—	—	—	—	—	—	—
			48	—	—	—	—	—	—	—	—	—	—	—	—
			49	—	—	—	—	—	—	—	—	—	—	—	—
			50	—	—	—	—	—	—	—	—	—	—	—	—
			51	—	—	—	—	—	—	—	—	—	—	—	—
			52	—	—	—	—	—	—	—	—	—	—	—	—
			53	—	—	—	—	—	—	—	—	—	—	—	—
			54	—	—	—	—	—	—	—	—	—	—	—	—
			55	—	—	—	—	—	—	—	—	—	—	—	—
			56	—	—	—	—	—	—	—	—	—	—	—	—
			57	—	—	—	—	—	—	—	—	—	—	—	—
			58	—	—	—	—	—	—	—	—	—	—	—	—
			59	—	—	—	—	—	—	—	—	—	—	—	—
			60	—	—	—	—	—	—	—	—	—	—	—	—
			61	—	—	—	—	—	—	—	—	—	—	—	—
			62	—	—	—	—	—	—	—	—	—	—	—	—
			63	—	—	—	—	—	—	—	—	—	—	—	—
			64	—	—	—	—	—	—	—	—	—	—	—	—
			65	—	—	—	—	—	—	—	—	—	—	—	—
			66	—	—	—	—	—	—	—	—	—	—	—	—
			67	—	—	—	—	—	—	—	—	—	—	—	—
			68	—	—	—	—	—	—	—	—	—	—	—	—
			69	—	—	—	—	—	—	—	—	—	—	—	—
			70	—	—	—	—	—	—	—	—	—	—	—	—
			71	—	—	—	—	—	—	—	—	—	—	—	—
			72	—	—	—	—	—	—	—	—	—	—	—	—
			73	—	—	—	—	—	—	—	—	—	—	—	—
			74	—	—	—	—	—	—	—	—	—	—	—	—
			75	—	—	—	—	—	—	—	—	—	—	—	—
			76	—	—	—	—	—	—	—	—	—	—	—	—
			77	—	—	—	—	—	—	—	—	—	—	—	—
			78	—	—	—	—	—	—	—	—	—	—	—	—
			79	—	—	—	—	—	—	—	—	—	—	—	—
			80	—	—	—	—	—	—	—	—	—	—	—	—
			81	—	—	—	—	—	—	—	—	—	—	—	—
			82	—	—	—	—	—	—	—	—	—	—	—	—
			83	—	—	—	—	—	—	—	—	—	—	—	—
			84	—	—	—	—	—	—	—	—	—	—	—	—
			85	—	—	—	—	—	—	—	—	—	—	—	—
			86	—	—	—	—	—	—	—	—	—	—	—	—
			87	—	—	—	—	—	—	—	—	—	—	—	—
			88	—	—	—	—	—	—	—	—	—	—	—	—
			89	—	—	—	—	—	—	—	—	—	—	—	—
			90	—	—	—	—	—	—	—	—	—	—	—	—
			91	—	—	—	—	—	—	—	—	—	—	—	—
			92	—	—	—	—	—	—	—	—	—	—	—	—
			93	—	—	—	—	—	—	—	—	—	—	—	—
			94	—	—	—	—	—	—	—	—	—	—	—	—
			95	—	—	—	—	—	—	—	—	—	—	—	—
			96	—	—	—	—	—	—	—	—	—	—	—	—
			97	—	—	—	—	—	—	—	—	—	—	—	—
			98	—	—	—	—	—	—	—	—	—	—	—	—
			99	—	—	—	—	—	—	—	—	—	—	—	—
			100	—	—	—	—	—	—	—	—	—	—	—	—
			101	—	—	—	—	—	—	—	—	—	—	—	—
			102	—	—	—	—	—	—	—	—	—	—	—	—
			103	—	—	—	—	—	—	—	—	—	—	—	—
			104	—	—	—	—	—	—	—	—	—	—	—	—
			105	—	—	—	—	—	—	—	—	—	—	—	—
			106	—	—	—	—	—	—	—	—	—	—	—	—
			107	—	—	—	—	—	—	—	—	—	—	—	—
			108	—	—	—	—	—	—	—	—	—	—	—	—
			109	—	—	—	—	—	—	—	—	—	—	—	—
			110	—	—	—	—	—	—	—	—	—	—	—	—
			111	—	—	—	—	—	—	—	—	—	—	—	—
			112	—	—	—	—	—	—	—	—	—	—	—	—
			113	—	—	—	—	—	—	—	—	—	—	—	—
			114	—	—	—	—	—	—	—	—	—	—	—	—
			115	—	—	—	—	—	—	—	—	—	—	—	—
			116	—	—	—	—	—	—	—	—	—	—	—	—
			117	—											

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1959—continued

International Classification	Detailed List	Abbreviated List "B"	KIRKCUDBRIGHT COUNTY								LANARK COUNTY				
			Kirkcudbright County	Castle Douglas Burgh	Dalbeattie Burgh	Gatehouse of Fleet Burgh	Kirkcudbright Burgh	New Galloway Burgh	Landward	Lanark County	Glasgow County of City	Airdrie Burgh	Biggar Burgh	Coatbridge Burgh	Hamilton Burgh
			30,268	3,298	3,402	886	2,503	287	19,892	1,631,759	1,076,614	33,397	1,442	53,754	41,612
			143	19	21	21	3	6	91	33,555	22,443	596	10	493	1,149
			558	53	57	14	48	3	380	17,524	22,598	768	16	1,325	898
			272	24	29	8	20	4	187	11,683	11,683	363	8	676	456
			286	29	28	6	28	2	193	16,894	10,915	405	8	649	442
			22	3	3	—	2	1	16	1,817	1,601	20	—	59	29
			1	2	—	—	1	—	8	1,835	1,640	8	—	—	2
			13	2	2	—	1	—	—	837	953	12	—	—	11
			185	20	25	8	29	7	102	13,667	9,552	319	16	23	419
			290	66	25	7	23	1	162	19,915	14,132	206	10	356	17
			401	56	48	11	33	6	244	19,745	13,134	312	28	344	293
			205	24	28	7	13	9	127	10,572	7,136	170	14	553	459
			196	32	20	4	20	3	117	9,174	6,398	142	12	508	266
			2	—	—	—	1	—	1	269	211	2	—	5	3
			—	—	—	—	—	—	—	26	21	—	—	—	—
			—	—	—	—	—	—	—	28	19	—	—	2	1
			—	—	—	—	—	—	—	5	7	—	—	—	—
			—	—	—	—	—	—	—	8	4	—	—	—	—
			—	—	—	—	—	—	—	4	4	—	—	—	—
			—	—	—	—	—	—	—	6	—	—	—	—	—
			—	—	—	—	—	—	—	—	6	—	—	—	—
			72	8	18	1	6	4	35	31	19	—	—	3	—
			7	1	—	—	1	2	2	3,456	2,443	45	8	88	71
			—	—	—	—	—	—	—	925	698	—	—	20	11
			2	7	1	1	5	2	32	165	102	4	1	6	2
			63	—	16	1	—	—	32	2,366	1,643	33	6	2	58
			—	—	—	—	—	—	—	33	19	—	—	2	—
			3	1	—	—	4	—	3	171	103	1	—	4	7
			1	—	—	—	—	—	—	77	50	2	—	3	1
			3	11	7	1	6	—	46	113	79	—	—	2	2
			71	1	—	1	—	—	2	2,008	2,008	49	2	70	65
			2	1	—	—	—	—	1	21	16	3	—	6	5
			2	1	—	—	—	—	1	273	198	—	—	—	1
			119	20	9	1	9	5	75	323	232	6	—	13	5
			8	—	—	—	—	—	8	5,239	3,435	11	10	164	143
			—	—	—	—	—	—	—	252	169	5	—	5	—
001-008		1													
010-019		2													
020-029		3													
045-048		6													
056		9													
057		10													
080		12													
085		14													
030-044, 049-055, 058-074, 081-084, 086-138		17													
140-159, 170-199		18													
210-239		—													
260		19													
290-293		21													
240-254, 270-289, 294-299		22													
330-334		23													
340		24													
300-326, 341-398		25													
400-402		26													
410-416		27													
420-422		—													
430-434		—													

[illegible]

[illegible]

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1959—continued

International Classification	Detailed List	Abbreviated List "B"	MORAY COUNTY							NAIRN COUNTY			ORKNEY COUNTY					
			Burhead Burgh	Eilgin Burgh	Forres Burgh	Grantown-on- Spey Burgh	Lossiemouth & Burgh	Rothies Burgh	Landward	Nairn County	Nairn Burgh	Landward	Orkney County	Kirkwall Burgh	Stromness Burgh	Landward		
			Population (Estimated), 30th June, 1959	49,944	1,388	11,707	5,056	1,475	5,270	1,202	23,846	8,278	4,742	3,556	19,239	4,186	1,448	13,601
			Total Live Births Registered (including Illegitimate)	848	25	277	82	28	12	17	125	127	11	116	308	238	9	61
			" Corr. for Mother's Resid. ("")	979	12	257	84	15	12	10	140	150	9	59	312	78	20	214
			" Female	528	13	158	45	15	84	10	204	84	47	37	169	43	7	119
			" Male	451	13	119	37	13	58	7	204	66	44	22	143	35	13	95
			" Stillbirths Registered (including Illegitimate)	39	—	6	4	2	3	1	21	11	7	4	8	1	1	6
			" Corrected for Mother's Residence	23	—	10	3	—	2	—	7	2	1	1	6	5	—	1
			Marriages Registered	319	10	145	36	11	53	4	60	65	56	9	134	53	13	138
			Deaths Registered	487	8	166	50	10	39	7	207	70	26	44	266	117	19	130
			" Corrected for Residence	505	13	150	51	23	70	14	184	94	51	43	279	51	26	202
			" Male	274	9	76	28	10	38	8	105	48	21	27	135	26	11	98
			" Female	231	4	74	23	13	32	6	79	46	30	16	144	25	15	104
			" CAUSES OF DEATH	2	—	1	—	—	—	—	1	—	—	—	1	—	—	1
			Tuberculosis of respiratory system	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, }			Malignant neoplasms	2	2	27	8	3	15	5	31	16	10	6	43	10	4	29
081-084, 086-138			Malignant neoplasms of respiratory system	91	2	26	2	—	—	—	—	—	—	—	—	—	—	—
140-205			Malignant neoplasms of lymphatic and hæmato- poietic tissues.	12	—	6	—	—	—	—	—	—	—	—	—	—	—	—
140-159, 170-199			Benign and unspecified neoplasms	73	2	20	6	3	2	4	26	13	7	6	38	7	4	27
210-239			Diabetes mellitus	1	—	4	1	—	—	—	—	—	—	—	—	—	—	—
260			Anæmias	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—
290-293			Other general diseases	8	—	3	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299			Vascular lesions affecting central nervous system	84	4	21	10	5	16	2	26	25	11	14	52	11	5	36
330-334			Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340			Other diseases of nervous system	—	—	3	—	1	1	—	4	1	2	1	3	1	—	—
300-326, 341-398			Rheumatic fever	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402			Chronic rheumatic heart disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416			Arteriosclerotic and degenerative heart disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422			Other diseases of heart	151	4	45	17	6	18	2	59	27	16	11	76	18	8	2
430-434			Hypertensive heart disease	8	—	2	—	—	—	—	6	—	1	—	4	2	—	50
440-443				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

490-493	Pneumonia (except of newborn)	44	21	13	150	51	23	70	14	184	94	51	43	279	51	26	202
500-502	Bronchitis	11	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
470-475, 510-527	Other respiratory diseases	46.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
540, 541	Ulcer of stomach and duodenum	33	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
550-553	Appendicitis	34	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
560, 561, 570	Intestinal obstruction and hernia	35	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
560, 563	Diarrhoea and duodenitis	36.0	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	Diarrhoea (except of newborn)	36.1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
581	Cirrhosis of liver	37.4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
580, 582-586	Other diseases of liver	46.4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	Other digestive diseases	46.5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
590-594	Nephritis and nephrosis	38	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
600-609, 611-637	Hyperplasia of prostate	39	9	—	3	—	—	2	1	3	1	1	1	5	9	2	57
640, 641, 651, 691, 682, 684	Other diseases of genito-urinary system	46.6	2	1	—	—	—	1	—	1	1	1	1	1	1	—	—
642-650, 652-680, 683, 685-689	Puerperal sepsis including abortion with sepsis	40.0	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
683, 685-689	Other puerperal causes	40.1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
46.7	Diseases of skin and organs of locomotion	46.7	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
41	Congenital malformations	41	7	—	1	—	2	3	1	3	1	1	1	2	1	1	1
42	Birth injuries, postnatal asphyxia and atelectasis	42	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
43.0	Pneumonia of newborn	43.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
43.1	Diarrhoea of newborn	43.1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
43.2	Other infections of the newborn	43.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
44	Other diseases peculiar to early infancy and immaturity unqualified	44	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45.0	Senility without mention of psychosis	45.0	8	—	4	—	1	1	—	2	2	—	—	4	1	1	14
45.1	Ill-defined and unknown causes	45.1	4	—	—	—	—	—	—	—	—	—	—	17	3	—	—
E963, E970-E979	Suicide and self-inflicted injury	E49	2	—	1	—	—	2	—	1	1	—	—	2	—	—	2
E810-E835	Motor vehicle accidents	E47	2	—	1	—	—	—	—	—	—	—	—	2	—	—	2
E840-E845	Other road vehicle accidents	E48	2	—	1	—	—	—	—	—	—	—	—	2	—	—	2
E870-E936 (part)	Accidents in the home	E48.1	6	2	—	—	—	—	—	4	—	—	—	6	1	—	5
E961 (part), E962 (part)	Other violence (BE50)	E48.2	6	—	—	—	—	—	—	4	—	—	—	1	—	—	1
Remainder of E800-E999																	
	ALL CAUSES	505	13	150	51	23	70	14	184	94	51	43	279	51	26	202	
	AGES AT DEATH																
Under 1		21	—	4	1	2	5	1	8	5	—	5	8	1	1	6	6
1-4		3	—	—	—	—	2	—	1	—	—	—	1	1	—	1	1
5-9		1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
10-14		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15-24		4	—	1	1	—	1	—	—	1	1	1	4	2	2	3	3
25-34		4	—	2	2	—	2	—	1	1	2	2	6	6	2	2	5
35-44		7	—	8	5	—	4	—	2	12	8	6	22	22	5	17	17
45-54		32	—	28	8	—	8	—	2	22	12	7	22	22	4	14	16
55-64		72	—	29	14	5	15	—	5	51	32	7	5	66	5	2	2
65-74		123	5	28	18	9	27	—	3	56	38	21	17	94	10	5	16
75-84		178	8	57	19	4	6	—	2	28	15	8	7	54	8	47	47
85 and over		60	—	19	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ALL AGES	505	13	150	51	23	70	14	184	94	51	43	279	51	26	202	

	31	32	33	34	35	36.1	37	38	39	40.1	41	42	43.1	44	45.0	46.3	47.94	E93.1	E93.2	E93.3	E93.4	E93.5	E93.6	E93.7	E93.8	E93.9	E93.10	E93.11	E93.12	E93.13	E93.14	E93.15	E93.16	E93.17	E93.18	E93.19	E93.20	E93.21	E93.22	E93.23	E93.24	E93.25	E93.26	E93.27	E93.28	E93.29	E93.30	E93.31	E93.32	E93.33	E93.34	E93.35	E93.36	E93.37	E93.38	E93.39	E93.40	E93.41	E93.42	E93.43	E93.44	E93.45	E93.46	E93.47	E93.48	E93.49	E93.50	E93.51	E93.52	E93.53	E93.54	E93.55	E93.56	E93.57	E93.58	E93.59	E93.60	E93.61	E93.62	E93.63	E93.64	E93.65	E93.66	E93.67	E93.68	E93.69	E93.70	E93.71	E93.72	E93.73	E93.74	E93.75	E93.76	E93.77	E93.78	E93.79	E93.80	E93.81	E93.82	E93.83	E93.84	E93.85	E93.86	E93.87	E93.88	E93.89	E93.90	E93.91	E93.92	E93.93	E93.94	E93.95	E93.96	E93.97	E93.98	E93.99	E94.0	E94.1	E94.2	E94.3	E94.4	E94.5	E94.6	E94.7	E94.8	E94.9	E94.10	E94.11	E94.12	E94.13	E94.14	E94.15	E94.16	E94.17	E94.18	E94.19	E94.20	E94.21	E94.22	E94.23	E94.24	E94.25	E94.26	E94.27	E94.28	E94.29	E94.30	E94.31	E94.32	E94.33	E94.34	E94.35	E94.36	E94.37	E94.38	E94.39	E94.40	E94.41	E94.42	E94.43	E94.44	E94.45	E94.46	E94.47	E94.48	E94.49	E94.50	E94.51	E94.52	E94.53	E94.54	E94.55	E94.56	E94.57	E94.58	E94.59	E94.60	E94.61	E94.62	E94.63	E94.64	E94.65	E94.66	E94.67	E94.68	E94.69	E94.70	E94.71	E94.72	E94.73	E94.74	E94.75	E94.76	E94.77	E94.78	E94.79	E94.80	E94.81	E94.82	E94.83	E94.84	E94.85	E94.86	E94.87	E94.88	E94.89	E94.90	E94.91	E94.92	E94.93	E94.94	E94.95	E94.96	E94.97	E94.98	E94.99	E95.0	E95.1	E95.2	E95.3	E95.4	E95.5	E95.6	E95.7	E95.8	E95.9	E95.10	E95.11	E95.12	E95.13	E95.14	E95.15	E95.16	E95.17	E95.18	E95.19	E95.20	E95.21	E95.22	E95.23	E95.24	E95.25	E95.26	E95.27	E95.28	E95.29	E95.30	E95.31	E95.32	E95.33	E95.34	E95.35	E95.36	E95.37	E95.38	E95.39	E95.40	E95.41	E95.42	E95.43	E95.44	E95.45	E95.46	E95.47	E95.48	E95.49	E95.50	E95.51	E95.52	E95.53	E95.54	E95.55	E95.56	E95.57	E95.58	E95.59	E95.60	E95.61	E95.62	E95.63	E95.64	E95.65	E95.66	E95.67	E95.68	E95.69	E95.70	E95.71	E95.72	E95.73	E95.74	E95.75	E95.76	E95.77	E95.78	E95.79	E95.80	E95.81	E95.82	E95.83	E95.84	E95.85	E95.86	E95.87	E95.88	E95.89	E95.90	E95.91	E95.92	E95.93	E95.94	E95.95	E95.96	E95.97	E95.98	E95.99	E96.0	E96.1	E96.2	E96.3	E96.4	E96.5	E96.6	E96.7	E96.8	E96.9	E97.0	E97.1	E97.2	E97.3	E97.4	E97.5	E97.6	E97.7	E97.8	E97.9	E98.0	E98.1	E98.2	E98.3	E98.4	E98.5	E98.6	E98.7	E98.8	E98.9	E99.0	E99.1	E99.2	E99.3	E99.4	E99.5	E99.6	E99.7	E99.8	E99.9	E100.0
1900	500-502	503-505	506-508	509-511	512-514	515-517	518-520	521-523	524-526	527-529	530-532	533-535	536-538	539-541	542-544	545-547	548-550	551-553	554-556	557-559	560-562	563-565	566-568	569-571	572-574	575-577	578-580	581-583	584-586	587-589	590-592	593-595	596-598	599-601	602-604	605-607	608-610	611-613	614-616	617-619	620-622	623-625	626-628	629-631	632-634	635-637	638-640	641-643	644-646	647-649	650-652	653-655	656-658	659-661	662-664	665-667	668-670	671-673	674-676	677-679	680-682	683-685	686-688	689-691	692-694	695-697	698-700	701-703	704-706	707-709	710-712	713-715	716-718	719-721	722-724	725-727	728-730	731-733	734-736	737-739	740-742	743-745	746-748	749-751	752-754	755-757	758-760	761-763	764-766	767-769	770-772	773-775	776-778	779-781	782-784	785-787	788-790	791-793	794-796	797-799	800-802	803-805	806-808	809-811	812-814	815-817	818-820	821-823	824-826	827-829	830-832	833-835	836-838	839-841	842-844	845-847	848-850	851-853	854-856	857-859	860-862	863-865	866-868	869-871	872-874	875-877	878-880	881-883	884-886	887-889	890-892	893-895	896-898	899-901	902-904	905-907	908-910	911-913	914-916	917-919	920-922	923-925	926-928	929-931	932-934	935-937	938-940	941-943	944-946	947-949	950-952	953-955	956-958	959-961	962-964	965-967	968-970	971-973	974-976	977-979	980-982	983-985	986-988	989-991	992-994	995-997	998-1000																																																																																																																																																																																														
1901	500-502	503-505	506-508	509-511	512-514	515-517	518-520	521-523	524-526	527-529	530-532	533-535	536-538	539-541	542-544	545-547	548-550	551-553	554-556	557-559	560-562	563-565	566-568	569-571	572-574	575-577	578-580	581-583	584-586	587-589	590-592	593-595	596-598	599-601	602-604	605-607	608-610	611-613	614-616	617-619	620-622	623-625	626-628	629-631	632-634	635-637	638-640	641-643	644-646	647-649	650-652	653-655	656-658	659-661	662-664	665-667	668-670	671-673	674-676	677-679	680-682	683-685	686-688	689-691	692-694	695-697	698-700	701-703	704-706	707-709	710-712	713-715	716-718	719-721	722-724	725-727	728-730	731-733	734-736	737-739	740-742	743-745	746-748	749-751	752-754	755-757	758-760	761-763	764-766	767-769	770-772	773-775	776-778	779-781	782-784	785-787	788-790	791-793	794-796	797-799	800-802	803-805	806-808	809-811	812-814	815-817	818-820	821-823	824-826	827-829	830-832	833-835	836-838	839-841	842-844	845-847	848-850	851-853	854-856	857-859	860-862	863-865	866-868	869-871	872-874	875-877	878-880	881-883	884-886	887-889	890-892	893-895	896-898	899-901	902-904	905-907	908-910	911-913	914-916	917-919	920-922	923-925	926-928	929-931	932-934	935-937	938-940	941-943	944-946	947-949	950-952	953-955	956-958	959-961	962-964	965-967	968-970	971-973	974-976	977-979	980-982	983-985	986-988	989-991	992-994	995-997	998-1000																																																																																																																																																																																														
1902	500-502	503-505	506-508	509-511	512-514	515-517	518-520	521-523	524-526	527-529	530-532	533-535	536-538	539-541	542-544	545-547	548-550	551-553	554-556	557-559	560-562	563-565	566-568	569-571	572-574	575-577	578-580	581-583	584-586	587-589	590-592	593-595	596-598	599-601	602-604	605-607	608-610	611-613	614-616	617-619	620-622	623-625	626-628	629-631	632-634	635-637	638-640	641-643	644-646	647-649	650-652	653-655	656-658	659-661	662-664	665-667	668-670	671-673	674-676	677-679	680-682	683-685	686-688	689-691	692-694	695-697	698-700	701-703	704-706	707-709	710-712	713-715	716-718	719-721	722-724	725-727	728-730	731-733	734-736	737-739	740-742	743-745	746-748	749-751	752-754	755-757	758-760	761-763	764-766	767-769	770-772	773-775	776-778	779-781	782-784	785-787	788-790	791-793	794-796	797-799	800-802	803-805	806-808	809-811	812-814	815-817	818-820	821-823	824-826	827-829	830-832	833-835	836-838	839-841	842-844	845-847	848-850	851-853	854-856	857-859	860-862	863-865	866-868	869-871	872-874	875-877	878-880	881-883	884-886	887-889	890-892	893-895	896-898	899-901	902-904	905-907	908-910	911-913	914-916	917-919	920-922	923-925	926-928	929-931	932-934	935-937	938-940	941-943	944-946	947-949	950-952	953-955	956-958	959-961	962-964	965-967	968-970	971-973	974-976	977-979	980-982	983-985	986-988	989-991	992-994	995-997	998-1000																																																																																																																																																																																														
1903	500-502	503-505	506-508	509-511	512-514	515-517	518-520	521-523	524-526	527-529	530-532	533-535	536-538	539-541	542-544	545-547	548-550	551-553	554-556	557-559	560-562	563-565	566-568	569-571	572-574	575-577	578-580	581-583	584-586	587-589	590-592	593-595	596-598	599-601	602-604	605-607	608-610	611-613	614-616	617-619	620-622	623-625	626-628	629-631	632-634	635-637	638-640	641-643	644-646	647-649	650-652	653-655	656-658	659-661	662-664	665-667	668-670	671-673	674-676	677-679	680-682	683-685	686-688	689-691	692-694	695-697	698-700	701-703	704-706	707-709	710-712	713-715	716-718	719-721	722-724	725-727	728-730	731-733	734-736	737-739	740-742	743-745	746-748	749-751	752-754	755-757	758-760	761-763	764-766	767-769	770-772	773-775	776-778	779-781	782-784	785-787	788-790	791-793	794-796	797-799	800-802	803-805	806-808	809-811	812-814	815-817	818-820	821-823	824-826	827-829	830-832	833-835	836-838	839-841	842-844	845-847	848-850	851-853	854-856	857-859	860-862	863-865	866-868	869-871	872-874	875-877	878-880	881-883	884-886	887-889	890-892	893-895	896-898	899-901	902-904	905-907	908-910	911-913	914-916	917-919	920-922	923-925	926-928	929-931	932-934	935-937	938-940	941-943	944-946	947-949	950-952	953-955	956-958	959-961	962-964	965-967	968-970	971-973	974-976	977-979	980-982	983-985	986-988	989-991	992-994	995-997	998-1000																																																																																																																																																																																														
1904	500-502	503-505	506-508	509-511	512-514	515-517	518-520	521-523	524-526	527-529	530-532	533-535	536-538	539-541	542-544	545-547	548-550	551-553	554-556	557-559	560-562	563-565	566-568	569-571	572-574	575-577	578-580	581-583	584-586	587-589	590-592	593-595	596-598	599-601	602-604	605-607	608-610	611-613	614-616	617-619	620-622	623-625	626-628	629-631	632-634	635-637	638-640	641-643	644-646	647-649	650-652	653-655	656-658	659-661	662-664	665-667	668-670	671-673	674-676	677-679	680-682	683-685	686-688	689-691	692-694	695-697	698-700	701-703	704-706																																																																																																																																																																																																																																																																																																

490-493	31	pneumonia (except of newborn)	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
---------	----	-------------------------------	----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

444-447	29	Other hypertensive disease	14	2	12	54	2	3	9	6	2	3	1	—	—	31
450-468	30	Other circulatory disease	13	—	—	8	—	—	10	1	1	1	1	—	—	28
480-483	31	Influenza	5	—	—	54	—	—	4	9	—	—	—	—	—	22
490-493	32	Pneumonia (except of newborn)	2	—	—	35	—	—	4	7	—	—	—	—	—	10
500-502	32	Bronchitis	2	—	—	13	—	—	1	—	—	—	—	—	—	4
470-475, 510-527	46.3	Other respiratory diseases	2	—	—	17	—	—	1	1	—	—	—	—	—	2
540, 541	33	Ulcer of stomach and duodenum	3	—	—	7	—	—	—	—	—	—	—	—	—	4
550-553	34	Appendicitis	—	—	—	1	—	—	—	—	—	—	—	—	—	2
560, 561, 570	35	Intestinal obstruction and hernia	1	—	—	4	—	—	—	—	—	—	—	—	—	2
571, 572	36	Gastritis and duodenitis	1	—	—	1	—	—	—	—	—	—	—	—	—	2
580, 582-586	36.1	Diarrhea (except of newborn)	—	—	—	1	—	—	—	—	—	—	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	37	Cirrhosis of liver	—	—	—	2	—	—	—	—	—	—	—	—	—	—
590-594	46.4	Other diseases of liver	3	—	—	3	—	—	—	—	—	—	—	—	—	—
600-609, 611-637	46.5	Other digestive diseases	—	—	—	1	—	—	—	—	—	—	—	—	—	—
640, 641, 651, 681, 682, 684	38	Nephritis and nephrosis	—	—	—	4	—	—	—	—	—	—	—	—	—	2
683, 685-689	39	Hyperplasia of prostate	—	—	—	8	—	—	—	—	—	—	—	—	—	4
690-749	46.6	Other diseases of genito-urinary system	3	—	—	5	—	—	—	—	—	—	—	—	—	1
750-759	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	1	—	—	—	—	—	—	—	—	—	—
760-762	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—
763	46.7	Diseases of skin and organs of locomotion	1	—	—	2	—	—	—	—	—	—	—	—	—	1
764	41	Congenital malformations	1	—	—	8	—	—	—	—	—	—	—	—	—	3
765-768	42	Birth injuries, postnatal asphyxia and atelectasis	3	—	—	11	—	—	—	—	—	—	—	—	—	8
769-776	43.0	Pneumonia of newborn	—	—	—	6	—	—	—	—	—	—	—	—	—	4
794	43.1	Diarrhea of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
780-793, 795	43.2	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E963, E970-E979	44	Other diseases peculiar to early infancy and immaturity unqualified	1	—	—	—	—	—	—	—	—	—	—	—	—	—
E810-E835	45.0	Senility without mention of psychosis	9	—	—	11	—	—	—	—	—	—	—	—	—	3
E840-E845	45.1	Ill-defined and unknown causes	8	2	—	2	—	—	—	—	—	—	—	—	—	2
E870-E936 (part)	E49	Suicide and self-inflicted injury	1	—	—	2	—	—	—	—	—	—	—	—	—	1
E961 (part), E962 (part)	E47	Motor vehicle accidents	3	—	—	11	—	—	—	—	—	—	—	—	—	5
Remainder of E800-E999	E48.0	Other road vehicle accidents	1	—	—	12	—	—	—	—	—	—	—	—	—	7
	E48.1	Accidents in the home	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	E48.2	Other violence (BE50)	6	—	—	12	—	—	2	—	—	—	—	—	—	6
		ALL CAUSES	209	11	198	907	56	128	115	42	24	29	513			
		AGES AT DEATH														
	Under 1		6	—	6	46	5	9	4	1	2	3	23			
	1-4		1	—	—	8	—	3	2	—	—	—	1			
	5-9		—	—	—	4	—	—	—	—	—	—	1			
	10-14		—	—	—	4	—	—	—	—	—	—	4			
	15-24		3	1	3	8	2	3	2	—	—	1	3			
	25-34		1	—	—	31	1	3	3	—	—	—	1			
	35-44		6	—	6	71	6	13	4	—	—	—	5			
	45-54		11	—	11	31	1	24	6	1	—	—	7			
	55-64		25	—	24	175	11	31	20	2	—	—	10			
	65-74		53	5	48	229	13	31	30	11	—	—	135			
	75-84		73	1	27	247	15	29	37	14	—	—	141			
	85 and over		30	3	27	73	1	13	7	3	—	—	45			
	Not stated		—	—	—	—	—	—	—	—	—	—	—			
		ALL AGES	209	11	198	907	56	128	115	42	24	29	513			

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 48. Standardised mortality ratios, age specific death rates, infant mortality rates from selected

International Detailed List Nos.	Cause of Death	Country	S.M.R.		Death Rates per Million Population							
			All Ages		All Ages		1-4		5-14		15-24	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
001-008	All Causes .	England and Wales	99	98	12,332	10,969	998.6	808.8	433.8	308.4	1,034	444.6
		Scotland .	112	118	13,010	11,348	1,324	1,057	474.8	287.9	906.5	493.8
		Northern Ireland .	102	115	11,636	10,283	973.9	941.0	429.0	396.3	817.2	347.1
010-019	Tuberculosis of respiratory system .	England and Wales	97	91	119.7	36.3	2.15	2.27	—	0.89	4.15	4.15
		Scotland .	122	169	137.9	62.7	10.8	—	—	2.38	5.74	13.6
		Northern Ireland .	117	149	124.0	51.2	—	—	—	—	—	9.3
020-029	Tuberculosis, other forms .	England and Wales	91	95	8.68	8.08	12.9	9.07	2.54	2.66	2.07	2.7
		Scotland .	152	129	14.0	10.4	32.4	5.65	4.54	—	14.3	5.4
		Northern Ireland .	194	163	17.5	12.5	34.8	—	7.40	—	8.79	9.3
057	Syphilis and its sequelæ .	England and Wales	102	102	28.6	14.1	—	—	—	—	0.35	—
		Scotland .	85	76	21.6	9.27	—	—	—	—	—	—
		Northern Ireland .	72	125	17.5	13.9	—	—	—	—	—	—
080	Meningococcal infections .	England and Wales	96	98	4.43	2.64	27.3	13.6	1.97	2.66	1.04	1.0
		Scotland .	108	110	5.61	3.34	27.0	17.0	2.27	—	2.87	—
		Northern Ireland .	179	122	10.2	4.16	52.2	55.4	—	—	—	—
001-138	Acute poliomyelitis .	England and Wales	115	111	1.87	1.06	2.15	3.78	1.69	1.48	2.42	1.0
		Scotland .	—	37	—	0.37	—	—	—	—	—	—
		Northern Ireland .	—	—	—	—	—	—	—	—	—	—
140-148	Other infective and parasitic diseases	England and Wales	96	96	25.9	22.5	45.2	34.8	12.1	15.6	7.94	6.9
		Scotland .	106	126	28.5	29.3	59.4	67.8	4.54	11.9	8.61	10.9
		Northern Ireland .	195	150	52.5	34.6	52.2	36.9	—	7.77	17.6	18.8
150	Malignant neoplasm of buccal cavity and pharynx .	England and Wales	99	96	57.1	26.1	0.72	—	1.13	0.59	1.38	1.7
		Scotland .	112	133	59.3	32.3	—	—	—	—	2.87	—
		Northern Ireland .	101	132	52.5	29.1	—	—	—	—	—	—
151	oesophagus .	England and Wales	98	96	62.6	40.6	—	—	—	—	—	0.3
		Scotland .	123	138	71.8	50.4	—	—	—	—	—	—
		Northern Ireland .	80	91	45.2	30.5	—	—	—	—	—	—
153	stomach .	England and Wales	98	98	362.3	261.5	—	—	—	—	1.04	1.3
		Scotland .	113	119	378.4	276.6	—	—	—	—	2.87	—
		Northern Ireland .	107	120	345.6	254.8	—	—	—	—	—	—
154	large intestine .	England and Wales	98	97	165.0	235.8	—	—	0.28	—	1.73	0.6
		Scotland .	126	123	194.8	257.7	—	—	—	—	—	2.7
		Northern Ireland .	91	111	137.1	213.3	—	—	—	—	—	—
161	rectum .	England and Wales	101	100	139.8	110.7	—	—	—	—	0.69	0.3
		Scotland .	93	99	117.5	94.9	—	—	—	—	—	—
		Northern Ireland .	96	85	118.1	74.8	17.4	—	—	—	—	—
162, 163	larynx .	England and Wales	101	99	29.4	7.66	—	—	—	—	—	0.3
		Scotland .	92	86	24.5	5.93	—	—	—	—	—	—
		Northern Ireland .	92	200	23.3	12.5	—	—	—	—	—	—
170	trachea, bronchus, and lung	England and Wales	101	98	830.8	122.6	—	0.76	0.56	0.59	3.45	2.0
		Scotland .	104	122	784.9	137.9	—	—	—	—	—	5.4
		Northern Ireland .	58	92	405.4	94.2	—	—	—	—	8.79	—
171	breast .	England and Wales	97	101	2.83	370.5	—	—	—	—	—	0.6
		Scotland .	121	100	3.21	330.7	—	—	—	—	—	—
		Northern Ireland .	115	77	2.92	231.3	—	—	—	—	—	—
172	cervix uteri .	England and Wales	—	103	—	108.7	—	0.76	—	—	—	0.6
		Scotland .	—	85	—	81.6	—	—	—	—	—	—
		Northern Ireland .	—	62	—	54.0	—	—	—	—	—	—
177	corpus uteri .	England and Wales	—	109	—	51.7	—	—	—	0.59	—	0.6
		Scotland .	—	34	—	14.5	—	—	—	—	—	—
		Northern Ireland .	—	11	—	4.16	—	—	—	—	—	—
181	prostate .	England and Wales	100	—	164.0	—	0.72	—	—	—	0.35	—
		Scotland .	98	—	145.5	—	—	—	—	—	—	—
		Northern Ireland .	98	—	145.8	—	—	—	—	—	—	—
204	bladder and other urinary organs .	England and Wales	100	100	91.9	40.6	1.44	0.76	—	—	—	—
		Scotland .	106	108	89.0	37.8	—	—	—	—	—	—
		Northern Ireland .	65	65	52.5	20.8	—	—	—	—	—	—
204	Leukæmia and aleukæmia .	England and Wales	101	101	60.1	51.9	55.3	45.4	33.5	29.5	24.2	18.7
		Scotland .	96	97	54.9	47.1	64.8	50.9	27.3	14.3	11.5	30.0
		Northern Ireland .	98	92	55.4	42.9	69.6	18.5	37.0	46.6	70.3	18.8

NOTE. Rates based upon less than

uses and estimated mid-year populations in 1959 in England and Wales, Scotland and Northern Ireland

Death Rates per Million Population														Deaths under 1 Year per thousand live births	
25-34		35-44		45-54		55-64		65-74		75-84		85 and over		M.	F.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
132	790.2	2,418	1,778	7,231	4,364	21,841	10,803	53,625	30,534	122,246	86,264	240,033	215,383	24.5	19.8
338	923.0	3,070	2,293	9,175	5,217	25,529	13,804	60,268	37,085	131,793	100,135	259,161	256,755	32.0	24.5
204	750.0	2,836	1,986	7,861	5,326	21,736	12,591	56,203	36,578	114,185	92,278	328,750	293,784	29.4	27.4
0.9	33.0	72.7	43.5	140.6	45.5	324.5	53.1	528.2	86.3	492.4	96.7	400.0	88.1	0.01	0.01
8.2	88.3	140.2	106.5	184.7	92.0	396.1	92.1	561.4	100.4	477.7	120.9	229.8	—	0.02	0.02
6.9	54.3	146.7	90.3	261.2	114.5	257.2	97.5	641.7	82.0	489.1	77.2	—	—	—	—
5.10	5.44	7.43	5.32	11.4	6.68	13.4	11.7	18.6	17.5	30.6	30.7	22.2	15.5	0.01	0.01
8.73	—	15.2	8.63	20.9	11.1	12.0	23.0	28.1	33.5	—	40.3	—	—	—	—
2.3	—	12.2	22.6	24.9	34.4	64.3	27.9	—	20.5	—	—	—	—	—	—
1.70	0.34	7.75	1.88	20.5	9.41	68.8	25.5	172.0	52.6	198.6	90.0	100.0	93.3	0.00	0.00
5.82	—	3.05	2.88	20.9	5.57	76.0	19.7	112.3	47.8	143.3	40.3	—	126.9	—	—
—	—	12.2	—	12.4	—	80.4	13.9	80.2	82.0	108.7	154.4	—	270.3	—	—
0.70	0.68	0.65	—	0.95	—	0.84	0.71	2.14	0.97	—	0.96	—	—	0.10	0.07
—	—	3.05	—	—	—	—	—	7.02	—	—	—	—	—	0.10	0.12
—	—	—	—	—	—	—	—	26.7	—	54.3	—	—	—	0.13	—
6.12	2.38	1.29	1.56	0.32	—	0.42	—	—	—	—	—	—	—	0.00	—
—	—	—	2.88	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8.15	8.84	16.5	14.1	27.1	15.8	41.1	33.3	37.8	31.2	74.7	47.9	211.1	155.4	0.16	0.14
2.91	5.70	18.3	17.3	29.8	19.5	48.0	46.5	70.2	43.0	111.5	50.4	—	—	0.18	0.31
—	21.7	24.4	22.6	62.2	—	16.1	27.9	133.7	41.0	217.4	77.2	—	270.3	0.88	0.60
2.04	4.08	9.05	7.82	31.2	23.1	90.3	48.5	284.1	79.4	699.5	147.5	911.1	202.1	—	—
8.73	—	9.15	8.63	38.7	22.3	60.0	82.2	308.8	95.6	987.2	261.9	804.1	317.1	—	—
—	10.9	—	11.3	—	45.8	96.5	55.7	347.6	123.0	543.5	193.1	2,917	—	—	—
1.36	1.02	7.75	5.32	37.2	20.9	127.2	64.0	331.2	141.3	643.5	301.7	855.6	409.3	—	—
—	—	15.2	8.63	53.6	25.1	180.1	62.5	364.9	200.7	748.4	533.8	1,379	634.3	—	—
—	—	12.2	11.3	—	22.9	80.4	69.6	427.8	123.0	326.1	270.3	1,250	270.3	—	—
11.2	9.86	65.3	37.2	294.2	126.3	863.1	355.3	1,925	950.8	2,986	2,019	2,744	2,668	—	—
2.91	19.9	34.5	34.5	348.6	142.1	980.4	460.5	2,021	1,209	3,694	2,206	3,676	4,059	—	—
—	—	73.3	45.1	360.7	148.9	916.4	417.8	2,353	1,475	2,826	2,046	2,083	3,243	—	—
11.2	7.48	32.3	40.7	103.1	142.3	309.0	343.9	814.4	776.8	1,829	1,745	2,122	2,751	—	—
11.6	14.2	39.6	40.3	137.1	147.7	340.1	430.9	1,046	998.9	2,595	2,216	2,987	3,933	—	—
24.6	—	36.7	56.4	124.4	148.9	337.6	334.3	882.4	1,045	1,141	1,931	1,667	2,973	—	—
4.76	5.78	22.6	23.5	82.9	68.0	272.5	165.6	728.8	367.9	1,492	805.6	1,789	1,145	—	—
2.91	2.85	21.3	20.1	113.2	80.8	232.1	230.2	645.6	406.3	1,226	574.1	2,298	444.0	—	—
—	—	12.2	11.3	149.3	91.6	289.4	83.6	828.9	348.4	815.2	617.8	1,250	1,622	—	—
1.02	0.34	4.85	2.19	18.0	8.19	78.1	15.9	142.8	24.9	263.2	35.4	300.0	57.0	—	—
2.91	—	—	2.88	20.9	8.36	68.0	13.2	154.4	19.1	191.1	30.2	229.8	63.4	—	—
—	—	—	11.3	12.4	11.5	96.5	41.8	133.7	41.0	163.0	38.6	416.7	270.3	—	—
23.8	10.2	181.9	46.0	911.7	146.6	2,849	287.0	4,171	410.8	3,211	467.4	1,378	367.9	—	—
23.3	14.2	170.7	74.8	1,031	167.2	3,013	335.5	4,225	540.1	2,850	564.0	1,608	507.4	—	—
24.6	10.9	183.4	79.0	572.1	160.4	1,785	153.2	2,005	430.3	1,467	424.7	416.7	810.8	—	—
—	35.4	0.32	200.6	2.21	551.1	7.14	742.0	12.8	1,050	23.8	1,409	55.6	2,192	—	—
—	45.6	—	235.9	2.98	523.9	8.00	707.1	21.1	1,023	15.9	1,390	114.9	2,474	—	—
—	32.6	12.2	158.0	—	446.7	—	515.3	26.7	737.7	—	1,351	—	810.8	—	—
—	20.1	—	99.8	—	162.4	—	208.1	—	286.1	—	370.7	—	399.0	—	—
—	11.4	—	86.3	—	153.3	—	180.9	—	215.1	—	271.9	—	253.7	—	—
—	—	—	90.3	—	148.9	—	111.4	—	143.4	—	115.8	—	—	—	—
—	1.02	—	8.14	—	41.0	—	129.5	—	189.6	—	223.2	—	300.5	—	—
—	—	—	—	—	13.9	—	32.9	—	66.9	—	90.6	—	63.4	—	—
—	—	—	—	—	—	—	27.9	—	—	—	38.6	—	—	—	—
—	—	0.65	—	15.8	—	154.1	—	882.2	—	2,696	—	3,833	—	—	—
—	—	3.05	—	17.9	—	144.1	—	884.2	—	2,611	—	3,446	—	—	—
—	—	—	12.4	—	112.5	—	1,043	—	1,043	—	2,337	—	4,167	—	—
0.34	1.02	10.0	2.82	51.7	16.7	203.6	59.8	506.8	144.2	882.9	308.4	1,100	513.0	—	—
—	—	6.10	8.63	41.7	16.7	224.1	65.8	561.4	133.8	955.4	402.9	1,149	317.1	—	—
—	—	—	—	49.8	—	128.6	55.7	427.8	82.0	380.4	231.7	416.7	270.3	—	—
21.4	20.1	40.4	27.9	41.0	45.8	105.4	77.1	191.3	128.2	314.1	183.0	200.0	145.1	0.02	0.02
14.5	14.2	18.3	23.0	68.5	50.2	104.0	55.9	252.6	124.3	191.1	251.8	—	126.9	0.02	—
24.6	—	36.7	11.3	12.4	57.3	48.2	69.6	160.4	163.9	326.1	77.2	—	270.3	—	—

deaths shown in italic figures.

Table 48

International Detailed List Nos.	Cause of Death	Country	S.M.R.		Death Rates per Million Population							
			All Ages		All Ages		1-4		5-14		15-24	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Rest of 140-205	Other malignant neoplasms	England and Wales Scotland Northern Ireland.	98 114 114	98 118 114	400·4 432·5 409·8	500·6 543·5 480·6	51·7 64·8 69·6	46·1 84·8 36·9	31·8 50·0 37·0	31·6 28·6 62·2	65·6 51·6 61·5	41 46 9
Total 140-205	All malignant neo- plasms and neo- plasms of the lym- phatic and hama- topoietic tissues	England and Wales Scotland Northern Ireland.	100 108 86	99 110 98	2,366 2,356 1,794	1,929 1,911 1,543	109·8 129·7 156·5	93·7 135·7 55·4	67·4 77·2 74·0	62·9 42·8 108·8	98·4 68·8 140·6	69 84 28
260	Diabetes mellitus	England and Wales Scotland Northern Ireland.	96 131 116	93 174 96	50·3 62·5 54·0	89·1 146·1 73·4	0·72 5·40 —	1·51 5·65 —	1·13 — 14·8	3·54 — 7·77	4·15 2·87 8·79	3
290-293	Anæmias	England and Wales Scotland Northern Ireland.	96 139 92	96 139 93	26·6 35·3 23·3	47·2 58·2 36·0	2·15 — —	4·54 5·65 —	1·41 — —	2·07 — 15·5	3·11 — —	2 2 9
330-334	Vascular lesions aff- ecting central ner- vous system	England and Wales Scotland Northern Ireland.	98 123 98	97 131 111	1,412 1,623 1,280	1,883 2,155 1,673	6·46 5·40 —	3·78 — 18·5	4·79 6·82 7·40	5·02 7·14 15·5	13·5 22·9 35·1	10 27 37
345	Multiple sclerosis	England and Wales Scotland Northern Ireland.	93 152 155	94 141 154	15·5 23·7 21·9	23·4 33·0 33·2	— — —	— — —	— — —	— — —	1·73 2·87 —	4
400-402, 410-416	Rheumatic fever and chronic rheumatic heart disease	England and Wales Scotland Northern Ireland.	100 99 110	98 115 102	116·3 107·0 110·8	197·9 211·3 171·7	0·72 — —	0·76 — —	3·38 2·27 14·8	2·95 14·3 15·5	21·1 28·7 35·1	18 46 18
420	Arteriosclerotic heart disease, including coronary disease	England and Wales Scotland Northern Ireland.	98 119 117	97 120 126	2,385 2,662 2,495	1,393 1,476 1,414	— — —	— — —	— — 7·40	— — —	2·76 5·74 —	1
421, 422, 430-434	Other heart diseases	England and Wales Scotland Northern Ireland.	97 124 124	96 137 131	1,195 1,385 1,401	1,643 1,892 1,670	3·59 — —	3·78 5·65 —	2·25 — 7·77	4·13 7·14 17·6	12·4 5·74 17·6	9 2
440-447	Hypertensive disease	England and Wales Scotland Northern Ireland.	101 89 100	100 96 98	362·1 291·0 320·8	437·2 354·1 332·4	— — —	— — —	0·28 — —	— — —	5·87 5·74 —	3 10
450-468	Other circulatory diseases	England and Wales Scotland Northern Ireland.	99 110 99	99 110 85	342·3 346·0 310·6	393·9 359·3 256·2	2·87 — —	— — —	1·41 — —	1·18 2·38 —	6·56 2·87 —	5 8
480-483	Influenza	England and Wales Scotland Northern Ireland.	102 73 113	102 77 125	178·1 116·3 176·5	168·7 108·6 163·4	15·1 37·8 —	12·8 22·6 —	8·46 4·54 7·40	9·74 7·14 23·3	18·7 8·61 8·79	16 10
490-493	Pneumonia	England and Wales Scotland Northern Ireland.	101 96 90	100 93 121	603·3 538·0 506·1	569·6 450·5 552·6	147·9 210·8 52·2	133·0 158·3 184·5	20·0 20·4 —	20·7 19·0 7·77	25·6 14·3 8·79	24 19
500-502	Bronchitis	England and Wales Scotland Northern Ireland.	102 86 67	101 92 93	922·7 707·5 539·6	376·9 293·3 274·2	40·2 32·4 17·4	31·7 50·9 36·9	6·20 2·27 7·40	3·54 2·38 —	5·18 11·5 —	4 5
470-475, 510-527	Other respiratory diseases	England and Wales Scotland Northern Ireland.	98 121 84	101 83 114	158·2 178·8 119·6	67·5 48·6 62·3	23·7 16·2 17·4	20·4 17·0 18·5	9·02 — 7·40	6·79 2·38 —	8·29 5·74 —	7 5 28
540-541	Ulcer of stomach and duodenum	England and Wales Scotland Northern Ireland.	99 111 79	100 103 96	141·2 143·5 99·2	62·7 55·2 47·1	0·72 — 17·4	— — —	0·56 — —	0·30 — —	2·76 5·74 —	1 2
550-553	Appendicitis	England and Wales Scotland Northern Ireland.	98 128 70	99 115 81	19·6 24·5 13·1	11·5 12·2 8·31	9·33 27·0 —	12·1 11·3 18·5	9·58 15·9 —	5·31 4·76 15·5	7·60 22·9 —	1 5
560, 561, 570	Intestinal obstruction and hernia	England and Wales Scotland Northern Ireland.	99 108 115	99 110 93	64·6 66·1 70·0	66·8 64·5 51·2	12·2 16·2 17·4	3·78 — —	1·41 2·27 —	1·18 — —	1·38 5·74 —	2 —
543, 571, 572	Gastritis and duo- denitis, enteritis and colitis (except diarrhoea of new- born)	England and Wales Scotland Northern Ireland.	95 136 141	99 111 92	43·5 60·9 64·2	58·8 59·3 47·1	31·6 59·4 52·2	21·9 50·9 36·9	3·38 2·27 7·40	1·77 2·38 —	5·53 2·87 8·79	6 10 18

NOTE. Rates based upon less than

Death Rates per Million Population														Deaths under 1 Year per thousand live births	
5-34	35-44		45-54		55-64		65-74		75-84		85 and over		M.	F.	
F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
83.0 71.2 76.1	175.1 219.5 244.5	194.7 198.5 180.6	431.1 560.2 422.9	488.3 574.1 561.3	923.6 1,048 1,077	990.4 1,194 1,156	1,633 1,958 2,219	1,563 2,060 1,947	2,416 2,484 2,391	2,320 2,830 2,857	2,600 3,102 3,750	2,865 2,791 2,973	0.04 0.04 —	0.06 0.06 0.07	
199.3 193.7 130.4	550.2 588.3 611.2	696.7 742.3 665.9	2,020 2,434 1,716	1,841 1,926 1,844	5,983 6,402 4,968	3,487 3,851 3,092	11,624 12,442 10,856	6,113 7,093 6,660	17,457 18,550 12,717	10,336 11,623 10,193	17,889 20,793 18,333	14,016 15,984 13,514	0.06 0.06 —	0.07 0.06 0.07	
4.76 19.9 —	18.4 15.2 —	5.95 8.63 33.9	28.1 53.6 12.4	24.3 39.0 22.9	74.3 144.1 64.3	122.1 296.0 97.5	253.4 393.0 374.3	371.3 846.0 368.9	567.1 573.2 543.5	678.2 916.5 772.2	544.4 — 1,667	725.4 634.3 540.5	0.00 — —	0.01 0.02 —	
4.08 5.70 —	4.52 — —	5.32 5.75 11.3	11.0 5.96 —	14.3 5.57 11.5	38.2 48.0 16.1	37.2 59.2 13.9	104.9 217.5 160.4	142.8 219.9 123.0	366.7 541.4 326.1	436.8 614.4 386.1	533.3 919.0 1,250	808.3 1,395 1,081	0.00 0.02 —	0.01 0.04 —	
32.3 37.0 32.6	106.0 121.9 97.8	123.0 187.0 135.4	455.4 497.6 410.4	462.5 641.0 584.2	1,909 2,281 1,945	1,553 2,388 2,131	6,668 8,526 7,754	5,665 7,829 6,803	19,776 25,715 16,848	18,016 23,649 17,838	37,656 48,248 44,583	38,119 49,347 50,541	0.03 0.04 —	0.02 0.04 0.07	
12.2 8.55 10.9	25.2 9.15 24.4	33.8 60.4 101.6	33.4 59.6 62.2	54.9 78.0 57.3	33.2 60.0 64.3	46.4 75.6 69.6	26.4 70.2 53.5	32.2 57.4 82.0	18.7 15.9 —	13.4 20.1 —	11.1 229.8 —	10.4 — —	— — —	0.00 — —	
55.1 96.9 76.1	102.4 118.9 134.5	137.7 218.7 169.3	163.7 199.6 323.4	274.4 353.9 320.7	273.3 220.1 273.3	394.6 450.6 431.8	386.9 308.8 160.4	508.8 468.4 409.8	477.1 366.2 217.4	703.1 654.7 695.0	488.9 459.5 416.74	963.7 634.3 270.3	— — —	0.01 — —	
11.2 17.1 —	429.4 658.5 660.1	55.1 138.1 79.0	1,873 2,622 2,512	308.3 465.4 652.9	5,576 7,363 7,138	1,536 2,306 2,521	12,358 15,053 15,829	5,539 6,830 7,418	20,277 21,352 18,967	11,973 13,476 12,046	24,467 21,941 27,083	17,067 18,584 27,568	0.01 — —	— — —	
13.9 14.2 21.7	60.4 70.1 61.1	39.1 66.2 22.6	181.0 259.2 373.1	112.3 203.4 263.5	858.1 1,196 1,061	555.6 878.2 849.6	4,306 5,691 5,535	3,162 4,512 4,816	19,849 24,585 22,712	17,016 23,327 21,429	61,133 78,920 95,000	63,218 93,175 88,108	0.02 — —	0.02 — 0.07	
7.48 17.1 —	58.5 36.6 36.7	27.5 25.9 22.6	186.4 157.9 186.6	97.1 114.3 57.3	641.5 556.2 562.7	384.3 394.7 390.0	1,737 1,418 1,551	1,493 1,429 1,373	4,287 4,076 4,837	4,135 3,747 4,170	6,689 6,548 7,500	7,078 6,596 8,108	0.00 — —	— — —	
14.6 19.9 10.9	25.2 34.5 36.7	23.2 34.5 22.6	94.0 59.6 87.1	68.3 59.7 91.6	358.9 380.1 273.3	213.7 190.8 320.3	1,377 1,291 1,444	888.4 898.6 717.2	5,173 6,067 4,620	3,792 4,210 2,973	13,678 19,184 18,750	12,953 16,301 10,541	0.00 — —	0.02 — —	
19.4 19.9 10.9	33.9 28.5 12.2	33.9 20.1 36.7	94.3 47.7 11.3	52.8 30.7 45.8	305.6 212.1 209.0	146.5 125.0 153.2	945.8 456.1 882.4	486.8 296.3 594.3	1,740 1,465 1,848	1,309 906.5 1,776	3,933 4,021 8,333	3,788 3,615 5,135	0.10 0.14 0.63	0.04 0.21 0.27	
32.6 19.9 32.6	70.1 85.4 36.7	58.2 37.4 22.6	216.7 202.6 136.8	108.3 131.0 194.7	715.8 724.3 401.9	335.8 348.6 473.5	2,288 2,386 2,166	1,340 1,338 1,701	7,480 6,003 6,413	4,839 4,049 5,637	18,822 14,360 21,667	15,762 12,305 18,378	2.16 3.13 3.09	1.76 2.56 2.34	
8.16 11.4 —	53.3 100.6 48.9	29.7 31.6 33.9	410.9 534.2 335.8	91.7 114.3 171.8	1,958 2,017 1,576	358.8 381.5 292.5	5,126 4,112 3,182	1,161 1,161 1,189	9,019 5,621 5,163	3,146 2,629 2,625	13,589 7,582 8,750	7,870 5,899 7,838	0.57 0.39 0.19	0.47 0.21 0.13	
11.9 — 10.9	41.4 24.4 36.7	22.8 37.4 —	112.9 104.3 74.6	39.5 64.1 45.8	389.2 452.2 337.6	85.6 72.4 97.5	777.3 1,095 534.8	164.7 133.8 266.4	1,068 1,576 923.9	345.8 261.9 424.7	1,867 1,608 3,333	1,508 634.3 1,081	0.12 0.16 0.31	0.13 0.06 0.07	
2.72 2.85 10.9	35.2 48.8 48.9	7.82 5.75 11.3	91.8 157.9 49.8	28.8 58.5 11.5	309.8 304.1 209.0	68.6 92.1 41.8	671.7 729.8 561.5	179.8 196.0 245.9	1,370 1,353 1,033	536.4 392.8 540.5	1,833 1,838 2,500	1,104 1,015 540.5	0.01 — —	0.01 — —	
2.38 5.70 —	8.72 9.15 12.2	2.50 2.88 —	13.6 17.9 12.4	5.77 5.57 11.5	30.6 48.0 32.2	13.8 16.4 13.9	74.2 42.1 80.2	34.6 28.7 —	108.7 191.1 54.3	67.0 70.5 —	255.6 — 416.7	82.9 253.7 —	0.01 — —	0.01 — 0.07	
4.42 5.70 —	10.7 9.15 12.2	10.0 11.5 —	28.1 47.7 37.3	21.5 30.7 11.5	96.6 124.0 128.6	66.2 78.9 41.8	275.5 294.7 187.2	215.9 239.0 163.9	750.4 732.4 923.9	528.7 533.8 463.3	1,056 804.1 1,667	943.0 1,015 2,703	0.27 0.22 0.38	0.20 0.29 0.20	
9.18 11.4 10.9	13.2 18.3 48.9	12.5 25.9 11.3	29.3 20.9 37.3	26.7 19.5 34.4	65.5 72.0 80.4	60.2 52.6 55.7	146.3 182.5 107.0	162.8 138.6 102.5	278.4 445.8 380.4	406.1 392.8 193.1	500.0 344.6 416.7	740.9 507.4 810.8	0.41 0.94 0.76	0.28 0.71 0.54	

Deaths shown in italic figures.

Table 4

International Detailed List Nos.	Cause of Death	Country	S.M.R.		Death Rates per Million Population							
			All Ages		All Ages		1-4		5-14		15-24	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
581	Cirrhosis of liver	England and Wales Scotland Northern Ireland.	93 163 117	92 149 217	28.2 45.7 30.6	24.9 36.7 48.5	2.15 — —	0.76 — —	1.69 — —	1.18 — —	2.07 2.87 —	—
584, 585	Cholelithiasis, cholecystitis	England and Wales Scotland Northern Ireland.	100 116 48	97 136 93	20.4 21.6 8.75	38.7 46.7 29.1	— — —	0.76 — —	— — —	— — —	— — —	—
Rest of 530-587	Other digestive diseases	England and Wales Scotland Northern Ireland.	95 148 109	97 128 109	36.6 54.5 39.4	41.2 49.7 40.2	17.2 48.6 17.4	26.5 84.8 —	4.79 4.54 7.40	5.61 9.52 —	4.49 8.61 —	—
590-594	Nephritis and nephrosis	England and Wales Scotland Northern Ireland.	99 99 143	98 112 112	87.9 82.2 113.8	75.0 76.4 70.6	5.03 5.40 —	4.54 — 18.5	8.17 6.82 7.40	9.15 11.9 7.77	29.0 22.9 87.9	1 1 1
610	Hyperplasia of prostate	England and Wales Scotland Northern Ireland.	100 100 89	— — —	160.2 145.1 131.3	— — —	— — —	— — —	— — —	— — —	— — —	—
600-609, 611-637	Other diseases of the genito-urinary system	England and Wales Scotland Northern Ireland.	97 133 91	99 112 104	66.7 84.6 56.9	81.4 80.8 69.3	7.90 10.8 17.4	4.54 5.65 —	1.69 — 7.40	1.77 7.14 15.5	2.42 5.74 —	1 — —
640-689	Complications of pregnancy, child- birth, and the puerperium	England and Wales Scotland Northern Ireland.	— — —	97 103 182	— — —	12.3 13.3 23.5	— — —	— — —	— — —	0.30 — —	— — —	2 1 3
750-759	Congenital malformations	England and Wales Scotland Northern Ireland.	98 115 111	97 107 144	114.4 151.1 160.4	102.5 126.4 188.4	128.5 162.1 69.6	117.9 135.7 147.6	37.5 27.3 37.0	29.8 21.4 54.4	28.3 25.8 17.6	2 1 1
760-776	Certain diseases of early infancy	England and Wales Scotland Northern Ireland.	97 122 109	97 111 136	251.6 369.2 371.9	162.0 215.4 300.6	— — —	— — —	0.28 — —	— — —	— — —	—
Rest of 210-795	All other diseases	England and Wales Scotland Northern Ireland.	96 118 176	98 109 168	359.7 409.3 612.5	527.7 496.1 709.1	92.6 140.5 139.1	77.9 130.0 73.8	46.8 63.6 59.2	32.2 19.0 31.1	68.0 86.1 52.7	4 6 6
E963, E970, E979.	Suicide	England and Wales Scotland Northern Ireland.	103 86 41	104 76 45	142.4 111.4 49.6	89.0 60.8 33.2	— — —	— — —	0.85 — —	0.30 — —	41.1 48.8 17.6	2 2 —
E810- E845	Motor vehicle and other road trans- port accidents	England and Wales Scotland Northern Ireland.	101 91 96	101 96 89	206.8 184.4 196.9	70.9 64.1 58.2	96.2 113.5 121.7	65.8 79.2 73.8	73.8 88.6 66.6	34.5 64.3 54.4	432.5 278.3 228.5	6 2 —
E870- E936 (part)	Accidents in the home and residential institutions	England and Wales Scotland Northern Ireland.	93 165 85	96 146 75	115.1 194.4 102.1	191.1 245.4 119.1	83.3 97.3 69.6	73.3 56.5 110.7	18.0 18.2 14.8	15.6 11.9 —	18.0 14.3 17.6	10 19 20
Rest of E800- E999	Other violence	England and Wales Scotland Northern Ireland.	95 144 93	101 75 160	150.6 220.9 140.0	48.1 32.3 66.5	68.9 75.7 69.6	29.5 11.3 55.4	81.2 120.4 74.0	23.6 16.7 7.77	145.4 157.8 105.4	14 16 —
Estimated mid-year population (in thousands)		England and Wales Scotland Northern Ireland			21,885 2,495 686	23,501 2,697 722	1,393 185 58	1,323 177 54	3,548 440 135	3,388 420 129	2,895 349 114	2,895 349 114

NOTE. Rates based upon less than

ntinued

Death Rates per Million Population														Deaths under 1 Year per thousand live births	
25-34		35-44		45-54		55-64		65-74		75-84		85 and over		M.	F.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
2.04	4.08	16.5	11.6	40.7	21.9	73.0	55.2	110.6	100.4	123.9	75.7	100.0	57.0	0.01	0.01
2.91	11.4	36.6	5.75	74.5	47.4	136.0	121.7	203.5	119.5	159.2	130.9	229.8	—	—	—
—	—	24.4	22.6	62.2	11.5	96.5	195.0	160.4	245.9	108.7	231.7	—	—	—	—
0.68	1.36	2.26	2.82	8.51	10.0	30.6	46.0	109.2	135.0	256.4	325.7	366.7	580.3	0.00	—
—	—	3.05	2.88	11.9	22.3	44.0	62.5	119.3	191.2	286.6	372.7	344.6	1,332	—	—
—	—	—	—	—	11.5	—	69.6	—	102.5	326.1	308.9	—	540.5	—	—
7.48	5.78	12.3	9.70	31.2	26.7	62.6	51.0	132.0	117.4	251.3	223.2	400.0	450.8	0.18	0.18
11.6	14.2	12.2	5.75	56.6	27.9	100.0	85.5	203.5	100.4	414.0	251.8	344.6	761.1	0.23	0.25
—	21.7	24.4	—	49.8	—	96.5	97.5	187.2	143.4	271.7	193.1	—	1,081	0.06	0.20
17.7	26.2	54.6	33.5	84.8	57.4	161.6	98.7	302.6	229.0	572.2	393.7	1,033	715.0	0.04	0.01
13.6	34.2	51.8	48.9	77.5	69.7	180.1	108.5	294.7	229.4	557.3	402.9	1,493	1,078	—	0.06
19.1	10.9	61.1	45.1	111.9	68.7	225.1	111.4	374.3	307.4	923.9	386.1	1,667	810.8	—	—
—	—	—	—	5.68	—	81.9	—	636.7	—	2,874	—	7,856	—	—	—
—	—	—	—	5.96	—	76.0	—	779.0	—	2,675	—	7,122	—	—	—
—	—	—	—	12.4	—	80.4	—	508.0	—	2,174	—	10,417	—	—	—
7.82	12.2	14.5	27.2	40.1	43.7	86.9	107.2	268.4	236.8	828.5	586.2	1,611	1,078	0.06	0.03
8.73	8.55	24.4	37.4	38.7	64.1	116.0	128.3	393.0	286.8	1,226	513.7	1,838	951.4	0.10	0.06
12.3	10.9	36.7	67.7	62.2	45.8	80.4	83.6	213.9	286.9	597.8	540.5	1,250	540.5	0.06	0.07
—	47.6	—	27.9	—	0.30	—	—	—	—	—	—	—	—	—	—
—	57.0	—	28.8	—	—	—	—	—	—	—	—	—	—	—	—
—	76.1	—	67.7	—	—	—	—	—	—	—	—	—	—	—	—
20.0	15.3	24.9	21.6	32.2	38.2	24.3	24.1	47.8	30.2	34.0	29.7	11.1	46.6	4.47	4.61
23.3	17.1	6.10	11.5	32.8	30.7	36.0	32.9	21.1	4.78	31.8	10.1	—	—	5.69	5.61
12.3	21.7	36.7	11.3	—	91.6	—	13.9	53.5	41.0	54.3	—	—	—	5.79	7.03
—	—	—	—	—	—	—	—	—	—	—	—	—	—	14.3	10.5
—	—	—	—	—	—	—	—	—	—	—	—	—	—	18.0	12.1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	16.1	14.5
54.2	68.7	97.9	102.7	183.2	203.0	422.3	416.1	952.9	1,051	3,767	3,670	16,500	18,140	0.68	0.51
13.5	68.4	149.4	158.2	289.0	209.0	712.3	618.3	1,488	1,429	3,376	3,787	12,522	14,779	0.80	0.71
12.3	97.8	110.0	124.2	199.0	320.7	707.4	487.5	1,444	1,516	8,098	6,293	47,917	45,405	0.63	0.74
35.0	50.3	135.1	87.6	206.2	139.9	316.1	199.6	416.8	194.9	412.6	147.5	366.7	82.9	—	—
19.3	37.0	125.0	106.5	196.7	108.7	236.1	134.8	238.6	105.2	286.6	40.3	229.8	—	—	—
36.9	10.9	48.9	33.9	149.3	57.3	144.7	139.3	80.2	82.0	54.3	38.6	—	—	—	—
82.1	32.0	139.3	28.5	153.6	49.2	214.5	83.5	331.9	151.6	616.3	304.6	855.6	269.4	0.02	0.01
54.2	28.5	161.6	23.8	152.0	39.0	244.1	108.5	294.7	152.9	589.1	201.4	574.4	190.3	0.02	—
82.6	21.7	171.1	45.1	199.0	34.4	289.4	83.6	240.6	143.4	652.2	231.7	416.7	270.3	—	0.07
20.4	14.6	29.4	21.3	52.3	43.7	101.2	91.3	283.4	360.1	1,219	1,669	4,256	5,969	0.60	0.45
26.2	25.6	79.3	46.0	154.9	97.5	204.1	121.7	435.1	463.6	1,815	2,488	6,088	9,514	1.70	1.02
24.6	32.6	61.1	45.1	87.1	45.8	48.2	55.7	374.3	327.9	978.3	849.4	4,167	5,135	0.19	0.33
40.0	15.6	138.0	18.2	147.9	20.6	201.1	41.4	228.4	77.5	431.2	295.0	1,000	886.0	0.10	0.12
09.5	19.9	286.5	14.4	324.8	22.3	308.1	42.8	308.8	62.1	414.0	211.5	344.6	126.9	0.08	0.06
22.9	10.9	122.2	33.9	136.8	57.3	209.0	—	267.4	123.0	543.5	733.6	1,250	2,703	0.19	—
943	2,941	3,095	3,195	3,171	3,295	2,382	2,826	1,401	2,052	589	1,044	90	193	—	—
344	351	328	348	336	359	250	304	142	209	63	99	9	16	—	—
81	92	82	89	80	87	62	72	37	49	18	26	2	4	—	—

0 deaths shown in italic figures.

Table 49. Method of Celebration, etc. of Marriages in Scotland, 1855-1958

Year	Total Marriages		Marriage according to Forms of the							Civil Marriage†	Irregular Marriages
	Number	Proportion per 1,000 of Population	Church of Scotland	Free Church	United Presbyterian Church	Roman Catholic Church	Scottish Episcopal Church	Other Forms	Form not stated		
DECENNIAL AVERAGES											
1855-1860	20,645	6·840	9,586	4,747	2,872	1,846	383	1,058	135	—	19
1861-1870	22,422	7·004	9,929	5,278	3,214	2,071	464	1,324	101	—	41
1871-1880	25,355	7·172	11,549	5,649	3,305	2,286	646	1,633	25	—	263
1881-1890	25,939	6·700	11,971	5,277	3,011	2,558	732	1,728	12	—	650
1891-1900	29,866	7·054	13,497	5,638	3,292	2,934	899	2,179	0	—	1,428
Un. Free Ch.*											
1901-1910	31,825	6·907	14,414	8,477	3,331	936	2,634	0	—	—	2,034
1911-1920	35,647	7·451	14,231	8,340	3,964	1,131	2,669	0	—	—	5,312
1921-1930	33,663	6·923	14,993	6,910	3,911	971	2,591	0	—	—	4,287
1931-1940	38,963	7·869	24,459			5,051	1,076	3,427	0	4,950	
1941-1950	43,489	8·472	26,364			5,685	1,383	3,487	0	6,558	12
ANNUAL NUMBERS											
1941	47,620	9·284	30,017			6,282	1,705	4,214	0	5,394	8
1942	47,402	9·215	29,827			6,103	1,671	4,073	0	5,712	16
1943	38,177	7·402	23,377			4,891	1,489	3,230	0	5,176	14
1944	37,017	7·134	22,554			4,831	1,334	3,163	0	5,117	18
1945	48,642	9·432	30,107			6,025	1,745	3,913	0	6,840	12
1946	45,785	8·917	27,599			5,770	1,390	3,490	0	7,522	14
1947	44,360	8·725	26,189			5,714	1,176	3,337	0	7,930	14
1948	43,718	8·577	25,798			5,879	1,243	3,313	0	7,474	11
1949	41,708	8·161	24,590			5,694	1,065	3,177	0	7,176	6
1950	40,459	7·892	23,579			5,660	1,009	2,960	0	7,243	8
1951	41,361	8·087	24,259			6,062	1,122	2,986	0	6,928	4
1952	41,154	8·046	23,671			6,033	1,022	2,961	0	7,459	8
1953	40,902	7·992	23,597			6,284	935	2,899	0	7,180	7
1954	41,974	8·193	23,802			6,425	988	2,912	0	7,842	5
1955	43,199	8·415	24,213			6,734	1,017	2,919	0	8,302	14
1956	43,963	8·546	24,915			7,235	950	2,986	0	7,870	7
1957	42,661	8·284	24,325			7,093	939	2,874	0	7,424	6
1958	41,186	7·968	23,118			6,904	868	2,794	0	7,498	4
RATE PER HUNDRED MARRIAGES—DECENNIAL											
1855-1860	100·00	—	46·42	23·01	13·92	8·94	1·85	5·12	0·65	—	0·09
1861-1870	100·00	—	44·30	23·54	14·33	9·22	2·07	5·89	0·47	—	0·18
1871-1880	100·00	—	45·56	22·28	13·02	9·02	2·55	6·42	0·11	—	1·04
1881-1890	100·00	—	46·17	20·34	11·61	9·85	2·82	6·66	0·05	—	2·51
1891-1900	100·00	—	45·20	18·91	11·04	9·81	3·00	7·29	—	—	4·78
Un. Free Ch.*											
1901-1910	100·00	—	45·29	26·63	10·46	2·94	8·28	—	—	—	6·39
1911-1920	100·00	—	39·92	23·40	11·12	3·17	7·49	—	—	—	14·90
1921-1930	100·00	—	44·54	20·53	11·62	2·88	7·70	—	—	—	12·74
1931-1940	100·00	—	62·77			12·96	2·76	8·80	—	—	12·70
1941-1950	100·00	—	60·56			13·09	3·18	8·01	—	15·13	0·03
RATE PER HUNDRED MARRIAGES—ANNUAL											
1941	100·00	—	63·03	13·19	3·58	8·85	—	—	—	11·33	0·02
1942	100·00	—	62·92	12·88	3·53	8·59	—	—	—	12·05	0·03
1943	100·00	—	61·23	12·81	3·90	8·46	—	—	—	13·56	0·04
1944	100·00	—	60·93	13·05	3·60	8·54	—	—	—	13·82	0·05
1945	100·00	—	61·90	12·39	3·59	8·04	—	—	—	14·06	0·02
1946	100·00	—	60·28	12·60	3·04	7·62	—	—	—	16·43	0·03
1947	100·00	—	59·04	12·88	2·65	7·52	—	—	—	17·88	0·03
1948	100·00	—	59·01	13·45	2·84	7·58	—	—	—	17·10	0·03
1949	100·00	—	58·96	13·65	2·55	7·62	—	—	—	17·21	0·01
1950	100·00	—	58·28	13·99	2·49	7·32	—	—	—	17·90	0·02
1951	100·00	—	58·65	14·66	2·71	7·22	—	—	—	16·75	0·01
1952	100·00	—	57·52	14·66	2·48	7·19	—	—	—	18·12	0·02
1953	100·00	—	57·69	15·36	2·29	7·09	—	—	—	17·55	0·02
1954	100·00	—	56·71	15·31	2·35	6·94	—	—	—	18·68	0·01
1955	100·00	—	56·05	15·59	2·35	6·76	—	—	—	19·22	0·03
1956	100·00	—	56·67	16·46	2·16	6·79	—	—	—	17·90	0·02
1957	100·00	—	57·02	16·63	2·20	6·74	—	—	—	17·40	0·01
1958	100·00	—	56·13	16·76	2·11	6·78	—	—	—	18·21	0·01

*The Free Church and the United Presbyterian Church were united on 31st October, 1900, under the name of the United Free Church. The Church of Scotland and the United Free Church were united on 2nd October, 1929, under the designation of "The Church of Scotland".

†By the Marriage (Scotland) Act, 1939, which came into operation on 1st July, 1940, Irregular Marriages by declaration were abolished and Civil Marriages were substituted. The Irregular Marriages shown in the last column for 1941 onwards were registered by Decree of Declarator of the Court of Session.

Table 50. Ecclesiastical, Civil and Irregular Marriages in Scotland—1958.

	Total Marriages	Numbers						*Irregular Marriages	Percentage of Total Marriages						Irregular Marriages
		Ecclesiastical Marriages				Civil Marriages			Ecclesiastical Marriages				Civil Marriages		
		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence	
SCOTLAND	41,186	24,124	8,290	1,151	119	7,194	304	4	58.6	20.1	2.8	0.3	17.5	0.7	0.0
Counties of Cities	17,662	8,283	4,445	446	67	4,222	197	2	46.9	25.2	2.5	0.4	23.9	1.1	0.0
Large Burghs	7,785	4,367	1,718	192	24	1,409	75	—	56.1	22.1	2.5	0.3	18.1	1.0	—
Counties (ex Counties of Cities and Large Burghs)	15,739	11,474	2,127	513	28	1,563	32	2	72.9	13.5	3.3	0.2	9.9	0.2	0.0
Counties (ex Counties of Cities and Large Burghs)															
Aberdeen	912	785	42	21	—	63	1	—	86.1	4.6	2.3	—	6.9	0.1	—
Angus	523	436	16	17	—	58	1	—	82.6	3.0	3.2	—	11.0	0.2	—
Argyll	311	257	18	13	2	21	—	—	82.6	5.8	4.2	0.6	6.8	—	—
Ayr	1,719	1,300	203	74	6	134	2	—	75.6	11.8	4.3	0.3	7.8	0.1	—
Banff	328	279	18	10	—	21	—	—	85.1	5.5	3.0	—	6.4	—	—
Berwick	94	84	1	6	—	3	—	—	89.4	1.1	6.4	—	3.2	—	—
Bute	89	58	7	10	1	12	1	—	65.2	7.9	11.2	1.1	13.5	1.1	—
Caithness	191	171	1	4	—	15	—	—	89.5	0.5	2.1	—	7.9	—	—
Clackmannan	317	229	37	6	1	44	—	—	72.2	11.7	1.9	0.3	13.9	—	—
Dumfries	582	327	13	7	1	230	2	2	56.2	2.2	1.2	0.2	39.5	0.3	0.3
Dunbarton	622	380	174	25	2	41	—	—	61.1	28.0	4.0	0.3	6.6	—	—
East Lothian	334	257	32	7	—	38	—	—	76.9	9.6	2.1	—	11.4	—	—
Fife	1,502	1,075	167	57	1	200	2	—	71.6	11.1	3.8	0.1	13.3	0.1	—
Inverness	180	137	29	3	1	10	—	—	76.1	16.1	1.7	0.6	5.6	—	—
Kincardine	159	142	6	2	—	9	—	—	89.3	3.8	1.3	—	5.7	—	—
Kinross	61	44	5	1	—	11	—	—	72.1	8.2	1.6	—	18.0	—	—
Kirkcudbright	210	192	4	2	—	11	1	—	91.4	1.9	1.0	—	5.2	0.5	—
Lanark	2,246	1,449	585	60	6	141	5	—	64.5	26.0	2.7	0.3	6.3	0.2	—
Midlothian	785	525	109	35	1	115	—	—	66.9	13.9	4.5	0.1	14.6	—	—
Moray	367	257	18	16	1	63	12	—	70.0	4.9	4.4	0.3	17.2	3.3	—
Nairn	51	41	3	2	—	5	—	—	80.4	5.9	3.9	—	9.8	—	—
Orkney	135	127	—	—	—	7	1	—	94.1	—	—	—	5.2	0.7	—
Peebles	99	75	4	8	—	12	—	—	75.8	4.0	8.1	—	12.1	—	—
Perth	471	394	27	17	1	32	—	—	83.7	5.7	3.6	0.2	6.8	—	—
Renfrew	838	525	221	28	2	62	—	—	62.6	26.4	3.3	0.2	7.4	—	—
Ross & Cromarty	198	125	48	9	—	14	2	—	63.1	24.2	4.5	—	7.1	1.0	—
Roxburgh	304	238	25	8	1	32	—	—	78.3	8.2	2.6	0.3	10.5	—	—
Selkirk	147	102	10	8	1	26	—	—	69.4	6.8	5.4	0.7	17.7	—	—
Stirling	911	688	163	23	—	37	—	—	75.5	17.9	2.5	—	4.1	—	—
Sutherland	83	78	1	2	—	2	—	—	94.0	1.2	2.4	—	2.4	—	—
West Lothian	674	465	130	29	—	48	2	—	69.0	19.3	4.3	—	7.1	0.3	—
Wigtown	204	153	10	1	—	40	—	—	75.0	4.9	0.5	—	19.6	—	—
Zetland	87	79	—	2	—	6	—	—	90.8	—	2.3	—	6.9	—	—
Counties of Cities															
Glasgow	9,958	4,430	3,153	208	32	2,033	102	—	44.5	31.7	2.1	0.3	20.4	1.0	—
Edinburgh	4,280	2,003	693	177	19	1,316	71	1	46.8	16.2	4.1	0.4	30.7	1.7	0.0
Aberdeen	1,841	1,158	160	29	3	481	10	—	62.9	8.7	1.6	0.2	26.1	0.5	—
Dundee	1,583	692	439	32	13	392	14	1	43.7	27.7	2.0	0.8	24.8	0.9	0.1
Large Burghs															
Paisley	792	457	213	17	2	100	3	—	57.7	26.9	2.1	0.3	12.6	0.4	—
Greenock	590	331	161	12	2	75	9	—	56.1	27.3	2.0	0.3	12.7	1.5	—
Motherwell															
and Wishaw	622	326	190	15	5	84	2	—	52.4	30.5	2.4	0.8	13.5	0.3	—
Kirkcaldy	426	232	42	4	—	143	5	—	54.5	9.9	0.9	—	33.6	1.2	—
Coatbridge	420	172	201	9	—	38	—	—	41.0	47.9	2.1	—	9.0	—	—
Dunfermline	393	192	59	14	—	122	6	—	48.9	15.0	3.6	—	31.0	1.5	—
Clydebank	343	184	105	4	—	49	1	—	53.6	30.6	1.2	—	14.3	0.3	—
Ayr	442	238	45	10	3	91	5	—	65.2	10.2	2.3	0.7	20.6	1.1	—
Kilmarnock	412	270	50	14	1	73	4	—	65.5	12.1	3.4	0.2	17.7	1.0	—
Perth	430	211	48	17	1	143	10	—	49.1	11.2	4.0	0.2	33.3	2.3	—
Hamilton	424	257	117	2	—	43	5	—	60.6	27.6	0.5	—	10.1	1.2	—
Falkirk	343	216	46	4	—	76	1	—	63.0	13.4	1.2	—	22.2	0.3	—
Airdrie	330	175	120	8	1	26	—	—	53.0	36.4	2.4	0.3	7.9	—	—
Inverness	462	270	64	10	2	109	7	—	58.4	13.9	2.2	0.4	23.6	1.5	—
Stirling	220	127	25	10	—	52	6	—	57.7	11.4	4.5	—	23.6	2.7	—
Dumfries	339	199	16	12	1	105	6	—	58.7	4.7	3.5	0.3	31.0	1.8	—
Rutherglen	258	177	57	9	3	10	2	—	68.6	22.1	3.5	1.2	3.9	0.8	—
Dumbarton	187	77	80	6	1	22	1	—	41.2	42.8	3.2	0.5	11.8	0.5	—
Port Glasgow	202	108	67	11	2	14	—	—	53.5	33.2	5.4	1.0	6.9	—	—
Arbroath	150	98	12	4	—	34	2	—	65.3	8.0	2.7	—	22.7	1.3	—

* Registered by Decree of Declarator.

Table 51. Marriages in Scotland according to Church of Celebration—1958

	Total Marriages	According to Forms of						Civil and Irregular	Percentage of Total Marriages						
		Church of Scotland	United Free Church	Free Church	Roman Catholic Church	Scottish Episcopal Church	Other Forms		Church of Scotland	United Free Church	Free Church	Roman Catholic Ch.	Scott'h Episcopal Church	Other Forms	Civil and Irregular
SCOTLAND	41,186	23,118	380	242	6,904	868	2,172	7,502	56.1	0.9	0.6	16.8	2.1	5.3	18.2
Counties of Cities	17,662	8,260	125	58	3,450	396	952	4,421	46.8	0.7	0.3	19.5	2.2	5.4	25.0
Large Burghs	7,785	3,903	61	58	1,592	178	509	1,484	50.1	0.8	0.7	20.4	2.3	6.5	19.1
Counties (ex Counties of Cities and Large Burghs)	15,739	10,955	194	126	1,862	294	711	1,597	69.6	1.2	0.8	11.8	1.9	4.5	10.1
Counties (ex Counties of Cities and Large Burghs)															
Aberdeen	912	735	1	—	15	29	68	64	80.6	0.1	—	1.6	3.2	7.5	7.0
Angus	528	417	5	—	6	19	22	59	79.0	0.9	—	1.1	3.6	4.2	11.2
Argyll	311	242	3	11	23	8	3	21	77.8	1.0	3.5	7.4	2.6	1.0	6.8
Ayr	1,719	1,233	55	1	187	9	98	136	71.7	3.2	0.1	10.9	0.5	5.7	7.9
Banff	328	243	—	—	23	6	35	21	74.1	—	—	7.0	1.8	10.7	6.4
Berwick	94	80	—	—	—	3	8	3	85.1	—	—	—	3.2	8.5	3.2
Bute	89	58	2	4	6	2	4	13	65.2	2.2	4.5	6.7	2.2	4.5	14.6
Caithness	191	152	—	8	3	—	13	15	79.6	—	4.2	1.6	—	6.8	7.9
Clackmannan	317	206	17	—	29	6	15	44	65.0	5.4	—	9.1	1.9	4.7	13.9
Dumfries	582	304	5	—	10	7	22	234	52.2	0.9	—	1.7	1.2	3.8	40.2
Dunbarton	622	392	1	2	148	21	17	41	63.0	0.2	0.3	23.8	3.4	2.7	6.6
East Lothian	334	252	—	—	31	6	7	38	75.4	—	—	9.3	1.8	2.1	11.4
Fife	1,502	1,069	23	4	128	28	48	202	71.2	1.5	0.3	8.5	1.9	3.2	13.4
Inverness	180	108	4	21	24	3	10	10	60.0	2.2	11.7	13.3	1.7	5.6	5.6
Kincardine	159	142	—	—	3	4	1	9	89.3	—	—	1.9	2.5	0.6	5.7
Kirkcaldy	61	47	—	—	3	—	—	11	77.0	—	—	4.9	—	—	18.0
Kirkcudbright	210	181	—	—	11	2	4	12	86.2	—	—	5.2	1.0	1.9	5.7
Lanark	2,246	1,401	21	1	553	16	108	146	62.4	0.9	0.0	24.6	0.7	4.8	6.5
Midlothian	785	516	5	—	92	19	38	115	65.7	0.6	—	11.7	2.4	4.8	14.6
Moray	367	233	5	4	19	17	14	75	63.5	1.4	1.1	5.2	4.6	3.8	20.4
Nairn	51	37	—	3	2	—	4	5	72.5	—	5.9	3.9	—	7.8	9.8
Orkney	135	116	1	—	1	—	9	8	85.9	0.7	—	0.7	—	6.7	5.9
Peebles	99	75	—	—	7	1	4	12	75.8	—	—	7.1	1.0	4.0	12.1
Perth	471	390	3	1	18	19	8	32	82.8	0.6	0.2	3.8	4.0	1.7	6.8
Renfrew	838	504	8	—	185	20	59	62	60.1	1.0	—	22.1	2.4	7.0	7.4
Ross and Cromarty	198	110	1	55	2	5	9	16	55.6	0.5	27.8	1.0	2.5	4.5	8.1
Roxburgh	304	220	—	—	22	19	11	32	72.4	—	—	7.2	6.2	3.6	10.5
Selkirk	147	95	—	—	11	10	5	26	64.6	—	—	7.5	6.8	3.4	17.7
Stirling	911	671	14	—	153	6	30	37	73.7	1.5	—	16.8	0.7	3.3	4.1
Sutherland	83	66	—	11	1	1	2	2	79.5	—	13.3	1.2	1.2	2.4	2.4
West Lothian	674	466	10	—	132	5	11	50	69.1	1.5	—	19.6	0.7	1.6	7.4
Wigtown	204	138	3	—	14	2	7	40	67.6	1.5	—	6.9	1.0	3.4	19.6
Zetland	87	56	7	—	—	1	17	6	64.4	8.0	—	—	1.1	19.5	6.9
Counties of Cities															
Glasgow	9,958	4,406	60	48	2,593	99	617	2,135	44.2	0.6	0.5	26.0	1.0	6.2	21.4
Edinburgh	4,280	2,108	40	8	415	138	183	1,388	49.3	0.9	0.2	9.7	3.2	4.3	32.4
Aberdeen	1,841	1,113	15	2	65	83	72	491	60.5	0.8	0.1	3.5	4.5	3.9	26.7
Dundee	1,583	633	10	—	377	76	80	407	40.0	0.6	—	23.8	4.8	5.1	25.7
Large Burghs															
Paisley	792	424	4	—	185	14	62	103	53.5	0.5	—	23.4	1.8	7.8	13.0
Greenock	590	260	4	1	193	8	40	84	44.1	0.7	0.2	32.7	1.4	6.8	14.2
Motherwell and Wishaw	622	304	8	—	163	6	55	86	48.9	1.3	—	26.2	1.0	8.8	13.8
Kirkcaldy	426	203	8	1	28	7	31	148	47.7	1.9	0.2	6.6	1.6	7.3	34.7
Coatbridge	420	154	5	—	199	1	23	38	36.7	1.2	—	47.4	0.2	5.5	9.0
Dunfermline	393	195	3	—	27	7	33	128	49.6	0.8	—	6.9	1.8	8.4	32.6
Clydebank	343	169	2	—	100	4	18	50	49.2	0.6	—	29.2	1.2	5.2	14.6
Ayr	442	239	1	1	46	25	34	96	54.1	0.2	0.2	10.4	5.7	7.7	21.7
Kilmarnock	412	265	4	—	48	5	13	77	64.3	1.0	—	11.7	1.2	3.2	18.7
Perth	430	203	4	—	42	17	11	153	47.2	0.9	—	9.8	4.0	2.6	35.6
Hamilton	424	246	—	—	110	3	17	48	58.0	—	—	25.9	0.7	4.0	11.3
Falkirk	343	208	2	—	39	4	13	77	60.6	0.6	—	11.4	1.2	3.8	22.4
Airdrie	330	131	4	—	113	2	54	26	39.7	1.2	—	34.2	0.6	16.4	7.9
Inverness	462	128	—	54	28	14	38	116	45.9	—	11.7	6.1	3.0	8.2	25.1
Stirling	220	128	—	5	19	3	7	58	58.2	2.3	—	8.6	1.4	3.2	26.4
Dumfries	339	155	5	—	40	21	7	111	45.7	1.5	—	11.8	6.2	2.1	32.7
Rutherglen	258	177	—	—	54	4	11	12	68.6	—	—	20.9	1.6	4.3	4.7
Dumbarton	187	63	—	1	76	11	13	23	33.7	—	0.5	40.6	5.9	7.0	12.3
Port Glasgow	202	74	—	—	77	17	20	14	36.6	—	—	38.1	8.4	9.9	6.9
Arbroath	150	93	2	—	5	5	9	36	62.0	1.3	—	3.3	3.3	6.0	24.0

Table 52. Conjugal Condition of Persons Marrying in Scotland—1958

	Total Marriages	Conjugal Condition						Percentage of Total Marriages					
		Bachelors and Spinners	Bachelors and Widows	Widowers and Spinners	Widowers and Widows	*Divorced (Either Party)		Bachelors and Spinners	Bachelors and Widows	Widowers and Spinners	Widowers and Widows	Divorced	
SCOTLAND	41,186	37,152	481	848	563	2,142		90.2	1.2	2.1	1.4	5.2	
Counties of Cities	17,662	15,469	247	413	292	1,241		87.6	1.4	2.3	1.7	7.0	
Large Burghs	7,785	7,041	95	139	108	402		90.4	1.2	1.8	1.4	5.2	
Counties (ex Counties of Cities and Large Burghs)	15,739	14,642	139	296	163	499		93.0	0.9	1.9	1.0	3.2	
Counties (ex Counties of Cities and Large Burghs)													
Aberdeen	912	869	7	16	2	18		95.3	0.8	1.8	0.2	2.0	
Angus	528	486	2	13	6	21		92.0	0.4	2.5	1.1	4.0	
Argyll	311	285	3	12	2	9		91.6	1.0	3.9	0.6	2.9	
Ayr	1,719	1,582	13	38	30	56		92.0	0.8	2.2	1.7	3.3	
Banff	328	311	1	5	2	9		94.8	0.3	1.5	0.6	2.7	
Berwick	94	86	1	3	—	4		91.5	1.1	3.2	—	4.3	
Bute	89	83	—	2	2	2		93.3	—	2.2	2.2	2.2	
Caithness	191	178	5	2	3	3		93.2	2.6	1.0	1.6	1.6	
Clackmannan	317	287	2	6	4	18		90.5	0.6	1.9	1.3	5.7	
Dumfries	582	558	4	5	3	12		95.9	0.7	0.9	0.5	2.1	
Dunbarton	622	576	5	11	10	20		92.6	0.8	1.8	1.6	3.2	
East Lothian	334	309	3	5	5	12		92.5	0.9	1.5	1.5	3.6	
Fife	1,502	1,386	14	25	14	63		92.3	0.9	1.7	0.9	4.2	
Inverness	180	170	2	—	—	8		94.4	1.1	—	—	4.4	
Kincardine	159	143	1	5	3	7		89.9	0.6	3.1	1.9	4.4	
Kinross	61	55	1	1	1	3		90.2	1.6	1.6	1.6	4.9	
Kirkcudbright	210	202	—	—	4	4		96.2	—	—	—	1.9	
Lanark	2,246	2,097	24	48	23	54		93.4	1.1	2.1	1.0	2.4	
Midlothian	785	709	11	13	16	36		90.3	1.4	1.7	2.0	4.6	
Moray	367	340	4	4	1	18		92.6	1.1	1.1	0.3	4.9	
Nairn	51	46	2	1	—	2		90.2	3.9	2.0	—	3.9	
Orkney	135	123	2	1	1	8		91.1	1.5	0.7	0.7	5.9	
Peebles	99	91	—	4	1	3		91.9	—	4.0	1.0	3.0	
Perth	471	433	7	10	5	16		91.9	1.5	2.1	1.1	3.4	
Renfrew	838	780	9	18	6	25		93.1	1.1	2.1	0.7	3.0	
Ross and Cromarty	198	188	1	3	2	4		94.9	0.5	1.5	1.0	2.0	
Roxburgh	304	279	3	11	3	8		91.8	1.0	3.6	1.0	2.6	
Selkirk	147	135	1	5	1	5		91.8	0.7	3.4	0.7	3.4	
Stirling	911	854	5	16	8	28		93.7	0.5	1.8	0.9	3.1	
Sutherland	83	78	1	4	—	—		94.0	1.2	4.8	—	—	
West Lothian	674	652	4	3	2	13		96.7	0.6	0.4	0.3	1.9	
Wigtown	204	187	1	5	3	8		91.7	0.5	2.5	1.5	3.9	
Zetland	87	84	—	1	—	2		96.6	—	1.1	—	2.3	
Counties of Cities													
Glasgow	9,958	8,762	154	238	161	643		88.0	1.5	2.4	1.6	6.5	
Edinburgh	4,280	3,687	55	102	80	356		86.1	1.3	2.4	1.9	8.3	
Aberdeen	1,841	1,625	23	41	27	125		88.3	1.2	2.2	1.5	6.8	
Dundee	1,583	1,395	15	32	24	117		88.1	0.9	2.0	1.5	7.4	
Large Burghs													
Paisley	792	723	8	10	6	45		91.3	1.0	1.3	0.8	5.7	
Greenock	590	536	11	7	7	29		90.8	1.9	1.2	1.2	4.9	
Motherwell & Wishaw	622	561	13	15	7	26		90.2	2.1	2.4	1.1	4.2	
Kirkcaldy	426	376	7	6	10	27		88.3	1.6	1.4	2.3	6.3	
Coatbridge	420	399	5	8	3	5		95.0	1.2	1.9	0.7	1.2	
Dunfermline	393	348	2	3	8	32		88.5	0.5	0.8	2.0	8.1	
Clydebank	343	316	2	7	3	15		92.1	0.6	2.0	0.9	4.4	
Ayr	442	384	8	17	5	28		86.9	1.8	3.8	1.1	6.3	
Kilmarnock	412	366	6	6	11	23		88.8	1.5	1.5	2.7	5.6	
Perth	430	368	7	12	6	37		85.6	1.6	2.8	1.4	8.6	
Hamilton	424	393	4	8	6	13		92.7	0.9	1.9	1.4	3.1	
Falkirk	343	300	5	5	10	23		87.5	1.5	1.5	2.9	6.7	
Airdrie	330	312	3	4	3	8		94.5	0.9	1.2	0.9	2.4	
Inverness	462	427	3	8	5	19		92.4	0.6	1.7	1.1	4.1	
Stirling	220	200	2	2	3	13		90.9	0.9	0.9	1.4	5.9	
Dumfries	339	296	4	9	4	26		87.3	1.2	2.7	1.2	7.7	
Rutherglen	258	233	2	8	5	10		90.3	0.8	3.1	1.9	3.9	
Dumbarton	187	174	2	2	2	7		93.0	1.1	1.1	1.1	3.7	
Port Glasgow	202	194	—	1	2	5		96.0	—	0.5	1.0	2.5	
Arbroath	150	135	1	1	2	11		90.0	0.7	0.7	1.3	7.3	

See Tables 54A and B.

Table 53. Ages of Men at Marriage in Scotland—1958

	All Ages	Average Age	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over
SCOTLAND	41,186	27.4	27	205	801	1668	2675	16110	10913	3719	1816	10087	733	507	405	276	168	100	39	15	1
Counties of Cities	17,662	27.7	12	104	376	744	1207	6740	4444	1605	839	474	347	249	221	139	92	51	8	9	1
Large Burghs	7,785	27.0	5	42	164	346	522	3125	2048	635	327	165	140	98	56	57	26	17	10	2	-
Counties (ex Counties of Cities and Large Burghs)	15,739	27.2	10	59	261	578	946	6245	4421	1479	650	369	246	160	128	80	50	32	21	4	-
Counties (ex Counties of Cities and Large Burghs)																					
Aberdeen	912	26.9	-	2	14	26	57	339	303	87	41	15	12	6	4	2	3	1	-	-	-
Angus	528	27.5	1	1	5	16	19	213	169	48	19	9	5	9	4	3	4	2	1	-	-
Argyll	311	30.5	-	-	1	7	8	85	107	40	27	11	7	5	4	1	1	2	4	1	-
Ayr	1,719	26.9	-	7	30	70	109	758	422	139	66	39	16	21	10	15	8	2	6	1	-
Banff	328	27.8	-	-	1	7	19	125	100	39	11	14	6	-	4	1	-	1	-	-	-
Berwick	94	29.4	-	-	1	1	5	30	27	10	9	6	1	3	-	1	-	-	-	-	-
Bute	89	28.4	-	-	3	3	7	25	24	16	2	5	2	-	-	-	-	-	-	-	-
Caithness	191	28.3	-	-	5	5	6	81	42	22	6	10	8	3	3	-	-	-	-	-	-
Clackmannan	317	27.0	-	1	6	17	15	135	85	26	9	5	4	4	4	3	2	-	1	-	-
Dumfries	582	26.0	1	7	36	41	37	208	156	41	23	12	7	6	7	3	2	-	-	-	-
Dunbarton	622	27.3	-	1	10	24	33	223	204	60	24	11	13	4	7	6	2	-	-	-	-
East Lothian	334	26.4	-	3	6	15	25	149	81	23	13	3	6	3	3	2	2	-	-	-	-
Fife	1,502	26.4	2	10	38	72	118	630	369	113	57	25	20	19	15	7	2	4	1	-	-
Inverness	180	30.9	-	1	1	3	1	42	56	33	16	17	2	4	2	1	1	-	-	-	-
Kincaidine	159	28.9	-	-	3	2	6	54	54	14	12	3	3	2	3	-	-	-	-	-	-
Kinross	61	27.7	-	-	-	2	6	27	12	7	1	1	1	1	3	-	-	-	-	-	-
Kirkcudbright	210	27.2	-	-	5	5	15	73	66	25	10	4	2	2	-	1	2	-	-	-	-
Lanark	2,246	26.9	1	7	36	70	146	949	608	195	83	51	38	21	18	12	6	3	2	-	-
Midlothian	785	26.8	1	4	8	45	65	337	176	61	21	18	11	11	8	4	-	1	-	-	-
Moray	367	27.1	1	1	2	10	28	151	87	39	22	18	5	1	1	-	1	-	-	-	-
Nairn	51	27.6	-	-	-	1	4	21	12	4	7	-	1	-	1	-	-	-	-	-	-
Orkney	135	29.0	-	-	-	2	5	49	37	18	9	6	3	2	-	-	-	-	-	-	-
Peebles	99	28.5	-	-	1	2	3	41	20	8	5	-	-	-	-	-	-	-	-	-	-

Renfrew	838	27-5	7	0	10	100	36	21	12	6	3	2	1	4	1	3	-	-
Ross and Cromarty	198	29-9	2	23	50	297	274	92	33	16	3	5	2	4	1	1	-	-
Roxburgh	304	27-7	1	10	7	42	67	35	13	6	4	2	4	1	1	1	-	-
Selkirk	147	28-8	3	6	13	114	91	40	18	7	2	2	2	1	2	-	-	-
Stirling	911	26-8	1	9	6	50	35	21	6	5	4	4	1	2	1	-	-	-
Sutherland	83	29-5	5	25	49	383	280	75	33	20	4	9	2	2	1	-	-	-
West Lothian	674	25-3	1	3	1	23	32	10	6	1	1	1	2	1	1	-	-	-
Wigtown	204	27-2	2	39	54	309	171	47	17	9	2	1	1	1	1	-	-	-
Zetland	87	27-8	4	8	10	85	55	17	8	3	3	1	1	1	1	-	-	-
			1	3	3	31	23	17	4	1	-	-	2	-	-	-	-	-
Counties of Cities																		
Glasgow	9,958	27-7	7	60	218	412	628	3734	2553	982	476	277	192	128	126	80	49	26
Edinburgh	4,280	27-9	2	18	75	187	330	1642	1019	361	221	121	95	52	39	21	12	1
Aberdeen	1,841	27-5	-	12	40	63	146	702	502	148	77	38	32	22	24	13	13	9
Dundee	1,583	27-0	3	14	43	82	103	662	370	114	65	38	28	19	19	7	9	4
Large Burghs																		
Paisley	792	26-6	-	2	20	37	52	331	211	57	34	14	11	9	4	5	3	2
Greenock	590	26-4	-	2	23	28	44	259	125	47	23	13	9	9	4	2	1	1
Motherwell & Wishaw	622	27-3	-	3	10	27	32	260	157	52	35	12	17	7	2	4	3	-
Kirkcaldy	426	27-1	2	3	10	12	33	170	112	36	17	8	3	10	2	5	1	1
Coatbridge	420	26-3	1	1	11	18	32	175	115	29	14	7	7	3	4	1	1	1
Dunfermline	393	26-2	4	11	23	37	179	86	13	11	6	9	9	2	3	2	1	1
Clydebank	343	26-8	-	3	8	13	24	133	106	22	10	8	7	3	1	4	1	1
Ayr	442	28-0	-	2	8	19	32	158	125	38	16	11	11	6	5	7	2	2
Kilmarnock	412	26-8	1	4	14	14	33	183	101	30	18	11	5	1	3	4	3	1
Perth	430	28-5	9	16	21	187	126	40	21	11	17	9	9	4	3	2	1	-
Hamilton	424	26-7	-	4	7	22	36	178	92	41	16	12	4	2	4	3	1	-
Falkirk	343	27-4	-	3	17	18	21	143	90	24	21	4	8	2	3	3	2	-
Airdrie	330	26-0	-	4	12	18	153	86	24	10	4	4	2	2	4	2	1	-
Inverness	462	28-7	-	3	5	17	17	133	146	70	29	16	9	9	5	2	1	-
Stirling	220	27-2	-	3	4	3	11	91	73	14	12	1	4	1	2	1	2	-
Dumfries	339	27-4	1	9	18	15	129	82	39	18	7	8	3	5	3	2	1	-
Rutherglen	258	27-7	-	6	12	12	95	74	27	7	7	5	4	3	3	2	1	-
Dumbarton	187	26-8	-	1	6	16	17	69	50	9	7	3	2	6	1	1	-	-
Port Glasgow	202	25-3	-	2	6	12	22	86	52	10	3	1	2	1	1	-	-	-
Arbroath	150	27-5	-	3	10	13	53	39	13	5	5	3	4	2	1	1	-	2

Table 54. Ages of Women at Marriage in Scotland—1958

	All Ages	Aver- age Age	16	17	18	19	20	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—75—	80—	85 and over
SCOTLAND . . .	41186	24.7	443	1389	2947	4369	4954	15003	6303	2310	1268	741	564	394	228	148	86	24	12	3
Counties of Cities . . .	17662	25.1	189	610	1293	1793	2056	6191	2741	1038	624	358	307	207	114	83	39	10	8	1
Large Burghs . . .	7785	24.5	76	283	571	876	951	2846	1122	440	231	137	91	64	46	25	19	5	1	1
Counties (ex Counties of Cities and Large Burghs) . . .	15739	24.3	178	496	1083	1700	1947	5966	2440	832	413	246	166	123	68	40	28	9	3	1
Counties (ex Counties of Cities and Large Burghs) . . .																				
Aberdeen . . .	912	23.7	8	27	63	104	122	349	156	43	14	11	5	6	2	1	1	—	—	—
Angus . . .	528	24.7	4	14	31	39	59	227	80	40	12	6	5	1	3	3	1	3	—	—
Argyll . . .	311	26.8	1	6	17	18	21	126	58	25	14	7	4	6	2	1	2	2	1	—
Ayr . . .	1719	24.2	19	55	118	205	237	652	241	61	45	32	14	15	14	7	2	2	—	—
Banff . . .	328	24.2	6	10	18	39	36	122	57	18	11	6	1	2	2	—	—	—	—	—
Berwick . . .	94	25.9	1	—	3	10	9	32	20	8	6	2	2	1	—	—	—	—	—	—
Bute . . .	89	25.3	3	4	7	5	10	30	14	10	—	4	—	—	—	—	1	—	—	—
Caitness . . .	191	24.5	5	14	16	26	23	52	25	9	—	8	6	2	—	1	—	—	—	—
Clackmannan . . .	317	24.1	6	14	29	35	44	106	53	6	6	6	4	5	1	1	—	—	—	—
Dumfries . . .	582	22.7	26	63	72	73	55	172	67	25	12	7	4	3	2	1	—	—	—	—
Dunbarton . . .	622	24.6	5	14	43	67	67	232	105	38	19	14	9	5	3	1	—	—	—	—
East Lothian . . .	334	23.7	5	11	18	44	51	133	38	13	8	5	4	2	—	1	1	—	—	—
Fife . . .	1502	24.0	17	53	134	178	195	558	203	63	33	18	20	13	8	5	3	1	—	—
Inverness . . .	180	25.9	—	3	6	13	19	58	52	11	10	4	3	1	—	—	—	—	—	—
Kincardine . . .	159	24.9	3	4	6	11	25	58	28	12	4	2	2	5	—	1	—	—	—	—
Kinross . . .	61	24.3	1	2	6	7	4	23	12	1	2	—	1	—	—	—	—	—	—	—
Kirkcudbright . . .	210	24.0	2	10	16	30	17	77	30	14	10	—	2	—	2	—	—	—	—	—
Lanark . . .	2246	24.3	17	47	130	216	294	926	332	131	64	38	24	13	6	3	5	—	—	—
Midlothian . . .	785	24.4	6	26	56	89	121	281	108	29	23	20	10	5	5	3	—	1	1	—
Moray . . .	367	24.2	6	15	27	31	49	130	63	18	17	3	4	1	2	—	1	—	—	—
Nairn . . .	51	25.0	1	2	3	8	5	17	9	—	—	1	3	—	—	1	—	—	—	—
Orkney . . .	135	24.4	6	7	11	15	10	43	20	12	6	3	1	—	—	—	—	—	—	—
Peebles . . .	99	24.6	—	4	10	11	11	37	15	3	1	—	2	—	1	—	—	—	—	—
Perth . . .	471	24.8	—	11	22	46	46	199	88	28	11	6	2	4	1	—	2	—	—	—
Renfrew . . .	838	24.7	9	20	58	80	81	336	140	58	18	13	8	6	6	2	3	—	—	—

Ross and Cromarty	198	26-3	1	7	11	13	14	64	46	20	12	3	2	2	1	1	-
Roxburgh	304	24-8	1	6	17	32	34	110	59	24	12	3	4	3	1	1	-
Selkirk	147	25-4	2	14	13	14	57	18	59	16	1	1	4	3	1	1	-
Stirling	911	25-1	3	21	55	105	120	362	139	55	17	12	7	8	4	2	-
Sutherland	83	25-8	1	2	8	9	32	18	5	5	1	2	1	2	1	1	-
West Lothian	674	23-2	7	12	38	102	103	259	105	25	8	3	7	2	1	2	-
Wigtown	204	24-0	5	10	16	20	29	72	29	8	6	4	1	2	1	1	-
Zetland	87	23-8	1	1	10	7	13	34	12	3	1	3	1	1	-	-	-
Counties of Cities																	
Glasgow	9958	25-2	108	334	681	998	1116	3561	1567	605	348	196	184	121	60	51	17
Edinburgh	4280	25-2	46	155	336	442	492	1442	667	240	162	94	82	53	35	20	8
Aberdeen	1841	24-9	15	58	131	182	234	673	273	112	57	42	19	17	14	5	9
Dundee	1583	24-5	20	63	145	171	214	515	234	81	57	26	22	16	5	7	5
Large Burghs																	
Paisley	792	24-3	7	33	61	104	81	286	117	38	25	15	11	3	6	5	-
Glenrock	590	24-2	3	24	50	66	83	207	77	35	16	12	8	7	4	-	-
Motherwell & Wishaw	622	24-6	6	23	40	59	76	229	100	41	19	8	7	8	7	-	-
Kirkcaldy	426	24-7	7	19	33	48	47	159	52	21	11	12	3	3	7	2	-
Coatbridge	420	24-1	10	15	32	39	57	179	58	26	7	4	4	5	2	1	-
Dunfermline	393	24-2	10	15	45	42	58	128	45	15	15	10	5	3	2	2	-
Clydebank	343	24-2	1	20	15	47	41	126	52	15	15	6	1	1	1	2	-
Ayr	442	25-4	3	15	28	53	48	142	79	31	10	9	12	4	4	3	-
Kilmarnock	412	24-5	2	10	31	41	60	158	54	28	10	6	3	2	2	2	-
Perth	430	25-1	8	17	27	46	52	148	62	24	21	9	5	5	5	1	-
Hamilton	424	24-2	1	11	33	58	47	167	57	21	13	5	3	2	3	1	-
Falkirk	343	24-8	3	7	21	38	48	130	50	15	7	9	7	3	1	4	-
Airdrie	330	24-0	4	7	14	43	44	132	55	14	4	3	5	3	2	1	-
Inverness	462	25-1	5	18	39	45	38	151	80	42	29	5	4	4	1	-	-
Stirling	220	24-3	2	9	11	23	25	89	34	12	5	6	-	2	1	2	-
Dumfries	339	24-4	5	23	30	32	45	109	48	16	11	8	5	3	3	1	-
Rutherglen	258	25-3	2	9	11	24	31	101	40	19	5	4	3	5	2	1	-
Dumbarton	187	24-0	2	4	13	24	29	70	21	11	5	4	3	2	1	-	-
Port Glasgow	202	23-2	2	10	22	23	22	83	23	6	4	3	3	1	1	-	-
Arbroath	150	24-5	2	3	15	21	19	52	18	10	4	-	-	-	-	1	-

Table 54A. Ages and Conditions of Persons Married in the year 1958—Scotland
Men

Age last Birthday	Total Men	Total Bachelors	Total Widowers	Total Divorced Men	Bachelors who Married			Widowers who Married			Divorced Men who Married		
					Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women
All Ages	41,186	38,426	1,621	1,139	37,152	481	793	848	563	210	784	115	240
16	27	27	—	—	27	—	—	—	—	—	—	—	—
17	205	205	—	—	205	—	—	—	—	—	—	—	—
18	801	801	—	—	801	—	—	—	—	—	—	—	—
19	1,668	1,668	—	—	1,666	1	1	—	—	—	—	—	—
20	2,675	2,675	—	—	2,668	1	6	—	—	—	—	—	—
Under 21	5,376	5,376	—	—	5,367	2	7	—	—	—	—	—	—
21	3,736	3,728	2	6	3,702	6	20	2	—	—	6	—	—
22	4,109	4,105	3	1	4,079	5	21	3	—	—	1	—	—
23	4,232	4,219	4	9	4,176	12	31	4	—	—	8	—	—
24	4,033	4,015	2	16	3,969	31	38	11	—	—	15	—	1
21-24	16,110	16,067	11	32	15,926	31	110	22	—	—	30	—	2
25	3,208	3,177	3	28	3,130	11	36	3	—	—	21	—	7
26	2,684	2,657	2	25	2,604	10	43	2	—	—	22	—	3
27	2,074	2,030	6	38	1,982	9	39	5	—	—	33	—	4
28	1,661	1,612	7	42	1,551	16	45	7	—	1	39	—	3
29	1,286	1,235	5	46	1,170	21	44	5	—	—	37	—	7
25-29	10,913	10,711	23	179	10,437	67	207	22	—	1	152	—	24
30	1,055	997	15	43	938	13	46	13	1	—	35	—	7
31	842	774	13	55	731	9	34	12	—	1	45	—	8
32	704	643	14	42	593	11	39	10	—	4	29	—	10
33	572	511	17	47	461	13	37	15	2	2	37	—	6
34	346	311	17	46	313	19	43	16	1	—	31	—	7
30-34	3,719	3,408	78	235	3,156	65	187	66	4	8	183	—	38
35	475	402	19	54	357	12	33	14	2	3	38	—	12
36	395	335	26	38	355	16	24	22	—	4	25	—	11
37	375	291	26	58	249	17	25	24	4	2	32	—	18
38	338	251	25	57	207	10	30	19	5	4	27	—	9
39	229	175	16	38	148	13	44	14	1	1	26	—	5
35-39	1,816	1,459	112	245	1,256	77	126	85	12	14	168	—	55
40	214	156	27	31	121	21	14	19	4	4	18	—	6
41	203	142	25	36	112	15	15	15	4	4	28	—	10
42	207	130	36	41	102	13	15	22	11	3	27	—	12
43	190	124	36	30	94	18	12	22	6	2	24	—	12
44	194	122	40	32	92	17	13	25	7	2	20	—	12
40-44	1,008	674	164	170	521	84	69	108	32	24	104	—	50
45	185	108	42	35	121	13	13	27	11	4	22	—	6
46	148	79	41	28	82	18	13	25	12	4	17	—	7
47	155	88	45	22	65	14	9	23	5	5	12	—	5
48	137	72	42	23	63	20	9	24	13	6	14	—	6
49	108	47	44	17	28	12	7	21	12	3	9	—	7
45-49	733	394	214	125	276	67	51	121	43	28	79	—	28

Table 54B. Ages and Conditions of Persons Married in the Year 1958—Scotland
Women

Age last Birthday	Total Women	Total Spinsters	Total Widows	Total Divorced Women	Spinsters who Married			Widows who Married			Divorced Women who Married		
					Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men
All Ages	41,186	38,784	1,159	1,243	37,152	848	784	481	563	115	793	210	240
16	443	443	—	—	439	2	2	—	—	—	—	—	—
17	1,389	1,389	—	—	1,379	4	6	—	—	—	—	—	—
18	2,947	2,945	—	—	2,923	3	19	—	—	—	—	—	—
19	4,369	4,368	—	—	4,336	12	20	—	—	—	—	—	—
20	4,954	4,948	—	—	4,903	12	33	—	—	—	—	—	—
Under 21	14,102	14,093	1	8	13,980	33	80	1	—	—	8	—	—
21	4,977	4,961	2	14	4,914	11	36	2	—	—	12	1	1
22	4,254	4,230	5	19	4,191	7	32	5	—	—	16	—	3
23	3,230	3,206	3	21	3,137	16	53	3	—	—	21	—	—
24	2,542	2,497	12	33	2,436	23	38	10	1	—	28	—	4
21-24	15,003	14,894	22	87	14,678	57	159	20	1	1	77	2	8
25	1,935	1,890	7	38	1,830	15	45	6	1	—	32	3	3
26	1,470	1,417	13	40	1,351	20	46	13	—	—	32	1	7
27	1,162	1,085	15	60	1,027	18	40	14	1	2	32	1	4
28	769	710	13	44	858	19	33	11	3	1	40	—	4
29	767	700	13	54	641	26	33	12	—	—	39	—	12
25-29	6,303	6,002	65	236	5,707	98	197	56	5	4	198	8	30
30	586	507	15	64	458	14	35	12	—	—	43	6	15
31	497	411	19	67	373	16	22	17	2	—	53	4	10
32	444	334	19	61	315	21	28	13	3	—	51	3	13
33	415	335	20	70	275	28	36	12	3	3	41	—	17
34	368	280	16	72	239	22	19	10	3	3	48	4	20
30-34	2,310	1,897	89	324	1,660	101	136	64	11	14	236	23	65
35	317	238	23	56	193	23	22	17	2	4	34	9	13
36	268	201	23	44	157	18	26	16	7	—	32	3	3
37	240	171	18	51	136	17	18	11	2	5	30	—	13
38	278	175	41	62	120	29	36	24	13	—	30	13	13
39	165	115	25	25	72	32	26	24	8	3	13	—	13
35-39	1,268	900	130	238	678	119	103	85	29	16	141	42	55
40	136	74	29	33	49	16	9	17	7	4	19	5	9
41	153	86	34	33	49	22	13	19	11	5	13	13	7
42	163	88	45	30	48	31	10	20	17	8	16	5	9
43	126	61	30	35	35	16	10	18	9	3	15	6	11
44	163	64	58	41	28	30	6	28	26	8	15	19	7
40-44	741	373	196	172	209	115	49	98	70	28	78	51	43
45	116	61	31	24	26	27	8	12	16	3	9	10	5
46	116	64	31	21	33	25	6	12	15	1	6	10	5
47	108	51	37	20	21	23	7	14	20	3	9	5	1
48	128	72	43	13	34	34	4	15	22	6	7	7	1
49	96	48	32	16	16	25	5	11	16	1	4	11	4
45-49	564	296	174	94	132	134	30	67	89	18	54	40	20

51	76	27	34	15	13	13	1	10	22	2	4	8	3
52	85	33	44	8	8	16	2	13	27	4	1	8	3
53	72	30	30	10	8	19	5	6	22	1	1	8	3
54	56	30	24	2	10	16	4	5	18	1	1	6	3
50-54	394	172	172	50	67	87	18	46	112	14	12	25	13
55	52	21	26	5	8	10	3	5	16	5	2	1	2
56	37	13	13	3	6	14	1	3	6	4	2	2	1
57	56	19	32	5	5	14	2	11	20	4	—	4	1
58	49	15	30	4	4	9	—	8	20	2	—	4	1
59	34	8	19	7	2	6	6	1	17	1	2	5	—
55-59	228	84	120	24	25	53	6	28	79	13	6	13	5
60	40	18	19	3	6	11	1	2	15	2	1	2	—
61	35	5	28	2	—	5	—	2	24	2	—	1	—
62	29	10	17	2	1	9	—	4	12	1	1	1	—
63	27	6	20	1	1	3	2	—	20	—	—	—	—
64	17	5	12	—	1	3	1	2	9	—	—	—	—
60-64	148	44	96	8	9	31	4	10	80	6	2	5	1
65	32	11	21	—	3	7	1	3	18	—	—	—	—
66	15	4	11	—	1	3	—	—	10	—	—	—	—
67	19	3	16	—	1	2	—	—	15	—	—	—	—
68	9	3	6	—	1	2	—	—	6	—	—	—	—
69	11	3	8	—	—	3	—	—	8	—	—	—	—
65-69	86	24	62	—	6	17	1	4	57	1	—	—	—
70	6	2	3	1	—	2	—	—	3	—	1	—	—
71	8	2	6	—	—	1	1	—	6	—	—	—	—
72	9	1	7	1	1	1	—	—	7	—	—	—	—
73	1	—	1	—	—	—	—	—	1	—	—	—	—
74	—	—	—	—	—	—	—	—	1	—	—	—	—
70-74	24	5	17	2	1	3	1	—	17	—	1	1	—
75	5	—	5	—	—	—	—	1	4	—	—	—	—
76	2	—	2	—	—	—	—	—	2	—	—	—	—
77	4	—	4	—	—	—	—	—	4	—	—	—	—
78	1	—	1	—	—	—	—	—	4	—	—	—	—
79	—	—	—	—	—	—	—	—	1	—	—	—	—
75-79	12	—	12	—	—	—	—	—	11	—	—	—	—
80	2	—	2	—	—	—	—	1	1	—	—	—	—
81	—	—	—	—	—	—	—	—	1	—	—	—	—
82	—	—	—	—	—	—	—	—	—	—	—	—	—
83	—	—	—	—	—	—	—	—	—	—	—	—	—
84	—	—	—	—	—	—	—	—	—	—	—	—	—
85	—	—	—	—	—	—	—	—	—	—	—	—	—
86	—	—	—	—	—	—	—	—	—	—	—	—	—
87	—	—	—	—	—	—	—	—	—	—	—	—	—
88	—	—	—	—	—	—	—	—	—	—	—	—	—
89	—	—	—	—	—	—	—	—	—	—	—	—	—
80-89	3	—	3	—	—	—	—	—	2	—	—	—	—
90 and over Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—

Ages of SPINSTERS

	Ages of SPINSTERS														Ages of BACHELORS											Total Bachelors and Spinsters
	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated	Total Bachelors					
Ages of BACHELORS and over Not stated	16	4	8	5	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	27					
	17	34	58	59	28	14	11	1	-	-	-	-	-	-	-	-	-	-	-	-	205					
	18	90	158	228	151	89	77	8	-	-	-	-	-	-	-	-	-	-	-	-	801					
	19	63	240	410	430	270	231	18	1	-	-	-	-	-	-	-	-	-	-	-	1,666					
	20	61	214	480	666	597	600	49	-	-	-	-	-	-	-	-	-	-	-	-	2,668					
	21-	151	551	1,357	2,331	2,807	7,562	1,077	11	1	1	-	-	-	-	-	-	-	-	-	15,926					
	25-	32	125	332	623	998	5,085	2,786	51	6	1	-	-	-	-	-	-	-	-	-	10,437					
	30-	2	19	45	87	100	875	1,236	593	172	20	4	2	1	-	-	-	-	-	-	3,156					
	35-	1	3	7	10	22	187	388	368	222	31	14	3	-	-	-	-	-	-	-	1,256					
	40-	1	3	-	5	3	33	95	163	118	57	31	10	2	-	-	-	-	-	-	521					
	45-	-	-	-	-	1	12	37	43	73	60	36	10	4	-	-	-	-	-	-	276					
	50-	-	-	-	-	-	2	12	10	21	22	24	20	7	1	1	-	-	-	-	120					
	55-	-	-	-	-	-	-	-	3	6	7	11	10	4	4	-	-	-	-	-	45					
	60-	-	-	-	-	-	-	-	1	2	4	7	9	4	3	1	-	-	-	-	31					
	65-	-	-	-	-	-	-	-	-	1	1	3	3	2	1	3	1	-	-	-	14					
	70-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2					
	75-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1					
80-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Total Spinsters	439	1379	2,923	4,336	4,903	14,678	5,707	1,660	678	209	132	67	25	9	6	1	-	-	-	-	37,152					

Average Age—Husbands, 25·6; Wives, 23·1.

	Ages of WOMEN														Ages of DIVORCED MEN														Total Husbands and Wives
	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated	Total Husbands								
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
21-	-	1	4	4	5	15	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
25-	-	4	4	9	14	60	63	18	5	2	-	-	-	-	-	-	-	-	-	-	-	-							
30-	-	-	6	4	5	54	79	57	21	5	1	-	-	-	-	-	-	-	-	-	-	-							
35-	1	1	4	1	6	30	47	73	50	26	5	1	-	1	-	-	-	-	-	-	-	-							
40-	1	-	-	2	2	3	25	47	42	33	11	2	2	-	-	-	-	-	-	-	-	-							
45-	-	-	-	-	1	4	13	13	32	26	22	12	2	-	-	-	-	-	-	-	-	-							
50-	-	-	-	-	-	-	1	6	15	19	21	12	6	1	-	-	-	-	-	-	-	-							
55-	-	-	-	-	-	2	-	1	7	8	5	12	9	4	-	-	-	-	-	-	-	-							
60-	-	-	1	-	-	-	-	-	1	1	1	5	2	3	-	1	-	-	-	-	-	-							
65-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	-	-	-	-	-	-	-							
70-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
75-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
80-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
85- and over	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-							
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Total Wives	2	6	19	20	33	168	231	215	174	120	68	45	24	11	2	1	-	-	-	-	-	1,139							

Average Age—Husbands 38.9; Wives, 33.5.

Table 59B. Ages in Combination of MEN (all conjugal conditions) and of DIVORCED WOMEN at Marriage in Scotland, 1958

[illegible]

	Average Age—Husbands	38.1	Wives	35.8
1. Number of children	2.3	2.3	2.3	2.3
2. Number of children under 18	1.5	1.5	1.5	1.5
3. Number of children 18 and over	0.8	0.8	0.8	0.8
4. Number of children in college	0.2	0.2	0.2	0.2
5. Number of children in high school	0.3	0.3	0.3	0.3
6. Number of children in junior high school	0.2	0.2	0.2	0.2
7. Number of children in elementary school	0.3	0.3	0.3	0.3
8. Number of children in kindergarten	0.1	0.1	0.1	0.1
9. Number of children in nursery school	0.1	0.1	0.1	0.1
10. Number of children in day care	0.1	0.1	0.1	0.1
11. Number of children in preschool	0.1	0.1	0.1	0.1
12. Number of children in pre-kindergarten	0.1	0.1	0.1	0.1
13. Number of children in infant school	0.1	0.1	0.1	0.1
14. Number of children in primary school	0.1	0.1	0.1	0.1
15. Number of children in secondary school	0.1	0.1	0.1	0.1
16. Number of children in college	0.1	0.1	0.1	0.1
17. Number of children in university	0.1	0.1	0.1	0.1
18. Number of children in graduate school	0.1	0.1	0.1	0.1
19. Number of children in postgraduate school	0.1	0.1	0.1	0.1
20. Number of children in professional school	0.1	0.1	0.1	0.1
21. Number of children in medical school	0.1	0.1	0.1	0.1
22. Number of children in law school	0.1	0.1	0.1	0.1
23. Number of children in business school	0.1	0.1	0.1	0.1
24. Number of children in engineering school	0.1	0.1	0.1	0.1
25. Number of children in architecture school	0.1	0.1	0.1	0.1
26. Number of children in agriculture school	0.1	0.1	0.1	0.1
27. Number of children in forestry school	0.1	0.1	0.1	0.1
28. Number of children in fishery school	0.1	0.1	0.1	0.1
29. Number of children in veterinary school	0.1	0.1	0.1	0.1
30. Number of children in dental school	0.1	0.1	0.1	0.1
31. Number of children in pharmacy school	0.1	0.1	0.1	0.1
32. Number of children in nursing school	0.1	0.1	0.1	0.1
33. Number of children in health school	0.1	0.1	0.1	0.1
34. Number of children in social work school	0.1	0.1	0.1	0.1
35. Number of children in education school	0.1	0.1	0.1	0.1
36. Number of children in teaching school	0.1	0.1	0.1	0.1
37. Number of children in law school	0.1	0.1	0.1	0.1
38. Number of children in business school	0.1	0.1	0.1	0.1
39. Number of children in engineering school	0.1	0.1	0.1	0.1
40. Number of children in architecture school	0.1	0.1	0.1	0.1
41. Number of children in agriculture school	0.1	0.1	0.1	0.1
42. Number of children in forestry school	0.1	0.1	0.1	0.1
43. Number of children in fishery school	0.1	0.1	0.1	0.1
44. Number of children in veterinary school	0.1	0.1	0.1	0.1
45. Number of children in dental school	0.1	0.1	0.1	0.1
46. Number of children in pharmacy school	0.1	0.1	0.1	0.1
47. Number of children in nursing school	0.1	0.1	0.1	0.1
48. Number of children in health school	0.1	0.1	0.1	0.1
49. Number of children in social work school	0.1	0.1	0.1	0.1
50. Number of children in education school	0.1	0.1	0.1	0.1
51. Number of children in teaching school	0.1	0.1	0.1	0.1
52. Number of children in law school	0.1	0.1	0.1	0.1
53. Number of children in business school	0.1	0.1	0.1	0.1
54. Number of children in engineering school	0.1	0.1	0.1	0.1
55. Number of children in architecture school	0.1	0.1	0.1	0.1
56. Number of children in agriculture school	0.1	0.1	0.1	0.1
57. Number of children in forestry school	0.1	0.1	0.1	0.1
58. Number of children in fishery school	0.1	0.1	0.1	0.1
59. Number of children in veterinary school	0.1	0.1	0.1	0.1
60. Number of children in dental school	0.1	0.1	0.1	0.1
61. Number of children in pharmacy school	0.1	0.1	0.1	0.1
62. Number of children in nursing school	0.1	0.1	0.1	0.1
63. Number of children in health school	0.1	0.1	0.1	0.1
64. Number of children in social work school	0.1	0.1	0.1	0.1
65. Number of children in education school	0.1	0.1	0.1	0.1
66. Number of children in teaching school	0.1	0.1	0.1	0.1
67. Number of children in law school	0.1	0.1	0.1	0.1
68. Number of children in business school	0.1	0.1	0.1	0.1
69. Number of children in engineering school	0.1	0.1	0.1	0.1
70. Number of children in architecture school	0.1	0.		

**Table 60. Parliamentary Electors—Scotland.
Parliamentary Electors on the February 1959 Register**

Parliamentary Constituencies	Parliamentary Electors					Votes Cast at Bye- Elections
	Total	Ordinary Residence Qualification		Service Voters' Qualification		
		Total	Names marked "Y" (included in col. 3)*	Total	Names marked "Y" (included in col. 5)*	
(1)	(2)	(3)	(4)	(5)	(6)	(7)
SCOTLAND	3,413,732	3,381,604	22,750	32,128	2,664	26,175
County Constituencies	1,801,364	1,784,680	12,823	16,684	1,442	26,175
Burgh Constituencies	1,612,368	1,596,924	9,927	15,444	1,222	—
ABERDEENSHIRE						
County Constituencies	91,057	90,002	587	1,055	102	—
East Aberdeenshire	44,628	44,160	316	468	48	—
West Aberdeenshire	46,429	45,842	271	587	54	—
Burgh Constituencies	124,437	123,135	914	1,302	109	—
Aberdeen North	66,351	65,642	406	709	68	—
Aberdeen South	58,086	57,493	508	593	41	—
ANGUS AND KINCARDINE						
County Constituencies	81,353	80,372	561	981	66	—
North Angus and Mearns	36,513	36,015	231	498	45	—
South Angus	44,840	44,357	330	483	21	—
Burgh Constituencies	121,341	119,989	1,172	1,352	111	—
Dundee East	58,537	57,928	545	609	50	—
Dundee West	62,804	62,061	627	743	61	—
ARGYLL						
County Constituency Argyll	40,015	39,700	199	315	21	—
AYRSHIRE AND BUTE						
County Constituencies	235,716	233,716	1,893	1,768	161	—
Ayr	45,444	45,043	298	401	34	—
Bute and North Ayrshire	44,291	43,871	293	420	32	—
Central Ayrshire	48,596	48,259	438	337	28	—
Kilmarnock	49,090	48,786	384	304	33	—
South Ayrshire	48,063	47,757	480	306	34	—
BANFFSHIRE						
County Constituency Banff	32,129	31,707	207	422	45	—
BERWICKSHIRE AND EAST LOTHIAN						
County Constituency Berwick and East Lothian	50,569	50,008	369	561	45	—
CAITHNESS AND SUTHERLAND						
County Constituency Caithness and Sutherland	26,716	26,446	177	270	21	—
DUMFRIESSHIRE						
County Constituency Dumfries	57,212	56,618	473	594	46	—

*"Y" indicates an elector who is not 21 on the qualifying date 10th October 1958, but who becomes 21 on or before 15th June, 1959, and who is entitled to vote only at elections held after 1st October 1959.

Table 60. Parliamentary Electors—Scotland—continued.

(1)	(2)	(3)	(4)	(5)	(6)	(7)
DUNBARTONSHIRE						
County Constituencies	115,238	114,378	676	860	72	—
East Dunbartonshire	64,961	64,522	415	439	39	—
West Dunbartonshire	50,277	49,856	261	421	33	—
FIFE						
County Constituencies	106,529	105,347	788	1,182	95	—
East Fife	50,537	49,896	336	641	45	—
West Fife	55,992	55,451	452	541	50	—
Burgh Constituencies	101,969	100,727	547	1,242	73	—
Dunfermline Burghs	47,737	47,088	233	649	32	—
Kirkcaldy Burghs	54,232	53,639	314	593	41	—
INVERNESS-SHIRE AND ROSS AND CROMARTY						
County Constituencies	100,074	99,166	465	908	70	—
Inverness	49,546	49,014	259	532	45	—
Ross and Cromarty	25,350	25,079	73	271	16	—
Western Isles	25,178	25,073	133	105	9	—
KIRKCUDBRIGHT AND WIGTOWN						
County Constituency	36,296	35,864	271	432	45	26,175
LANARKSHIRE						
County Constituencies	301,775	299,584	2,854	2,191	234	—
Bothwell	55,845	55,467	563	378	36	—
Hamilton	51,995	51,556	586	439	48	—
Lanark	57,094	56,664	475	430	53	—
Motherwell	50,503	50,139	389	364	33	—
North Lanarkshire	43,505	43,228	467	277	33	—
Rutherglen	42,833	42,530	374	303	31	—
Burgh Constituencies	758,604	752,478	4,323	6,126	519	—
Coatbridge and Airdrie	53,223	52,886	521	337	50	—
Glasgow, Bridgeton	48,473	48,116	192	357	27	—
Cathcart	64,703	64,390	369	313	25	—
Central	36,540	36,226	172	314	28	—
Craigton	46,768	46,248	284	520	38	—
Gorbals	48,004	47,634	199	370	25	—
Govan	51,084	50,713	232	371	28	—
Hillhead	38,154	37,892	213	262	17	—
Kelvingrove	34,319	34,053	155	266	18	—
Maryhill	46,422	45,850	257	572	59	—
Pollok	52,472	52,069	268	403	30	—
Provan	49,284	48,909	233	375	41	—
Scotstoun	56,278	55,824	435	454	48	—
Shettleston	49,987	49,561	294	426	35	—
Springburn	38,147	37,742	264	405	28	—
Woodside	44,746	44,365	235	381	22	—
MIDLOTHIAN						
County Constituency	58,092	57,506	394	586	62	—
Midlothian	338,795	334,825	1,987	3,970	293	—
Burgh Constituencies	42,781	42,288	266	493	25	—
Edinburgh, Central	54,756	54,054	288	702	68	—
East	39,750	39,345	189	405	20	—
Leith	42,270	41,780	269	490	28	—
North	53,178	52,478	259	700	57	—
Pentlands	48,767	48,240	382	527	39	—
South	57,293	56,640	334	653	56	—
West						

*"Y" indicates an elector who is not 21 on the qualifying date 10th October 1958, but who becomes 21 on or before 15th June 1959, and who is entitled to vote only at elections held after 1st October 1959.

Table 60. Parliamentary Electors—Scotland—continued

(1)	(2)	(3)	(4)	(5)	(6)	(7)
ORAY AND NAIRNSHIRE County Constituency Moray and Nairn .	35,487	34,766	116	721	44	—
RKNEY AND ZETLAND County Constituency Orkney and Zetland .	26,435	26,312	169	123	11	—
ERTHSHIRE AND KINROSS-SHIRE County Constituencies Kinross and West Perthshire Perth and East Perthshire	88,646 33,582 55,064	87,521 33,181 54,340	489 140 349	1,125 401 724	65 26 39	— — —
ENFREWSHIRE County Constituencies East Renfrewshire West Renfrewshire Burgh Constituencies Greenock Paisley	108,455 61,060 47,395 111,463 48,366 63,097	107,750 60,726 47,024 110,575 47,970 62,605	834 489 345 663 231 432	705 334 371 888 396 492	63 29 34 81 40 41	— — — — — —
ROXBURGH, SELKIRK AND PEEBLES County Constituency Roxburgh, Selkirk and Peebles	55,459	54,943	265	516	51	—
STIRLINGSHIRE AND CLACKMANNANSHIRE County Constituencies Clackmannan and East Stirlingshire West Stirlingshire Burgh Constituency Stirling and Falkirk Burghs	95,886 52,200 43,686 55,759	95,118 51,820 43,298 55,195	715 340 375 321	768 380 388 564	76 47 29 36	— — — —
EAST LOTHIAN County Constituency West Lothian	58,457	57,856	321	601	47	—

"Y" indicates an elector who is not 21 on the qualifying date 10th October 1958, but who becomes 21 on or before 15th June 1959, and who is entitled to vote only at elections held after 1st October 1959

Table 61. Local Government Electors and Analysis of Local Elections on the 1959 Register

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electoral Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
SCOTLAND	3,408,319	387	510	1,845,861	763,299	41.4
Counties of Cities	1,275,911	12	72	1,120,506	415,403	37.1
Large Burghs	565,244	45	95	412,079	186,195	45.2
Small Burghs	594,377	330	343	313,276	161,701	51.6
Landward Areas	972,787	—	—	—	—	—
Districts	967,574	—	—	—	—	—
ABERDEEN COUNTY:						
County of City:						
Aberdeen	123,787	3	9	85,744	32,751	38.2
Small Burghs	28,047	24	11	10,590	4,991	47.1
Ballater	866	3	—	—	—	—
Ellon	1,054	3	—	—	—	—
Fraserburgh	6,896	—	6	6,896	3,055	44.3
Huntly	2,830	2	—	—	—	—
Inverurie	3,694	—	5	3,694	1,936	52.4
Kintore	614	3	—	—	—	—
Oldmeldrum	792	4	—	—	—	—
Peterhead	8,546	4	—	—	—	—
Rosehearty	830	3	—	—	—	—
Turriff	1,925	2	—	—	—	—
Landward	63,207	—	—	—	—	—
Districts						
Aberdeen	17,683	—	—	—	—	—
Alford	5,821	—	—	—	—	—
Deer	13,728	—	—	—	—	—
Deeside	5,485	—	—	—	—	—
Ellon	6,602	—	—	—	—	—
Garioch	5,385	—	—	—	—	—
Huntly	3,445	—	—	—	—	—
Turriff	5,058	—	—	—	—	—
ANGUS COUNTY:						
County of City:						
Dundee	120,420	2	10	103,854	47,253	45.5
Large Burgh						
Arbroath	13,286	2	4	9,918	4,519	45.6
Small Burghs	29,517	6	16	22,953	8,581	37.4
Brechin	5,246	—	4	5,246	1,768	33.7
Carnoustie	4,002	3	—	—	—	—
Forfar	7,377	—	5	7,377	3,119	42.3
Kirriemuir	2,662	—	3	2,662	993	37.3
Monifieth	2,562	3	—	—	—	—
Montrose	7,668	—	4	7,668	2,701	35.2
Landward	21,061	—	—	—	—	—
Districts						
Brechin	3,073	—	—	—	—	—
Carnoustie	2,998	—	—	—	—	—
Forfar	4,696	—	—	—	—	—
Kirriemuir	2,976	—	—	—	—	—
Monifieth	4,261	—	—	—	—	—
Montrose	3,057	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
ARGYLL COUNTY:						
Small Burghs	17,047	4	20	11,260	7,033	62·5
Campbeltown	4,434	—	6	4,434	2,485	56·0
Dunoon	6,553	2	2	3,260	2,406	73·8
Inveraray	370	—	4	370	214	57·8
Lochgilhead	838	—	3	838	587	70·0
Oban	4,350	2	1	1,856	1,106	59·6
Tobermory	502	—	4	502	235	46·8
Landward	23,553	—	—	—	—	—
Districts						
Ardnamurchan	1,135	—	—	—	—	—
Cowal	5,209	—	—	—	—	—
Islay	2,649	—	—	—	—	—
Jura and Colonsay	314	—	—	—	—	—
Kintyre	3,562	—	—	—	—	—
Lorn North	2,575	—	—	—	—	—
Lorn South	2,701	—	—	—	—	—
Mid Argyll	3,236	—	—	—	—	—
Mull	1,225	—	—	—	—	—
Tiree and Coll	947	—	—	—	—	—
AYR COUNTY:						
Large Burghs	61,485	4	10	47,677	20,291	42·6
Ayr	30,365	2	4	23,320	9,471	40·6
Kilmarnock	31,120	2	6	24,357	10,820	44·4
Small Burghs	79,578	23	33	49,939	29,801	59·7
Ardrossan	5,957	—	3	5,957	3,195	53·6
Cumnock and Holmhead	3,491	3	—	—	—	—
Darvel	2,453	4	—	—	—	—
Galston	2,906	3	—	—	—	—
Girvan	4,030	—	4	4,030	2,163	53·7
Irvine	10,808	1	6	8,783	6,040	68·8
Kilwinning	4,578	—	4	4,578	2,990	65·3
Largs	6,435	3	—	—	—	—
Maybole	3,147	4	—	—	—	—
Newmilns and Greenholm	2,674	—	3	2,674	1,482	55·4
Prestwick	8,369	2	2	4,531	2,706	59·7
Saltcoats	9,167	—	3	9,167	5,809	63·4
Stevenston	6,291	—	3	6,291	3,392	53·9
Stewarton	2,324	—	3	2,324	1,000	43·0
Troon	6,948	3	2	1,604	1,024	63·8
Landward	81,604	—	—	—	—	—
Districts						
Ayr	7,980	—	—	—	—	—
Cumnock	21,968	—	—	—	—	—
Dalmellington	8,363	—	—	—	—	—
Girvan	3,351	—	—	—	—	—
Irvine	5,795	—	—	—	—	—
Kilbirnie	14,601	—	—	—	—	—
Kilmarnock	9,943	—	—	—	—	—
Maybole	3,669	—	—	—	—	—
Newmilns	1,048	—	—	—	—	—
Saltcoats	4,886	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
BANFF COUNTY:						
Small Burghs	19,610	25	11	2,687	1,270	47.3
Aberchirder	487	5	—	—	—	—
Aberlour	563	—	4	563	265	47.1
Banff	2,264	3	—	—	—	—
Buckie	5,592	3	—	—	—	—
Cullen	1,078	—	4	1,078	439	40.7
Dufftown	1,046	—	3	1,046	566	54.1
Findochty	1,018	4	—	—	—	—
Keith	2,892	4	—	—	—	—
Macduff	2,534	3	—	—	—	—
Portknockie	989	—	—	—	—	—
Portsoy	1,147	3	—	—	—	—
Landward	12,408	—	—	—	—	—
Districts						
Aberchirder	1,412	—	—	—	—	—
Banff	3,153	—	—	—	—	—
Buckie	1,665	—	—	—	—	—
Cullen	1,239	—	—	—	—	—
Dufftown	2,487	—	—	—	—	—
Keith	2,452	—	—	—	—	—
BERWICK COUNTY:						
Small Burghs	4,393	14	—	—	—	—
Coldstream	937	3	—	—	—	—
Duns	1,398	3	—	—	—	—
Eyemouth	1,599	4	—	—	—	—
Lauder	459	4	—	—	—	—
Landward	12,059	—	—	—	—	—
Districts						
East	4,763	—	—	—	—	—
Middle	3,964	—	—	—	—	—
West	3,332	—	—	—	—	—
BUTE COUNTY:						
Small Burghs	7,410	4	5	3,238	1,548	47.8
Millport	1,648	—	3	1,648	819	49.7
Rothsay	5,762	4	2	1,590	729	45.8
Landward	4,346	—	—	—	—	—
Districts						
Arran	2,720	—	—	—	—	—
Bute	1,581	—	—	—	—	—
Cumbrae	45	—	—	—	—	—
CAITHNESS COUNTY:						
Small Burghs	8,842	5	3	3,901	2,311	59.2
Thurso	3,901	—	3	3,901	2,311	59.2
Wick	4,941	5	—	—	—	—
Landward	7,910	—	—	—	—	—
Districts						
Central	1,167	—	—	—	—	—
Eastern	2,041	—	—	—	—	—
Northern	1,066	—	—	—	—	—
Southern	1,672	—	—	—	—	—
Western	1,964	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councilors returned unopposed	Contested Elections			
			Number of Councilors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
CLACKMANNAN COUNTY:						
Small Burghs	16,053	2	11	11,147	6,615	59.3
Alloa	9,277	2	2	4,371	2,642	60.4
Alva	2,887	—	3	2,887	1,563	54.1
Dollar	1,163	—	3	1,163	784	67.4
Tillicoultry	2,726	—	3	2,726	1,626	59.6
Landward	10,346	—	—	—	—	—
Districts						
Alloa	8,319	—	—	—	—	—
Hillfoots	2,027	—	—	—	—	—
DUMFRIES COUNTY:						
Large Burgh						
Dumfries	18,106	7	2	4,982	2,096	42.1
Small Burghs	11,184	10	10	4,091	2,174	53.1
Annan	3,677	4	—	—	—	—
Langholm	1,690	—	3	1,690	861	50.9
Lochmaben	862	—	4	862	516	59.9
Lockerbie	1,978	3	—	—	—	—
Moffat	1,438	3	—	—	—	—
Sanquhar	1,539	—	3	1,539	797	51.8
Landward	28,062	—	—	—	—	—
Districts						
Annan	3,689	—	—	—	—	—
Dumfries	7,217	—	—	—	—	—
Gretna	3,586	—	—	—	—	—
Langholm	1,600	—	—	—	—	—
Lockerbie	2,805	—	—	—	—	—
Moffat	1,050	—	—	—	—	—
Sanquhar	3,485	—	—	—	—	—
Thornhill	4,630	—	—	—	—	—
DUNBARTON COUNTY:						
Large Burghs	49,026	—	13	49,206	23,815	48.6
Clydebank	32,289	—	7	32,289	14,807	45.9
Dumbarton	16,737	—	6	16,737	9,008	53.8
Small Burghs	33,745	7	14	22,906	14,191	62.0
Bearsden	10,195	3	2	3,734	2,182	58.4
Cove and Kilcreggan	708	—	4	708	391	55.2
Helensburgh	6,451	4	1	2,073	1,247	60.2
Kirkintilloch	10,500	—	4	10,500	6,737	64.2
Milngavie	5,891	—	3	5,891	3,634	61.7
Landward	32,091	—	—	—	—	—
Districts						
Cumbernauld	3,452	—	—	—	—	—
Helensburgh	4,362	—	—	—	—	—
Kirkintilloch	2,276	—	—	—	—	—
Old Kilpatrick	5,954	—	—	—	—	—
Vale of Leven	16,047	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
EAST LOTHIAN COUNTY:						
Small Burghs	18,009	5	17	13,168	5,963	45·3
Cockenzie and Port Seton	2,380	—	3	2,380	973	40·9
Dunbar	2,854	—	4	2,854	1,235	43·3
East Linton	715	2	—	—	—	—
Haddington	3,145	—	4	3,145	1,256	39·9
North Berwick	2,824	—	3	2,824	1,712	60·6
Prestonpans	1,965	—	3	1,965	787	40·1
Tranent	4,126	3	—	—	—	—
Landward	16,535	—	—	—	—	—
Districts						
Dunbar	2,248	—	—	—	—	—
Haddington	2,783	—	—	—	—	—
North Berwick	3,389	—	—	—	—	—
Prestonpans	3,816	—	—	—	—	—
Tranent	4,299	—	—	—	—	—
FIFE COUNTY:						
Large Burghs	64,324	6	12	38,978	18,336	47·0
Dunfermline	30,105	4	3	13,537	5,647	41·7
Kirkcaldy	34,219	2	9	25,441	12,689	49·9
Small Burghs	73,215	24	71	43,224	21,692	50·2
Auchtermuchty	954	—	5	954	427	44·8
Buckhaven and Methil	13,963	4	—	—	—	—
Burntisland	4,319	—	6	4,319	2,868	66·4
Cowdenbeath	8,562	—	4	8,562	4,916	57·4
Crail	857	—	5	857	518	60·4
Culross	352	—	5	352	189	53·7
Cupar	3,890	—	4	3,890	1,335	34·3
Elie and Earlsferry	789	5	—	—	—	—
Falkland	752	—	4	752	303	40·3
Inverkeithing	2,734	—	5	2,734	1,397	51·1
Kilrenny, Anstruther Easter and Anstruther Wester	2,183	4	—	—	—	—
Kinghorn	1,545	—	3	1,545	933	60·4
Ladybank	897	3	—	—	—	—
Leslie	2,410	—	3	2,410	1,597	66·3
Leven	6,135	2	1	1,944	1,337	68·8
Lochgelly	6,268	—	5	6,268	1,650	26·3
Markinch	1,719	—	4	1,719	984	57·2
Newburgh	1,704	—	3	1,704	621	36·4
Newport-on-Tay	2,455	2	2	715	543	75·9
Pittenweem	1,169	—	4	1,169	414	35·4
St. Andrews	6,228	4	—	—	—	—
St. Monance	1,073	—	5	1,073	250	23·3
Tayport	2,257	—	3	2,257	1,410	62·5
Landward	70,453	—	—	—	—	—
Districts						
Cupar	8,540	—	—	—	—	—
Dunfermline	16,407	—	—	—	—	—
Kirkcaldy	10,775	—	—	—	—	—
Lochgelly	19,405	—	—	—	—	—
St. Andrews	7,340	—	—	—	—	—
Wemyss	7,986	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councilors returned unopposed	Contested Elections			
			Number of Councilors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
INVERNESS COUNTY:						
Large Burgh						
Inverness	19,297	3	4	11,115	5,202	46·8
Small Burghs	2,944	8	—	—	—	—
Fort William	2,135	3	—	—	—	—
Kingussie	809	5	—	—	—	—
Landward	36,278	—	—	—	—	—
Districts						
Aird	4,746	—	—	—	—	—
Badenoch	4,158	—	—	—	—	—
Barra	1,464	—	—	—	—	—
Harris	3,197	—	—	—	—	—
Inverness	5,181	—	—	—	—	—
Lochaber	6,584	—	—	—	—	—
North Uist	1,418	—	—	—	—	—
Skye	6,766	—	—	—	—	—
South Uist	2,764	—	—	—	—	—
KINCARDINE COUNTY:						
Small Burghs	6,422	7	8	3,950	1,995	50·5
Banchory	1,429	3	—	—	—	—
Inverbervie	722	—	3	722	351	48·6
Laurencekirk	1,043	4	—	—	—	—
Stonehaven	3,228	—	5	3,228	1,644	50·9
Landward	11,142	—	—	—	—	—
Districts						
Laurencekirk	2,590	—	—	—	—	—
Lower Deeside	2,008	—	—	—	—	—
St. Cyrus	2,304	—	—	—	—	—
Stonehaven	2,465	—	—	—	—	—
Upper Deeside	1,775	—	—	—	—	—
KINROSS COUNTY:						
Small Burgh						
Kinross	1,697	5	—	—	—	—
Landward	2,803	—	—	—	—	—
Districts—None						
KIRKCUDBRIGHT COUNTY:						
Small Burghs	6,805	10	8	2,499	1,433	57·3
Castle Douglas	2,245	—	4	2,245	1,252	55·8
Dalbeattie	2,070	3	—	—	—	—
Gatehouse-of-Fleet	616	3	—	—	—	—
Kirkcudbright	1,620	4	—	—	—	—
New Galloway	254	—	4	254	181	71·3
Landward	12,141	—	—	—	—	—
Districts						
Castle Douglas	1,890	—	—	—	—	—
Creetown	1,918	—	—	—	—	—
Dalbeattie	2,479	—	—	—	—	—
Eastern	1,903	—	—	—	—	—
Glenkens	1,586	—	—	—	—	—
Kirkcudbright	2,365	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
LANARK COUNTY:						
County of City:						
Glasgow	706,597	—	37	706,597	257,227	36.4
Large Burghs	143,142	6	26	118,573	60,513	51.0
Airdrie	20,673	—	5	20,673	11,408	55.2
Coatbridge	32,179	—	6	32,179	16,505	51.3
Hamilton	26,091	3	2	8,596	3,887	45.2
Motherwell and Wishaw	46,988	1	8	42,305	20,824	49.2
Rutherglen	17,211	2	5	14,820	7,889	53.2
Small Burghs	6,564	9	—	—	—	—
Biggar	1,047	4	—	—	—	—
Lanark	5,517	5	—	—	—	—
Landward	203,263	—	—	—	—	—
Districts						
No. 1	4,968	—	—	—	—	—
No. 2	9,550	—	—	—	—	—
No. 3	14,006	—	—	—	—	—
No. 4	22,212	—	—	—	—	—
No. 5	25,200	—	—	—	—	—
No. 6	38,588	—	—	—	—	—
No. 7	22,314	—	—	—	—	—
No. 8	25,487	—	—	—	—	—
No. 9	40,938	—	—	—	—	—
MIDLOTHIAN COUNTY:						
County of City:						
Edinburgh	325,107	7	16	224,311	78,172	34.8
Small Burghs	29,638	6	12	15,878	8,309	52.3
Bonnyrigg and Lasswade	4,210	3	—	—	—	—
Dalkeith	5,905	—	3	5,905	2,916	49.4
Loanhead	3,314	—	3	3,314	1,942	58.6
Musselburgh	12,281	3	2	2,731	1,475	54.0
Penicuik	3,928	—	4	3,928	1,976	50.3
Landward	40,603	—	—	—	—	—
Districts						
Currie	4,816	—	—	—	—	—
East Calder	4,205	—	—	—	—	—
Gala Water	7,835	—	—	—	—	—
Lasswade	3,654	—	—	—	—	—
Musselburgh	4,880	—	—	—	—	—
Newbattle	6,810	—	—	—	—	—
Penicuik	3,907	—	—	—	—	—
West Calder	4,496	—	—	—	—	—
MORAY COUNTY:						
Small Burghs						
Burghead	16,873	18	7	3,239	1,351	41.7
Elgin	887	3	—	—	—	—
Elgin	7,689	5	—	—	—	—
Forres	3,239	—	7	3,239	1,351	41.7
Grantown-on-Spey	1,011	3	—	—	—	—
Lossiemouth and Branderburgh	3,267	3	—	—	—	—
Rothies	780	4	—	—	—	—
Landward	12,849	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
Moray County—continued						
Districts						
Cromdale	668	—	—	—	—	—
Duffus and Drainie	1,891	—	—	—	—	—
Elgin	3,674	—	—	—	—	—
Fochabers	2,588	—	—	—	—	—
Forres	2,968	—	—	—	—	—
Roths and Knockando	1,060	—	—	—	—	—
NAIRN COUNTY:						
Small Burgh						
Nairn	3,422	7	—	—	—	—
Landward	2,410	—	—	—	—	—
Districts—None						
ORKNEY COUNTY:						
Small Burghs	3,984	3	5	2,882	1,222	42·4
Kirkwall	2,882	—	5	2,882	1,222	42·4
Stromness	1,102	3	—	—	—	—
Landward	9,483	—	—	—	—	—
Districts						
Eday	153	—	—	—	—	—
Hoy and Walls	582	—	—	—	—	—
Mainland	5,474	—	—	—	—	—
North Ronaldsay	133	—	—	—	—	—
Rousay	265	—	—	—	—	—
Sanday	508	—	—	—	—	—
Shapinsay	315	—	—	—	—	—
South Ronaldsay	923	—	—	—	—	—
Stonsay	380	—	—	—	—	—
Westray	750	—	—	—	—	—
PEEBLES COUNTY:						
Small Burghs	5,749	3	4	4,059	1,717	42·3
Innerleithen	1,690	3	—	—	—	—
Peebles	4,059	—	4	4,059	1,717	42·3
Landward	4,194	—	—	—	—	—
Districts						
Broughton	772	—	—	—	—	—
Innerleithen	1,177	—	—	—	—	—
Linton	1,352	—	—	—	—	—
Peebles	893	—	—	—	—	—
PERTH COUNTY:						
Large Burgh						
Perth	27,655	2	6	20,049	9,389	46·8
Small Burghs	19,166	25	15	11,379	4,733	41·6
Aberfeldy	1,072	3	—	—	—	—
Abernethy	450	4	—	—	—	—
Alyth	1,370	5	—	—	—	—
Auchterarder	1,684	—	3	1,684	1,010	60·0
Blairgowrie and Rattray	3,674	—	5	3,674	906	24·7
Callander	1,160	4	—	—	—	—
Coupar Angus	1,506	3	—	—	—	—
Crieff	3,868	—	4	3,868	1,555	40·2
Doune	570	3	—	—	—	—
Dunblane	2,153	—	3	2,153	1,262	58·6
Pitlochry	1,659	3	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
Perth County—continued						
Landward	37,302	—	—	—	—	—
Districts						
Central	6,016	—	—	—	—	—
Eastern	5,823	—	—	—	—	—
Highland	5,546	—	—	—	—	—
Perth	14,457	—	—	—	—	—
Western	5,460	—	—	—	—	—
RENFREW COUNTY:						
Large Burghs	124,919	8	13	88,713	33,631	37.9
Greenock	48,275	1	8	44,788	16,435	36.7
Paisley	63,011	3	5	43,925	17,196	39.1
Port Glasgow	13,633	4	—	—	—	—
Small Burghs	37,863	4	11	28,647	16,430	57.4
Barrhead	9,129	—	4	9,129	5,485	60.1
Gourock	6,807	3	—	—	—	—
Johnstone	10,045	—	4	10,045	5,899	58.7
Renfrew	11,882	1	3	9,473	5,046	53.3
Landward	56,555	—	—	—	—	—
Districts						
No. 1	30,041	—	—	—	—	—
No. 2	9,739	—	—	—	—	—
No. 3	3,616	—	—	—	—	—
No. 4	9,581	—	—	—	—	—
No. 5	3,578	—	—	—	—	—
ROSS AND CROMARTY COUNTY:						
Small Burghs	9,267	12	15	2,328	1,250	53.7
Cromarty	484	—	5	484	270	55.8
Dingwall	2,314	5	—	—	—	—
Fortrose	672	—	5	672	429	63.8
Invergordon	1,218	3	—	—	—	—
Sornoway	3,407	4	—	—	—	—
Tain	1,172	—	5	1,172	551	47.0
Landward	32,337	—	—	—	—	—
Districts						
Avoch	2,064	—	—	—	—	—
Dingwall	2,455	—	—	—	—	—
Fearn	1,745	—	—	—	—	—
Fortrose	765	—	—	—	—	—
Gairloch	1,359	—	—	—	—	—
Invergordon	2,234	—	—	—	—	—
Lewis	12,820	—	—	—	—	—
Lochbroom	1,281	—	—	—	—	—
Lochcarron	1,149	—	—	—	—	—
Muir of Ord	3,627	—	—	—	—	—
South West	1,572	—	—	—	—	—
Tain	1,266	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
ROXBURGH COUNTY:						
Small Burghs	18,892	12	6	5,164	1,976	38.3
Hawick	11,946	4	1	2,603	940	36.1
Jedburgh	2,561	—	5	2,561	1,036	40.5
Kelso	2,969	6	—	—	—	—
Melrose	1,416	2	—	—	—	—
Landward	12,153	—	—	—	—	—
Districts						
Hawick	2,996	—	—	—	—	—
Jedburgh	2,475	—	—	—	—	—
Kelso	2,923	—	—	—	—	—
Melrose	3,759	—	—	—	—	—
SELKIRK COUNTY:						
Small Burghs	12,881	4	6	6,058	2,255	37.2
Galashiels	8,797	4	1	1,974	730	37.0
Selkirk	4,084	—	5	4,084	1,525	37.3
Landward	1,983	—	—	—	—	—
Districts						
North	1,203	—	—	—	—	—
South	780	—	—	—	—	—
STIRLING COUNTY:						
Large Burghs	44,004	7	5	23,048	8,403	36.5
Falkirk	25,924	2	3	17,302	6,158	35.6
Stirling	18,080	5	2	5,746	2,245	39.1
Small Burghs	25,400	10	5	7,062	4,233	59.9
Bridge of Allan	2,323	4	—	—	—	—
Denny and Dunipace	4,907	—	3	4,907	3,400	69.3
Grangemouth	11,710	3	2	2,155	833	38.7
Kilsyth	6,460	3	—	—	—	—
Landward	55,458	—	—	—	—	—
Districts						
Central No. 1	10,516	—	—	—	—	—
No. 2	8,918	—	—	—	—	—
Eastern No. 1	11,884	—	—	—	—	—
No. 2	8,703	—	—	—	—	—
No. 3	4,992	—	—	—	—	—
Western No. 1	1,110	—	—	—	—	—
No. 2	4,474	—	—	—	—	—
No. 3	4,861	—	—	—	—	—
SUTHERLAND COUNTY:						
Small Burgh						
Dornoch	584	3	—	—	—	—
Landward	9,288	—	—	—	—	—
Districts						
Assynt	609	—	—	—	—	—
Dornoch and Creich	1,662	—	—	—	—	—
Eddrachillis and Durness	845	—	—	—	—	—
Golspie, Rogart and Lairg	2,336	—	—	—	—	—
Kildonan, Loth and Clyne	2,228	—	—	—	—	—
Tongue and Farr	1,608	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
WEST LOTHIAN COUNTY:						
Small Burghs	27,304	16	8	11,548	5,734	49·7
Armadales	4,004	3	—	—	—	—
Bathgate	8,036	—	4	8,036	4,119	51·3
Bo'ness	6,926	4	—	—	—	—
Linlithgow	2,949	5	—	—	—	—
Queensferry	1,877	4	—	—	—	—
Whitburn	3,512	—	4	3,512	1,615	46·0
Landward	30,915	—	—	—	—	—
Districts						
Bo'ness	2,383	—	—	—	—	—
Linlithgow	2,004	—	—	—	—	—
Kirkliston and Winchburgh	3,830	—	—	—	—	—
Torphichen and Bathgate	4,276	—	—	—	—	—
Uphall	7,840	—	—	—	—	—
Whitburn and Livingston	10,582	—	—	—	—	—
WIGTOWN COUNTY:						
Small Burghs	8,419	15	6	5,626	1,616	28·7
Newton Stewart	1,409	3	—	—	—	—
Stranraer	5,626	—	6	5,626	1,616	28·7
Whithorn	604	7	—	—	—	—
Wigtown	780	5	—	—	—	—
Landward	8,983	—	—	—	—	—
Districts						
Machars	3,535	—	—	—	—	—
Rhins	5,448	—	—	—	—	—
ZETLAND COUNTY:						
Small Burgh:						
Lerwick	3,853	—	5	3,853	1,277	33·1
Landward	9,012	—	—	—	—	—
Districts						
Bressay	239	—	—	—	—	—
Delting	563	—	—	—	—	—
Dunrossness	1,612	—	—	—	—	—
Fetlar	96	—	—	—	—	—
Lerwick (Landward)	763	—	—	—	—	—
Nesting	373	—	—	—	—	—
Northmaven	626	—	—	—	—	—
Sandsting	779	—	—	—	—	—
Tingwall	1,131	—	—	—	—	—
Unst	653	—	—	—	—	—
Walls	570	—	—	—	—	—
Whalsay	631	—	—	—	—	—
Yell	976	—	—	—	—	—

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1955 to 1959

	1959	1958	1957	1956	1955	1939
SCOTLAND	1,597,775	1,583,662	1,566,877	1,551,196	1,531,751	1,294,872
Counties of Cities . . .	599,049	595,698	591,100	585,098	577,350	507,110
Large Burghs . . .	263,529	260,341	256,406	252,792	248,902	199,651
Small Burghs . . .	285,792	282,498	274,526	271,101	267,710	213,511
Landward Areas . . .	449,405	445,125	444,845	442,205	437,789	374,600
ABERDEEN COUNTY	98,753	98,144	97,439	96,504	95,613	83,224
Aberdeen County of City . .	57,652	56,951	56,427	55,695	54,914	46,516
Small Burghs . . .	12,593	12,685	12,575	12,435	12,308	10,386
Ballater . . .	456	467	469	464	469	394
Ellon . . .	472	467	472	469	476	389
Fraserburgh . . .	3,005	3,037	2,991	2,939	2,907	2,410
Huntly . . .	1,284	1,274	1,274	1,245	1,233	1,106
Inverurie . . .	1,691	1,687	1,682	1,673	1,629	1,306
Kintore . . .	268	268	272	274	262	231
Oldmeldrum . . .	362	362	364	368	362	293
Peterhead . . .	3,765	3,832	3,755	3,709	3,670	3,177
Rosehearty . . .	371	372	373	375	376	308
Turriff . . .	919	919	923	919	924	772
Landward . . .	28,508	28,508	28,437	28,374	28,391	26,322
ANGUS COUNTY	95,090	93,904	93,015	91,657	90,243	78,121
Dundee County of City . .	62,316	61,262	60,364	59,262	57,977	49,416
Large Burgh . . .	7,045	7,003	7,031	6,914	6,882	5,806
Arbroath . . .	7,045	7,003	7,031	6,914	6,882	5,806
Small Burghs . . .	15,178	15,136	15,031	14,930	14,798	12,612
Brechin . . .	2,664	2,686	2,648	2,664	2,644	2,161
Carnoustie . . .	2,059	2,035	2,058	2,004	1,994	1,603
Forfar . . .	3,805	3,762	3,685	3,663	3,588	3,156
Kirriemuir . . .	1,374	1,391	1,397	1,389	1,376	1,187
Monifieth . . .	1,279	1,294	1,289	1,283	1,285	1,038
Montrose . . .	3,997	3,968	3,954	3,927	3,911	3,467
Landward . . .	10,551	10,503	10,589	10,551	10,586	10,287
ARGYLL COUNTY	20,793	20,823	20,628	20,656	20,478	18,889
Small Burghs . . .	8,604	8,601	8,591	8,564	8,412	7,487
Campbeltown . . .	2,128	2,139	2,141	2,146	2,163	1,745
Dunoon . . .	3,721	3,726	3,720	3,721	3,693	3,501
Inveraray . . .	151	162	165	167	153	153
Lochgilphead . . .	431	432	418	421	419	370
Oban . . .	1,915	1,883	1,885	1,847	1,719	1,472
Tobermory . . .	258	259	262	262	265	246
Landward . . .	12,189	12,222	12,037	12,092	12,066	11,402
AYR COUNTY	103,986	102,269	100,219	98,179	96,172	75,984
Large Burghs . . .	28,294	27,827	27,292	26,653	26,021	20,424
Ayr . . .	13,261	13,079	12,895	12,755	12,540	9,981
Kilmarnock . . .	15,033	14,748	14,397	13,898	13,481	10,443
Small Burghs . . .	38,425	37,661	37,038	36,330	35,500	25,787
Ardrossan . . .	2,785	2,746	2,707	2,668	2,601	1,951
Cumnock and Holmhead . .	1,649	1,624	1,615	1,566	1,488	1,089
Darvel . . .	1,226	1,230	1,226	1,224	1,177	1,003
Galston . . .	1,461	1,462	1,448	1,451	1,443	1,247
Girvan . . .	1,978	1,893	1,860	1,860	1,829	1,634
Irvine . . .	5,044	4,874	4,784	4,646	4,539	3,074
Kilwinning . . .	2,113	2,105	2,052	2,026	1,962	1,320
Largs . . .	3,467	3,397	3,363	3,321	3,257	2,882

NOTE.—The figures in the above table are not strictly comparable between one year and another, because the boundaries of cities and burghs have, in a number of instances, been altered since 1939.

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1955 to 1959—*contd.*

	1959	1958	1957	1956	1955	1939
Ayr County—continued						
Maybole	1,479	1,452	1,451	1,449	1,504	1,202
Newmilns and Greenholm	1,373	1,373	1,396	1,392	1,398	1,237
Prestwick	3,943	3,838	3,719	3,681	3,623	2,934
Saltcoats	4,583	4,497	4,317	4,125	3,899	2,980
*Stevenston	2,979	2,884	2,816	2,724	2,657	—
Stewarton	1,121	1,127	1,127	1,084	1,048	795
Troon	3,224	3,159	3,157	3,113	3,075	2,439
Landward	37,267	36,781	35,889	35,196	34,651	29,773
BANFF COUNTY						
Small Burghs	15,309	15,343	15,286	15,096	14,781	13,217
Aberchirder	9,104	9,113	9,076	8,924	8,685	7,545
Aberlour	254	263	271	269	268	259
Banff	270	271	273	271	270	229
Buckie	1,219	1,202	1,211	1,154	1,148	932
Cullen	2,291	2,294	2,281	2,255	2,175	1,912
Dufftown	547	541	542	552	531	479
Findochty	476	474	473	471	462	425
Keith	455	455	457	451	435	371
Macduff	1,360	1,375	1,362	1,312	1,284	1,144
Portknockie	1,223	1,221	1,184	1,170	1,113	896
Portsoy	441	445	455	455	445	407
Landward	568	572	567	564	554	491
	6,205	6,230	6,210	6,172	6,096	5,672
BERWICK COUNTY						
Small Burghs	7,831	7,832	7,912	7,801	7,891	7,856
Coldstream	2,148	2,151	2,179	2,107	2,135	1,862
Duns	477	474	480	449	465	417
Eyemouth	677	684	695	693	690	606
Lauder	760	759	771	731	743	624
Landward	234	234	233	234	237	215
	5,683	5,681	5,733	5,694	5,756	5,994
BUTE COUNTY						
Small Burghs	7,572	7,500	7,555	7,878	7,848	7,338
Millport	4,754	4,747	4,772	4,898	4,878	4,470
Rothsay	1,264	1,264	1,261	1,261	1,261	1,207
Landward	3,490	3,483	3,511	3,637	3,617	3,263
	2,818	2,753	2,783	2,980	2,970	2,868
CAITHNESS COUNTY						
Small Burghs	9,120	9,104	8,775	8,493	8,342	7,211
Thurso	4,415	4,392	4,030	3,763	3,623	2,846
Wick	1,887	1,843	1,506	1,288	1,167	852
Landward	2,528	2,549	2,524	2,475	2,456	1,994
	4,705	4,712	4,745	4,730	4,719	4,365
CLACKMANNAN CO.						
Small Burghs	12,976	12,518	12,138	12,083	11,939	9,025
Alloa	8,155	7,773	7,530	7,465	7,433	6,094
Alva	4,684	4,418	4,291	4,259	4,248	3,423
Dollar	1,509	1,409	1,311	1,310	1,321	1,198
Tillicoultry	587	572	557	552	558	456
Landward	1,375	1,374	1,371	1,344	1,306	1,017
	4,821	4,745	4,608	4,618	4,506	2,931
DUMFRIES COUNTY						
Large Burgh	27,106	26,787	26,705	26,778	26,477	21,490
Dumfries	8,180	8,156	8,136	8,319	8,241	6,381
Small Burghs	8,180	8,156	8,136	8,319	8,241	6,381
Annan	5,452	5,420	5,336	5,265	5,221	4,002
Langholm	1,812	1,744	1,681	1,604	1,555	1,057
Lochmaben	888	909	897	906	900	784
Lockerbie	393	393	380	380	371	292
Moffat	923	918	915	905	900	760
Sanguhar	707	713	720	722	721	611
Landward	729	743	743	748	774	498
	13,474	13,211	13,233	13,194	13,015	11,107

* Formation of new burgh, 1952.

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1955 to 1959—contd.

	1959	1958	1957	1956	1955	1939
DUNBARTON COUNTY	53,250	52,560	51,855	50,993	49,987	39,258
Large Burghs	22,619	22,462	22,254	21,875	21,275	16,977
Clydebank	14,838	14,677	14,432	14,137	13,631	11,572
Dumbarton	7,781	7,785	7,822	7,738	7,644	5,405
Small Burghs	15,670	15,422	10,534	10,237	10,152	7,732
*Bearsden	4,856	4,696	—	—	—	—
Cove and Kilcreggan	381	373	384	375	374	351
Helensburgh	3,063	3,047	2,975	2,845	2,833	2,405
Kirkintilloch	4,698	4,545	4,508	4,380	4,360	3,242
Milngavie	2,672	2,761	2,667	2,637	2,585	1,734
Landward	14,961	14,676	19,067	18,881	18,560	14,549
EAST LOTHIAN CO.	16,111	15,979	15,907	15,801	15,529	12,767
Small Burghs	8,567	8,419	8,320	8,250	8,078	6,301
Cockenzie and Port Seton	1,142	1,144	1,112	1,114	1,083	738
Dunbar	1,387	1,377	1,377	1,384	1,376	1,163
East Linton	354	346	355	356	357	284
Haddington	1,522	1,411	1,431	1,445	1,431	1,168
North Berwick	1,391	1,385	1,390	1,371	1,373	1,005
Prestonpans	889	876	864	848	855	672
Tranent	1,882	1,880	1,791	1,732	1,603	1,271
Landward	7,544	7,560	7,587	7,551	7,451	6,466
FIFE COUNTY	98,864	98,112	97,134	96,276	95,218	75,928
Large Burghs	30,960	30,689	30,412	30,542	29,996	22,997
Dunfermline	14,301	14,095	13,907	14,004	13,671	10,309
Kirkcaldy	16,659	16,594	16,505	16,538	16,325	12,688
Small Burghs	35,308	34,973	34,591	34,284	34,137	27,768
Auchtermuchty	493	484	476	468	478	414
Buckhaven and Methil	6,510	6,425	6,413	6,319	6,163	4,516
Burntisland	2,065	2,014	1,973	1,983	1,970	1,621
Cowdenbeath	3,876	3,916	3,998	3,952	4,008	3,108
Crail	474	466	461	457	466	397
Culross	156	152	161	170	168	134
Cupar	1,894	1,856	1,859	1,838	1,875	1,558
Elie and Earlsferry	524	527	521	520	521	485
Falkland	371	376	386	377	389	294
Inverkeithing	1,311	1,301	1,259	1,221	1,138	881
Kilrenny, Anstruther						
Easter and Anstruther						
Wester	1,111	1,131	1,124	1,128	1,135	1,119
Kinghorn	782	803	811	797	811	698
Ladybank	453	453	454	452	467	391
Leslie	1,188	1,184	1,014	1,011	954	782
Leven	3,030	2,943	2,848	2,834	2,844	2,345
Lochgelly	2,800	2,698	2,670	2,630	2,649	2,118
Markinch	825	827	836	837	823	652
Newburgh	830	838	823	821	831	770
Newport-on-Tay	1,200	1,203	1,195	1,193	1,218	1,009
Pittenweem	619	621	610	601	591	534
St. Andrews	3,041	2,988	2,931	2,918	2,891	2,379
St. Monance	618	624	614	594	599	561
Tayport	1,137	1,143	1,154	1,163	1,148	1,002
Landward	32,596	32,450	32,131	31,450	31,085	25,163
INVERNESS COUNTY	25,174	24,940	24,808	24,670	24,505	20,773
Large Burgh	8,528	8,389	8,321	8,278	8,083	6,089
Inverness	8,528	8,389	8,321	8,278	8,083	6,089
Small Burghs	1,132	1,122	1,108	1,120	1,093	944
Fort William	787	776	770	774	745	636
Kingussie	345	346	338	346	348	308
Landward	15,514	15,429	15,379	15,272	15,329	13,740

*Formation of new burgh 1958.

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1955 to 1959—*contd.*

	1959	1958	1957	1956	1955	1939
KINCARDINE COUNTY	8,133	8,109	8,102	8,144	8,123	7,119
Small Burghs	3,071	3,065	3,052	3,068	3,061	2,553
Banchory	626	629	611	614	612	514
Inverbervie	310	302	302	305	307	268
Laurencekirk	524	522	525	531	533	468
Stonehaven	1,611	1,612	1,614	1,618	1,609	1,303
Landward	5,062	5,044	5,050	5,076	5,062	4,566
KINROSS COUNTY	2,215	2,237	2,248	2,253	2,272	2,057
Small Burgh	800	802	815	806	809	716
Kinross	800	802	815	806	809	716
Landward	1,415	1,435	1,433	1,447	1,463	1,341
KIRKCUDBRIGHT CO.	9,207	9,180	9,274	9,490	9,257	8,315
Small Burghs	3,330	3,305	3,311	3,262	3,225	2,801
Castle Douglas	1,097	1,078	1,081	1,063	1,061	876
Dalbeattie	992	979	986	962	946	868
Gatehouse of Fleet	306	306	306	311	315	252
Kirkcudbright	797	799	798	787	766	663
New Galloway	138	143	140	139	137	142
Landward	5,877	5,875	5,963	6,228	6,032	5,514
LANARK COUNTY	486,666	483,295	478,100	473,082	466,770	400,057
Glasgow County of City	326,777	326,267	324,350	321,368	317,894	283,011
Large Burghs	65,565	64,502	63,190	62,159	61,337	47,604
Airdrie	9,397	9,100	8,832	8,671	8,544	6,276
Coatbridge	14,515	14,345	14,037	13,767	13,459	10,082
Hamilton	11,723	11,456	11,318	11,234	11,031	8,639
Motherwell and Wishaw	21,721	21,499	21,072	20,682	20,528	15,925
Rutherglen	8,209	8,102	7,931	7,805	7,775	6,682
Small Burghs	3,119	3,118	3,109	3,043	2,942	1,988
Biggar	526	523	521	524	524	415
Lanark	2,593	2,595	2,588	2,519	2,418	1,573
Landward	91,205	89,408	87,451	86,512	84,597	67,454
MIDLOTHIAN COUNTY	184,709	183,469	181,580	180,210	177,577	150,274
Edinburgh County of City	152,304	151,218	149,959	148,773	146,565	128,167
Small Burghs	13,640	13,701	13,618	13,491	13,388	9,949
Bonnyrigg and Lasswade	1,993	2,057	1,949	1,848	1,764	1,453
Dalkeith	2,631	2,598	2,655	2,617	2,600	1,901
Loanhead	1,488	1,490	1,474	1,477	1,480	959
Musselburgh	5,630	5,660	5,626	5,638	5,622	4,399
Penicuik	1,898	1,896	1,914	1,911	1,922	1,237
Landward	18,765	18,550	18,003	17,946	17,624	12,158
MORAY COUNTY	13,567	13,472	13,463	13,459	13,406	11,031
Small Burghs	7,747	7,688	7,610	7,580	7,487	5,787
Burghead	392	392	399	393	394	378
Elgin	3,529	3,534	3,494	3,456	3,354	2,474
Forres	1,485	1,432	1,416	1,426	1,428	1,148
Grantown-on-Spey	501	502	508	507	504	418
Lossiemouth and						
Branderburgh	1,486	1,465	1,425	1,429	1,431	1,033
Roths	354	363	368	369	376	336
Landward	5,820	5,784	5,853	5,879	5,919	5,244
NAIRN COUNTY	2,688	2,702	2,661	2,581	2,582	2,281
Small Burgh	1,626	1,634	1,585	1,514	1,518	1,239
Nairn	1,626	1,634	1,585	1,514	1,518	1,239
Landward	1,062	1,068	1,076	1,067	1,064	1,042

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1955 to 1959—*contd.*

	1959	1958	1957	1956	1955	1939
ORKNEY COUNTY	6,243	6,222	6,234	6,242	6,271	6,087
Small Burghs	1,858	1,835	1,816	1,766	1,753	1,487
Kirkwall	1,338	1,310	1,287	1,251	1,235	1,044
Stromness	520	525	529	515	518	443
Landward	4,385	4,387	4,418	4,476	4,518	4,600
PEEBLES COUNTY	4,914	4,875	4,897	4,868	4,892	4,318
Small Burghs	2,897	2,879	2,889	2,873	2,869	2,475
Innerleithen	871	863	880	863	836	697
Peebles	2,026	2,016	2,009	2,010	2,033	1,778
Landward	2,017	1,996	2,008	1,995	2,023	1,843
PERTH COUNTY	41,025	40,667	40,571	40,014	39,860	34,217
Large Burgh	13,599	13,309	13,262	12,882	12,825	10,286
Perth	13,599	13,309	13,262	12,882	12,825	10,286
Small Burghs	9,151	9,116	9,137	9,019	9,000	7,128
Aberfeldy	543	542	547	531	538	437
Abernethy	239	239	241	240	236	199
Alyth	659	664	678	658	656	601
Auchterarder	852	841	844	845	833	680
Blairgowrie and Rattray	1,811	1,791	1,794	1,791	1,774	1,519
Callander	577	578	580	579	582	447
Coupar Angus	699	699	717	699	699	601
Crieff	1,777	1,772	1,753	1,758	1,758	1,559
Dune	258	262	270	274	274	253
Dunblane	1,012	1,010	988	921	939	832
*Pitlochry	724	718	725	723	711	—
Landward	18,275	18,242	18,172	18,113	18,035	16,803
RENFREW COUNTY	102,958	101,831	99,769	98,618	97,349	81,383
Large Burghs	58,612	58,362	57,144	56,331	55,606	46,882
Greenock	21,902	21,734	21,312	20,996	20,739	18,239
Paisley	30,662	30,549	29,970	29,415	28,971	24,284
Port Glasgow	6,048	6,079	5,862	5,920	5,896	4,359
Small Burghs	18,114	17,472	17,138	16,974	16,913	13,408
Barrhead	4,301	4,201	4,247	4,212	4,216	3,014
Gourock	3,268	3,253	3,192	3,191	3,191	2,693
Johnstone	4,774	4,475	4,257	4,253	4,230	3,373
Renfrew	5,771	5,543	5,442	5,318	5,276	4,328
Landward	26,232	25,997	25,487	25,313	24,830	21,093
ROSS AND CROMARTY COUNTY	17,903	17,897	17,771	17,649	17,630	15,993
Small Burghs	4,185	4,151	4,099	4,058	4,011	3,197
Cromarty	262	267	268	262	267	268
Dingwall	1,002	996	988	977	952	714
Fortrose	346	344	335	337	338	285
Invergordon	556	549	559	537	535	424
Stornoway	1,453	1,442	1,408	1,412	1,379	1,084
Tain	566	553	541	533	540	422
Landward	13,718	13,746	13,672	13,591	13,619	12,796
ROXBURGH COUNTY	14,715	14,750	14,903	14,932	14,917	12,972
Small Burghs	9,148	9,196	9,257	9,218	9,216	7,612
Hawick	5,875	5,869	5,909	5,832	5,801	4,978
Jedburgh	1,285	1,335	1,318	1,365	1,383	1,041
Kelso	1,405	1,417	1,460	1,448	1,472	1,120
Melrose	583	575	570	573	560	473
Landward	5,567	5,554	5,646	5,714	5,701	5,360

*Formation of new burgh 1947.

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1955 to 1959—*contd.*

	1959	1958	1957	1956	1955	1939
SELKIRK COUNTY	7,388	7,351	7,430	7,299	7,304	6,666
Small Burghs	6,582	6,526	6,571	6,441	6,438	5,697
Galashiels	4,516	4,451	4,481	4,371	4,375	3,985
Selkirk	2,066	2,075	2,090	2,070	2,063	1,712
Landward	806	825	859	858	866	969
STIRLING COUNTY	56,624	55,443	54,747	54,050	53,470	43,522
Large Burghs	20,127	19,642	19,364	18,839	18,636	16,205
Falkirk	11,814	11,547	11,387	11,024	10,975	9,490
Stirling	8,313	8,095	7,977	7,815	7,661	6,715
Small Burghs	11,799	11,452	11,320	11,062	10,828	8,112
Bridge of Allan	1,053	1,031	1,041	1,033	1,016	787
Denny and Dunipace	2,209	2,189	2,131	2,091	2,038	1,443
Grangemouth	5,568	5,285	5,257	5,051	4,901	3,690
Kilsyth	2,969	2,947	2,891	2,887	2,873	2,192
Landward	24,698	24,349	24,063	24,149	24,006	19,205
SUTHERLAND COUNTY	4,771	4,766	4,793	4,738	4,697	4,725
Small Burgh	280	276	274	269	267	225
Dornoch	280	276	274	269	267	225
Landward	4,491	4,490	4,519	4,469	4,430	4,500
WEST LOTHIAN CO.	27,677	27,100	26,280	25,927	25,635	19,476
Small Burghs	13,145	12,886	12,555	12,531	12,000	8,867
Armadale	1,928	1,898	1,861	1,859	1,712	1,281
Bathgate	4,024	3,907	3,718	3,688	3,470	2,569
Bo'ness	3,220	3,110	3,094	3,083	2,978	2,538
Linlithgow	1,407	1,403	1,357	1,399	1,445	959
Queensferry	916	917	869	861	870	542
Whitburn	1,650	1,651	1,656	1,641	1,525	978
Landward	14,532	14,214	13,725	13,396	13,635	10,609
WIGTOWN COUNTY	8,697	8,715	8,886	9,013	9,003	7,599
Small Burghs	4,062	4,077	3,954	3,853	3,854	2,973
Newton-Stewart	685	691	699	654	666	561
Stranraer	2,671	2,683	2,542	2,488	2,475	1,769
Whithorn	328	325	331	337	322	291
Wigtown	378	378	382	374	391	352
Landward	4,635	4,638	4,932	5,160	5,149	4,626
ZETLAND COUNTY	5,740	5,766	5,792	5,762	5,713	5,699
Small Burgh	1,733	1,704	1,705	1,701	1,678	1,461
Lerwick	1,733	1,704	1,705	1,701	1,678	1,461
Landward	4,007	4,062	4,087	4,061	4,035	4,238

Table 63. Meteorology of Scotland for 1959; also the Number of Births, Stillbirths, Deaths, Deaths under 1, and Marriages registered during each month of the Year 1959

	Year	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Mean of Maximum Temperature	55.4°	39.1°	44.7°	49.8°	53.7°	60.9°	63.6°	67.1°	68.3°	64.7°	58.9°	49.1°	45.1°
Mean of Minimum Temperature	42.8°	28.5°	34.4°	38.6°	40.5°	44.9°	49.7°	52.9°	53.6°	48.1°	46.7°	39.8°	36.1°
Mean Temperature	49.1°	33.8°	39.5°	44.2°	47.1°	52.9°	56.7°	60.0°	60.9°	56.4°	52.8°	44.5°	40.6°
Absolute Maximum	83°	52°	61°	63°	69°	79°	83°	82°	83°	80°	77°	62°	57°
Absolute Minimum	0°	0°	0°	16°	21°	20°	30°	33°	32°	28°	25°	12°	19°
Rainfall (Normal 100)	92	78	43	89	123	54	109	119	52	36	105	141	141
Births (Living Children only)	99,251	8,932	7,813	8,733	8,569	8,799	8,488	8,587	8,076	7,699	8,699	7,174	7,682
Stillbirths	2,252	213	171	189	197	175	196	198	179	177	189	192	176
Deaths	63,061	6,952	7,458	6,638	5,238	4,711	4,433	4,416	4,277	4,207	4,536	4,795	5,400
Deaths under 1	2,816	289	281	271	265	210	206	236	196	178	215	229	240
Marriages	40,448	1,836	2,321	5,861	4,108	1,079	3,390	4,076	3,462	4,617	4,026	2,485	3,187
Rates per 1,000 of Estimated Population	Births	19.1	20.3	19.6	20.1	20.0	19.9	19.5	18.3	18.0	19.7	16.8	17.4
	Stillbirths†	22	23	21	22	20	23	23	22	22	21	26	22
	Deaths	12.1	15.8	18.7	12.3	10.7	10.4	10.0	9.7	9.9	10.3	11.2	12.2
	Infant Mortality*	28	32	36	31	24	24	27	24	23	25	32	31
Population	7.8	4.2	5.8	13.3	9.6	2.4	7.9	9.2	7.9	10.8	9.1	5.8	7.2

*Rate per 1,000 live births. †Rate per 1,000 births (including stillbirths).

Table 64. Deaths, Temperature and Rainfall in Seventeen Large Burghs of Scotland during each week of 1959

No. of Week	Week ended	Deaths (corrected for Transfers)	Death-rate (corrected per 1,000 of Population)	Temperature			Rain in inches	No. of Week	Week ended	Deaths (corrected for Transfers)	Death-rate (corrected per 1,000 of Population)	Temperature			Rain in inches
				Max.	Min.	Mean						Max.	Min.	Mean	
1	January	731	14.7	51	30	39.1	1.46	27	July	495	9.9	78	45	58.9	1.19
2		833	16.7	43	15	30.7	0.15	28		499	10.0	76	42	60.1	0.66
3		872	17.5	45	13	31.3	0.28	29		457	9.1	71	41	57.9	0.74
4		894	17.9	51	22	36.9	0.68	30		528	10.6	81	45	62.2	0.06
5		861	17.3	48	18	34.3	0.13	31							
6	February	996	20.0	44	13	31.4	0.02	32	August	495	9.9	72	47	59.2	2.13
7		1,146	23.0	51	25	37.1	0.28	33		443	9.7	76	46	60.2	0.04
8		1,023	20.4	54	30	42.8	0.26	34		485	8.9	76	45	60.7	0.33
9		1,028	20.5	55	33	46.8	0.66	35		507	10.1	81	46	63.5	0.08
10		860	17.2	57	32	44.7	0.43	36		473	9.5	79	42	60.5	0.28
11	March	737	14.7	54	28	42.8	0.68	37	September	481	9.6	74	38	57.9	0.00
12		753	15.1	56	30	41.8	0.01	38		430	8.6	77	38	60.2	0.01
13		710	14.2	59	34	46.4	0.45	39		463	9.3	65	35	53.6	0.00
14		666	13.3	58	32	47.0	0.39	40		523	10.5	68	41	55.1	0.74
15		660	13.2	61	32	43.0	0.86	41		502	10.0	76	40	57.2	0.06
16	April	583	11.7	66	38	50.9	0.36	42	October	534	10.7	74	41	56.6	0.00
17		593	11.9	65	30	48.9	0.77	43		500	10.0	64	43	54.8	1.28
18		528	10.6	59	33	46.3	0.76	44		523	10.5	63	41	51.3	1.36
19		562	11.4	71	31	48.2	0.20	45		527	10.5	60	31	45.6	1.47
20		558	11.2	77	42	56.7	0.39	46		540	10.8	58	34	46.3	0.35
21	May	486	9.7	74	34	51.6	0.11	47	November	561	11.2	51	22	39.0	1.69
22		590	11.8	77	42	56.7	0.01	48		587	11.7	56	34	44.9	1.72
23		491	9.8	70	43	55.5	0.93	49		614	12.3	59	38	48.2	1.07
24		536	10.7	75	40	55.7	0.57	50							
25		517	10.3	83	31	56.5	0.03	51		549	11.0	53	25	39.0	0.90
26	June	493	9.9	74	45	58.7	0.89	52	December	661	13.2	48	25	41.2	0.88
										626	12.5	52	31	41.8	0.97
										607	12.1	49	29	39.7	2.27
									January	614	12.3	53	27	41.5	1.32

METEOROLOGICAL
TABLES, 1959

Table I. District Values of Air Temperature, Rainfall and Sunshine

DISTRICT	1959	AIR TEMPERATURE			RAINFALL		SUNSHINE	NORMAL VALUES			
		Highest	Lowest	Deviation from Average Daily Mean	Percentage of Normal	Number of Days Deviation from Normal	Percentage of Average Duration	Daily Mean Temperature	Total Rainfall	Number of Days	Daily Sunshine
North Scotland	Jan.	°F. 51	°F. 1	°F. -5.2	% 135	-2	% 153	°F. 39.1	Ins. 5.79	23	Hours 0.90
	Feb.	58	0	+1.3	49	-6	125	39.2	4.57	21	1.89
	Mar.	61	16	+2.5	88	-4	102	41.0	4.41	23	3.16
	April	64	21	+1.7	145	+3	91	43.7	3.23	19	4.39
	May	78	20	+2.6	61	-6	110	47.9	2.80	19	5.49
	June	77	30	+1.8	111	0	120	52.3	2.72	16	5.37
	July	78	33	+1.1	113	0	79	55.8	3.35	19	4.22
	Aug.	80	38	+2.0	76	-1	84	55.6	4.18	21	4.06
	Sept.	75	29	+2.2	46	-12	135	52.4	3.78	19	3.36
	Oct.	76	29	+4.3	110	-6	122	47.5	5.00	22	2.33
	Nov.	62	12	+1.7	132	+3	99	42.8	5.63	23	1.31
	Dec.	57	19	+0.7	120	+1	76	40.4	6.18	24	0.59
	Year	80	0	+1.4	100	-29	106	46.5	51.64	249	3.09
East Scotland	Jan.	52	0	-4.3	62	-5	159	37.7	2.57	17	1.58
	Feb.	61	1	+0.7	23	-7	111	38.3	2.24	16	2.54
	Mar.	63	19	+2.2	58	-4	88	41.0	2.48	19	3.54
	April	69	23	+2.4	129	+1	106	44.2	1.85	16	4.61
	May	79	25	+2.2	32	-9	105	48.7	2.24	16	5.49
	June	83	30	+1.6	106	-1	107	54.4	2.13	14	6.15
	July	82	34	+1.6	76	-6	111	58.0	2.87	17	4.94
	Aug.	83	32	+3.4	21	-10	107	57.1	3.15	18	4.60
	Sept.	79	29	+2.6	23	-10	133	53.5	2.24	15	5.06
	Oct.	76	25	+4.4	79	-6	126	47.7	3.27	19	3.02
	Nov.	62	12	+2.0	153	+3	89	42.1	3.11	19	1.96
	Dec.	55	19	+0.5	139	+5	63	39.1	3.11	19	1.28
	Year	83	0	+1.7	74	-37	109	46.8	31.26	205	3.65
West Scotland	Jan.	52	8	-4.6	41	-8	200	38.8	4.57	20	1.15
	Feb.	55	11	+1.4	41	-2	71	39.1	3.94	18	2.12
	Mar.	60	22	+2.6	104	+1	83	41.4	3.58	19	3.28
	April	67	21	+1.3	124	+4	92	44.7	2.76	16	4.77
	May	79	24	+3.9	43	-7	127	49.5	2.91	16	6.06
	June	78	32	+1.4	105	+2	100	54.5	2.87	15	6.24
	July	81	35	+0.6	129	-2	102	57.5	3.46	17	4.84
	Aug.	83	33	+2.4	22	-9	115	57.0	4.41	18	4.51
	Sept.	80	28	+2.3	38	-11	129	53.4	3.66	16	3.72
	Oct.	77	25	+4.7	101	-4	137	48.2	4.69	19	2.58
	Nov.	59	18	+2.1	132	+6	82	42.6	5.16	19	1.70
	Dec.	57	22	+1.5	156	+5	62	40.1	5.63	22	1.02
	Year	83	8	+1.6	87	-23	109	47.2	47.64	215	3.51

Table II. Summary Table of Mean Values of Air Temperatures at the Principal Stations (Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Perth, Kirkcaldy, Kilmarnock, Prestwick* and Inverness) together with Extremes of Temperature for Scotland as a whole, and generalised figures for the United Kingdom.

1959	AIR TEMPERATURES								RAINFALL		
	Means of		Mean of A and B	Difference of Mean from Normal	Daily Range		Absolute Extremes		Percentage of Normal		
	Maximum A	Minimum B			Mean A-B	Difference from Normal	Highest	Lowest	Scotland	England and Wales	Northern Ireland
January	39.1	28.5	33.8	-4.6	10.6	+1.4	52	0	78	113	65
February	44.7	34.4	39.5	+0.5	10.3	+0.6	61	0	43	14	38
March	49.8	38.6	44.2	+2.5	11.1	-0.8	63	16	89	115	123
April	53.7	40.5	47.1	+1.9	13.2	-0.2	69	21	123	130	123
May	60.9	44.9	52.9	+2.9	16.0	+0.8	79	20	54	44	48
June	63.6	49.7	56.7	+1.2	13.9	-1.5	83	30	109	80	89
July	67.1	52.9	60.0	+1.2	14.2	+0.4	82	33	119	84	106
August	68.3	53.6	60.9	+3.1	14.6	+0.8	83	32	52	46	33
September	64.7	48.1	56.4	+2.3	16.5	+3.3	80	28	36	10	45
October	58.9	46.7	52.8	+4.4	12.2	+0.6	77	25	105	92	122
November	49.1	39.8	44.5	+2.2	9.3	-1.1	62	12	141	127	108
December	45.1	36.1	40.6	+1.0	9.0	0.0	57	19	141	181	132
Means and Extremes	55.4	42.8	49.1	+1.5	12.6	+0.4	83	0	92	88	87

* Dumfries from August, 1959.

Table III. Number of Hours Bright Sunshine

1959	No. of Hours												Yearly Total Hours
	January	February	March	April	May	June	July	August	September	October	November	December	
North Scotland													
SHETLAND													
Lerwick	41	35	98	115	171	237	134	102	122	68	38	9	1,170
ORKNEY													
Kirkwall	51	66	102	144	155	219	127	116	146	96	54	23	1,299
CAITHNESS													
Wick	61	99	106	151	134	205	110	122	149	102	66	19	1,324
SUTHERLAND													
Strathly	33	107	110	103	185	180	79	109	141	112	54	29	1,242
ROSS AND CROMARTY													
Fortrose	51	102	107	123	173	186	132	113	164	117	55	26	1,349
Stornoway	44	83	118	130	241	206	75	104	140	104	38	29	1,312
INVERNESS													
Fort William	33	53	96	95	236	162	93	101	152	79	18	6	1,124
Glenmore Lodge	31	120	132	127	169	179	151	122	160	124	41	13	1,369
Inverness	41	101	119	131	183	193	148	120	166	115	58	25	1,400
Onich	52	63	88	101	222	149	81	99	134	82	30	11	1,112
Skye-Duntulm	47	80	128	125	247	190	75	97	154	96	42	26	1,307
East Scotland													
NAIRN													
Nairn	46	115	118	131	163	194	141	128	167	131	62	31	1,427
MORAY													
Elgin	50	121	111	132	161	186	134	134	137	119	70	37	1,392
Forres	50	121	112	109	170	180	132	131	141	124	63	36	1,369
Gordon Castle	49	125	104	120	151	174	137	144	149	112	54	27	1,346
Kinloss	53	124	118	129	174	199	143	146	151	128	68	42	1,475
BANFF													
Glenlivet	35	119	110	122	190	186	154	148	153	124	58	31	1,430
ABERDEEN													
Braemar	34	69	81	105	193	165	147	106	148	88	27	8	1,171
Craibstone	91	81	94	145	165	198	188	140	175	99	57	22	1,455
Dyce	89	81	96	149	163	193	183	143	170	98	58	20	1,443
Rattray Head	58	66	98	164	159	183	164	157	178	97	68	28	1,420
KINCARDINE													
Stonehaven	95	66	89	155	172	189	192	151	168	80	49	23	1,429
ANGUS													
Arbroath	100	52	94	184	177	203	240	151	178	106	60	20	1,565
Carnoustie	92	50	92	177	196	205	225	168	181	107	57	26	1,576
Dundee (Mayfield)	91	41	83	137	191	173	178	152	168	101	56	26	1,397
PERTH													
Perth	71	38	75	141	225	195	185	147	151	92	46	18	1,384
FIFE													
Kirkcaldy	80	38	86	140	179	195	189	169	160	112	41	22	1,411
Leuchars	101	60	93	170	193	209	207	171	172	110	58	28	1,572
St. Andrews	99	61	88	166	173	193	190	162	171	106	50	26	1,485

Table III. Number of Hours Bright Sunshine—continued

1959	NO. OF HOURS												YEARLY TOTAL HOURS
	January	February	March	April	May	June	July	August	September	October	November	December	
MIDLOTHIAN													
Edinburgh (R.O.)	83	68	103	142	186	192	163	170	145	127	49	26	1,454
Edinburgh (B.G.)	70	48	80	143	182	194	185	162	146	118	43	24	1,395
Penicuik .	39	45	86	132	189	172	150	150	126	100	26	10	1,225
Turnhouse .	77	45	89	141	191	185	177	164	133	115	50	28	1,395
EAST LOTHIAN													
North Berwick .	48	50	78	143	155	160	179	151	153	108	49	23	1,297
BERWICK													
Marchmont .	89	49	76	164	200	203	190	175	158	108	39	20	1,471
PEEBLES													
Blyth Bridge .	89	71	90	122	186	154	134	151	140	134	47	23	1,341
West Scotland													
ARGYLL													
Lephinmore .	74	63	83	114	256	157	136	130	136	85	34	13	1,281
Tiree .	62	64	108	159	288	196	116	121	137	104	47	21	1,423
DUNBARTON													
Helensburgh .	64	25	82	112	230	162	128	137	125	81	31	9	1,186
RENFREW													
Greenock .	47	17	77	118	225	167	141	140	125	70	26	6	1,159
Paisley .	54	18	85	125	222	187	157	165	138	106	37	13	1,307
Renfrew .	56	15	75	120	229	180	150	159	128	99	40	13	1,264
LANARK													
Glasgow .	63	22	73	104	217	163	148	151	123	103	38	15	1,220
Thorntonhall .	40	22	85	112	214	171	144	160	129	99	35	8	1,219
AYR													
Auchincruive .	96	72	109	139	254	192	148	167	145	116	53	25	1,516
Prestwick (Airport)	97	74	108	150	280	200	163	180	149	115	57	27	1,600
Troon .	86	66	90	137	260	179	149	159	140	105	42	15	1,428
DUMFRIES													
Dumfries .	74	37	86	118	206	195	178	178	152	116	36	21	1,397
Eskdalemuir .	96	45	75	122	208	174	165	189	153	130	42	20	1,419
Ruthwell .	64	35	95	123	208	201	178	160	154	122	32	19	1,391
KIRKCUDBRIGHT													
Castle Douglas .	83	48	101	130	218	207	195	191	159	124	46	25	1,527

Table IV. Monthly and Annual Amounts of Rainfall (Inches) and Number of Days of Rain at Selected Stations.

1959		January	February	March	April	May	June	July	August	September	October	November	December	Year	Rain Days	.04 inch. or more
North Scotland	SHEPHERD															
	Lerwick	3.78	1.24	1.61	3.01	1.47	2.70	2.28	2.06	1.33	3.81	5.61	7.26	36.16	223	163
	ORKNEY															
	Kirkwall	5.55	1.29	1.49	2.40	1.81	2.50	2.28	1.71	1.25	5.49	5.63	4.70	36.10	219	168
	CAITHNESS															
	Wick	7.59	.33	1.67	1.94	1.52	1.46	2.71	1.98	1.03	4.01	4.27	3.14	31.65	205	147
	SUTHERLAND															
	Cape Wrath	7.48	1.71	2.26	2.87	2.28	4.03	5.41	4.54	3.22	6.10	4.09	4.74	48.73	219	179
	Strathly	9.65	.70	1.40	2.76	2.54	1.64	4.03	3.24	1.73	4.90	6.71	3.95	43.25	223	166
	ROSS AND CROMARTY															
Achnashellach	6.71	4.53	5.47	7.43	3.32	6.70	11.16	7.09	4.93	11.51	9.41	9.41	87.67	258	206	
Fortrose	2.80	.56	1.57	2.77	.67	2.06	2.63	1.23	.65	2.97	2.84	1.28	22.03	162	112	
Stornoway	7.56	2.12	2.01	5.36	1.41	2.93	4.05	2.86	2.74	5.63	5.63	5.35	48.85	233	184	
INVERNESS																
Benbecula	5.28	1.77	3.39	4.47	.89	3.53	5.22	2.79	2.59	6.29	6.29	6.51	6.65	49.38	239	186
Dalwhinnie	3.07	2.03	3.82	3.43	1.76	3.29	4.04	3.57	.74	7.43	7.43	6.37	9.17	48.72	205	170
Duntulim	5.38	3.00	3.26	4.74	1.22	4.15	7.18	4.21	3.59	6.26	6.26	8.55	59.78	236	201	
Fort William	3.00	6.20	6.23	6.00	1.44	6.57	7.79	5.74	3.13	9.92	9.92	10.46	78.47	241	197	
Inverness	2.76	.52	1.14	2.74	.99	2.13	2.17	1.17	.55	3.05	3.05	3.50	1.72	22.44	134	100
Onich	2.58	5.56	5.63	5.88	2.39	6.21	8.46	6.34	4.00	8.96	8.96	9.78	11.71	77.50	231	218
East Scotland																
NAIRN																
Nairn	2.11	.45	1.21	2.26	.59	1.87	2.19	.82	.57	2.48	2.48	2.41	1.21	18.17	—	108
MORAY																
Forres	3.17	.54	1.07	1.75	.81	2.07	1.85	.99	.78	2.62	2.62	2.26	1.39	19.30	153	106
Gordon Castle	3.55	.37	.92	1.75	.58	1.53	2.79	1.17	.96	3.96	3.96	3.77	2.06	23.41	164	108
Kinloss	3.07	.44	1.15	1.83	.74	2.19	1.74	.90	.73	2.81	2.81	2.05	1.25	18.90	161	113

Glenlivet	.	.	.	3-26	46	1-14	2-45	1-39	2-69	2-50	1-37	57	4-73	6-00	4-93	31-49	193	130
ABERDEEN																		
Balmoral	.	.	.	2-80	37	1-48	2-53	1-21	1-77	2-78	1-12	91	5-17	6-05	5-19	31-38	184	122
Braemar	.	.	.	2-22	39	1-93	2-65	1-20	2-07	2-79	1-53	64	5-09	6-43	6-18	33-12	189	136
Craibstone	.	.	.	2-53	32	1-52	3-08	1-66	1-88	1-67	1-78	62	3-94	4-99	4-50	27-49	174	121
Dyce	.	.	.	2-72	27	1-40	2-81	1-34	1-81	1-76	1-85	60	4-10	4-50	4-25	26-41	164	120
Rattray Head	.	.	.	3-89	38	1-59	2-14	1-05	1-77	2-55	1-43	1-39	4-72	5-06	4-44	30-41	200	134
KINCARDINE																		
Stonehaven.	.	.	.	1-95	24	1-02	3-04	2-19	1-47	1-87	42	58	3-02	4-92	4-46	25-18	170	120
ANGUS																		
Arbroath	.	.	.	94	10	81	2-18	89	2-39	2-05	58	45	1-95	3-50	4-68	20-52	148	106
Buddon Ness	.	.	.	1-05	22	92	2-47	70	2-18	3-35	67	55	1-99	4-60	4-71	23-41	166	106
Dundee	.	.	.	91	30	1-33	2-51	73	2-02	3-07	76	76	1-96	4-77	5-62	24-74	176	117
Montrose	.	.	.	1-14	21	1-25	1-93	1-61	3-53	2-69	44	68	3-08	5-31	5-07	26-94	164	116
PERTH																		
Perth	.	.	.	1-06	75	1-55	2-41	69	1-72	4-25	53	56	2-25	4-82	6-10	26-69	173	118
FIFE																		
Kirkcaldy	.	.	.	96	54	1-00	2-12	35	3-56	3-40	51	74	1-87	5-38	3-92	24-35	154	115
Leuchars	.	.	.	88	22	1-05	2-07	56	1-95	3-30	77	44	1-30	4-97	5-01	22-52	154	96
St. Andrews	.	.	.	80	21	1-39	2-52	84	2-18	2-91	66	52	1-39	4-17	5-63	23-22	149	106
MIDLOTHIAN																		
Bush House	.	.	.	1-24	42	75	1-78	52	1-69	3-01	41	55	2-62	5-71	3-48	22-18	168	110
Edinburgh	.	.	.	90	53	39	1-87	41	1-99	2-45	40	47	1-66	4-45	2-52	18-04	140	95
Midcaldy	.	.	.	90	96	1-01	2-10	1-45	2-18	3-15	58	73	3-05	5-86	3-48	25-45	167	124
Penicuik	.	.	.	1-29	75	79	2-16	77	1-79	3-55	53	62	3-17	5-83	3-48	24-73	171	126
Turnhouse	.	.	.	62	46	58	1-51	81	1-74	3-21	38	66	1-69	5-26	2-72	19-64	158	98
EAST LOTHIAN																		
North Berwick	.	.	.	58	32	38	1-66	56	2-22	2-36	47	59	1-46	3-75	3-17	17-52	159	89
BERWICK																		
Marchmont	.	.	.	1-56	55	75	1-95	43	2-62	2-16	42	57	2-51	4-90	3-25	21-67	149	107
PEEBLES																		
Blyth Bridge	.	.	.	1-62	1-14	1-13	2-56	1-68	3-02	2-64	83	78	3-43	6-08	3-49	28-40	199	140

Table IV. Monthly and Annual Amounts of Rainfall (Inches) and Number of Days of Rain at Selected Stations—continued

1959	January	February	March	April	May	June	July	August	September	October	November	December	Year	Rain Days	.04 inch. or more
ROXBURGH															
Kelso . . .	1.45	.58	.61	1.59	.42	3.27	1.92	.47	.91	2.13	4.57	2.85	20.77	140	104
West Scotland															
ARGYLL															
Colonsay . . .	1.71	1.18	4.03	3.32	1.34	3.21	5.78	2.53	1.93	5.83	6.01	7.60	44.47	286	194
Dunoon (Benmore F.S.) . . .	3.25	3.53	6.44	8.12	2.56	5.08	9.36	2.60	2.51	9.57	9.11	15.13	77.26	211	193
Dunoon . . .	3.64	3.00	6.15	6.22	1.94	6.05	10.01	1.91	2.02	9.54	9.88	13.70	74.06	211	184
Glenbranter . . .	3.69	3.26	8.51	7.69	3.16	5.31	8.65	4.06	2.72	10.78	10.10	16.26	84.19	200	186
Tiree . . .	2.08	1.19	3.44	3.08	.68	2.69	5.28	1.40	2.12	5.85	5.30	6.89	40.00	230	172
BUTE															
Millport . . .	1.92	2.26	3.05	2.93	1.34	3.80	5.10	.79	1.61	5.89	5.25	7.77	41.71	190	155
DUNBARTON															
Helensburgh . . .	2.55	2.07	3.24	3.90	1.43	2.58	7.07	1.67	1.83	4.71	5.39	8.55	44.99	200	171
STIRLING															
Falkirk . . .	1.14	1.16	1.67	3.16	1.08	2.05	4.85	.71	.89	2.98	5.52	5.18	30.39	175	131
Stirling . . .	1.58	1.31	1.95	3.27	1.19	1.94	5.64	.94	.79	3.08	4.30	6.13	32.12	184	135
RENFREW															
Greenock . . .	2.08	2.43	3.85	4.86	1.37	3.61	7.21	1.74	1.71	7.07	7.12	10.63	53.68	204	168
Paisley . . .	1.61	1.64	2.00	3.00	.94	3.20	4.47	.57	1.04	5.54	5.10	7.86	36.97	192	150
Renfrew . . .	1.27	1.35	1.65	2.78	1.09	2.83	4.31	.45	1.00	4.52	4.57	6.76	32.58	185	141
AYR															
Auchincruive . . .	1.41	1.54	1.90	1.83	1.41	3.50	4.41	.57	1.46	5.53	3.67	4.49	31.72	180	135
Colmonell . . .	1.73	1.85	3.79	2.65	1.63	2.78	2.80	1.04	2.02	6.76	4.62	6.63	38.30	181	151
Kilmarnock . . .	1.03	2.07	2.48	2.03	1.96	3.44	5.80	.68	1.27	6.12	4.18	5.36	36.42	175	141
Largs . . .	1.79	2.01	2.94	3.63	1.43	3.54	5.42	1.45	1.63	5.58	6.09	9.98	45.29	188	153
Prestwick (Airport) . . .	1.19	1.47	1.79	1.57	1.16	3.22	4.40	.35	1.43	5.61	3.93	4.2	30.38	167	131

Dumfries .	1·80	1·11	3·08	3·00	·80	3·21	2·55	·69	1·52	4·89	6·69	7·25	36·59	180	147
Eskdalemuir .	4·01	2·05	4·14	4·60	3·02	3·93	5·33	·97	1·81	6·34	10·17	9·21	55·58	193	163
Ruthwell .	1·80	·86	2·93	2·61	1·39	3·43	3·34	·50	1·86	4·16	5·22	6·04	34·14	191	145
KIRKCUDBRIGHT															
Castle Douglas .	2·06	1·39	3·38	3·17	·93	3·27	2·76	·47	1·35	5·00	8·07	9·95	41·80	175	145
Glenlee .	3·47	2·16	5·00	4·47	1·76	3·92	6·20	·95	1·76	7·15	8·43	10·94	56·21	196	167
Glenlocharr Barrage	2·29	1·75	3·15	3·15	·97	3·82	4·66	·46	1·77	5·54	9·86	9·73	47·15	182	144

Printed in Scotland under the authority of Her Majesty's Stationery Office
by David J. Clark Limited, Glasgow. Wt.70695. K4

429
100



